# (19) World Intellectual Property Organization International Bureau



## | 1911 | 1910 | 1 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1914 | 1

# (43) International Publication Date 28 February 2002 (28.02.2002)

**PCT** 

# (10) International Publication Number WO 02/15675 A1

(51) International Patent Classification7: C12P 21/00, C12N 15/82 A01H 5/00.

(21) International Application Number: PCT/US01/26189

(22) International Filing Date: 22 August 2001 (22.08.2001)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/227,439 22 August 2000 (22.08.2000) US 09/713,994 16 November 2000 (16.11.2000) US 09/837,944 16 April 2001 (16.04.2001) US

(71) Applicant (for all designated States except US): MENDEL BIOTECHNOLOGY, INC. [US/US]; 21375 Cabot Boulevard, Hayward, CA 94541 (US).

(71) Applicants and

(72) Inventors: PILGRIM, Marsha [US/US]; 790 Saltillo Place, Fremont, CA 94536 (US). CREELMAN, Robert [US/US]; 2801 Jennifer Drive, Castro Valley, CA 94546 (US). DUBELL, Arnold, J. [US/US]; 14857 Wake Avenue, san Leandro, CA 94578 (US). HEARD, Jacqueline [US/US]; 810 Guildford Avenue, San Mateo, CA 94402 (US). JIANG, Cai-Zhong [US/US]; 34495 Heathrow Terrace, Fremont, CA 94555 (US). KEDDIE, James [US/US]; 54 McLellan Avenue, San Mateo, CA 94403 (US). ADAM, Luc [CA/US]; 25800 Industrial Boulevard, Apt. L403, Hayward, CA 94545 (US). RATCLIFF, Oliver [GB/US]; 814 East 21st Street, Oakland, CA 94606 (US). REUBER, J., Lyune [US/US]; 1115 S. Grant Street, San Mateo, CA 94402 (US). RIECHMANN, Jose, Luis [ES/US]; 115 Moss Avenue #308, Oakland, CA

94611 (US). YU, Guo-Liang [US/US]; 242 Gravatt Drive, Berkeley, CA 94706 (US). PINEDA, Omaira [CO/US]; 4060 9th Place, Vero Beach, FL 32960 (US).

- (74) Agent: KULIK, David, J.; Wiley Rein & Fielding LLP, 1776 K. Street, N.W., Washington, DC 20006 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

#### Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

15675 A1

(54) Title: GENES FOR MODIFYING PLANT TRAITS IV

(57) Abstract: The invention relates to plant transcription factor polypeptides, polynucleotides that encode them, homologs from a variety of plant species, and methods of using the polynucleotides and polypeptides to produce transgenic plants having advantageous properties compared to a reference plant. Sequence information related to these polynucleotides and polypeptides can also be used in bioinformatic search methods and is also disclosed.

## GENES FOR MODIFYING PLANT TRAITS IV

This application claims priority benefit of: prior U.S application entitled "Plant Trait Modification III," serial no. 60/227,439, filed August 22, 2000; prior U.S. application entitled "Genes for Modifying Plant Traits," attorney docket number MBI-0022, serial no. \_\_\_\_\_\_, filed November 16, 2000; and prior U.S. application entitled "Genes for Modifying Plant Traits II," serial no. 09/837,944, filed April 18, 2001. The entire content of each of these applications is hereby incorporated by reference.

## 10 Field of the Invention and Introduction

5

This invention relates to the field of plant biology. More particularly, the present invention pertains to compositions and methods for phenotypically modifying a plant.

A plant's traits, such as its biochemical, developmental, or phenotypic characteristics, can be

controlled through a number of cellular processes. One important way to manipulate that control
is through transcription factors - proteins that influence the expression of a particular gene or sets
of genes. Transgenic plants that comprise cells having altered levels of at least one selected
transcription factor, for example, possess advantageous or desirable traits. Strategies for
manipulating traits by altering a plant cell's transcription factor content can therefore result in
plants and crops with commercially valuable properties. Applicants have identified
polynucleotides encoding transcription factors, developed numerous transgenic plants using these
polynucleotides, and have analyzed the plants for a variety of important traits. In so doing,
applicants have identified important polynucleotide and polypeptide sequences for producing
commercially valuable plants and crops as well as the methods for making them and using them.

Other aspects and embodiments of the invention are described below and can be derived from the

## Background of the Invention

teachings of this disclosure as a whole.

Transcription factors can modulate gene expression, either increasing or decreasing (inducing or repressing) the rate of transcription. This modulation results in differential levels of gene expression at various developmental stages, in different tissues and cell types, and in response to different exogenous (e.g., environmental) and endogenous stimuli throughout the life cycle of the organism.

35 Because transcription factors are key controlling elements of biological pathways, altering the expression levels of one or more transcription factors can change entire biological pathways in an

organism. For example, manipulation of the levels of selected transcription factors may result in increased expression of economically useful proteins or metabolic chemicals in plants or to improve other agriculturally relevant characteristics. Conversely, blocked or reduced expression of a transcription factor may reduce biosynthesis of unwanted compounds or remove an undesirable trait. Therefore, manipulating transcription factor levels in a plant offers tremendous potential in agricultural biotechnology for modifying a plant's traits.

The present invention provides novel transcription factors useful for modifying a plant's phenotype in desirable ways.

10

15

20

25

30

35

#### Summary of the Invention

In a first aspect, the invention relates to a recombinant polynucleotide comprising a nucleotide sequence selected from: (a) a nucleotide sequence of the Sequence Listing, or SEQ ID Nos.: 2N-1 where N=1-232, preferably where N=1-232, or a nucleotide sequence encoding a polypeptide comprising an amino acid sequence selected from those of the Sequence Listing, or SEQ ID Nos: 2N where N=1-232, or a complementary nucleotide sequence of any of these; (b) a nucleotide sequence encoding a polypeptide comprising a variant of a polypeptide of (a) or a variant having one or more, or between 1 and about 5, or between 1 and about 10, or between 1 and about 30, conservative amino acid substitutions; (c) a nucleotide sequence comprising a sequence selected from SEQ ID Nos.: 2N-1 where N=1-232, or a complementary nucleotide sequence thereof; (d) a nucleotide sequence comprising one or more silent substitutions in a nucleotide sequence of (c); (e) a nucleotide sequence that hybridizes under stringent conditions, high stringent conditions, ultra-high stringent conditions, or ultra-ultra-high stringent conditions over substantially the entire length of a nucleotide sequence of one or more of (a), (b), (c), or (d); (f) a nucleotide sequence comprising at least 10 or 15, or at least about 20, or at least about 30 consecutive nucleotides of a sequence of any of (a)-(e), or at least 10 or 15, or at least about 20, or at least about 30 consecutive nucleotides outside of a region encoding a conserved domain of any of (a)-(e); (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide having a biological activity that modifies a plant's characteristic, functions as a transcription factor, results in ectopic expression or altered expression in a transgenic plant, or alters the level of transcription of a gene or transgene in a cell; (h) a nucleotide sequence having at least 31% sequence identity to a nucleotide sequence of any of (a)-(g); (i) a nucleotide sequence having at least 60%, or at least 70 %, or at least 80 %, or at least 90 %, or at least 95 % sequence identity to a nucleotide sequence of any of (a)-(g) or a 10 or 15 nucleotide, or at least about 20, or at least about 30 nucleotide region of a sequence of (a)-

(g) that is outside of a region encoding a conserved domain; (j) a nucleotide sequence that encodes a polypeptide having at least 31% sequence identity to a polypeptide listed in the Sequence Listing, or SEQ ID No.: 2N-1 where N=1-232; (k) a nucleotide sequence that encodes a polypeptide having at least 60%, or at least 70 %, or at least 80%, or at least 90 %, or at least 95 % sequence identity to a polypeptide listed in the Sequence Listing, or SEQ ID No.: 2N-1 where N=1-232; and (l) a nucleotide sequence that encodes a conserved domain of a polypeptide having at least 85%, or at least 90%, or at least 95%, or at least 98% sequence identity to a conserved domain of a polypeptide listed in the Sequence Listing, or SEQ ID No.: 2N-1 where N=1-232. A recombinant polynucleotide may further comprise a constitutive, inducible, or tissue-specific promoter operably linked to a nucleotide sequence listed above. The invention also relates to compositions comprising at least two of the above-described polynucleotides.

In a second aspect, the invention comprises an isolated or recombinant polypeptide having an amino acid sequence of the Sequence Listing, or SEQ ID Nos.: 2N-1 where N=1-232, or a polypeptide comprising a subsequence of at least about 10, or at least about 15, or at least about 20, or at least about 30 contiguous amino acids encoded by the recombinant or isolated polynucleotide described above, or comprising a subsequence of at least about 8, or at least about 12, or at least about 15, or at least about 20, or at least about 30 contiguous amino acids outside of a conserved domain.

In another aspect, the invention is a transgenic plant comprising one or more of the above-described recombinant polynucleotides. In yet another aspect, the invention is a plant with altered expression levels of a polynucleotide described above or a plant with altered expression or activity levels of an above-described polypeptide. Further, the invention is a plant lacking a nucleotide sequence encoding a polypeptide described above or substantially lacking a polypeptide described above. The plant may be any appropriate plant, including, but not limited to, *Arabidopsis*, mustard, soybean, wheat, corn, potato, cotton, rice, oilseed rape, sunflower, alfalfa, sugarcane, turf, banana, blackberry, blueberry, strawberry, raspberry, cantaloupe, carrot, cauliflower, coffee, cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers, pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, sugarbeet, canola, peanut, rosaceous fruits, vegetable brassicas, and mint or other labiates.

In a further aspect, the invention relates to a cloning or expression vector comprising the isolated or recombinant polynucleotide described above or cells comprising the cloning or expression vector.

In yet a further aspect, the invention relates to a composition produced by incubating a polynucleotide of the invention with a nuclease, a restriction enzyme, a polymerase, a polymerase and a primer, a cloning vector, or with a cell.

- Furthermore, the invention relates to a method for producing a plant having a modified trait.

  The method comprises altering the expression of an isolated or recombinant polynucleotide of the invention or altering the expression or activity of a polypeptide of the invention in a plant to produce a modified plant, and selecting the modified plant for a modified trait.
- In another aspect, the invention relates to a method of identifying a factor that is modulated by or interacts with a polypeptide encoded by a polynucleotide of the invention. The method comprises expressing a polypeptide encoded by the polynucleotide in a plant and identifying at least one factor that is modulated by or interacts with the polypeptide. In one embodiment the method for identifying modulating or interacting factors is by detecting binding by the polypeptide to a promoter sequence, or by detecting interactions between an additional protein and the polypeptide in a yeast two hybrid system, or by detecting expression of a factor by hybridization to a microarray, subtractive hybridization or differential display.

In yet another aspect, the invention is a method of identifying a molecule that modulates activity or expression of a polynucleotide or polypeptide of interest. The method comprises placing the molecule in contact with a plant comprising the polynucleotide or polypeptide encoded by the polynucleotide of the invention and monitoring one or more of the expression level of the polynucleotide in a cell of the plant, the expression level of the polypeptide in a cell of the plant, and the modulation of an activity of the polypeptide in a cell of the plant.

25

30

35

20

In yet another aspect, the invention relates to an integrated system, computer or computer readable medium comprising one or more character strings corresponding to a sequence of the Sequence Listing, SEQ ID Nos.: 1-464, to a polynucleotide of the invention, or to a polypeptide encoded by the polynucleotide. The integrated system, computer or computer readable medium may comprise a link between one or more sequence strings to a modified plant trait.

In yet another aspect, the invention is a method for identifying a sequence similar to or homologous to one or more polynucleotides of the invention, or one or more polypeptides encoded by the polynucleotides. The method comprises providing a sequence database, and querying the sequence database with one or more target sequences corresponding to the one or more polynucleotides or to the one or more polypeptides, such as those of SEQ ID Nos.: 1-464,

to identify one or more sequence members of the database that display sequence similarity or homology to one or more of the one or more target sequences. Such a method may also be a method of identifying a homolog sequence from a database, where the database comprises a plurality of known plant sequences. These sequences can be ESTs, cDNA, or genomic fragments. The database may contain sequences that are not "known" in addition to the known 5 sequences, in that sequences may not be assigned or linked to a function or particular characteristic, yet the sequence itself is known. The method of identifying a homolog comprises inputting sequence information selected from one or more of SEQ ID Nos. 1-464; and querying the database to identify a homolog sequence. In this way, homolog sequences from any number of plant species, cultivars, or strains can be identified from the information of an inputted sequence or a fragment of the sequence. For these methods and for the sequence information, a computer readable medium having stored sequence information of one or more of SEQ ID Nos.: 1-464, or 1-37, or any one particular SEQ ID No., or any group of SEQ ID Nos. in between 1 and 464, can be used. The computer readable medium may include, for example, a floppy disc, a hard drive, random access memory (RAM), read only memory (ROM), and/or CD-ROM.

A method of the invention may comprise linking the one or more of the polynucleotides of the invention, or encoded polypeptides, to a modified plant phenotype.

# 20 Brief Description of the Sequence Listing and the Appendices

The Sequence Listing provides exemplary polynucleotide (SEQ ID Nos.: 2N-1 where N=1-232) and polypeptide (SEQ ID Nos.: 2N where N=1-232) sequences of the invention. The traits associated with the use of the sequences are included in the Examples or the Appendices.

25

30

35

10

15

The Tables of the Appendices include homologous sequences and homologs of specific polynucleotides and polypeptides, specific information about those sequences, and data concerning exemplary transgenic plants of the invention. The data and sequence information can be prepared according to the methods of the Examples or those known in the art. The Appendices include the Tables of this Appendix and those in the files of the Appendices of the priority documents.

Table 3 in the Appendix is a list of: the first 332 sequences from the Sequence Listing; the corresponding GID number (i.e. G28) used throughout to refer to both the cDNA and protein sequence of a particular transcription factor, and referred to or used in the Appendices of the U.S.

priority documents; and the identification of conserved amino acid domain start and stop sites (conserved domain) within the protein sequence.

Table 4 in the Appendix is a list of: selected sequences from the Sequence Listing; their corresponding GID number; the type of transgenic plant produced to determine ectopic expression, altered expression, or trait (either Knockout of overexpressor as in the Examples); and general descriptions and specific characteristics of the transgenic plant's traits as compared to a wild type, reference, or control plant.

Table 5 of the Appendix is a list of: selected sequences from the Sequence Listing; their corresponding GID number; the identification of the one or more homolog sequences and the corresponding GID numbers; the type of sequence of the particular SEQ ID No.; and the identification of conserved amino acid domain start and stop sites (conserved domain) within the protein sequence.

15

30

35

Table 6 of the Appendix is a list of selected homologs identified from genomic, EST, or other database, as referred to in the Examples. Table 6 includes: the particular SEQ ID No. in the Sequence Listing used to identify exemplary homologs; the corresponding GID number of the SEQ ID No. sequence; the Genbank NID reference number associated with the exemplary homolog identified (from which one of skill in the art can produce a genomic, cDNA, and/or EST sequence and corresponding polynucleotide); the P-value related to the particular, exemplary homolog comparison to the GID sequence; the percent identity between the GID sequence and the homolog; and the species the exemplary homolog sequence is derived from. All of the sequences referred to in the Table, as well as fragments or parts of these sequences, can be used in accordance with this invention, for example to produce transgenic plants with ectopic expression or altered expression.

#### **Detailed Description of Exemplary Embodiments**

In an important aspect, the present invention relates to polynucleotides and polypeptides, e.g. for modifying phenotypes of plants. Throughout this disclosure, various information sources are referred to and/or are specifically incorporated. The information sources include scientific journal articles, patent documents, textbooks, and web pages, for example. While the reference to these information sources clearly indicates that they can be used by one of skill in the art, applicants specifically incorporate each and every one of the information sources cited herein, in their entirety, whether or not a specific mention of "incorporation by reference" is noted. The

contents and teachings of each and every one of the information sources can be relied on and used to make and use embodiments of the invention.

The polynucleotides of the invention encode plant transcription factors or fragments of them. 5 As one of ordinary skill in the art recognizes, transcription factors can be identified by the presence of a region or domain of structural similarity or identity to a specific consensus sequence or the presence of a specific consensus DNA-binding site (see, for example, Riechmann et al., Science 290: 2105-2110 (2000)). The plant transcription factors may belong to one of the following transcription factor families: the AP2 (APETALA2) domain transcription factor family 10 (Riechmann and Meyerowitz (1998) Biol. Chem. 379:633-646); the MYB transcription factor family (Martin and Paz-Ares, (1997) Trends Genet. 13:67-73); the MADS domain transcription factor family (Riechmann and Meyerowitz (1997) Biol. Chem. 378:1079-1101); the WRKY protein family (Ishiguro and Nakamura (1994) Mol. Gen. Genet. 244:563-571); the ankyrinrepeat protein family (Zhang et al. (1992) Plant Cell 4:1575-1588); the zinc finger protein (Z) family (Klug and Schwabe (1995) FASEB J. 9: 597-604); the homeobox (HB) protein family 15 (Duboule (1994) Guidebook to the Homeobox Genes, Oxford University Press); the CAATelement binding proteins (Forsburg and Guarente (1989) Genes Dev. 3:1166-1178); the squamosa promoter binding proteins (SPB) (Klein et al. (1996) Mol. Gen. Genet. 250:7-16); the NAM protein family (Souer et al. (1996) Cell 85:159-170); the IAA/AUX proteins (Rouse et al. (1998) Science 279:1371-1373); the HLH/MYC protein family (Littlewood et al. (1994) Prot. 20 Profile 1:639-709); the DNA-binding protein (DBP) family (Tucker et al. (1994) EMBO J. 13:2994-3002); the bZIP family of transcription factors (Foster et al. (1994) FASEB J. 8:192-200); the Box P-binding protein (the BPF-1) family (da Costa e Silva et al. (1993) Plant J. 4:125-135); the high mobility group (HMG) family (Bustin and Reeves (1996) Prog. Nucl. Acids Res. Mol. Biol. 54:35-100); the scarecrow (SCR) family (Di Laurenzio et al. (1996) Cell 25 86:423-433); the GF14 family (Wu et al. (1997) Plant Physiol. 114:1421-1431); the polycomb (PCOMB) family (Kennison (1995) Annu. Rev. Genet. 29:289-303); the teosinte branched (TEO) family (Luo et al. (1996) Nature 383:794-799; the ABI3 family (Giraudat et al. (1992) Plant Cell 4:1251-1261); the triple helix (TH) family (Dehesh et al. (1990) Science 250:1397-1399); the EIL family (Chao et al. (1997) Cell 89:1133-44); the AT-HOOK family (Reeves and Nissen 30 (1990) Journal of Biological Chemistry 265:8573-8582); the S1FA family (Zhou et al. (1995) Nucleic Acids Res. 23:1165-1169); the bZIPT2 family (Lu and Ferl (1995) Plant Physiol. 109:723); the YABBY family (Bowman et al. (1999) Development 126:2387-96); the PAZ family (Bohmert et al. (1998) EMBO J. 17:170-80); a family of miscellaneous (MISC) transcription factors including the DPBF family (Kim et al. (1997) Plant J. 11:1237-1251) and 35 the SPF1 family (Ishiguro and Nakamura (1994) Mol. Gen. Genet. 244:563-571); the golden

(GLD) family (Hall et al. (1998) Plant Cell 10:925-936), the TUBBY family (Boggin et al, (1999) Science 286:2119-2125), the heat shock family (Wu C (1995) Annu Rev Cell Dev Biol 11:441-469), the ENBP family (Christiansen et al (1996) Plant Mol Biol 32:809-821), the RINGzinc family (Jensen et al. (1998) FEBS letters 436:283-287), the PDBP family (Janik et al Virology. (1989) 168:320-329), the PCF family (Cubas P, et al. Plant J. (1999) 18:215-22), the SRS (SHI-related) family (Fridborg et al Plant Cell (1999) 11:1019-1032), the CPP (cysteinerich polycomb-like) family (Cvitanich et al Proc. Natl. Acad. Sci. U S A. (2000) 97:8163-8168), the ARF (auxin response factor) family (Ulmasov, et al. (1999) Proc. Natl. Acad. Sci. USA 96: 5844-5849), the SWI/SNF family (Collingwood et al J. Mol. End. 23:255-275), the ACBF family (Seguin et al Plant Mol Biol. (1997) 35:281-291), PCGL (CG-1 like) family (Plant Mol 10 Biol. (1994) 25:921-924) the ARID family (Vazquez et al Development. (1999) 126: 733-42), the Jumonji family, Balciunas et al (Trends Biochem Sci. (2000) 25: 274-276), the bZIP-NIN family (Schauser et al Nature. (1999) 402: 191-195), the E2F family Kaelin et al (1992) Cell 70: 351-364) and the GRF-like family (Knaap et al (2000) Plant Physiol. 122: 695-704. As indicated by any part of the list above and as known in the art, transcription factors have been sometimes 15 categorized by class, family, and sub-family according to their structural content and consensus DNA-binding site, for example. All of the classes and many of the families and sub-families are listed here. However, the inclusion of one sub-family and not another, or the inclusion of one family and not another, does not mean that the invention does not encompass polynucleotides or polypeptides of a certain family or sub-family. The list provided here is merely an example of 20 the types of transcription factors and the knowledge available concerning the consensus sequences and DNA-binding site motifs that help define them (each of the references noted above are specifically incorporated herein by reference).

- In addition to methods for modifying a plant phenotype by employing one or more polynucleotides and polypeptides of the invention described herein, the polynucleotides and polypeptides of the invention have a variety of additional uses. These uses include their use in the recombinant production (i.e, expression) of proteins; as regulators of plant gene expression; as diagnostic probes for the presence of complementary or partially complementary nucleic acids (including for detection of natural coding nucleic acids); as substrates for further reactions, e.g., mutation reactions, PCR reactions, or the like; as substrates for cloning e.g., including digestion or ligation reactions; and/or for identifying exogenous or endogenous modulators of the transcription factors.
- A "polynucleotide" is a nucleic acid sequence comprising a plurality of polymerized nucleotide residues, e.g., at least about 15 consecutive polymerized nucleotide residues, optionally at least

about 30 consecutive nucleotides, at least about 50 consecutive nucleotides. In many instances, a polynucleotide comprises a nucleotide sequence encoding a polypeptide (or protein) or a domain or fragment thereof. Additionally, the polynucleotide may comprise a promoter, an intron, an enhancer region, a polyadenylation site, a translation initiation site, 5' or 3' untranslated regions, a reporter gene, a selectable marker, or the like. The polynucleotide can be single stranded or double stranded DNA or RNA. The polynucleotide optionally comprises modified bases or a modified backbone. The polynucleotide can be, e.g., genomic DNA or RNA, a transcript (such as an mRNA), a cDNA, a PCR product, a cloned DNA, a synthetic DNA or RNA, or the like. The polynucleotide can comprise a sequence in either sense or antisense orientations.

10

15

20

A "recombinant polynucleotide" is a polynucleotide that is not in its native state, e.g., the polynucleotide comprises a nucleotide sequence not found in nature, or the polynucleotide is in a context other than that in which it is naturally found, e.g., separated from nucleotide sequences with which it typically is in proximity in nature, or adjacent (or contiguous with) nucleotide sequences with which it typically is not in proximity. For example, the sequence at issue can be cloned into a vector, or otherwise recombined with one or more additional nucleic acid. A recombinant polynucleotide of the invention can be a cDNA or cDNA-derived polynucleotide that contains the entire coding region of a protein but does not contain the introns of genomic DNA. A recombinant polynucleotide of the invention can also be, or be derived from, a fragment of an isolated genomic DNA that is a full length coding region in that it contains the start of translation of a particular protein through the termination of translation of that same protein, where the start and termination sites are known.

An "isolated polynucleotide" is a polynucleotide or nucleic acid molecule, whether naturally occurring or recombinant, that is present outside the cell in which it is typically found in nature, whether purified or not. Optionally, an isolated polynucleotide is subject to one or more enrichment or purification procedures, e.g., cell lysis, extraction, centrifugation, precipitation, or the like.

A "recombinant polypeptide" is a polypeptide produced by translation of a recombinant polynucleotide. An "isolated polypeptide," whether a naturally occurring or a recombinant polypeptide, is more enriched in (or out of) a cell than the polypeptide in its natural state in a wild type cell, e.g., more than about 5% enriched, more than about 10% enriched, or more than about 20%, or more than about 50%, or more, enriched, i.e., alternatively denoted: 105%, 110%, 120%, 150% or more, enriched relative to wild type standardized at 100%. Such an enrichment is not the result of a natural response of a wild type plant. Alternatively, or additionally, the

isolated polypeptide is separated from other cellular components with which it is typically associated, e.g., by any of the various protein purification methods herein.

The term "transgenic plant" refers to a plant that contains genetic material not found in a wild type plant of the same species, variety or cultivar. The genetic material may include a transgene, an insertional mutagenesis event (such as by transposon or T-DNA insertional mutagenesis), an activation tagging sequence, a mutated sequence, a homologous recombination event or a sequence modified by chimeraplasty. Typically, the foreign genetic material has been introduced into the plant by human manipulation, but any method can be used as one of skill in the art recognizes.

A transgenic plant may contain an expression vector or cassette. The expression cassette typically comprises a polypeptide-encoding sequence operably linked (i.e., under regulatory control of) to appropriate inducible or constitutive regulatory sequences that allow for the expression of the polypeptide. The expression cassette can be introduced into a plant by transformation or by breeding after transformation of a parent plant. A plant refers to a whole plant as well as to a plant part, such as seed, fruit, leaf, or root, plant tissue, plant cell or any other plant material, e.g., a plant explant, as well as to progeny thereof, and to *in vitro* systems that mimic biochemical or cellular components or processes in a cell.

20

25

30

35

10

15

The phrase "ectopic expression or altered expression," or the terms "ectopic expression" or "altered expression" in reference to a polynucleotide or polypeptide indicates that the pattern of expression in, e.g., a transgenic plant or plant tissue, is different from the expression pattern in a wild type plant or a reference plant of the same species. For example, the polynucleotide or polypeptide is expressed in a cell or tissue type other than a cell or tissue type in which the sequence is expressed in the wild type plant, or by expression at a time other than at the time the sequence is expressed in the wild type plant, or by a response to different inducible agents, such as hormones or environmental signals, or at different expression levels (either higher or lower) compared with those found in a wild type plant. The term also refers to altered expression patterns that are produced by lowering the levels of expression to below the detection level or completely abolishing expression. The resulting expression pattern can be transient or stable, constitutive or inducible. In reference to a polypeptide, the phrase "ectopic expression or altered expression," or the terms "ectopic expression" or altered expression" may further relate to altered activity levels resulting from the interactions of the polypeptides with exogenous or endogenous modulators or from interactions with factors or as a result of the chemical modification of the polypeptides.

The term "fragment" or "domain," with respect to a polypeptide, refers to a subsequence of the polypeptide. In some cases, the fragment or domain is a subsequence of the polypeptide that performs at least one biological function of the intact polypeptide in substantially the same manner, or to a similar extent, as does the intact polypeptide. For example, a polypeptide fragment can comprise a recognizable structural motif or functional domain such as a DNA binding site or domain that binds to a DNA promoter region, an activation domain, or a domain for protein-protein interaction. Fragments can vary in size from as few as 6 amino acids to the full length of the intact polypeptide, but are preferably at least about 30 amino acids in length and more preferably at least about 60 amino acids in length. In reference to a nucleotide sequence, "a fragment" refers to any subsequence of a polynucleotide, typically of at least about 15 consecutive nucleotides, preferably at least about 30 nucleotides, more preferably at least about 50, of any of the sequences provided herein. A fragment or domain can be referred to as outside a consensus sequence or outside a consensus DNA-binding site that is known to exist or that exists for a particular transcription factor class, family, or sub-family. In this case, the fragment or domain will not include the exact amino acids of a consensus sequence or consensus DNAbinding site of a transcription factor class, family or sub-family, or the exact amino acids of a particular transcription factor consensus sequence or consensus DNA-binding site. Furthermore, a particular fragment, region, or domain of a polypeptide, or a polynucleotide encoding a polypeptide, can be "outside a conserved domain" if all the amino acids of the fragment, region, or domain fall outside of a defined conserved domain(s) for a polypeptide or protein. The conserved domains for polypeptides of the Sequence Listing are listed in the Tables of the Appendices. Also, many of the polypeptides of the Appendices have conserved domains specifically indicated by start and stop sites. A comparison of the regions of the polypeptides in the Sequence Listing, or of those in the Appendices, allows one of skill in the art to identify conserved domain(s) for any of the polypeptides listed or referred to in this disclosure, including those in the Appendices and homologs from other species, strains, or cultivars.

10

15

20

25

30

35

The term "trait" refers to a physiological, morphological, biochemical or physical characteristic of a plant or particular plant material or cell. In some instances, this characteristic is visible to the human eye, such as seed or plant size, or can be measured by biochemical techniques, such as detecting the protein, starch or oil content of seed or leaves, or by the observation of the expression level of a gene or genes, e.g., by employing Northern analysis, RT-PCR, microarray gene expression assays or reporter gene expression systems, or by agricultural observations such as stress tolerance, yield or pathogen tolerance. Any technique can be used to measure the

amount of, comparative level of, or difference in any selected chemical compound or macromolecule in the transgenic plants, however.

5

10

20

25

35

"Trait modification" refers to a detectable difference in a characteristic in a plant ectopically expressing a polynucleotide or polypeptide of the present invention relative to a plant not doing so, such as a wild type plant. In some cases, the trait modification can be evaluated quantitatively. For example, the trait modification can entail at least about a 2% increase or decrease in an observed trait (difference), at least a 5% difference, at least about a 10% difference, at least about a 20% difference, at least about a 30%, at least about a 50%, at least about a 70%, or at least about a 100%, or an even greater difference. It is known that there can be a natural variation in the modified trait. Therefore, the trait modification observed entails a change of the normal distribution of the trait in the plants compared with the distribution observed in wild type plant.

15 Trait modifications of particular interest include those to seed (such as embryo or endosperm), fruit, root, flower, leaf, stem, shoot, seedling or the like, including: enhanced tolerance to environmental conditions including freezing, chilling, heat, drought, water saturation, radiation and ozone; improved tolerance to microbial, fungal or viral diseases; improved tolerance to pest infestations, including nematodes, mollicutes, parasitic higher plants or the like; decreased herbicide sensitivity; improved tolerance of heavy metals or enhanced ability to take up heavy metals; improved growth under poor photoconditions (e.g., low light and/or short day length), or changes in expression levels of genes of interest. Other phenotype that can be modified relate to the production of plant metabolites, such as variations in the production of taxol, tocopherol, tocotrienol, sterols, phytosterols, vitamins, wax monomers, anti-oxidants, amino acids, lignins, cellulose, tannins, prenyllipids (such as chlorophylls and carotenoids), glucosinolates, and terpenoids, enhanced or compositionally altered protein or oil production (especially in seeds), or modified sugar (insoluble or soluble) and/or starch composition. Physical plant characteristics that can be modified include cell development (such as the number of trichomes), fruit and seed size and number, yields of plant parts such as stems, leaves and roots, the stability of the seeds during storage, characteristics of the seed pod (e.g., susceptibility to shattering), root hair length 30 and quantity, internode distances, or the quality of seed coat. Plant growth characteristics that can be modified include growth rate, germination rate of seeds, vigor of plants and seedlings, leaf and flower senescence, male sterility, apomixis, flowering time, flower abscission, rate of nitrogen uptake, biomass or transpiration characteristics, as well as plant architecture characteristics such as apical dominance, branching patterns, number of organs, organ identity, organ shape or size.

#### Polnucleotides and Polypeptides of the Invention

The present invention provides, among other things, transcription factors (TFs), and transcription factor homologue polypeptides and homologue polypeptide-encoding polynucleotides (homologs), and isolated or recombinant polynucleotides encoding the polypeptides, or novel variant polypeptides or polynucleotides encoding novel variants of transcription factors derived from the specific sequences provided here. These polypeptides and polynucleotides may be employed to modify one or more of a plant's characteristics or traits.

10 Exemplary polynucleotides encoding the polypeptides of the invention were identified in the *Arabidopsis thaliana* GenBank database using publicly available sequence analysis programs and parameters. Sequences initially identified were then further characterized to identify sequences comprising specified sequence strings corresponding to sequence motifs present in families of known transcription factors. Polynucleotide sequences meeting such criteria were confirmed as transcription factors.

Additional polynucleotides of the invention were identified by screening Arabidopsis thaliana and/or other plant cDNA libraries with probes corresponding to known transcription factors under low stringency hybridization conditions. Additional sequences, including full length coding sequences were subsequently recovered by the rapid amplification of cDNA ends (RACE) procedure, using a commercially available kit according to the manufacturer's instructions. Where necessary, multiple rounds of RACE are performed to isolate 5' and 3' ends. The full length cDNA was then recovered by a routine end-to-end polymerase chain reaction (PCR) using primers specific to the isolated 5' and 3' ends. Exemplary sequences are provided in the Sequence Listing.

The polynucleotides of the invention can be or were ectopically expressed in overexpressor or knockout plants and the changes in the characteristic(s) or trait(s) of the plants observed.

Therefore, the polynucleotides and polypeptides can be employed to improve the characteristics of plants.

#### · Producing Polypeptides

20

25

30

35

The polynucleotides of the invention include sequences that encode transcription factors and transcription factor homologue polypeptides and sequences complementary thereto, as well as unique fragments of coding sequence, or sequence complementary thereto. Such polynucleotides

can be, e.g., DNA or RNA, e.g., mRNA, cRNA, synthetic RNA, genomic DNA, cDNA synthetic DNA, oligonucleotides, etc. The polynucleotides are either double-stranded or single-stranded, and include either, or both sense (i.e., coding) sequences and antisense (i.e., non-coding, complementary) sequences. The polynucleotides include the coding sequence of a transcription factor, or transcription factor homologue polypeptide, in isolation, in combination with additional coding sequences (e.g., a purification tag, a localization signal, as a fusion-protein, as a preprotein, or the like), in combination with non-coding sequences (e.g., introns or inteins, regulatory elements such as promoters, enhancers, terminators, and the like), and/or in a vector or host environment in which the polynucleotide encoding a transcription factor or transcription factor homologue polypeptide is an endogenous or exogenous gene.

5

10

25

30

35

A variety of methods exist for producing the polynucleotides of the invention. Procedures for identifying and isolating DNA clones are well known to those of skill in the art, and are described in, e.g., Berger and Kimmel, Guide to Molecular Cloning Techniques, Methods in

Enzymology volume 152 Academic Press, Inc., San Diego, CA ("Berger"); Sambrook et al.,

Molecular Cloning - A Laboratory Manual (2nd Ed., and 3<sup>rd</sup> Ed.), Vol. 1-3, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, ("Sambrook"); Current Protocols in Molecular Biology, F.M. Ausubel et al., eds., Current Protocols, a joint venture between Greene Publishing Associates, Inc. and John Wiley & Sons, Inc., (supplemented through 2001) ("Ausubel"); and

Current Protocols in Cell Biology, Bonifacino, J.S. et al. (eds.) 2001 John Wiley & Sons, Inc.

Alternatively, polynucleotides of the invention, can be produced by a variety of in vitro amplification methods adapted to the present invention by appropriate selection of specific or degenerate primers. Examples of protocols sufficient to direct persons of skill through in vitro amplification methods, including the polymerase chain reaction (PCR) the ligase chain reaction (LCR), Qbeta-replicase amplification and other RNA polymerase mediated techniques (e.g., NASBA), e.g., for the production of the homologous nucleic acids of the invention are found in Berger, Sambrook, and Ausubel, as well as Mullis et al., (1987) PCR Protocols A Guide to Methods and Applications (Innis et al. eds) Academic Press Inc. San Diego, CA (1990) (Innis). Improved methods for cloning in vitro amplified nucleic acids are described in Wallace et al., U.S. Pat. No. 5,426,039. Improved methods for amplifying large nucleic acids by PCR are summarized in Cheng et al. (1994) Nature 369: 684-685 and the references cited therein, in which PCR amplicons of up to 40kb are generated. One of skill will appreciate that essentially any RNA can be converted into a double stranded DNA suitable for restriction digestion, PCR expansion and sequencing using reverse transcriptase and a polymerase. See, e.g., Ausubel, Sambrook and Berger, all supra.

Alternatively, polynucleotides and oligonucleotides of the invention can be assembled from fragments produced by solid-phase synthesis methods. Typically, fragments of up to approximately 100 bases are individually synthesized and then enzymatically or chemically ligated to produce a desired sequence, e.g., a polynucletotide encoding all or part of a transcription factor. For example, chemical synthesis using the phosphoramidite method is described, e.g., by Beaucage et al. (1981) Tetrahedron Letters 22:1859-69; and Matthes et al. (1984) EMBO J. 3:801-5. According to such methods, oligonucleotides are synthesized, purified, annealed to their complementary strand, ligated and then optionally cloned into suitable vectors. And if so desired, the polynucleotides and polypeptides of the invention can be custom ordered from any of a number of commercial suppliers.

## **Homologous Sequences**

5

10

Sequences homologous, i.e., that share significant sequence identity or similarity, to those provided in the Sequence Listing, derived from Arabidopsis thaliana or from other plants of 15 choice are also an aspect of the invention. Homologous sequences can be derived from any plant including monocots and dicots and in particular agriculturally important plant species, including but not limited to, crops such as soybean, wheat, corn, potato, cotton, rice, oilseed rape (including canola), sunflower, alfalfa, sugarcane and turf; or fruits and vegetables, such as banana, blackberry, blueberry, strawberry, and raspberry, cantaloupe, carrot, cauliflower, coffee, 20 cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers, pineapple, spinach, squash, sweet corn, tobacco, tomato, watermelon, rosaceous fruits (such as apple, peach, pear, cherry and plum) and vegetable brassicas (such as broccoli, cabbage, cauliflower, brussel sprouts and kohlrabi). Other crops, fruits and vegetables whose phenotype can be changed include barley, rye, millet, sorghum, currant, avocado, citrus fruits such as 25 oranges, lemons, grapefruit and tangerines, artichoke, cherries, nuts such as the walnut and peanut, endive, leek, roots, such as arrowroot, beet, cassava, turnip, radish, yam, and sweet potato, and beans. The homologous sequences may also be derived from woody species, such pine, poplar and eucalyptus, or mint or other labiates.

30

35

Transcription factors that are homologous to the listed sequences will typically share at least about 30% amino acid sequence identity, or at least about 30% amino acid sequence identity outside of a known consensus sequence or consensus DNA-binding site. More closely related transcription factors can share at least about 50%, about 60%, about 65%, about 70%, about 75% or about 80% or about 90% or about 95% or about 98% or more sequence identity with the listed sequences, or with the listed sequences but excluding or outside a known consensus sequence or

consensus DNA-binding site, or with the listed sequences excluding or outside one or all conserved domain. Factors that are most closely related to the listed sequences share, e.g., at least about 85%, about 90% or about 95% or more % sequence identity to the listed sequences, or to the listed sequences but excluding or outside a known consensus sequence or consensus DNAbinding site or outside one or all conserved domain. At the nucleotide level, the sequences will typically share at least about 40% nucleotide sequence identity, preferably at least about 50%, about 60%, about 70% or about 80% sequence identity, and more preferably about 85%, about 90%, about 95% or about 97% or more sequence identity to one or more of the listed sequences, or to a listed sequence but excluding or outside a known consensus sequence or consensus DNAbinding site, or outside one or all conserved domain. The degeneracy of the genetic code enables major variations in the nucleotide sequence of a polynucleotide while maintaining the amino acid sequence of the encoded protein. Conserved domains within a transcription factor family may exhibit a higher degree of sequence homology, such as at least 65% sequence identity including conservative substitutions, and preferably at least 80% sequence identity, and more preferably at least 85%, or at least about 86%, or at least about 87%, or at least about 88%, or at least about 90%, or at least about 95%, or at least about 98% sequence identity. Transcription factors that are homologous to the listed sequences should share at least 30%, or at least about 60%, or at least about 75%, or at least about 80%, or at least about 90%, or at least about 95% amino acid sequence identity over the entire length of the polypeptide or the homolog.

20

25

30

35

5

10

15

#### Identifying Polynucleotides or Nucleic Acids by Hybridization

Polynucleotides homologous to the sequences illustrated in the Sequence Listing can be identified, e.g., by hybridization to each other under stringent or under highly stringent conditions. Single stranded polynucleotides hybridize when they associate based on a variety of well characterized physico-chemical forces, such as hydrogen bonding, solvent exclusion, base stacking and the like. The stringency of a hybridization reflects the degree of sequence identity of the nucleic acids involved, such that the higher the stringency, the more similar are the two polynucleotide strands. Stringency is influenced by a variety of factors, including temperature, salt concentration and composition, organic and non-organic additives, solvents, etc. present in both the hybridization and wash solutions and incubations (and number), as described in more detail in the references cited above.

An example of stringent hybridization conditions for hybridization of complementary nucleic acids which have more than 100 complementary residues on a filter in a Southern or northern blot is about 5°C to 20°C lower than the thermal melting point (Tm) for the specific sequence at a defined ionic strength and pH. The T<sub>m</sub> is the temperature (under defined ionic strength and pH)

at which 50% of the target sequence hybridizes to a perfectly matched probe. Nucleic acid molecules that hybridize under stringent conditions will typically hybridize to a probe based on either the entire cDNA or selected portions, e.g., to a unique subsequence, of the cDNA under wash conditions of 0.2x SSC to 2.0 x SSC, 0.1% SDS at 50-65° C. For example, high stringency is about 0.2 x SSC, 0.1% SDS at 65° C. Ultra-high stringency will be the same conditions except the wash temperature is raised about 3 or about 5° C, and ultra-ultra-high stringency will be the same conditions except the wash temperature is raised about 6 or about 9°C. For identification of less closely related homologs, washes can be performed at a lower temperature, e.g., 50° C. In general, stringency is increased by raising the wash temperature and/or decreasing the concentration of SSC, as known in the art.

5

10

As another example, stringent conditions can be selected such that an oligonucleotide that is perfectly complementary to the coding oligonucleotide hybridizes to the coding oligonucleotide with at least about a 5-10x higher signal to noise ratio than the ratio for hybridization of the perfectly complementary oligonucleotide to a nucleic acid encoding a transcription factor known as of the filing date of the application. Conditions can be selected such that a higher signal to noise ratio is observed in the particular assay which is used, e.g., about 15x, 25x, 35x, 50x or more. Accordingly, the subject nucleic acid hybridizes to the unique coding oligonucleotide with at least a 2x higher signal to noise ratio as compared to hybridization of the coding oligonucleotide to a nucleic acid encoding known polypeptide. Again, higher signal to noise ratios can be selected, e.g., about 5x, 10x, 25x, 35x, 50x or more. The particular signal will depend on the label used in the relevant assay, e.g., a fluorescent label, a colorimetric label, a radioactive label, or the like.

Alternatively, transcription factor homolog polypeptides can be obtained by screening an expression library using antibodies specific for one or more transcription factors. With the provision herein of the disclosed transcription factor, and transcription factor homolog nucleic acid sequences, the encoded polypeptide(s) can be expressed and purified in a heterologous expression system (e.g., *E. coli*) and used to raise antibodies (monoclonal or polyclonal) specific for the polypeptide(s) in question. Antibodies can also be raised against synthetic peptides derived from transcription factor, or transcription factor homologue, amino acid sequences. Methods of raising antibodies are well known in the art and are described in Harlow and Lane (1988) Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, New York. Such antibodies can then be used to screen an expression library produced from the plant from which it

is desired to clone additional transcription factor homologues, using the methods described above. The selected cDNAs can be confirmed by sequencing and enzymatic activity.

#### Sequence Variations

It will readily be appreciated by those of skill in the art, that any of a variety of polynucleotide sequences is capable of encoding the transcription factors and transcription factor homologue polypeptides of the invention. Due to the degeneracy of the genetic code, many different polynucleotides can encode identical and/or substantially similar polypeptides in addition to those sequences illustrated in the Sequence Listing.

10

For example, Table 1 illustrates, e.g., that the codons AGC, AGT, TCA, TCC, TCG, and TCT all encode the same amino acid - serine. Accordingly, at each position in the sequence where there is a codon for serine, any of the above trinucleotide sequences can be used without altering the encoded polypeptide.

15

<u>Table 1</u>

Amino acid			Possible Codons					
Alanine	Ala	<u>A</u>	GCA	GCC	GCG	GCU		
Cysteine	Cys	С	TGC	TGT	·		٠	
Aspartic acid	Asp	D	GAC	GAT		•		•
Glutamic	Glu	E	GAA	GAG				
acid								
Phenylalanin	Phe	F	TTC	TTT			-	
е								
Glycine	Gly	G ·	GGA	GGC	GGG	GGT		
Histidine	His	Η	CAC	CAT				
Isoleucine	Ile	I	ATA	ATC	ATT			
Lysine	Lys	K	AAA	AAG				
Leucine	Leu	L	TTA	TTG	CTA	CTC	CTG	CTT
Methionine	Met	: <b>M</b>	ATG					
Asparagine	Asn	N	AAC	AAT				
Proline	Pro	P	CCA	CCC	CCG	CCT		
Glutamine	Gln	Q	CAA	CAG				
Arginine	Arg	R	AGA	AGG	CGA	CGC	CGG	CGT

Serine	Ser	S	AGC	AGT	TCA	TCC	TCG	TCT
Threonine	Thr	T	ACA	ACC	ACG	ACT		
Valine	Val	V	GTA	GTC	GTG	GTT		
Tryptophan	Trp	W	TGG					
Tyrosine	Tyr	Y	TAC	TAT				

Sequence alterations that do not change the amino acid sequence encoded by the polynucleotide are termed "silent" variations. With the exception of the codons ATG and TGG, encoding methionine and tryptophan, respectively, any of the possible codons for the same amino acid can be substituted by a variety of techniques, e.g., site-directed mutagenesis, available in the art. Accordingly, any and all such variations of a sequence selected from the above table are a feature of the invention.

5

30

In addition to silent variations, other conservative variations that alter one, or a few amino acids in the encoded polypeptide, can be made without altering the function of the polypeptide. These conservative variants are, likewise, a feature of the invention.

15 the Sequence Listing are also envisioned by the invention. Such sequence modifications can be engineered into a sequence by site-directed mutagenesis (Wu (ed.) Meth. Enzymol. (1993) vol. 217, Academic Press) or the other methods noted below. Amino acid substitutions are typically of single residues; insertions usually will be on the order of about from 1 to 10 amino acid residues; and deletions will range about from 1 to 30 residues. In preferred embodiments, deletions or insertions are made in adjacent pairs, e.g., a deletion of two residues or insertion of two residues. Substitutions, deletions, insertions or any combination thereof can be combined to arrive at a sequence. The mutations that are made in the polynucleotide encoding the transcription factor should not place the sequence out of reading frame and should not create complementary regions that could produce secondary mRNA structure. Preferably, the

Conservative substitutions are those in which at least one residue in the amino acid sequence has been removed and a different residue inserted in its place. Such substitutions generally are made in accordance with the Table 2 when it is desired to maintain the activity of the protein. Table 2 shows amino acids which can be substituted for an amino acid in a protein and which are typically regarded as conservative substitutions.

Table 2

Residue	Conservative Substitutions				
Ala	Ser				
Arg	Lys				
Asn	Gln; His	•			
Asp	Glu	A			
Gin	Asn	,			
Cys	Ser				
Glu	Asp				
Gly	Pro				
His	Asn; Gln				
Île	Leu, Val				
Leu	Ile; Val	•			
Lys	Arg; Gln				
Met	Leu; Ile	•			
Phe	Met; Leu; Tyr				
Ser	Thr; Gly				
Thr	Ser;Val				
Trp	Tyr				
Туг	Trp; Phe				
Val	Ile; Leu				

5

10

Substitutions that are less conservative than those in Table 2 can be selected by picking residues that differ more significantly in their effect on maintaining (a) the structure of the polypeptide backbone in the area of the substitution, for example, as a sheet or helical conformation, (b) the charge or hydrophobicity of the molecule at the target site, or (c) the bulk of the side chain. The substitutions which in general are expected to produce the greatest changes in protein properties will be those in which (a) a hydrophilic residue, e.g., seryl or threonyl, is substituted for (or by) a hydrophobic residue, e.g., leucyl, isoleucyl, phenylalanyl, valyl or alanyl; (b) a cysteine or proline is substituted for (or by) any other residue; (c) a residue having an electropositive side

chain, e.g., lysyl, arginyl, or histidyl, is substituted for (or by) an electronegative residue, e.g., glutamyl or aspartyl; or (d) a residue having a bulky side chain, e.g., phenylalanine, is substituted for (or by) one not having a side chain, e.g., glycine.

#### 5 Further Modifying Sequences of the Invention - Mutation/Forced Evolution

10

15

30

35

In addition to generating silent or conservative substitutions as noted, above, the present invention optionally includes methods of modifying the sequences of the Sequence Listing. In the methods, nucleic acid or protein modification methods are used to alter the given sequences to produce new sequences and/or to chemically or enzymatically modify given sequences to change the properties of the nucleic acids or proteins.

Thus, in one embodiment, given nucleic acid sequences are modified, e.g., according to standard mutagenesis or artificial evolution methods to produce modified sequences. For example, Ausubel, *supra*, provides additional details on mutagenesis methods. Artificial forced evolution methods are described, e.g., by Stemmer (1994) Nature 370:389-391, and Stemmer (1994) Proc. Natl. Acad. Sci. USA 91:10747-10751, and U.S. Patents 5,811,238; 5,811,654; 6,251,604; and 6,177,263. Many other mutation and evolution methods are also available and expected to be within the skill of the practitioner.

Similarly, chemical or enzymatic alteration of expressed nucleic acids and polypeptides can be performed by standard methods. For example, sequence can be modified by addition of lipids, sugars, peptides, organic or inorganic compounds, by the inclusion of modified nucleotides or amino acids, or the like. For example, protein modification techniques are illustrated in Ausubel, supra. Further details on chemical and enzymatic modifications can be found herein. These modification methods can be used to modify any given sequence, or to modify any sequence produced by the various mutation and artificial evolution modification methods noted herein.

Accordingly, the invention provides for modification of any given nucleic acid by mutation, evolution, chemical or enzymatic modification, or other available methods, as well as for the products produced by practicing such methods, e.g., using the sequences herein as a starting substrate for the various modification approaches.

For example, optimized coding sequence containing codons preferred by a particular prokaryotic or eukaryotic host can be used e.g., to increase the rate of translation or to produce recombinant RNA transcripts having desirable properties, such as a longer half-life, as compared with transcripts produced using a non-optimized sequence. Translation stop codons can also be

modified to reflect host preference. For example, preferred stop codons for *S. cerevisiae* and mammals are TAA and TGA, respectively. The preferred stop codon for monocotyledonous plants is TGA, whereas insects and *E. coli* prefer to use TAA as the stop codon.

The polynucleotide sequences of the present invention can also be engineered in order to alter a coding sequence for a variety of reasons, including but not limited to, alterations which modify the sequence to facilitate cloning, processing and/or expression of the gene product. For example, alterations are optionally introduced using techniques which are well known in the art, e.g., site-directed mutagenesis, to insert new restriction sites, to alter glycosylation patterns, to change codon preference, to introduce splice sites, etc.

Furthermore, a fragment or domain derived from any of the polypeptides of the invention can be combined with domains derived from other transcription factors or synthetic domains to modify the biological activity of a transcription factor. For instance, a DNA binding domain derived from a transcription factor of the invention can be combined with the activation domain of another transcription factor or with a synthetic activation domain. A transcription activation domain assists in initiating transcription from a DNA binding site. Examples include the transcription activation region of VP16 or GAL4 (Moore et al. (1998) Proc. Natl. Acad. Sci.

<u>USA</u> 95: 376-381; and Aoyama et al. (1995) <u>Plant Cell</u> 7:1773-1785), peptides derived from bacterial sequences (Ma and Ptashne (1987) <u>Cell</u> 51; 113-119) and synthetic peptides (Giniger and Ptashne, (1987) Nature 330:670-672).

#### **Expression and Modification of Polypeptides**

Typically, polynucleotide sequences of the invention are incorporated into recombinant DNA (or RNA) molecules that direct expression of polypeptides of the invention in appropriate host cells, transgenic plants, in vitro translation systems, or the like. Due to the inherent degeneracy of the genetic code, nucleic acid sequences which encode substantially the same or a functionally equivalent amino acid sequence can be substituted for any listed sequence to provide for cloning and expressing the relevant homologue.

30

35

15

20

The present invention includes recombinant constructs comprising one or more of the nucleic acid sequences herein. The constructs typically comprise a vector, such as a plasmid, a cosmid, a phage, a virus (e.g., a plant virus), a bacterial artificial chromosome (BAC), a yeast artificial chromosome (YAC), or the like, into which a nucleic acid sequence of the invention has been inserted, in a forward or reverse orientation. In a preferred aspect of this embodiment, the construct further comprises regulatory sequences, including, for example, a promoter, operably

linked to the sequence. Large numbers of suitable vectors and promoters are known to those of skill in the art, and are commercially available.

General texts that describe molecular biological techniques useful herein, including the use and production of vectors, promoters and many other relevant topics, include Berger, Sambrook and Ausubel, supra. Any of the identified sequences can be incorporated into a cassette or vector, e.g., for expression in plants. A number of expression vectors suitable for stable transformation of plant cells or for the establishment of transgenic plants have been described including those described in Weissbach and Weissbach, (1989) Methods for Plant Molecular Biology, Academic Press, and Gelvin et al., (1990) Plant Molecular Biology Manual, Kluwer Academic Publishers. Specific examples include those derived from a Ti plasmid of Agrobacterium tumefaciens, as well as those disclosed by Herrera-Estrella et al. (1983) Nature 303: 209, Bevan (1984) Nucl Acid Res. 12: 8711-8721, Klee (1985) Bio/Technology 3: 637-642, for dicotyledonous plants.

- Alternatively, non-Ti vectors can be used to transfer the DNA into monocotyledonous plants and cells by using free DNA delivery techniques. Such methods can involve, for example, the use of liposomes, electroporation, microprojectile bombardment, silicon carbide whiskers, and viruses. By using these methods transgenic plants such as wheat, rice (Christou (1991) Bio/Technology 9: 957-962) and corn (Gordon-Kamm (1990) Plant Cell 2: 603-618) can be produced. An immature embryo can also be a good target tissue for monocots for direct DNA delivery techniques by using the particle gun (Weeks et al. (1993) Plant Physiol 102: 1077-1084; Vasil (1993) Bio/Technology 10: 667-674; Wan and Lemeaux (1994) Plant Physiol 104: 37-48, and for Agrobacterium-mediated DNA transfer (Ishida et al. (1996) Nature Biotech 14: 745-750).
- 25 Typically, plant transformation vectors include one or more cloned plant coding sequence (genomic or cDNA) under the transcriptional control of 5' and 3' regulatory sequences and a dominant selectable marker. Such plant transformation vectors typically also contain a promoter (e.g., a regulatory region controlling inducible or constitutive, environmentally-or developmentally-regulated, or cell- or tissue-specific expression), a transcription initiation start site, an RNA processing signal (such as intron splice sites), a transcription termination site, and/or a polyadenylation signal.

Examples of constitutive plant promoters which can be useful for expressing the TF sequence include: the cauliflower mosaic virus (CaMV) 35S promoter, which confers constitutive, high-level expression in most plant tissues (see, e.g., Odel et al. (1985) Nature 313:810); the nopaline

35

synthase promoter (An et al. (1988) <u>Plant Physiol</u> 88:547); and the octopine synthase promoter (Fromm et al. (1989) <u>Plant Cell</u> 1: 977).

A variety of plant gene promoters that regulate gene expression in response to environmental, hormonal, chemical, developmental signals, and in a tissue-active manner can be used for expression of a TF sequence in plants. Choice of a promoter is based largely on the phenotype of interest and is determined by such factors as tissue (e.g., seed, fruit, root, pollen, vascular tissue, flower, carpel, etc.), inducibility (e.g., in response to wounding, heat, cold, drought, light, pathogens, etc.), timing, developmental stage, and the like. Numerous known promoters have been characterized and can favorable be employed to promote expression of a polynucleotide of the invention in a transgenic plant or cell of interest. For example, tissue specific promoters include: seed-specific promoters (such as the napin, phaseolin or DC3 promoter described in US Pat. No. 5,773,697), fruit-specific promoters that are active during fruit ripening (such as the dru 1 promoter (US Pat. No. 5,783,393), or the 2A11 promoter (US Pat. No. 4,943,674) and the tomato polygalacturonase promoter (Bird et al. (1988) Plant Mol Biol 11:651), root-specific promoters, such as those disclosed in US Patent Nos. 5,618,988, 5,837,848 and 5,905,186, pollen-active promoters such as PTA29, PTA26 and PTA13 (US Pat. No. 5,792,929), promoters active in vascular tissue (Ringli and Keller (1998) Plant Mol Biol 37:977-988), flower-specific (Kaiser et al. (1995) Plant Mol Biol 28:231-243), pollen (Baerson et al. (1994) Plant Mol Biol 26:1947-1959), carpels (Ohl et al. (1990) Plant Cell 2:837-848), pollen and ovules (Baerson et al. (1993) Plant Mol Biol 22:255-267), auxin-inducible promoters (such as that described in van der Kop et al. (1999) Plant Mol Biol 39:979-990 or Baumann et al. (1999) Plant Cell 11:323-334), cytokinin-inducible promoter (Guevara-Garcia (1998) Plant Mol Biol 38:743-753), promoters responsive to gibberellin (Shi et al. (1998) Plant Mol Biol 38:1053-1060, Willmott et al. (1998) 38:817-825) and the like. Additional promoters are those that elicit expression in response to heat (Ainley et al. (1993) Plant Mol Biol 22: 13-23), light (e.g., the pea rbcS-3A promoter, Kuhlemeier et al. (1989) Plant Cell 1:471, and the maize rbcS promoter, Schaffner and Sheen (1991) Plant Cell 3: 997); wounding (e.g., wunl, Siebertz et al. (1989) Plant Cell 1: 961); pathogens (such as the PR-1 promoter described in Buchel et al. (1999) Plant Mol. Biol, 40:387-396, and the PDF1.2 promoter described in Manners et al. (1998) Plant Mol. Biol. 38:1071-80), and chemicals such as methyl jasmonate or salicylic acid (Gatz et al. (1997) Plant Mol Biol 48: 89-108). In addition, the timing of the expression can be controlled by using promoters such as those acting at senescence (An and Amazon (1995) Science 270: 1986-1988); or late seed development (Odell et al. (1994) Plant Physiol 106:447-458).

5

10

15

20

25

30

Plant expression vectors can also include RNA processing signals that can be positioned within, upstream or downstream of the coding sequence. In addition, the expression vectors can include additional regulatory sequences from the 3'-untranslated region of plant genes, e.g., a 3' terminator region to increase mRNA stability of the mRNA, such as the PI-II terminator region of potato or the octopine or nopaline synthase 3' terminator regions.

Specific initiation signals can aid in efficient translation of coding sequences. These signals can include, e.g., the ATG initiation codon and adjacent sequences. In cases where a coding sequence, its initiation codon and upstream sequences are inserted into the appropriate expression vector, no additional translational control signals may be needed. However, in cases where only coding sequence (e.g., a mature protein coding sequence), or a portion thereof, is inserted, exogenous transcriptional control signals including the ATG initiation codon can be separately provided. The initiation codon is provided in the correct reading frame to facilitate transcription. Exogenous transcriptional elements and initiation codons can be of various origins, both natural and synthetic. The efficiency of expression can be enhanced by the inclusion of enhancers appropriate to the cell system in use.

## **Expression Hosts**

The present invention also relates to host cells which are transduced with vectors of the invention, and the production of polypeptides of the invention (including fragments thereof) by recombinant techniques. Host cells are genetically engineered (i.e, nucleic acids are introduced, e.g., transduced, transformed or transfected) with the vectors of this invention, which may be, for example, a cloning vector or an expression vector comprising the relevant nucleic acids herein. The vector is optionally a plasmid, a viral particle, a phage, a naked nucleic acid, etc. The engineered host cells can be cultured in conventional nutrient media modified as appropriate for activating promoters, selecting transformants, or amplifying the relevant gene. The culture conditions, such as temperature, pH and the like, are those previously used with the host cell selected for expression, and will be apparent to those skilled in the art and in the references cited herein, including, Sambrook and Ausubel.

30

35

5

10

15

20

25

The host cell can be an eukaryotic cell, such as a yeast cell, or a plant cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Plant protoplasts are also suitable for some applications. For example, the DNA fragments are introduced into plant tissues, cultured plant cells or plant protoplasts by standard methods including electroporation (Fromm et al., (1985) <a href="Proc. Natl. Acad. Sci. USA">Proc. Natl. Acad. Sci. USA</a> 82, 5824, infection by viral vectors such as cauliflower mosaic virus (CaMV) (Hohn et al., (1982) <a href="Molecular Biology of Plant Tumors">Molecular Biology of Plant Tumors</a>, (Academic Press, New York)

pp. 549-560; US 4,407,956), high velocity ballistic penetration by small particles with the nucleic acid either within the matrix of small beads or particles, or on the surface (Klein et al., (1987) Nature 327, 70-73), use of pollen as vector (WO 85/01856), or use of Agrobacterium tumefaciens or A. rhizogenes carrying a T-DNA plasmid in which DNA fragments are cloned. The T-DNA plasmid is transmitted to plant cells upon infection by Agrobacterium tumefaciens, and a portion is stably integrated into the plant genome (Horsch et al. (1984) Science 233:496-498; Fraley et al. (1983) Proc. Natl. Acad. Sci. USA 80, 4803).

The cell can include a nucleic acid of the invention which encodes a polypeptide, wherein the cells expresses a polypeptide of the invention. The cell can also include vector sequences, or the like. Furthermore, cells and transgenic plants, which include any polypeptide or nucleic acid above or throughout this specification, e.g., produced by transduction of a vector of the invention, are an additional feature of the invention.

15 For long-term, high-yield production of recombinant proteins, stable expression can be used.

Host cells transformed with a nucleotide sequence encoding a polypeptide of the invention are optionally cultured under conditions suitable for the expression and recovery of the encoded protein from cell culture. The protein or fragment thereof produced by a recombinant cell may be secreted, membrane-bound, or contained intracellularly, depending on the sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing polynucleotides encoding mature proteins of the invention can be designed with signal sequences which direct secretion of the mature polypeptides through a prokaryotic or eukaryotic cell membrane.

#### 25 Modified Amino Acids

:30

35

5

Polypeptides of the invention may contain one or more modified amino acids. The presence of modified amino acids may be advantageous in, for example, increasing polypeptide half-life, reducing polypeptide antigenicity or toxicity, increasing polypeptide storage stability, or the like. Amino acid(s) are modified, for example, co-translationally or post-translationally during recombinant production or modified by synthetic or chemical means.

Non-limiting examples of a modified amino acid include incorporation or other use of acetylated amino acids, glycosylated amino acids, sulfated amino acids, prenylated (e.g., farnesylated, geranylgeranylated) amino acids, PEG modified (e.g., "PEGylated") amino acids, biotinylated amino acids, carboxylated amino acids, phosphorylated amino acids, etc. References adequate to guide one of skill in the modification of amino acids are replete throughout the literature.

# **Identification of Additional Factors**

10

15

20

25

30

A transcription factor provided by the present invention can also be used to identify additional endogenous or exogenous molecules that can affect a phentoype or trait of interest. On the one hand, such molecules include organic (small or large molecules) and/or inorganic compounds that affect expression of (i.e., regulate) a particular transcription factor. Alternatively, such molecules include endogenous molecules that are acted upon either at a transcriptional level by a transcription factor of the invention to modify a phenotype as desired. For example, the transcription factors can be employed to identify one or more downstream gene with which is subject to a regulatory effect of the transcription factor. In one approach, a transcription factor or transcription factor homolog of the invention is expressed in a host cell, e.g, a transgenic plant cell, tissue or explant, and expression products, either RNA or protein, of likely or random targets are monitored, e.g., by hybridization to a microarray of nucleic acid probes corresponding to genes expressed in a tissue or cell type of interest, by two-dimensional gel electrophoresis of protein products, or by any other method known in the art for assessing expression of gene products at the level of RNA or protein. Alternatively, a transcription factor of the invention can be used to identify promoter sequences (i.e., binding sites) involved in the regulation of a downstream target. After identifying a promoter sequence, interactions between the transcription factor and the promoter sequence can be modified by changing specific nucleotides in the promoter sequence or specific amino acids in the transcription factor that interact with the promoter sequence to alter a plant trait. Typically, transcription factor DNA binding sites are identified by gel shift assays. After identifying the promoter regions, the promoter region sequences can be employed in double-stranded DNA arrays to identify molecules that affect the interactions of the transcription factors with their promoters (Bulyk et al. (1999) Nature Biotechnology 17:573-577).

The identified transcription factors are also useful to identify proteins that modify the activity of the transcription factor. Such modification can occur by covalent modification, such as by phosphorylation, or by protein-protein (homo or-heteropolymer) interactions. Any method suitable for detecting protein-protein interactions can be employed. Among the methods that can be employed are co-immunoprecipitation, cross-linking and co-purification through gradients or chromatographic columns, and the two-hybrid yeast system.

The two-hybrid system detects protein interactions in vivo and is described in Chien, et al., (1991), Proc. Natl. Acad. Sci. USA 88, 9578-9582 and is commercially available from Clontech 35 (Palo Alto, Calif.). In such a system, plasmids are constructed that encode two hybrid proteins: 27

one consists of the DNA-binding domain of a transcription activator protein fused to the TF polypeptide and the other consists of the transcription activator protein's activation domain fused to an unknown protein that is encoded by a cDNA that has been recombined into the plasmid as part of a cDNA library. The DNA-binding domain fusion plasmid and the cDNA library are transformed into a strain of the yeast *Saccharomyces cerevisiae* that contains a reporter gene (e.g., lacZ) whose regulatory region contains the transcription activator's binding site. Either hybrid protein alone cannot activate transcription of the reporter gene. Interaction of the two hybrid proteins reconstitutes the functional activator protein and results in expression of the reporter gene, which is detected by an assay for the reporter gene product. Then, the library plasmids responsible for reporter gene expression are isolated and sequenced to identify the proteins encoded by the library plasmids. After identifying proteins that interact with the transcription factors, assays for compounds that interfere with the TF protein-protein interactions can be performed.

#### 15 Identification of Modulators

In addition to the intracellular molecules described above, extracellular molecules that alter activity or expression of a transcription factor, either directly or indirectly, can be identified. For example, the methods can entail first placing a candidate molecule in contact with a plant or plant cell. The molecule can be introduced by topical administration, such as spraying or soaking of a plant, and then the molecule's effect on the expression or activity of the TF polypeptide or the expression of the polynucleotide monitored. Changes in the expression of the TF polypeptide can be monitored by use of polyclonal or monoclonal antibodies, gel electrophoresis or the like. Changes in the expression of the corresponding polynucleotide sequence can be detected by use of microarrays, Northerns, quantitative PCR, or any other technique for monitoring changes in mRNA expression. These techniques are exemplified in Ausubel et al. (eds) <u>Current Protocols in Molecular Biology</u>, John Wiley & Sons (1998, and supplements through 2001). Such changes in the expression levels can be correlated with modified plant traits and thus identified molecules can be useful for soaking or spraying on fruit, vegetable and grain crops to modify traits in plants.

30

35

10

20

25

Essentially any available composition can be tested for modulatory activity of expression or activity of any nucleic acid or polypeptide herein. Thus, available libraries of compounds such as chemicals, polypeptides, nucleic acids and the like can be tested for modulatory activity.

Often, potential modulator compounds can be dissolved in aqueous or organic (e.g., DMSO-based) solutions for easy delivery to the cell or plant of interest in which the activity of the modulator is to be tested. Optionally, the assays are designed to screen large modulator

composition libraries by automating the assay steps and providing compounds from any convenient source to assays, which are typically run in parallel (e.g., in microtiter formats on microtiter plates in robotic assays).

In one embodiment, high throughput screening methods involve providing a combinatorial 5 library containing a large number of potential compounds (potential modulator compounds). Such "combinatorial chemical libraries" are then screened in one or more assays, as described herein, to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as target compounds.

10

15

20

A combinatorial chemical library can be, e.g., a collection of diverse chemical compounds generated by chemical synthesis or biological synthesis. For example, a combinatorial chemical library such as a polypeptide library is formed by combining a set of chemical building blocks (e.g., in one example, amino acids) in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound of a set length). Exemplary libraries include peptide libraries, nucleic acid libraries, antibody libraries (see, e.g., Vaughn et al. (1996) Nature Biotechnology, 14(3):309-314 and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang et al. Science (1996) 274:1520-1522 and U.S. Patent 5,593,853), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), and small organic molecule libraries (see, e.g., benzodiazepines, Baum C&EN Jan 18, page 33 (1993); isoprenoids, U.S. Patent 5,569,588; thiazolidinones and metathiazanones, U.S. Patent 5,549,974; pyrrolidines, U.S. Patents 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent 5,506,337) and the like.

Preparation and screening of combinatorial or other libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries 25 (see, e.g., U.S. Patent 5,010,175, Furka, Int. J. Pept. Prot. Res. 37:487-493 (1991) and Houghton et al. Nature 354:84-88 (1991)). Other chemistries for generating chemical diversity libraries can

In addition, as noted, compound screening equipment for high-throughput screening is generally 30 available, e.g., using any of a number of well known robotic systems that have also been developed for solution phase chemistries useful in assay systems. These systems include automated workstations including an automated synthesis apparatus and robotic systems utilizing robotic arms. Any of the above devices are suitable for use with the present invention, e.g., for 35

high-throughput screening of potential modulators. The nature and implementation of

modifications to these devices (if any) so that they can operate as discussed herein will be apparent to persons skilled in the relevant art.

Indeed, entire high throughput screening systems are commercially available. These systems typically automate entire procedures including all sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a high degree of flexibility and customization. Similarly, microfluidic implementations of screening are also commercially available.

-10

15

20

25

30

35

5

The manufacturers of such systems provide detailed protocols the various high throughput. Thus, for example, Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like. The integrated systems herein, in addition to providing for sequence alignment and, optionally, synthesis of relevant nucleic acids, can include such screening apparatus to identify modulators that have an effect on one or more polynucleotides or polypeptides according to the present invention.

In some assays it is desirable to have positive controls to ensure that the components of the assays are working properly. At least two types of positive controls are appropriate. That is, known transcriptional activators or inhibitors can be incubated with cells/plants/ etc. in one sample of the assay, and the resulting increase/decrease in transcription can be detected by measuring the resulting increase in RNA/ protein expression, etc., according to the methods herein. It will be appreciated that modulators can also be combined with transcriptional activators or inhibitors to find modulators that inhibit transcriptional activation or transcriptional repression. Either expression of the nucleic acids and proteins herein or any additional nucleic acids or proteins activated by the nucleic acids or proteins herein, or both, can be monitored.

In an embodiment, the invention provides a method for identifying compositions that modulate the activity or expression of a polynucleotide or polypeptide of the invention. For example, a test compound, whether a small or large molecule, is placed in contact with a cell, plant (or plant tissue or explant), or composition comprising the polynucleotide or polypeptide of interest and a resulting effect on the cell, plant, (or tissue or explant) or composition is evaluated by monitoring, either directly or indirectly, one or more of: expression level of the polynucleotide or polypeptide, activity (or modulation of the activity) of the polynucleotide or polypeptide. In some cases, an alteration in a plant phenotype can be detected following contact of a plant (or

PCT/US01/26189 WO 02/15675

plant cell, or tissue or explant) with the putative modulator, e.g., by modulation of expression or activity of a polynucleotide or polypeptide of the invention.

#### Subsequences

Also contemplated are uses of polynucleotides, also referred to herein as oligonucleotides, 5 typically having at least 12 bases, preferably at least 15, more preferably at least 20, 30, or 50 bases, which hybridize under at least highly stringent (or ultra-high stringent or ultra-ultra- high stringent conditions) conditions to a polynucleotide sequence described above. The polynucleotides may be used as probes, primers, sense and antisense agents, and the like,

according to methods as noted supra. 10

> Subsequences of the polynucleotides of the invention, including polynucleotide fragments and oligonucleotides are useful as nucleic acid probes and primers. An oligonucleotide suitable for use as a probe or primer is at least about 15 nucleotides in length, more often at least about 18 nucleotides, often at least about 21 nucleotides, frequently at least about 30 nucleotides, or about 40 nucleotides, or more in length. A nucleic acid probe is useful in hybridization protocols, e.g., to identify additional polypeptide homologs of the invention, including protocols for microarray experiments. Primers can be annealed to a complementary target DNA strand by nucleic acid hybridization to form a hybrid between the primer and the target DNA strand, and then extended along the target DNA strand by a DNA polymerase enzyme. Primer pairs can be used for amplification of a nucleic acid sequence, e.g., by the polymerase chain reaction (PCR) or other nucleic-acid amplification methods. See Sambrook and Ausubel, supra.

> In addition, the invention includes an isolated or recombinant polypeptide including a subsequence of at least about 15 contiguous amino acids encoded by the recombinant or isolated polynucleotides of the invention. For example, such polypeptides, or domains or fragments thereof, can be used as immunogens, e.g., to produce antibodies specific for the polypeptide sequence, or as probes for detecting a sequence of interest. A subsequence can range in size from about 15 amino acids in length up to and including the full length of the polypeptide.

30

35

15

20

25

#### **Production of Transgenic Plants**

#### **Modification of Traits**

The polynucleotides of the invention are favorably employed to produce transgenic plants with various traits, or characteristics, that have been modified in a desirable manner, e.g., to improve the seed characteristics of a plant. For example, alteration of expression levels or patterns (e.g., spatial or temporal expression patterns) of one or more of the transcription factors (or

transcription factor homologues) of the invention, as compared with the levels of the same protein found in a wild type plant, can be used to modify a plant's traits. An illustrative example of trait modification, improved characteristics, by altering expression levels of a particular transcription factor is described further in the Examples.

5

10

15

20

25

30

35

#### Antisense and Cosuppression Approaches

In addition to expression of the nucleic acids of the invention as gene replacement or plant phenotype modification nucleic acids, the nucleic acids are also useful for sense and anti-sense suppression of expression, e.g., to down-regulate expression of a nucleic acid of the invention, e.g., as a further mechanism for modulating plant phenotype. That is, the nucleic acids of the invention, or subsequences or anti-sense sequences thereof, can be used to block expression of naturally occurring homologous nucleic acids. A variety of sense and anti-sense technologies are known in the art, e.g., as set forth in Lichtenstein and Nellen (1997) Antisense Technology: A Practical Approach IRL Press at Oxford University, Oxford, England. In general, sense or antisense sequences are introduced into a cell, where they are optionally amplified, e.g., by transcription. Such sequences include both simple oligonucleotide sequences and catalytic sequences such as ribozymes.

For example, a reduction or elimination of expression (i.e., a "knock-out") of a transcription factor or transcription factor homologue polypeptide in a transgenic plant, e.g., to modify a plant trait, can be obtained by introducing an antisense construct corresponding to the polypeptide of interest as a cDNA. For antisense suppression, the transcription factor or homologue cDNA is arranged in reverse orientation (with respect to the coding sequence) relative to the promoter sequence in the expression vector. The introduced sequence need not be the full length cDNA or gene, and need not be identical to the cDNA or gene found in the plant type to be transformed. Typically, the antisense sequence need only be capable of hybridizing to the target gene or RNA of interest. Thus, where the introduced sequence is of shorter length, a higher degree of homology to the endogenous transcription factor sequence will be needed for effective antisense suppression. While antisense sequences of various lengths can be utilized, preferably, the introduced antisense sequence in the vector will be at least 30 nucleotides in length, and improved antisense suppression will typically be observed as the length of the antisense sequence increases. Preferably, the length of the antisense sequence in the vector will be greater than 100 nucleotides. Transcription of an antisense construct as described results in the production of RNA molecules that are the reverse complement of mRNA molecules transcribed from the endogenous transcription factor gene in the plant cell.

5

30

Suppression of endogenous transcription factor gene expression can also be achieved using a ribozyme. Ribozymes are RNA molecules that possess highly specific endoribonuclease activity. The production and use of ribozymes are disclosed in U.S. Patent No. 4,987,071 and U.S. Patent No. 5,543,508. Synthetic ribozyme sequences including antisense RNAs can be used to confer RNA cleaving activity on the antisense RNA, such that endogenous mRNA molecules that hybridize to the antisense RNA are cleaved, which in turn leads to an enhanced antisense inhibition of endogenous gene expression.

Vectors in which RNA encoded by a transcription factor or transcription factor homologue

cDNA is over-expressed can also be used to obtain co-suppression of a corresponding
endogenous gene, e.g., in the manner described in U.S. Patent No. 5,231,020 to Jorgensen. Such
co-suppression (also termed sense suppression) does not require that the entire transcription factor
cDNA be introduced into the plant cells, nor does it require that the introduced sequence be
exactly identical to the endogenous transcription factor gene of interest. However, as with
antisense suppression, the suppressive efficiency will be enhanced as specificity of hybridization
is increased, e.g., as the introduced sequence is lengthened, and/or as the sequence similarity
between the introduced sequence and the endogenous transcription factor gene is increased.

Vectors expressing an untranslatable form of the transcription factor mRNA, e.g., sequences

comprising one or more stop codon, or nonsense mutation) can also be used to suppress
expression of an endogenous transcription factor, thereby reducing or eliminating it's activity and
modifying one or more traits. Methods for producing such constructs are described in U.S.

Patent No. 5,583,021. Preferably, such constructs are made by introducing a premature stop
codon into the transcription factor gene. Alternatively, a plant trait can be modified by gene
silencing using double-strand RNA (Sharp (1999) Genes and Development 13: 139-141).

Another method for abolishing the expression of a gene is by insertion mutagenesis using the T-DNA of Agrobacterium tumefaciens. After generating the insertion mutants, the mutants can be screened to identify those containing the insertion in a transcription factor or transcription factor homologue gene. Plants containing a single transgene insertion event at the desired gene can be crossed to generate homozygous plants for the mutation (Koncz et al. (1992) Methods in Arabidopsis Research, World Scientific).

Alternatively, a plant phenotype can be altered by eliminating an endogenous gene, such as a transcription factor or transcription factor homologue, e.g., by homologous recombination (Kempin et al. (1997) Nature 389:802).

33

A plant trait can also be modified by using the cre-lox system (for example, as described in US Pat. No. 5,658,772). A plant genome can be modified to include first and second lox sites that are then contacted with a Cre recombinase. If the lox sites are in the same orientation, the intervening DNA sequence between the two sites is excised. If the lox sites are in the opposite orientation, the intervening sequence is inverted.

.5

35

The polynucleotides and polypeptides of this invention can also be expressed in a plant in the absence of an expression cassette by manipulating the activity or expression level of the endogenous gene by other means. For example, by ectopically expressing a gene by T-DNA activation tagging (Ichikawa et al. (1997) Nature 390 698-701; Kakimoto et al. (1996) Science 274: 982-985). This method entails transforming a plant with a gene tag containing multiple transcriptional enhancers and once the tag has inserted into the genome, expression of a flanking gene coding sequence becomes deregulated. In another example, the transcriptional machinery in a plant can be modified so as to increase transcription levels of a polynucleotide of the invention (See, e.g., PCT Publications WO 96/06166 and WO 98/53057, which describe the modification of the DNA binding specificity of zinc finger proteins by changing particular amino acids in the DNA binding motif).

The transgenic plant can also include the machinery necessary for expressing or altering the activity of a polypeptide encoded by an endogenous gene, for example by altering the phosphorylation state of the polypeptide to maintain it in an activated state.

Transgenic plants (or plant cells, or plant explants, or plant tissues) incorporating the

25 polynucleotides of the invention and/or expressing the polypeptides of the invention can be
produced by a variety of well established techniques as described above. Following construction
of a vector, most typically an expression cassette, including a polynucleotide, e.g., encoding a
transcription factor or transcription factor homologue, of the invention, standard techniques can
be used to introduce the polynucleotide into a plant, a plant cell, a plant explant or a plant tissue

30 of interest. Optionally, the plant cell, explant or tissue can be regenerated to produce a transgenic
plant.

The plant can be any higher plant, including gymnosperms, monocotyledonous and dicotyledenous plants. Suitable protocols are available for *Leguminosae* (alfalfa, soybean, clover, etc.), *Umbelliferae* (carrot, celery, parsnip), *Cruciferae* (cabbage, radish, rapeseed, broccoli, etc.), *Curcurbitaceae* (melons and cucumber), *Gramineae* (wheat, corn, rice, barley, millet, etc.),

Solanaceae (potato, tomato, tobacco, peppers, etc.), and various other crops. See protocols described in Ammirato et al. (1984) <u>Handbook of Plant Cell Culture - Crop Species</u>. Macmillan Publ. Co. Shimamoto et al. (1989) <u>Nature 338:274-276</u>; Fromm et al. (1990) <u>Bio/Technology</u> 8:833-839; and Vasil et al. (1990) <u>Bio/Technology</u> 8:429-434.

5

10

15

20

25

30

Transformation and regeneration of both monocotyledonous and dicotyledonous plant cells is now routine, and the selection of the most appropriate transformation technique will be determined by the practitioner. The choice of method will vary with the type of plant to be transformed; those skilled in the art will recognize the suitability of particular methods for given plant types. Suitable methods can include, but are not limited to: electroporation of plant protoplasts; liposome-mediated transformation; polyethylene glycol (PEG) mediated transformation; transformation using viruses; micro-injection of plant cells; micro-projectile bombardment of plant cells; vacuum infiltration; and Agrobacterium tumeficiens mediated transformation. Transformation means introducing a nucleotide sequence into a plant in a manner to cause stable or transient expression of the sequence.

Successful examples of the modification of plant characteristics by transformation with cloned sequences which serve to illustrate the current knowledge in this field of technology, and which are herein incorporated by reference, include: U.S. Patent Nos. 5,571,706; 5,677,175; 5,510,471; 5,750,386; 5,597,945; 5,589,615; 5,750,871; 5,268,526; 5,780,708; 5,538,880; 5,773,269; 5,736,369 and 5,610,042.

Following transformation, plants are preferably selected using a dominant selectable marker incorporated into the transformation vector. Typically, such a marker will confer antibiotic or herbicide resistance on the transformed plants, and selection of transformants can be accomplished by exposing the plants to appropriate concentrations of the antibiotic or herbicide.

After transformed plants are selected and grown to maturity, those plants showing a modified trait are identified. The modified trait can be any of those traits described above. Additionally, to confirm that the modified trait is due to changes in expression levels or activity of the polypeptide or polynucleotide of the invention can be determined by analyzing mRNA expression using Northern blots, RT-PCR or microarrays, or protein expression using immunoblots or Western blots or gel shift assays.

## 35 Integrated Systems - Sequence Identity

5

10

25

Additionally, the present invention may be an integrated system, computer or computer readable medium that comprises an instruction set for determining the identity of one or more sequences in a database. In addition, the instruction set can be used to generate or identify sequences that meet any specified criteria. Furthermore, the instruction set may be used to associate or link certain functional benefits, such improved characteristics, with one or more identified sequence.

For example, the instruction set can include, e.g., a sequence comparison or other alignment program, e.g., an available program such as, for example, the Wisconsin Package Version 10.0, such as BLAST, FASTA, PILEUP, FINDPATTERNS or the like (GCG, Madision, WI). Public sequence databases such as GenBank, EMBL, Swiss-Prot and PIR or private sequence databases such as PhytoSeq (Incyte Pharmaceuticals, Palo Alto, CA) can be searched.

Alignment of sequences for comparison can be conducted by the local homology algorithm of Smith and Waterman (1981) Adv. Appl. Math. 2:482, by the homology alignment algorithm of Needleman and Wunsch (1970) J. Mol. Biol. 48:443, by the search for similarity method of Pearson and Lipman (1988) Proc. Natl. Acad. Sci. U.S.A. 85: 2444, by computerized implementations of these algorithms. After alignment, sequence comparisons between two (or more) polynucleotides or polypeptides are typically performed by comparing sequences of the two sequences over a comparison window to identify and compare local regions of sequence similarity. The comparison window can be a segment of at least about 20 contiguous positions, usually about 50 to about 200, more usually about 100 to about 150 contiguous positions. A description of the method is provided in Ausubel et al., supra.

A variety of methods for determining sequence relationships can be used, including manual alignment and computer assisted sequence alignment and analysis. This later approach is a preferred approach in the present invention, due to the increased throughput afforded by computer assisted methods. As noted above, a variety of computer programs for performing sequence alignment are available, or can be produced by one of skill:

One example algorithm that is suitable for determining percent sequence identity and sequence similarity is the BLAST algorithm, which is described in Altschul et al. J. Mol. Biol 215:403-410 (1990). Software for performing BLAST analyses is publicly available, e.g., through the National Center for Biotechnology Information (http://www.ncbi.nlm.nih.gov/). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T

when aligned with a word of the same length in a database sequence. T is referred to as the

neighborhood word score threshold (Altschul et al., supra). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are then extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring 10 residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, a cutoff of 100, M=5, N=-4, and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength (W) of 3, an expectation (E) of 10, and the BLOSUM62 15 scoring matrix (see Henikoff & Henikoff (1989) Proc. Natl. Acad. Sci. USA 89:10915). Unless otherwise indicated, "sequence identity" here refers to the % sequence identity generated from a tblastx using the NCBI version of the algorithm at the default settings using gapped alignments with the filter "off" (http://www.ncbi.nlm.nih.gov/).

In addition to calculating percent sequence identity, the BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin & Altschul (1993)

Proc. Natl. Acad. Sci. USA 90:5873-5787). One measure of similarity provided by the BLAST algorithm is the smallest sum probability (P(N)), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a reference sequence (and, therefore, in this context, homologous) if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.1, or less than about 0.01, and or even less than about 0.001. An additional example of a useful sequence alignment algorithm is PILEUP. PILEUP creates a multiple sequence alignment from a group of related sequences using progressive, pairwise alignments. The program can align, e.g., up to 300 sequences of a maximum length of 5,000 letters.

The integrated system, or computer typically includes a user input interface allowing a user to selectively view one or more sequence records corresponding to the one or more character strings, as well as an instruction set which aligns the one or more character strings with each other or with an additional character string to identify one or more region of sequence similarity.

The system may include a link of one or more character strings with a particular phenotype or gene function. Typically, the system includes a user readable output element, which displays an alignment produced by the alignment instruction set.

The methods of this invention can be implemented in a localized or distributed computing environment. In a distributed environment, the methods may be implemented on a single computer comprising multiple processors or on a multiplicity of computers. The computers can be linked, e.g. through a common bus, but more preferably the computer(s) are nodes on a network. The network can be a generalized or a dedicated local or wide-area network and, in certain preferred embodiments, the computers may be components of an intranet or an internet.

Thus, the invention provides methods for identifying a sequence similar or homologous to one or more polynucleotides as noted herein, or one or more target polypeptides encoded by the polynucleotides, or otherwise noted herein and may include linking or associating a given plant phenotype or gene function with a sequence. In the methods, a sequence database is provided (locally or across an inter or intra net) and a query is made against the sequence database using the relevant sequences herein and associated plant phenotypes or gene functions.

Any sequence herein can be entered into the database, before or after querying the database.

This provides for both expansion of the database and, if done before the querying step, for insertion of control sequences into the database. The control sequences can be detected by the query to ensure the general integrity of both the database and the query. As noted, the query can be performed using a web browser based interface. For example, the database can be a centralized public database such as those noted herein, and the querying can be done from a remote terminal or computer across an internet or intranet.

### Examples

The following examples are intended to illustrate, but not limit, the scope of the present invention.

:30

35

· 5

10

15

### Example I: Full Length Gene Identification and Cloning

Putative transcription factor sequences (genomic or ESTs) related to known transcription factors were identified in the *Arabidopsis thaliana* GenBank database using the tblastn sequence analysis program using default parameters and a P-value cutoff threshold of -4 or -5 or lower, depending on the length of the query sequence. Putative transcription factor sequence hits were

then screened to identify those containing particular sequence strings. If the sequence hits contained such sequence strings, the sequences were confirmed as transcription factors.

Alternatively, Arabidopsis thaliana cDNA libraries derived from different tissues or treatments, or genomic libraries were screened to identify novel members of a transcription family using a low stringency hybridization approach. Probes were synthesized using gene specific primers in a standard PCR reaction (annealing temperature 60°C) and labeled with <sup>32</sup>P dCTP using the High Prime DNA Labeling Kit (Boehringer Mannheim). Purified radiolabelled probes were added to filters immersed in Church hybridization medium (0.5 M NaPO<sub>4</sub> pH 7.0, 7% SDS, 1 % w/v bovine serum albumin) and hybridized overnight at 60°C with shaking. Filters were washed two times for 45 to 60 minutes with 1xSCC, 1% SDS at 60°C.

To identify additional sequence 5' or 3' of a partial cDNA sequence in a cDNA library, 5' and 3' rapid amplification of cDNA ends (RACE) was performed using the Marathon<sup>TM</sup> cDNA amplification kit (Clontech, Palo Alto, CA). Generally, the method entailed first isolating poly(A) mRNA, performing first and second strand cDNA synthesis to generate double stranded cDNA, blunting cDNA ends, followed by ligation of the Marathon<sup>TM</sup> Adaptor to the cDNA to form a library of adaptor-ligated ds cDNA.

Gene-specific primers were designed to be used along with adaptor specific primers for both 5' and 3' RACE reactions. Nested primers, rather than single primers, were used to increase PCR specificity. Using 5' and 3' RACE reactions, 5' and 3' RACE fragments were obtained, sequenced and cloned. The process can be repeated until 5' and 3' ends of the full-length gene were identified. Then the full-length cDNA was generated by PCR using primers specific to 5' and 3' ends of the gene by end-to-end PCR.

## **Example II: Construction of Expression Vectors**

5

10

30

35

The sequence was amplified from a genomic or cDNA library using primers specific to sequences upstream and downstream of the coding region. The expression vector was pMEN20 or pMEN65, which are both derived from pMON316 (Sanders et al, (1987) Nucleic Acids Research 15:1543-58) and contain the CaMV 35S promoter to express transgenes. To clone the sequence into the vector, both pMEN20 and the amplified DNA fragment were digested separately with Sall and Notl restriction enzymes at 37° C for 2 hours. The digestion products were subject to electrophoresis in a 0.8% agarose gel and visualized by ethidium bromide staining. The DNA fragments containing the sequence and the linearized plasmid were excised and purified by using a Qiaquick gel extraction kit (Qiagen, CA). The fragments of interest were

ligated at a ratio of 3:1 (vector to insert). Ligation reactions using T4 DNA ligase (New England Biolabs, MA) were carried out at 16° C for 16 hours. The ligated DNAs were transformed into competent cells of the *E. coli* strain DH5alpha by using the heat shock method. The transformations were plated on LB plates containing 50 mg/l kanamycin (Sigma).

5

20

25

30

35

Individual colonies were grown overnight in five milliliters of LB broth containing 50 mg/l kanamycin at 37° C. Plasmid DNA was purified by using Qiaquick Mini Prep kits (Qiagen, CA).

### Example III: Transformation of Agrobacterium with the Expression Vector

After the plasmid vector containing the gene was constructed, the vector was used to transform 
Agrobacterium tumefaciens cells expressing the gene products. The stock of Agrobacterium 
tumefaciens cells for transformation were made as described by Nagel et al. (1990) FEMS

Microbiol Letts. 67: 325-328. Agrobacterium strain ABI was grown in 250 ml LB medium

(Sigma) overnight at 28°C with shaking until an absorbance (A<sub>600</sub>) of 0.5 – 1.0 was reached.

Cells were harvested by centrifugation at 4,000 x g for 15 min at 4°C. Cells were then resuspended in 250  $\mu$ l chilled buffer (1 mM HEPES, pH adjusted to 7.0 with KOH). Cells were centrifuged again as described above and resuspended in 125  $\mu$ l chilled buffer. Cells were then centrifuged and resuspended two more times in the same HEPES buffer as described above at a volume of 100  $\mu$ l and 750  $\mu$ l, respectively. Resuspended cells were then distributed into 40  $\mu$ l aliquots, quickly frozen in liquid nitrogen, and stored at -80°C.

Agrobacterium cells were transformed with plasmids prepared as described above following the protocol described by Nagel et al. For each DNA construct to be transformed, 50 – 100 ng DNA (generally resuspended in 10 mM Tris-HCl, 1 mM EDTA, pH 8.0) was mixed with 40 μl of Agrobacterium cells. The DNA/cell mixture was then transferred to a chilled cuvette with a 2mm electrode gap and subject to a 2.5 kV charge dissipated at 25 μF and 200 μF using a Gene Pulser II apparatus (Bio-Rad). After electroporation, cells were immediately resuspended in 1.0 ml LB and allowed to recover without antibiotic selection for 2 – 4 hours at 28°C in a shaking incubator. After recovery, cells were plated onto selective medium of LB broth containing 100 μg/ml spectinomycin (Sigma) and incubated for 24-48 hours at 28°C. Single colonies were then picked and inoculated in fresh medium. The presence of the plasmid construct was verified by PCR amplification and sequence analysis.

Example IV: Transformation of *Arabidopsis* Plants with *Agrobacterium tumefaciens* with Expression Vector

After transformation of Agrobacterium tumefaciens with plasmid vectors containing the gene, single Agrobacterium colonies were identified, propagated, and used to transform Arabidopsis plants. Briefly, 500 ml cultures of LB medium containing 50 mg/l kanamycin were inoculated with the colonies and grown at 28° C with shaking for 2 days until an absorbance ( $A_{600}$ ) of > 2.0 is reached. Cells were then harvested by centrifugation at 4,000 x g for 10 min, and resuspended in infiltration medium (1/2 X Murashige and Skoog salts (Sigma), 1 X Gamborg's B-5 vitamins (Sigma), 5.0% (w/v) sucrose (Sigma), 0.044  $\mu$ M benzylamino purine (Sigma), 200  $\mu$ l/L Silwet L-77 (Lehle Seeds) until an absorbance ( $A_{600}$ ) of 0.8 was reached.

5

20

30

35

Prior to transformation, Arabidopsis thaliana seeds (ecotype Columbia) were sown at a density of ~10 plants per 4" pot onto Pro-Mix BX potting medium (Hummert International) covered with fiberglass mesh (18 mm X 16 mm). Plants were grown under continuous illumination (50-75 μE/m²/sec) at 22-23° C with 65-70% relative humidity. After about 4 weeks, primary inflorescence stems (bolts) are cut off to encourage growth of multiple secondary bolts. After flowering of the mature secondary bolts, plants were prepared for transformation by removal of all siliques and opened flowers.

The pots were then immersed upside down in the mixture of Agrobacterium infiltration medium as described above for 30 sec, and placed on their sides to allow draining into a 1' x 2' flat surface covered with plastic wrap. After 24 h, the plastic wrap was removed and pots are turned upright. The immersion procedure was repeated one week later, for a total of two immersions per pot. Seeds were then collected from each transformation pot and analyzed following the protocol described below.

### 25 Example V: Identification of Arabidopsis Primary Transformants

Seeds collected from the transformation pots were sterilized essentially as follows. Seeds were dispersed into in a solution containing 0.1% (v/v) Triton X-100 (Sigma) and sterile H<sub>2</sub>O and washed by shaking the suspension for 20 min. The wash solution was then drained and replaced with fresh wash solution to wash the seeds for 20 min with shaking. After removal of the second wash solution, a solution containing 0.1% (v/v) Triton X-100 and 70% ethanol (Equistar) was added to the seeds and the suspension was shaken for 5 min. After removal of the ethanol/detergent solution, a solution containing 0.1% (v/v) Triton X-100 and 30% (v/v) bleach (Clorox) was added to the seeds, and the suspension was shaken for 10 min. After removal of the bleach/detergent solution, seeds were then washed five times in sterile distilled H<sub>2</sub>O. The seeds were stored in the last wash water at 4°C for 2 days in the dark before being plated onto antibiotic selection medium (1 X Murashige and Skoog salts (pH adjusted to 5.7 with 1M KOH),

1 X Gamborg's B-5 vitamins, 0.9% phytagar (Life Technologies), and 50 mg/l kanamycin). Seeds were germinated under continuous illumination (50-75 μE/m²/sec) at 22-23° C. After 7-10 days of growth under these conditions, kanamycin resistant primary transformants (T<sub>1</sub> generation) were visible and obtained. These seedlings were transferred first to fresh selection plates where the seedlings continued to grow for 3-5 more days, and then to soil (Pro-Mix BX potting medium).

Primary transformants were crossed and progeny seeds (T<sub>2</sub>) collected; kanamycin resistant seedlings were selected and analyzed. The expression levels of the recombinant polynucleotides in the transformants varies from about a 5% expression level increase to a least a 100% expression level increase. Similar observations are made with respect to polypeptide level expression.

## Example VI: Identification of Arabidopsis Plants with Transcription Factor Gene

### 15 Knockouts

20

25

35

The screening of insertion mutagenized Arabidopsis collections for null mutants in a known target gene was essentially as described in Krysan et al (1999) Plant Cell 11:2283-2290. Briefly, gene-specific primers, nested by 5-250 base pairs to each other, were designed from the 5' and 3' regions of a known target gene. Similarly, nested sets of primers were also created specific to each of the T-DNA or transposon ends (the "right" and "left" borders). All possible combinations of gene specific and T-DNA/transposon primers were used to detect by PCR an insertion event within or close to the target gene. The amplified DNA fragments were then sequenced which allows the precise determination of the T-DNA/transposon insertion point relative to the target gene. Insertion events within the coding or intervening sequence of the genes were deconvoluted from a pool comprising a plurality of insertion events to a single unique mutant plant for functional characterization. The method is described in more detail in Yu and Adam, US Application Serial No. 09/177,733 filed October 23, 1998.

# Example VII: Identification of Modified Phenotypes in Overexpression or Gene Knockout

### 30 Plants

Experiments were performed to identify those transformants or knockouts that exhibited modified biochemical characteristics. Among the biochemicals that were assayed were insoluble sugars, such as arabinose, fucose, galactose, mannose, rhamnose or xylose or the like; prenyl lipids, such as lutein, beta-carotene, xanthophyll-1, xanthophyll-2, chlorophylls A or B, or alpha-, delta- or gamma-tocopherol or the like; fatty acids, such as 16:0 (palmitic acid), 16:1 (palmitoleic acid), 18:0 (stearic acid), 18:1 (oleic acid), 18:2 (linoleic acid), 20:0, 18:3 (linolenic

acid), 20:1 (eicosenoic acid), 20:2, 22:1 (erucic acid) or the like; waxes, such as by altering the levels of C29, C31, or C33 alkanes; sterols, such as brassicasterol, campesterol, stigmasterol, sitosterol or stigmastanol or the like, glucosinolates, protein or oil levels.

Fatty acids were measured using two methods depending on whether the tissue was from leaves 5 or seeds. For leaves, lipids were extracted and esterified with hot methanolic H2SO4 and partitioned into hexane from methanolic brine. For seed fatty acids, seeds were pulverized and extracted in methanol:heptane:toluene:2,2-dimethoxypropane:H2SO4 (39:34:20:5:2) for 90 minutes at 80°C. After cooling to room temperature the upper phase, containing the seed fatty 10 acid esters, was subjected to GC analysis. Fatty acid esters from both seed and leaf tissues were analyzed with a Supelco SP-2330 column.

Glucosinolates were purified from seeds or leaves by first heating the tissue at 95°C for 10 minutes. Preheated ethanol:water (50:50) is and after heating at 95°C for a further 10 minutes, the extraction solvent is applied to a DEAE Sephadex column which had been previously equilibrated with 0.5 M pyridine acetate. Desulfoglucosinolates were eluted with 300 ul water and analyzed by reverse phase HPLC monitoring at 226 nm.

15

For wax alkanes, samples were extracted using an identical method as fatty acids and extracts 20 were analyzed on a HP 5890 GC coupled with a 5973 MSD. Samples were chromatographed on a J&W DB35 mass spectrometer (J&W Scientific).

To measure prenyl lipids levels, seeds or leaves were pulverized with 1 to 2% pyrogallol as an antioxidant. For seeds, extracted samples were filtered and a portion removed for tocopherol and carotenoid/chlorophyll analysis by HPLC. The remaining material was saponified for sterol 25 determination. For leaves, an aliquot was removed and diluted with methanol and chlorophyll A, chlorophyll B, and total carotenoids measured by spectrophotometry by determining absorbance at 665.2 nm, 652.5 nm, and 470 nm. An aliquot was removed for tocopherol and carotenoid/chlorophyll composition by HPLC using a Waters uBondapak C18 column (4.6 mm  $\times$ 150 mm). The remaining methanolic solution was saponified with 10% KOH at 80°C for one 30 hour. The samples were cooled and diluted with a mixture of methanol and water. A solution of 2% methylene chloride in hexane was mixed in and the samples were centrifuged. The aqueous methanol phase was again re-extracted 2% methylene chloride in hexane and, after centrifugation, the two upper phases were combined and evaporated. 2% methylene chloride in hexane was added to the tubes and the samples were then extracted with one ml of water. The 35 upper phase was removed, dried, and resuspended in 400 ul of 2% methylene chloride in hexane

and analyzed by gas chromatography using a 50 m DB-5ms (0.25 mm ID, 0.25 um phase, J&W Scientific).

Insoluble sugar levels were measured by the method essentially described by Reiter et al., Plant Journal 12:335-345. This method analyzes the neutral sugar composition of cell wall polymers found in Arabidopsis leaves. Soluble sugars were separated from sugar polymers by extracting leaves with hot 70% ethanol. The remaining residue containing the insoluble polysaccharides was then acid hydrolyzed with allose added as an internal standard. Sugar monomers generated by the hydrolysis were then reduced to the corresponding alditols by treatment with NaBH4, then were acetylated to generate the volatile alditol acetates which were then analyzed by GC-FID. Identity of the peaks was determined by comparing the retention times of known sugars converted to the corresponding alditol acetates with the retention times of peaks from wild-type plant extracts. Alditol acetates were analyzed on a Supelco SP-2330 capillary column (30 m x 250 um x 0.2 um) using a temperature program beginning at 180° C for 2 minutes followed by an increase to 220° C in 4 minutes. After holding at 220° C for 10 minutes, the oven temperature is increased to 240° C in 2 minutes and held at this temperature for 10 minutes and brought back to room temperature.

To identify plants with alterations in total seed oil or protein content, 150mg of seeds from T2

progeny plants were subjected to analysis by Near Infrared Reflectance (NIR) using a Foss

NirSystems Model 6500 with a spinning cup transport system.

Experiments were performed to identify those transformants or knockouts that exhibited an improved pathogen tolerance. For such studies, the transformants were exposed to biotropic fungal pathogens, such as *Erisyphe orontii*, and necrotropic fungal pathogens, such as *Fusarium oxysporum*. Fusarium oxysporum isolates cause vascular wilts and damping off of various annual vegetables, perennials and weeds (Mauch-Mani and Slusarenko (1994) Molecular Plant-Microbe Interactions 7: 378-383). For Fusarium oxysporum experiments, plants grown on petri dishes were sprayed with a fresh spore suspension of F. oxysporum. The spore suspension was prepared as follows: A plug of fungal hyphae from a plate culture was placed on a fresh potato dextrose agar plate and allowed to spread for one week. 5 ml sterile water was then added to the plate, swirled, and pipetted into 50 ml Armstrong Fusarium medium. Spores were grown overnight in Fusarium medium and then sprayed onto plants using a Preval paint sprayer. Plant tissue was harvested and frozen in liquid nitrogen 48 hours post infection.

25

30

5

10

15

20

25

30

35

Erysiphe orontii is a causal agent of powdery mildew. For Erysiphe orontii experiments, plants were grown approximately 4 weeks in a greenhouse under 12 hour light (20 C, ~30% relative humidity (rh)). Individual leaves were infected with E. orontii spores from infected plants using a camel's hair brush, and the plants were transferred to a Percival growth chamber (20 C, 80% rh.). Plant tissue was harvested and frozen in liquid nitrogen 7 days post infection.

Botrytis cinerea is a necrotrophic pathogen. Botrytis cinerea was grown on potato dextrose agar in the light. A spore culture was made by spreading 10 ml of sterile water on the fungus plate, swirling and transferring spores to 10 ml of sterile water. The spore inoculum (approx. 105 spores/ml) was used to spray 10 day-old seedlings grown under sterile conditions on MS (-sucrose) media. Symptoms were evaluated every day up to approximately 1 week.

Infection with bacterial pathogens Pseudomonas syringae pv maculicola strain 4326 and pv maculicola strain 4326 was performed by hand inoculation at two doses. Two inoculation doses allows the differentiation between plants with enhanced susceptibility and plants with enhanced resistance to the pathogen. Plants were grown for 3 weeks in the greenhouse, then transferred to the growth chamber for the remainder of their growth. Psm ES4326 was hand inoculated with 1 ml syringe on 3 fully-expanded leaves per plant (4 1/2 wk old), using at least 9 plants per overexpressing line at two inoculation doses, OD=0.005 and OD=0.0005. Disease scoring occurred at day 3 post-inoculation with pictures of the plants and leaves taken in parallel.

In some instances, expression patterns of the pathogen-induced genes (such as defense genes) was monitored by microarray experiments. cDNAs were generated by PCR and resuspended at a final concentration of ~ 100 ng/ul in 3X SSC or 150mM Na-phosphate (Eisen and Brown (1999) *Meth. in Enzymol.* 303:179-205). The cDNAs were spotted on microscope glass slides coated with polylysine. The prepared cDNAs were aliquoted into 384 well plates and spotted on the slides using an x-y-z gantry (OmniGrid) purchased from GeneMachines (Menlo Park, CA) outfitted with quill type pins purchased from Telechem International (Sunnyvale, CA). After spotting, the arrays were cured for a minimum of one week at room temperature, rehydrated and blocked following the protocol recommended by Eisen and Brown (1999).

Sample total RNA (10 ug) samples were labeled using fluorescent Cy3 and Cy5 dyes. Labeled samples were resuspended in 4X SSC/0.03% SDS/4 ug salmon sperm DNA/2 ug tRNA/ 50mM Na-pyrophosphate, heated for 95°C for 2.5 minutes, spun down and placed on the array. The array was then covered with a glass coverslip and placed in a sealed chamber. The chamber was then kept in a water bath at 62°C overnight. The arrays were washed as described in Eisen and

Brown (1999) and scanned on a General Scanning 3000 laser scanner. The resulting files are subsequently quantified using Imagene software purchased from BioDiscovery (Los Angeles, CA).

Experiments were performed to identify those transformants or knockouts that exhibited an improved environmental stress tolerance. For such studies, the transformants were exposed to a variety of environmental stresses. Plants were exposed to chilling stress (6 hour exposure to 4-8°C), heat stress (6 hour exposure to 32-37°C), high salt stress (6 hour exposure to 200 mM NaCl), drought stress (168 hours after removing water from trays), osmotic stress (6 hour exposure to 3 M mannitol), or nutrient limitation (nitrogen, phosphate, and potassium) (Nitrogen: all components of MS medium remained constant except N was reduced to 20mg/L of NH 4 NO<sub>3</sub>, or Phosphate: All components of MS medium except KH<sub>2</sub> PO<sub>4</sub>, which was replaced by K<sub>2</sub>SO<sub>4</sub>, Potassium: All components of MS medium except removal of KNO<sub>3</sub> and KH<sub>2</sub>PO<sub>4</sub>, which were replaced by NaH<sub>4</sub>PO<sub>4</sub>).

15

Experiments were performed to identify those transformants or knockouts that exhibited a modified structure and development characteristics. For such studies, the transformants were observed by eye to identify novel structural or developmental characteristics associated with the ectopic expression of the polynucleotides or polypeptides of the invention.

20

25

Experiments were performed to identify those transformants or knockouts that exhibited modified sugar-sensing. For such studies, seeds from transformants were germinated on media containing 5% glucose or 9.4% sucrose which normally partially restrict hypocotyl elongation. Plants with altered sugar sensing may have either longer or shorter hypocotyls than normal plants when grown on this media. Additionally, other plant traits may be varied such as root mass.

30

Flowering time was measured by the number of rosette leaves present when a visible inflorescence of approximately 3 cm is apparent. Rosette and total leaf number on the progeny stem are tightly correlated with the timing of flowering (Koornneef et al (1991) *Mol. Gen. Genet* 229:57-66). The vernalization response was measured. For vernalization treatments, seeds were sown to MS agar plates, sealed with micropore tape, and placed in a 4°C cold room with low light levels for 6-8 weeks. The plates were then transferred to the growth rooms alongside plates containing freshly sown non-vernalized controls. Rosette leaves were counted when a visible inflorescence of approximately 3 cm was apparent.

Modified phenotypes observed for particular overexpressor or knockout plants are provided in Table 4 of the Appendix and the Appendices of the priority documents. For a particular overexpressor that shows a less beneficial characteristic, it may be more useful to select a plant with a decreased expression of the particular transcription factor. For a particular knockout that shows a less beneficial characteristic, it may be more useful to select a plant with an increased expression of the particular transcription factor.

The sequences of the Sequence Listing SEQ ID Nos. 1-464 or those disclosed here can be used to prepare transgenic plants and plants with altered traits. The specific transgenic plants listed below are produced from the sequences of the Sequence Listing, as noted. The Tables of the Appendix and the Appendices of the priority documents provide exemplary polynucleotide (cDNA) and polypeptide (protein) sequences of the invention. The Tables includeSEQ ID Nos., the corresponding reference number (GID), and/or the identification of the start and stop residues of any conserved domain in the polypeptide sequence.

15

20

25

30

35

10

5

The transgenic plants of the invention display an ectopic expression or altered expression of one or more polypeptides encoded by the full length coding regions in the Sequence Listing, the homologs and/or fragments of the Tables of the Appendices, and/or another polypeptide described in this document, when the transgenic plant is compared to a wild type, control, or reference plant. As a result, the transgenic plants possess advantageous traits, as detailed by the limited and exemplary discussion of comparison data below.

Some of the polypeptides encoded by the full length coding regions in the Sequence Listing and the homologs and fragments of them noted in the Tables of the Appendices modulate a plant's defense response and even confer multipathogen resistance. These traits are extremely useful in many commercial crops and plants. For example, plants overexpressing G28 (SEQ ID NO.: 1 and 2) are more tolerant to infection by fungal pathogens, such as Erysiphe orontii, Sclerotinia sclerotiorum, or Botrytis cinerea. Similarly, plants overexpressing G1792 (SEQ ID NO.: 5 and 6) are more tolerant to infection by necrotrophic fungal pathogens, such as Fusarium oxysporum or Botrytis cinerea, and display increased resistance to fungal pathogens and to Erysiphe orontii. Increased tolerance to infection by Fusarium oxysporum is observed in G1047 (SEQ ID NO.: 23 and 24) and G1363 (SEQ ID NO.: 29 and 30) overexpressing plants. Knockout mutants also demonstrate the particular polypeptide's involvement in a defense response. A G1880 (SEQ ID NO.: 435 and 436) knockout mutant is more tolerant to Botrytis cinerea. G1196 (SEQ ID NO.: 27 and 28) knockout mutant plants show increased susceptibility to Botrytis cinerea. Manipulating the content or expression of any of these polypeptides, or fragments or homologs

of them, can therefore improve a plant's defense response, tolerance, or susceptibility to pathogens and infection.

5

30

35

A number of the polypeptides encoded by the full length coding regions in the Sequence Listing, and homologs and fragments of them noted in the Tables of the Appendices, regulate the transition from vegetative to reproductive growth. These traits can be useful in crops and plants where fruit or seed is commercially valuable, for example. Overexpression of G180 (SEQ ID NO.: 53 and 54), G227 (SEQ ID NO.: 313 and 314), G1841 (SEQ ID NO.: 455 and 456), and G2347 (SEQ ID NO.: 477 and 478) results in an early flowering phenotype, whereas 10 overexpression of G748 (SEQ ID NO.: 125 and 126) or G2007 (SEQ ID NO.: 457 and 458) results in late flowering. Other polypeptides and polynucleotides for modulating flowering time include G590 (SEQ ID NO.: 107 and 108), G1760 (SEQ ID NO.: 31 and 32), G1820 (SEQ ID NO.: 33 and 34), and G2010 (SEQ ID NO.: 37 and 38).

15 The response to a variety of abiotic or environmental stresses is modified by an additional set of polypeptides encoded by the full length coding regions of the Sequence Listing and the homologs and fragments listed in the Tables of the Appendices. These traits can be useful in manipulating the growth medium or environment for plants, for example. G226 overexpressing plants are more tolerant to low nitrogen and high salt stress. G2130 (SEQ ID NO.: 417 and 418) 20 overexpressors show improved heat stress tolerance in a germination assay. G867 (SEQ ID NO.: 15 and 16) and G1930 (SEQ ID NO.: 35 and 36) overexpressing plants show increased seedling vigor in germination assays on both high salt and high sucrose containing media. G912 (SEQ ID NO.: 19 and 20) is a member of the AP2 family related to the CBF1, CBF2 and CBF3 genes. Plants overexpressing G912 (SEQ ID NO.: 19 and 20) exhibit increased freezing and drought 25 tolerance. Additional polypeptides and polynucleotides modifying stress responses include G175 (SEQ ID NO.: 9 and 10), G926 (SEQ ID NO.: 459 and 460), and G1820 (SEQ ID NO.: 33 and 34).

Several transcription factors have been identified that can affect metabolic processes. These plants can be used to optimize or improve production of various plants extracts used for commercial products including, for example, foodstuffs, paper and paper-related products, edible plants, fruits and vegetables with improved properties, organic compounds, oils and alcohols, additives and binders for pharmaceutical or cosmetic products, and industrial products. For instance, plants overexpressing G1750 (SEQ ID NO.: 395 and 396) produce seed with increased seed oil content. Overexpression of G280 (SEQ ID NO.: 461 and 462) results in an increase in gamma and delta tocopherol in leaves. G663 (SEQ ID NO.: 13 and 14) overexpressors exhibit

constitutive anthocyanin production in seeds, leaves and roots. In contrast, seeds of G156 (SEQ ID NO.: 7 and 8) knockout mutant plants exhibit a colorless phenotype indicative of the involvement of the gene in the regulation of the anthocyanin pathway.

- Also of particular interest are polypeptides involved in plant growth and development. The following polypeptides encoded by the full length coding regions of the Sequence Listing and the homologs and fragments listed in the Tables of the Appendices are some examples. Transgenic plants overexpressing G1073 exhibit a substantial increase in size. An increase in size is also observed in G189 (SEQ ID NO.: 11 and 12) overexpressing plants. Transgenic plants overexpressing G634 (SEQ ID NO.: 3 and 4) exhibit a substantial increase in trichome number. Null mutations in G374 (SEQ ID NO.: 463 and 464) and in G877 (SEQ ID NO.: 17 and 18) result in embryo lethality. A G979 (SEQ ID NO.: 153 and 154) knockout mutation results in delayed seed ripening.
- 15 G987 (SEQ ID NO.: 21 and 22) knockout mutant plants can only be grown on sucrose-containing medium. In addition, G987 appears to control an aspect of thylakoid membrane development and the tocopherol, carotenoid, and/or chlorophyll content of the plant is altered. Since the compounds represented by these groups are commercially important in a number of industries, including use as dietary supplements, a transgenic plant's altered tocopherol, carotenoid, and/or chlorophyll content is an advantageous and valuable trait.

G634 (SEQ ID. Nos 3 and 4), G1841 (SEQ ID. Nos 455 and 456), G979 (SEQ ID. Nos 153 and 154): modified plant development

- 25 G634: Overexpression of G634 produced an increase in trichome density on later arising rosette leaves, cauline leaves, inflorescence stems and sepals. Trichomes of 35S::G634 plants also appeared slightly larger than those of wild type, and stem trichomes were more highly branched. These effects were not apparent in young seedlings and became most prominent at the later vegetative and early reproductive phase. The trichome phenotype was apparent in approximately 50% of primary transformants and two out of the three T2 lines.
  - G1841: Overexpression of G1841 markedly reduced the time to flowering. This early flowering phenotype was consistently observed over multiple plantings for each of the three T2 lines, and in a majority of primary transformants. Additionally, 35S::G1841 plants appeared slightly pale and had rather flat leaves compared to wild-type controls.

In continuous light conditions, 35S::G1841 plants produced flower buds up to five days earlier than wild-type controls. In repeat sowings the plants appeared to grow slightly faster than controls; although they switched to making flower buds several days early, they had a similar number of primary rosette leaves to wild type.

5

In addition to showing accelerated flowering under 24 hours light, plants from all three T2 populations produced flowers up to 2 weeks earlier than controls under a 12 hour photoperiod.

G979: Seeds homozygous for a T-DNA insertion within G979 showed delayed ripening, slow germination, and developed into small, poorly fertile plants, indicating that G979 might be involved in seed development processes.

Siliques of heterozygous plants were examined for seed abnormalities. Approximately 25% of the seeds contained in young green siliques were pale in coloration. In older, brown siliques, approximately 25% of the seeds were green and appeared slow ripening, whereas the remaining seeds were brown. Thus, it seemed likely that the seeds with altered development were homozygous for the T-DNA insertion, whereas the normal seeds were wild type and heterozygous segregants.

Furthermore, it was observed that approximately 25% of the seed from G979 KO heterozygous plants showed impaired (delayed) germination. Upon germination, these seeds produced extremely tiny seedlings that often did not survive transplantation. A few homozygous plants, small and sickly looking, could be grown, and produced siliques that contained seeds that were small and wrinkled compared to wild type.

25

30

15

On the basis of these results obtained with G979 knockout mutant lines, G979 can be used to alter or modify seed germination properties and performance.

G1792 (SEQ ID. Nos 5 and 6), G2130 (SEQ ID. Nos 417 and 418), G926 (SEQ ID. Nos. 459 and 460): modified stress response

G1792: 35S::G1792 plants were more tolerant to the fungal pathogens Fusarium oxysporum and Botrytis cinerea: they showed fewer symptoms after inoculation with a low dose of each pathogen. This result was confirmed using individual T2 lines.

35S::G1792 plants also showed more tolerance to growth under nitrogen-limiting conditions. In a root growth assay under conditions of limiting N, 35S::G1792 lines were slightly less stunted. In a germination assay that monitors the effect of C on N signaling through anthocyanin production on high sucrose plus and minus, the 35S::G1792 lines make less anthocyanin on high sucrose plus glutamine, suggesting that the gene could be involved in the plants ability to monitor their carbon and nitrogen status.

G1792 overexpressing plants also showed several mild morphological alterations such as abnormal phyllotaxy, alterations in leaf and flower development, and flowering time.

10

15

5

G2130: G2130 overexpressing lines show more seedling vigor in a heat stress tolerance germination assay compared to wild-type controls. No difference from wild-type was detected in the heat stress response assay performed on older seedlings suggesting the phenotype could be specific for germination in the G2130 overexpressors. Lines G2130-3 and G2130-4 show the heat tolerant phenotype, line G2130-2 show the weakest phenotype. G2130 overexpressing lines are also somewhat more sensitive to chilling, the plants are more chlorotic and stunted when grown at 8oC compared to the wild-type controls. They also show more disease symptoms following inoculation with a low dose of the fungal pathogen *Botrytis cinerea* in two separate experiments.

20

G926: G926 knockout mutant plants show more tolerance to osmotic stress in a germination assay in three separate experiments. They show more seedling vigor than wild-type controls when germinated on plates containing high salt and high sucrose. They also show insensitivity to ABA in repeated germination assays.

25

30

These analyses revealed that in the absence of G926 function, plants are more tolerant to osmotic stress. This osmotic stress tolerance could be related to the plant's apparent insensitivity to the growth hormone ABA because ABA plays an important regulatory role in the initiation and maintenance of seed dormancy. G926 may function as part of a checkpoint for germinating seeds and loss of G926 function promotes germination regardless of the osmotic status of the environment. G926 has utility in modifying plant stress responses.

G280 (SEQ ID. Nos. 461 and 462), G1323 (SEQ ID. Nos 203 and 204): modified biochemistry

G280: Overexpression of G280 in Arabidopsis resulted in an increase in leaf gamma and delta tocopherol in all three lines tested. Overexpression of G280 produced a reduction in overall plant size and accelerated the rate of leaf senescence in the rosette.

5 G1323: In two G1323 overexpressing lines, line 5 and 7, seeds had more protein and less oil than controls. Otherwise, overexpression of G1323 in Arabidopsis did not result in any biochemical phenotype. These experiments were repeated and a similar biochemical phenotype was observed.

# 10 <u>G2557 (SEQ ID Nos. 289 and 290), G2143 (SEQ ID Nos. 285 and 286), G1063 (SEQ ID Nos 167 and 168) (HLH/MYC)</u>

Overexpression of each of these genes affected plant growth, inflorescence architecture, and resulted in the development of carpelloid tissues in ectopic positions.

15 G2557: Twenty independent 35S::G2557 Arabidopsis primary transformants were obtained. Of these plants, 19/20 exhibited carpelloid tissue in the outer whorl organs of flowers. In some instances ovules developed from these ectopic carpels. The central carpel of 35S::G2557 flowers was also sometimes borne on a long pedicel-like structure, indicating that overexpression of this gene could influence determinacy of the floral meristem. Additionally, 35S::G2557 plants were often smaller, darker green and possessed narrow leaves and elongated cotyledons compared to wild type.

G2143: Twenty independent 35S::G2143 Arabidopsis primary transformants were obtained. All 20 plants developed ectopic carpelloid tissue. In some cases entire flowers were replaced by a disorganized mass of this tissue. Additionally, 35S::G2143 plants were often smaller, darker green and possessed narrow leaves and elongated cotyledons compared to wild type. In some cases the shoot tips of G2413 plants aborted in a 'pin-like' structure.

G1063: Seventeen independent 35S::G1063 Arabidopsis primary transformants were obtained.

5/17 of these lines exhibited flowers in which outer whorl organs displayed carpelloid features.

In some cases flowers were completely replaced by a carpelloid mass of tissue and defined individual organs could not be distinguished. The shoots of these plants also occasionally terminated in a 'pin-like' structure. The majority of 35S::G1063 plants were smaller than wild type and often had altered leaf shape.

Based on the above phenotypes, these genes might be applied to manipulate flower structure and development, fertility, seed-pod development, leaf coloration and overall plant architecture. Specifically, the genes might be used to manipulate floral organ identity or instigate the formation of carpel-derived structures including ovules, embryos and seeds.

5

10

15

20

## G2509 (SEQ ID Nos 287 and 288) (AP2)

Twenty independent 358::G2509 Arabidopsis primary transformants were obtained. All plants exhibited increased secondary shoot development and loss of apical dominance, leading to a shorter bushier stature than wild type. G2509 could be used to modify plant architecture. This could produce plants more resistant to wind and rain and influence yield. Additionally, changing plant architecture could generate novel interesting forms for the ornamental plant market.

# G353 (SEQ ID Nos 79 and 80) and G354 (SEQ ID Nos. 81 and 82) (Z(C2H2))

G353 and G354 constitute a pair of closely related Z(C2H2) genes that influence shoot architecture. Both genes produced comparable effects when overexpressed.

G353: A consistent phenotype was noted on inflorescences of 35S::G353 plants. Flowers were oriented downwards and pedicels of flowers and siliques were reduced in length or absent. Floral internodes were also very short. Furthermore, secondary shoots were often observed to grow in a downward direction. These phenotypes were observed in both primary transformants and T2 generation plants. Overexpression of G353 produced additional effects; 35S::G353 were sometimes smaller than wild-type, had abnormal branching patterns and flat leaves.

G354: 35S::G354 plants displayed abnormal inflorescences in which flowers were oriented downwards and pedicels were absent or reduced in length. Floral internodes were also short. Additionally, many of the 35S::G354 plants were reduced in size compared to wild type.

These genes could be used to modify plant architecture. Specifically, altering the length of flower and fruit stalks could permit more efficient harvesting. In species such as strawberry, changing the length of the fruit stalk could allow fruits to develop above the leaf canopy and reduce the likelihood of fungal infection. The genes might also have applications in producing novel forms of ornamental species in which branches, flowers and fruits develop with unusual orientations.

### G1494 (SEQ ID Nos. 223 and 224) (HLH/MYC)

The phenotype of transgenic Arabidopsis, over-expressing G1494, indicates that this gene is a core component of the plant light perception/response machinery. 35S::G1494 seedlings displayed very long hypocotyls, bolted early, and exhibited elongation of rosette internodes. This latter characteristic resulted in the absence of a defined rosette. The plants also possessed very spindly stems, and narrow pale leaves with elongated petioles. Such features were consistently observed in both primary transformants and T2 generation plants. These phenotypes are comparable to those of mutants defective in the PHYTOCHROME genes, which encode proteins involved in the perception of light conditions. In particular, the 35S::G1494 phenotype is almost identical to that described for the phyA;phyB;phyD triple mutant (Devlin et al., Plant Physiology 119, 909-915). Based upon the 35S::G1494 phenotype, this gene might be applied to manipulate many of the traits which are influenced by the perception and response to light,

including seed germination, flowering time, shade response, leaf orientation, architecture and

15

growth habit.

10

5

Additional phenotypes that were observed included G634 (SEQ ID Nos. 3 and 4) (overexpressors had substantially more trichomes on its leaf surfaces), G971 (SEQ ID Nos. 17 and 18) (overexpressors enhanced terpenoid biosynthesis levels) and G1792 (SEQ ID Nos. 5 and 6) (overexpressors showed a broad-based disease resistance).

20

25

### Example VIII: Identification of Homologous Sequences

Homologous sequences from *Arabidopsis* and plant species other than *Arabidopsis* were identified using database sequence search tools, such as the Basic Local Alignment Search Tool (BLAST) (Altschul et al. (1990) <u>J. Mol. Biol.</u> 215:403-410; and Altschul et al. (1997) <u>Nucl. Acid Res.</u> 25: 3389-3402). The tblastx sequence analysis programs were employed using the BLOSUM-62 scoring matrix (Henikoff, S. and Henikoff, J. G. (1992) <u>Proc. Natl. Acad. Sci. USA</u> 89: 10915-10919).

30 Identified Arabidopsis homologous sequences are provided in the Tables of the Appendices. The percent sequence identity among these sequences can be as low as 47%, or even 31% or lower sequence identity. Additionally, the entire NCBI GenBank database was filtered for sequences from all plants except Arabidopsis thaliana by selecting all entries in the NCBI GenBank database associated with NCBI taxonomic ID 33090 (Viridiplantae; all plants) and excluding entries associated with taxonomic ID 3701 (Arabidopsis thaliana). These sequences are compared to sequences representing genes of SEQ IDs Nos. 1-16 using the Washington

University TBLASTX algorithm (version 2.0a19MP) at the default settings using gapped alignments with the filter "off," as performed on July 16, 2001 or previously. For each gene of the Sequence Listing, individual comparisons were ordered by probability score (P-value), where the score reflects the probability that a particular alignment occurred by chance. For example, a score of 3.6e-40 is  $3.6 \times 10^{-40}$ . In addition to P-values, comparisons were also scored by percentage identity. Percentage identity reflects the degree to which two segments of DNA or protein are identical over a particular length.

In addition to computer-based methods for identifying homologs, or indeed in conjunction with them, a fragment of a sequence from the sequence listing, from the Tables of the Appendices, or 10 derived from a homolog sequence identified from a database, is radiolabeled with 32P by random priming (Sambrook et al., Molecular Cloning. A Laboratory Manual, 2nd Ed., or 3rd Ed., Cold Spring Harbor Laboratory Press, New York) and used to screen a plant cDNA or genomic library. As merely one example, total plant DNA from Arabidopsis thaliana, Nicotiana tabacum, Lycopersicon pimpinellifolium, Prunus avium, Prunus cerasus, Cucumis sativus, or Oryza sativa 15 is isolated (Stockinger, E.J., et al., (1996), J. Heredity, 87:214-218). Alternatively, cDNA clones of a selected cDNA library are used. Approximately 2 to 10 µg of each DNA sample is restriction digested, transferred to nylon membrane (Micron Separations, Westboro, MA) and hybridized. Alternatively, a library is plated out on growth medium and partially transferred in situ to the nylon membrane for hybridization. Exemplary hybridization conditions are: 42°C in 20 50% formamide, 5X SSC, 20 mM phosphate buffer, 1X Denhardt's, 10% dextran sulfate, and 100 µg/ml herring sperm DNA. Four low stringency washes at RT in 2X SSC, 0.05% sodium sarcosyl and 0.02% sodium pyrophosphate are performed prior to high stringency washes at 55°C in 0.2X SSC, 0.05% sodium sarcosyl and 0.01% sodium pyrophosphate. High stringency washes are performed until no counts are detected in the washout (Walling, L.L., et al., Nucl. 25 Acids Res. 16:10477-10492(1988)). The areas of radioactivity on the membrane correspond to homologous sequences from the library or genomic DNA sample and the associated DNA can be identified, isolated, and cloned into an appropriate vector so that any homologous sequence(s) can be used. Alterations in the stringency of washes, such as employing ultra-high stringency, and ultra-ultra-high stringency, can also be made. 30

### Example IX

35

5

As noted previously, the introduction of polynucleotides of the invention and full length coding sequences of the invention into the target plant or cell can be accomplished by a variety of techniques known in the art, such as calcium phosphate-DNA precipitation, electroporation,

microinjection, Agrobacterium infection, liposomes, or microprojectile bombardment, for example. Those of ordinary skill in the art can refer to the literature for details and select suitable techniques without undue experimentation. For some plants, using Agrobacterium is a preferred and easy method for transforming plants and cells. This type of transformation has been used for genetic manipulation of more than 120 species of at least 35 different families of plants, including major economic crops such as vegetables, ornamentals, medicinals, fruit, trees and pasture plants (see, for example, Birch, R.G., Annual Rev. Plant Physiology and Plant Molec. Biology 48:297-326 (1997); Gould J.H., Transformation of the Cereals using Agrobacterium, In: R.S. Tuan (Ed.), Methods in Molecular Biology, Humana Press Inc., Totowa, NJ, vol. 62:489-499 (1997)). In fact, this method has become so routine and commonplace that the idea that some species cannot accept the integration of foreign DNA into its genome or that a species lacks the capacity to be transformed has become unacceptable in the art (see de la Riva et al., Electr. J. Biotechnol. Agrobacterium tumefaciens: a natural tool for plant transformation, vol. 1, no. 13, issue of Dec. 15, 1998).

15

20

25

35

10

5

A number of vectors can be used to produce transgenic plants. Some of these vectors can replicate in bacterial hosts, plant host cells, and Agrobacterium, as known through many techniques of the art. Expression vectors typically comprise a cassette or region for inserting a coding sequence or transgene that is flanked by a promoter/enhancer and a poly A site. Many variations are possible, including the use of sequences incorporating preferred codons, 5' UTR, 3' UTR, splice donor and acceptor or other intron sequences, internal ribosome entry sites, repressor or suppressor binding sequences, tissue-specific promoters and enhancers, developmentally regulated promoters and enhancers, and inducible promoters and enhancers, for example. Examples of inducible promoters useful in plants include those induced by chemical means, such as the yeast metallothionein promoter, which is activated by concentrations of copper or heavy metal ions. Any appropriate inducible promoter, enhancer, or promoter/enhancer can be selected. One skilled in the art can devise many variations and permutations in selecting and using expression vectors. The vectors may also contain selectable markers for more easily identifying transformed plants. Many types of selectable marker genes are known in the art.

30

If using Agrobacterium, one can select armed or disarmed Ti genes for transforming cells and plants. Either Ti plasmids of Agrobacterium tumefaciens (A. tumefaciens) or root-inducing (Ri) plasmids of Agrobacterium rhizogenes (A. rhizogenes) can be selected. (For reviews of exemplary techniques see, for example, Weissbach & Weissbach, (1988) Methods for Plant Molecular Biology, Academic Press, NY, Section VIII, pp. 421-463; and Grierson & Corey

(1988) Plant Molecular Biology, 2d Ed., Blackie, London, Ch. 7-9, and Horsch et al., Science 227:1229 (1985), incorporated herein by reference). The selection of either A. tumefaciens or A. rhizogenes will depend on the plant being transformed. In general A. tumefaciens is the preferred organism for transformation. Most dicotyledons, some gymnosperms, and a few monocotyledons (e.g. certain members of the Liliales and Arales) are easily susceptible to infection with A. tumefaciens. A. rhizogenes also has a wide host range, including most dicots and gymnosperms, which includes members of the Leguminosae, Compositae and Chenopodiaceae. Selecting a type of vector and the components of the vector is well within the ordinary skill of the art.

A general and exemplary method for plant transformation with Agrobacterium follows. The polynucleotide or the full length coding region (transgene) is inserted into an intermediate or shuttle vector capable of replicating in E. coli and suitable for the type of plant used and typically containing a selectable marker. The vector is introduced into an acceptor A. tumefaciens strain through triparental mating (reciprocal recombination between the intermediate vector and the T-DNA region of the acceptor plasmid occurs during triparental mating and the transgene is now part of the T-DNA region that will be transferred). The engineered A. tumefaciens strain containing the transgene is cocultivated with a plant explant, from which regenerated plants can be obtained. The explants are cultured in the presence of a selection agent and selecting resistant cells grow shoots and rooted-shoots. These are regenerated into plants and the regenerated plants screened for the expression of the transgene and selectable marker. The progeny of the transgenic plant is grown and the inheritance of the introduced transgene is determined.

A transgenic plant transformed using Agrobacterium typically contains a single copy of the introduced transgene on one chromosome — it is heterozygous for the transgene. Homozygous plants can also be prepared and can be preferred or more stable in certain plants. One skilled in the art is familiar with breeding and crossing techniques to produce homozygous plants regardless of the type of transformation used. For example, homozygous transgenic plants can be produced through sexually mating an independent segregant that contains a single transgene, germinating the seed of the plant, and selecting the plants produced for the transgene. In addition, two transformed or transgenic plants can be mated to produce plants having two independently segregating transgenes. Sexually mating progeny produces homozygous plants for both transgenes. Those of skill in the art are also familiar with techniques, such as back-crossing to parental plants, out-crossing with a wild type or non-transgenic plant, and vegetative propagation, for example, to manipulate plants having one or more transgenes. Any of these

techniques can be employed to produce transgenic plants, seeds, plant cells, or plant tissue or extracts having a polynucleotide or polypeptide of the invention.

Another common transformation protocol employs plant protoplasts using methods based on calcium phosphate precipitation, polyethylene glycol treatment, electroporation, and combinations of these. The selection of a protoplast method depends upon the ability to regenerate that particular plant strain from protoplasts. Many methods for regenerating plants from protoplasts exist and any can be selected for use (see, for example Shillito, R.D. and Saul, M.W., Protoplast Isolation and Transformation, In: Plant molecular biology, A Practical

Approach, IRL Press, UK (1988), particularly pp. 161-186; Methods in Enzymology, vol. 118, (Plant Molecular Biology), eds. Weissbach, A. and Weissbach, H., Academic Press, Orlando, Florida (1985); Methods in Enzymology, vol. 153 (Recombinant DNA), eds. Wu, R. and Grossman, L., Academic Press, Orlando, Florida, (1987).

15 To transform plant strains that cannot be successfully regenerated from protoplasts, other ways to introduce DNA into intact cells or tissues can be utilized. For example, plants can be regenerated from immature embryos or explants following introduction of vector or expression cassette DNA containing the transgene. The methods used to regenerate transformed cells into whole plants are not critical to this invention and any method suitable for the target plant can be employed. The 20 literature describes numerous techniques for regenerating specific plant types (for example, somatic embryogenesis, Umbeck, P., et al., Genetically transformed cotton (Gossypium hirsutum L.) plants, Bio/Technology 5:263 266 (1987)), and other techniques are continually becoming known. One of ordinary skill in the art can refer to the literature for details and select suitable techniques without undue experimentation. In practice, a large number of transformed plants can be routinely regenerated from a transformed plant cell or tissue to increase and maintain a sterile line. Many methods for culturing plant cells and regenerating transformed plants from cells are known in the art and any appropriate method can be selected (see, for example, Plant Tissue and Cell Culture, C. E. Green, D. A. et al., (Eds.), Alan R. Liss, Inc., New York; Experiments in Plant Tissue Culture, Dodds, J. H. et al. (Eds.), 1985, Cambridge University Press; Cell Structure 30 and Somatic Cell Genetics of Plants, Vasil, I. K. (Ed.), 1984, Academic Press; Handbook of Plant Cell Culture, Volume 4, Techniques and Applications, Evans, D.A. et al. (Eds.), 1986, Macmillan Publishing Company).

In addition, microprojectile bombardment techniques can be used and many have been described in the art. Here, DNA is carried through the cell wall and into the cytoplasm on the surface of small metal particles (see, for example McCabe et al., Bio/Technology 6:923 (1988)). The metal

particles penetrate through several layers of cells and allow the transformation of cells within tissue explants. These explants or cells of them can then be regenerated into plants.

For example, if soybean is selected, the following method can be used. Somatic embryos, cotyledons, 3-5 mm in length, are dissected from surface of sterilized, immature seeds of the soybean cultivar chosen, and the embryos cultured in light or darkness at 26°C on an appropriate agar medium for 6-10 weeks. Somatic embryos that produce secondary embryos are then excised and placed into a suitable liquid medium. After repeated selection for clusters of somatic embryos that multiply, the suspensions are maintained in suspension culture.

10

5

The soybean embryogenic suspension cultures can maintained in 35 ml liquid media on a rotary shaker, 150 rpm, at 26°C with florescent lighting on a 16:8 hour day/night schedule. Subculturing every two weeks by inoculating approximately 35 mg of tissue into 35 ml of liquid medium maintains the cells.

15

A DuPont BioliStic PDS1000/HE instrument, a BIO RAD PDS-1000/He or other microprojectile device can be used for these transformations. DNA-coated microcarriers, typically tungsten or gold microparticles, are used according to the instruction manual. To 50 µl of a 60 mg/ml 1 µm gold particle suspension is added 5 µl DNA (1 µg/µl), 20 µl spermidine (0.1 M), and 50 µl CaCl2 (2.5 M). The particle preparation is agitated for three minutes, spun in a microfuge for 10 seconds, and the supernatant is removed. The DNA-coated particles are then washed once in 400 µl 70% ethanol and resuspended in 40 µl of anhydrous ethanol. The DNA/particle suspension can be sonicated three times for one second each. Five µl of the DNA-coated gold particles is loaded on the disk or appropriate carrier for the particle gun.

25

20

Approximately 300-400 mg of a two-week-old suspension culture is placed in an empty petri dish and the residual liquid removed from the tissue with a pipette. For each transformation, approximately 5-10 plates of tissue are normally used. Membrane rupture pressure is set at approximately 1100 psi. The tissue is placed approximately 3.5 inches away from the retaining screen and bombarded three times. Following treatment, the tissue can be divided in half and placed back into liquid and cultured as above.

35

30

Five to seven days post bombardment, the liquid media is exchanged with fresh media, and eleven to twelve days post bombardment with fresh media containing selection media (if the vector or DNA used also encodes a selectable marker, as it preferably will). The selection media is replaced approximately ever week. Seven to eight weeks post bombardment, green,

transformed tissue may be observed growing from un-transformed, necrotic embryogenic clusters. Isolated green tissue is removed and inoculated into individual flasks to generate new, clonally propagated, transformed embryogenic suspension cultures. Each new line may be treated independently. These suspensions can then be sub-cultured and maintained as clusters of immature embryos or regenerated into whole plants by maturation and germination of individual somatic embryos.

If maize is selected, immature embryos are excised from cleaned and sterilized ears and placed embryo axis side down (scutellum side up) in a petri plate. These are cultured in 560L medium for 4 days in the dark. To prepare for bombardment, the embryos are transferred to 560Y medium for 4 hours and arranged within the device target zone.

The DNA is prepared with Tungsten microparticles, for example, using 1 ug DNA in Tris EDTA buffer, 2.5 M CaCl2, and 0.1 M spermidine while vortexing. The mixture is sonicated briefly and incubated under constant vortexing for ten minutes. After a precipitation period, the tubes are centrifuged briefly, and the liquid is removed. The particles are washed with 100% ethanol, centrifuged, and resuspended in 100% ethanol. For particle gun bombardment, the tungsten/DNA particles are briefly sonicated and 10 ul spotted onto the center of each carrier and allowed to dry about 2 minutes before bombardment.

20

25

30

35

15

5

10

All samples receive a single shot at approximately 650 psi. Following bombardment, the embryos are cultured in 560Y medium for 2 days then transferred to 560R selection medium and sub-cultured every 2 weeks. After approximately 10 weeks of selection, selection-resistant callus clones are sampled by PCR for transgene content and/or activity analysis. Positive lines are transferred to 288J medium to initiate plant regeneration. Following somatic embryo maturation period of 2-4 weeks, well-developed somatic embryos are transferred to 272V medium for germination and then transferred to a lighted culture room. Approximately 7-10 days later, developing plantlets are transferred to 272V medium in tubes for 7-10 days until plantlets are well established. Plants are then transferred to potting soil and grown for 1 week in a growth chamber, and subsequently grown 1-2 weeks in the greenhouse, then grown to maturity.

### Example X. Transformation of Cereal Plants with Expression Vector

A cereal plant, such as corn, wheat, rice, sorghum or barley, can also be transformed with a plasmid vector containing a sequence or polynucleotide of the invention, together with an operably linked constitutive or inducible promoter, to modify a trait or produce ectopic or altered expression. In these cases, a cloning vector, pMEN020 for example, is modified to replace the

NptII coding region with the BAR gene of Streptomyces hygroscopicus to confer resistance to phosphinothricin. The KpnI and BglII sites of the Bar (bialaphos resistance) gene are removed by site-directed mutagenesis with silent codon changes. Preferably, a maize or other plant ubiquitin promoter is inserted in place of the 35S promoter of pMEN020 (see, for example, Christensen et al., Plant Mol. Biol. 12:619-632 (1992); and Christensen, et al., Plant Mol. Biol. 18:675-689 (1992); Christensen et al., Transgenic Res. 5:213-8(1996)). The polypeptideencoding sequence or cDNA is then inserted downstream of the promoter. Additional expression vector elements can also be inserted, as discussed elsewhere in this document, to optimize expression.

10

15

30

35

5

Plasmids according to the present invention may be transformed into corn embryogenic cells derived from immature scutellar tissue by using microprojectile bombardment, with the A188XB73 genotype as the preferred genotype (Fromm et al., Bio/Technology 8: 833-839 (1990); Gordon-Kamm et al., Plant Cell 2: 603-618 (1990)). After microprojectile bombardment the tissues are selected on phosphinothricin to identify the transgenic embryogenic cells (Gordon-Kamm et al., Plant Cell 2: 603-618 (1990)). Transgenic plants are regenerated by standard corn regeneration techniques (Fromm et al., Bio/Technology 8: 833-839 (1990); Gordon-Kamm et al., Plant Cell 2: 603-618 (1990)).

Various homologs, derivative polypeptides, or polypeptide-encoding polynucleotides can be 20 identified and produced from the information in this document. Any technique available can be used and the examples below are merely exemplary.

To identify exemplary variant or derivative polypeptides, polynucleotides, and homologs of the 25 sequences listed here, many techniques, such as using the BLAST program to screen a public (NCBI for example) or commercial (Incyte for example) sequence databases, screening a cDNA or genomic library by hybridization at low or high stringency, and using PCR techniques using degenerate or non-degenerate primers designed to hybridise against the gene you wish to clone, are known in the art. Any GID polynucleotide or cDNA clone can be selected as well as any sequence of the sequence listing. For example, G1073 can be selected. Transgenic plants overexpressing G1073 have the advantageous properties of being large, late flowering, and/or have serrated leaves. The large size and/or late flowering traits would be extremely useful in crops where the vegetative portion of the plant can be commercially harvested (often, vegetative growth stops when plants make the transition to flowering). In this case, it would be advantageous to prevent or delay flowering in order to increase yield or biomass. The plants would also be extremely useful in preparing recombinant therapeutic proteins, such as antibodies

or single chain antibodies. Prevention of flowering would also be useful in plants and crops in order to prevent the spread of transgenic pollen and/or to prevent seed set. G1073 can also be used to manipulate leaf shape.

- In this example, a homolog of G1073 from Glycine max is identified and a construct expressing this Glycine max cDNA is provided. As noted in the Appendices, the NCBI database is screened using the BLAST algorithm and sequences similar to G1073 are identified, including Glycine max cDNA clones or genomic sequences (BF067277, AW349284 and AI736668).
- Using standard techniques, a Glycine max cDNA library is screened using probes derived from 10 the sequence BF067277, AW349284 or AI736668 and a full-length clone is isolated. This full length Glycine max clone can be subcloned into an appropriate expression vector using restriction sites or full-length sequences can be amplified from cDNA or genomic DNA by PCR and subcloned into an appropriate expression vector. Also using standard techniques, a fragment 15 incorporating all or part of the Glycine max sequence, or a fragment of another homolog, is produced with substitution or site-specific mutations. This fragment can be used in PCR amplification to replace all or any of the nucleotides to result in amino acid changes or codon changes. Alternatively, oligos incorporating the substitution change(s) can be used in homologous recombination techniques to replace nucleotides in a sequence. Other available 20 techniques, known in the art, can also be used. Once the sequence differences between any sequence listed or described here to that of a known sequence is displayed, one of skill in the art can use any available method to make one or more substitution changes in the nucleotides or the polypeptides. These changes will preferably result in changes in the amino acid sequence of the encoded polypeptide, creating a derivative or variant polypeptide.

25

30

35

The changes or substitutions can also incorporate preferred codons for a particular species or group of plants. Preferred codons for a number of different plants are known in the art. The changes can also delete or add amino acid residues. One skilled in the art is familiar with a variety of techniques for manipulating a polypeptide-encoding sequence to make one or more changes, substitutions, deletions, or additions, as desired.

As shown here, the sequences listed have homologs in other plant species. Any of the manipulations, procedures for producing transgenic plants, or analysis of the transgenic plants, can be performed using the homolog sequence in place of the specifically listed sequence. Thus, for example, transgenic plants employing the homolog of G1073 from, for example, Lycopersicon esculentum, Medicago truncatula, Oryza sativa, Hordeum vulgare, Glycine max,

Lotus japonicus, Solanum tuberosum, Sorghum propinquum, Pinus taeda, Triticum aestivum, Pisum sativu, Antirrhinum majus, Daucus carota, Nicotiana tabacum, Brassica napus, Zea mays, Volvox carteri f. nagariensis, or Chlamydomonas reinhardtii can be used to create plants having ectopic expression or altered expression of the G1073 homolog. Chimeric sequences, employing parts of more than one homolog or parts of a specific sequence, such as G1073, and its homolog(s), can also be created and used. More than one homolog or recombinant polynucleotide can be introduced into a plant to produce a transgenic plant, as known in the art.

5

All references, publications, patent documents, web pages, links, sequences of Genbank identifiers, sequences of genomic or EST database identifiers, and other documents cited or mentioned herein are hereby incorporated by reference in their entirety for all purposes.

Although the invention has been described with reference to specific embodiments and examples, it should be understood that one of ordinary skill can make various modifications without departing from the spirit of the invention. The scope of the invention is not limited to the specific embodiments and examples provided.

#### What is claimed is:

1. A transgenic plant comprising a recombinant polynucleotide having a nucleotide sequence selected from the group:

- 5 (a) a nucleotide sequence encoding a polypeptide comprising an amino acid sequence selected from those of SEQ ID NOs.: 2N where N= 1-232, or a complementary nucleotide sequence thereof;
  - (b) a nucleotide sequence encoding a polypeptide comprising a conservatively substituted variant of a polypeptide of (a);
- (c) one of SEQ ID NOs.: 2N-1 where N=1-232, or a complementary nucleotide sequence thereof;
   (d) a nucleotide sequence comprising one or more silent substitutions in a nucleotide sequence of
   (c);
  - (e) a nucleotide sequence that hybridizes under stringent conditions to a nucleotide sequence of one or more of: (a), (b), (c), or (d);
- (f) a nucleotide sequence comprising at least 15 consecutive nucleotides outside of a conserved domain of any of (a)-(e);
  - (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide that modifies one or more of a plant's traits;
  - (h) a nucleotide sequence having at least 31% sequence identity to a nucleotide sequence of any of (a)-(g);
  - (i) a nucleotide sequence having at least 60% sequence identity to a nucleotide sequence of any of (a)-(g);
  - (j) a nucleotide sequence having at least 95% sequence identity to a nucleotide sequence of any of (a)-(g);
- (k) a nucleotide sequence encoding a polypeptide having at least 31% sequence identity outside of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;
  - (1) a nucleotide sequence encoding a polypeptide having at least 60% sequence identity outside of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.:
- 30 2N where N=1-232; or

- (m) a nucleotide sequence encoding a polypeptide having at least 75% sequence identity outside of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;
- (n) a nucleotide sequence encoding a polypeptide having at least 95% sequence identity outside of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;

(o) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least 86% sequence identity to a conserved domain of a polypeptide of one of SEQ ID Nos: 2N where N=1-232;

(p) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least about 90% sequence identity to a conserved domain of a polypeptide of one of SEQ ID Nos: 2N where N=1-232;

5

20

25

- (q) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least about 95% sequence identity to a conserved domain of a polypeptide of one of SEQ ID Nos: 2N where N=1-232;
- 10 (r) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least about 98% sequence identity to a conserved domain of a polypeptide of one of SEQ ID Nos: 2N where N=1-232;
  - (s) a nucleotide sequence encoding a polypeptide having at least 31% sequence identity over the entire length of a polypeptide of one of SEQ ID Nos.: 2N where N=1-232;
- (t) a nucleotide sequence encoding a polypeptide having at least 60% sequence identity over the entire length of a polypeptide of one of SEQ ID Nos.: 2N where N=1-232;
  - (u) a nucleotide sequence encoding a polypeptide having at least 75% sequence identity over the entire length of a polypeptide of one of SEQ ID Nos. 2N where N=1-232;
  - (v) a nucleotide sequence encoding a polypeptide having at least 95% sequence identity over the entire length of a polypeptide of one of SEQ ID Nos. 2N where N=1-232,

wherein the plant possesses an altered trait as compared to a wild type or reference plant, or the plant exhibits an altered phenotype as compared to a wild type or reference plant, or the plant exhibits ectopic expression or altered expression of one or more genes associated with a plant trait as compared to a wild type plant.

- 2. The transgenic plant of claim 1, further comprising a constitutive, inducible, or tissue-specific promoter operably linked to said recombinant nucleotide.
- 30 3. The transgenic plant of claim 1, wherein the plant is selected from the following group: soybean, wheat, corn, potato, cotton, rice, oilseed rape, sunflower, alfalfa, sugarcane, turf, banana, blackberry, blueberry, strawberry, raspberry, cantaloupe, carrot, cauliflower, coffee, cucumber, eggplant, grapes, honeydew, lettuce, mango, melon, onion, papaya, peas, peppers, pineapple, *Arabidopsis*, spinach, squash, sweet corn, tobacco, tomato, watermelon, mint and other labiates, rosaceous fruits, and vegetable brassicas.

4. An isolated or recombinant polynucleotide having a nucleotide sequence selected from the following group:

- (a) a nucleotide sequence encoding a polypeptide comprising a sequence selected from those of SEQ ID Nos: 2N where N=1-232, or a complementary nucleotide sequence thereof;
- 5 (b) a nucleotide sequence encoding a polypeptide comprising a conservatively substituted variant of a polypeptide of (a);
  - (c) one of SEQ ID NOs. 2N-1 where N=1-232, or a complementary nucleotide sequence thereof;
  - (d) a nucleotide sequence comprising silent substitutions in a nucleotide sequence of (c);

10

20

- (e) a nucleotide sequence that hybridizes under stringent conditions to a nucleotide sequence of one or more of: (a), (b), (c), or (d);
- (f) a nucleotide sequence comprising at least 15 consecutive nucleotides outside of a conserved domain of any of (a)-(e);
- (g) a nucleotide sequence comprising a subsequence or fragment of any of (a)-(f), which subsequence or fragment encodes a polypeptide that modifies one or more of a plant's traits;
- (h) a nucleotide sequence having at least 31% sequence identity to a nucleotide sequence of any of (a)-(g);
  - (i) a nucleotide sequence having at least 60% sequence identity to a nucleotide sequence of any of (a)-(g);
  - (j) a nucleotide sequence having at least 95% sequence identity to a nucleotide sequence of any of (a)-(g);
  - (k) a nucleotide sequence encoding a polypeptide having at least 31% sequence identity outside of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;
- (I) a nucleotide sequence encoding a polypeptide having at least 60% sequence identity outside
  of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.:
  2N where N=1-232; or
  - (m) a nucleotide sequence encoding a polypeptide having at least 75% sequence identity outside of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;
- (n) a nucleotide sequence encoding a polypeptide having at least 95% sequence identity outside of a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;
  - (o) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least 86% sequence identity to a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;

(p) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least about 90% sequence identity to a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;

(q) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least about 95% sequence identity to a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232; and

5

15

- (r) a nucleotide sequence encoding a polypeptide having an amino acid domain with at least about 98% sequence identity to a conserved domain of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;
- (s) a nucleotide sequence encoding a polypeptide having at least 31% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N/where N=1-232;
  - (t) a nucleotide sequence encoding a polypeptide having at least 60% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232:
  - (u) a nucleotide sequence encoding a polypeptide having at least 75% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232;
- (v) a nucleotide sequence encoding a polypeptide having at least 95% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232.
  - 5. The isolated or recombinant polynucleotide of claim 4, further comprising a constitutive, inducible, or tissue-specific promoter operably linked to the polynucleotide nucleotide.
  - 6. An isolated or recombinant polypeptide comprising a subsequence of at least about 15 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4.
- 7. A method of using the isolated or recombinant polynucleotide of claim 4 for producing a plant having a modified trait, the method comprising selecting a polynucleotide that encodes a polypeptide, inserting the polynucleotide into an expression vector, introducing the vector into a plant or a cell of a plant to overexpress the polypeptide, thereby producing a modified plant, and selecting for a modified trait.
- 35 8. The transgenic plant of claim 1, wherein the trait is selected from the group: enhanced tolerance to freezing; enhanced tolerance to chilling; enhanced tolerance to heat; enhanced

tolerance to drought; enhanced tolerance to water saturation; enhanced tolerance to radiation; enhanced tolerance to ozone; enhanced tolerance to microbial disease; enhanced tolerance to fungal disease; enhanced tolerance to viral disease; enhanced tolerance to pest infestation; decreased herbicide sensitivity; enhanced tolerance to heavy metals; enhanced ability to take up heavy metals; and enhanced growth under poor photoconditions.

5

10

15

- 9. The transgenic plant of claim 1, wherein the trait is an alteration in the level of one or more of the compounds selected from the group: taxol, tocopherol, tocotrienol, sterols, phytosterols, vitamins, wax monomers, anti-oxidants, amino acids, lignins, cellulose, tannins, prenyllipids, glucosinolates, and terpenoids.
- 10. The transgenic plant of claim 1, wherein the trait is an alteration in one or more physical characteristics selected from the group: number of trichomes; fruit and seed size and number; yield of stems; yield of leaves; yield of roots; stability of seeds during storage; susceptibility of the seed to shattering; root hair length; root hair quantity; internode distances; and the quality of seed coat.
- 11. The transgenic plant of claim 1, wherein the trait is an alteration in a plant growth characteristic selected from the group: growth rate; germination rate of seeds; vigor of plants; vigor of seedlings; leaf senescence; flower senescence; male sterility; apomixis; flowering time; flower abscission; rate of nitrogen uptake; biomass; transpiration characteristics; apical dominance; branching pattern; number of organs; organ identity; organ shape; and organ size.
- 12. The transgenic plant of claim 1, wherein the trait is an alteration in one or more characteristics selected from the group: protein production; oil production; seed protein production; seed oil production; insoluble sugar level; soluble sugar level; and starch composition.
- 13. The method of claim 7, wherein the trait is selected from the group: enhanced tolerance to freezing; enhanced tolerance to chilling; enhanced tolerance to heat; enhanced tolerance to drought; enhanced tolerance to water saturation; enhanced tolerance to radiation; enhanced tolerance to ozone; enhanced tolerance to microbial disease; enhanced tolerance to fungal disease; enhanced tolerance to viral disease; enhanced tolerance to pest infestation; decreased herbicide sensitivity; enhanced tolerance to heavy metals; enhanced ability to take up heavy metals; and enhanced growth under poor photoconditions.

14. The method of claim 7, wherein the trait is an alteration in the level of one or more of the compounds selected from the group: taxol, tocopherol, tocotrienol, sterols, phytosterols, vitamins, wax monomers, anti-oxidants, amino acids, lignins, cellulose, tannins, prenyllipids, glucosinolates, and terpenoids.

5

10

15

- The method of claim 7, wherein the trait is an alteration in one or more physical 15. characteristics selected from the group: number of trichomes; fruit and seed size and number; yield of stems; yield of leaves; yield of roots; stability of seeds during storage; susceptibility of the seed to shattering; root hair length; root hair quantity; internode distances; and the quality of seed coat.
- The method of claim 7, wherein the trait is an alteration in a plant growth characteristic 16. selected from the group: growth rate; germination rate of seeds; vigor of plants; vigor of seedlings; leaf senescence; flower senescence; male sterility; apomixis; flowering time; flower abscission; rate of nitrogen uptake; biomass; transpiration characteristics; apical dominance; branching pattern; number of organs; organ identity; organ shape; and organ size.
- 17. The method of claim 7, wherein the trait is an alteration in one or more characteristics selected from the group: protein production; oil production; seed protein production; seed oil production; insoluble sugar level; soluble sugar level; and starch composition. 20
  - A plant produced by the method of claim 13. 18.
  - 19. A plant produced by the method of claim 14.

25

- 20. A plant produced by the method of claim 15.
- 21. A plant produced by the method of claim 16.
- 30 22. A plant produced by the method of claim 17.
  - 23. A method of using the isolated or recombinant polynucleotide of claim 4 for producing a plant having a modified trait, the method comprising selecting a polynucleotide that when expressed produces an antisense nucleic acid, inserting the polynucleotide into an expression vector, introducing the vector into a plant or a cell of a plant to express the antisense nucleic acid, thereby producing a modified plant, and selecting for a modified trait.

24. The method of claim 23, wherein the trait is selected from the group: enhanced tolerance to freezing; enhanced tolerance to chilling; enhanced tolerance to heat; enhanced tolerance to drought; enhanced tolerance to water saturation; enhanced tolerance to radiation; enhanced tolerance to ozone; enhanced tolerance to microbial disease; enhanced tolerance to fungal disease; enhanced tolerance to viral disease; enhanced tolerance to pest infestation; decreased herbicide sensitivity; enhanced tolerance to heavy metals; enhanced ability to take up heavy metals; and enhanced growth under poor photoconditions.

- 10 25. The method of claim 23, wherein the trait is an alteration in the level of one or more of the compounds selected from the group: taxol, tocopherol, tocotrienol, sterols, phytosterols, vitamins, wax monomers, anti-oxidants, amino acids, lignins, cellulose, tannins, prenyllipids, glucosinolates, and terpenoids.
- 15 26. The method of claim 23, wherein the trait is an alteration in one or more physical characteristics selected from the group consisting of: the number of trichomes, fruit and seed size and number, yield of stems, leaves, or roots, stability of seeds during storage, susceptibility of the seed to shattering, root hair length and quantity, internode distances, or the quality of seed coat.
- 27. The method of claim 23, wherein the trait is an alteration in a plant growth characteristic selected from the group: growth rate; germination rate of seeds; vigor of plants; vigor of seedlings; leaf senescence; flower senescence; male sterility; apomixis; flowering time; flower abscission; rate of nitrogen uptake; biomass; transpiration characteristics; apical dominance; branching pattern; number of organs; organ identity; organ shape; and organ size.
  - 28. The method of claim 23, wherein the trait is an alteration in one or more characteristics selected from the group: protein production; oil production; seed protein production; seed oil production; insoluble sugar level; soluble sugar level; and starch composition.
- 30 29. A plant produced by the method of claim 24.

25

35

- 30. A plant produced by the method of claim 25.
- 31. A plant produced by the method of claim 26.

32. A plant produced by the method of claim 27.

33. A plant produced by the method of	claim	28.
---------------------------------------	-------	-----

- An isolated or recombinant polypeptide comprising a subsequence of at least about 10 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4, wherein the contiguous amino acids are outside of a conserved domain.
- An isolated or recombinant polypeptide comprising a subsequence of at least about 20 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4, wherein the contiguous amino acids are outside of a conserved domain.
  - An isolated or recombinant polypeptide comprising a subsequence of at least about 30 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4, wherein the contiguous amino acids are outside of a conserved domain.
- An isolated or recombinant polypeptide comprising a subsequence of at least about 10 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4, wherein the contiguous amino acids are within a conserved domain.
- 20 38. An isolated or recombinant polypeptide comprising a subsequence of at least about 20 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4, wherein the contiguous amino acids are within a conserved domain.
- An isolated or recombinant polypeptide comprising a subsequence of at least about 30 contiguous amino acids encoded by the recombinant or isolated polynucleotide of claim 4, wherein the contiguous amino acids are within a conserved domain.
- 40. An isolated or recombinant polypeptide having at least 31% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232, or the length of the polypeptide itself.
  - An isolated or recombinant polypeptide having at least 60% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232, or the length of the polypeptide itself.

42. An isolated or recombinant polypeptide having at least 75% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232, or the length of the polypeptide itself.

- 5 43. An isolated or recombinant polypeptide having at least 95% sequence identity over the entire length of a polypeptide having an amino acid sequence of one of SEQ ID Nos.: 2N where N=1-232, or the length of the polypeptide itself.
- 44. An isolated or recombinant polynucleotide having the sequence one of SEQ ID NOs.:

  2N-1 where N=1-232, or a complementary nucleotide sequence thereof.
  - 45. The polynucleotide of claim 44, which has the sequence of one of SEQ ID Nos.: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35, or 37.
- 15 46. The polynucleotide of claim 44, which has the sequence of one of SEQ ID Nos.: 53, 79,81, 107, 125, 153, 167, 203, 223, 289, 285, or 287.
  - 47. The polynucleotide of claim 44, which has the sequence of one of SEQ ID Nos.: 313, 345, 365, 395, 417, 425, 435, 455, 457, 459, 461, or 463.
  - 48. A computer readable medium having stored sequence information comprising the polynucleotide sequence of claim 44.
- The computer readable medium of claim 48, having stored sequence information
   comprising the sequence of one of SEQ ID Nos.: 1-37.
  - 50. The computer readable medium of claim 48, having stored sequence information comprising the sequence of one of SEQ ID Nos.: 53, 54, 79, 80, 81, 82, 107, 108, 125, 126, 153, 154, 167, 168, 203, 204, 223, 224, 289, 290, 285, 286, 287, or 288.
  - 51. The computer readable medium of claim 48, having stored sequence information comprising the polynucleotide sequence of one of SEQ ID Nos.: 313, 314, 345, 346, 365, 366, 395, 396, 461, 462, 417, 418, 425, 426, 435, 436, 455, 456, 457, 458, 459, 460, 461, 462, 463, or 464.

35

30

PCT/US01/26189 WO 02/15675

52.	A method of identifying a homolog sequence from a database comprising a plurality of known plant sequences, the method comprising: inputting sequence information selected
	known plant sequences, the method comprising. In patting of a from one or more of SEQ ID Nos. 1-464; and querying the database to identify a
	homolog sequence.

5

- The method of claim 52, wherein the database being queried comprises a database of 53. known genomic, cDNA, EST, or protein sequences.
- The method of claim 52, wherein inputting sequence information comprises copying the 54. sequence information from a CD. 10
  - The method of claim 52, wherein the sequence data comprises one of SEQ ID Nos.: 1-55. 37.
- The method of claim 52, wherein the sequence data comprises one of SEQ ID Nos.: 53, 15 56. 54, 79, 80, 81, 82, 107, 108, 125, 126, 153, 154, 167, 168, 203, 204, 223, 224, 289, 290, 285, 286, 287, or 288.
- The method of claim 52, wherein the sequence data comprises of SEQ ID Nos.: 313, 57. 314, 345, 346, 365, 366, 395, 396, 461, 462, 417, 418, 425, 426, 435, 436, 455, 456, 457, 20 458, 459, 460, 461, 462, 463, or 464.
  - The method of claim 52, wherein the sequence data comprises a 20 nucleotide region or 58. 6 amino acid region of one of SEQ ID Nos.: 1-37.

25

- The method of claim 52, wherein the sequence data comprises a 20 nucleotide region or 59. 6 amino acids region one of SEQ ID Nos.: 53, 54, 79, 80, 81, 82, 107, 108, 125, 126, 153, 154, 167, 168, 203, 204, 223, 224, 289, 290, 285, 286, 287, or 288.
- The method of claim 52, wherein the sequence data comprises a 20 nucleotide region or 30 60. 6 amino acid region of one of SEQ ID Nos.: 313, 314, 345, 346, 365, 366, 395, 396, 461, 462, 417, 418, 425, 426, 435, 436, 455, 456, 457, 458, 459, 460, 461, 462, 463, or 464.
  - A homolog identified by the method of claim 52. 61.

35

The homolog of claim 61, identified by the method of claim 53. 62.

	63.	The homolog of claim 61, identified by the method of claim 54
5	64.	The homolog of claim 61, identified by the method of claim 55
	65.	The homolog of claim 61, identified by the method of claim 55
	66.	The homolog of claim 61, identified by the method of claim 56
10	67.	The homolog of claim 61, identified by the method of claim 57.
•	<b>68.</b>	The homolog of claim 61, identified by the method of claim 58.
15	69.	The homolog of claim 61, identified by the method of claim 59.
	70.	The homolog of claim 61, identified by the method of claim 60.

## SEQUENCE LISTING

```
<110> Pilgrim, Marsha
Creelman, Robert
Dubell, Arnold
Heard, Jacqueline
Jiang, Cai-Zhong
Keddie, James
Adam, Luc
Ratcliffe, Oliver
Reuber, T. Lynne
Riechmann, Jose Luis
Yu, Guo-Liang
Pineda, Omaira
<120> Genes for Modifying Plant Traits IV
<130> MBI-0024
<150> 60/227439
<151> 2000-08-22
<150> MBI-0022
<151> 2000-11-16
 <150>
       09/837944
       2001-04-18
 <151>
 <160> 464
 <170> PatentIn version 3.1
 <210> 1
 <211> 964
 <212> DNA
 <213> Arabidopsis thaliana
 <220>
 <221> CDS
 <222> (63)..(869)
 <223> G28
 gaaateteaa caagaaceaa accaaacaac aaaaaaaacat tettaataat tatetttetg
  tt atg tcg atg acg gcg gat tct caa tct gat tat gct ttt ctt gag
    Met Ser Met Thr Ala Asp Ser Gln Ser Asp Tyr Ala Phe Leu Glu
  tcc ata cga cga cac tta cta gga gaa tcg gag ccg, ata ctc agt gag
  Ser Ile Arg Arg His Leu Leu Gly Glu Ser Glu Pro Ile Leu Ser Glu
                  20
  tcg aca gcg agt tcg gtt act caa tct tgt gta acc ggt cag agc att
   Ser Thr Ala Ser Ser Val Thr Gln Ser Cys Val Thr Gly Gln Ser Ile .
   aaa ccg gtg tac gga cga aac cct agc ttt agc aaa ctg tat cct tgc
   Lys Pro Val Tyr Gly Arg Asn Pro Ser Phe Ser Lys Leu Tyr Pro Cys
         50
   ttc acc gag agc tgg gga gat ttg ccg ttg aaa gaa aac gat tct gag
   Phe Thr Glu Ser Trp Gly Asp Leu Pro Leu Lys Glu Asn Asp Ser Glu
                           70
```

gat atg tta gtt tac ggt atc etc aac gac gcc ttt cac ggc ggt tgg Asp Met Leu Val Tyr Gly Ile Leu Asn Asp Ala Phe His Gly Gly Trp 80 85 gag ccg tct tct tcg tct tcc gac gaa gat cgt agc tct ttc ccg agt Glu Pro Ser Ser Ser Ser Asp Glu Asp Arg Ser Ser Phe Pro Ser gtt aag atc gag act ccg gag agt ttc gcg gcg gtg gat tct gtt ccg 443 Val Lys Ile Glu Thr Pro Glu Ser Phe Ala Ala Val Asp Ser Val Pro gtc aag aag gag aag acg agt cct gtt tcg gcg gcg gtg acg gcg gcg 491 Val Lys Lys Glu Lys Thr Ser Pro Val Ser Ala Ala Val Thr Ala Ala 130 135 aag gga aag cat tat aga gga gtg aga caa agg ccg tgg ggg aaa ttt Lys Gly Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe жэ**. 145** (ж. ) дэ үүх мэд **150** (хүх (зэй үүх хүс 155 19 4 Jan 140 gcg gcg gag att aga gat ccg gcg aag aac gga gct agg gtt tgg tta 587 177-7 1.75 Ala Ala Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu 160 - 170 H. 1. 165 J. 145 J. 170 H. 170 H. 175 gga acg ttt gag acg gcg gag gac gcg gcg ttg gct tac gac aga gct Gly Thr Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Arg Ala 180 185 get tte agg atg egt ggt tee ege get ttg ttg aat ttt eeg ttg aga 683 Ala Phe Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg 195 205 🔩 gtt aat toa gga gaa ooc gao oog gtt oga ato aag too aag aga tot Val Asn Ser Gly Glu Pro Asp Pro Val Arg Ile Lys Ser Lys Arg Ser or garding the arms of the factor tot ttt tot tot aac gag aac gga got cog aag aag agg aga acg 779 Ser Phe Ser Ser Ser Asn Glu Asn Gly Ala Pro Lys Lys Arg Arg Thr 225 230 . 235 gtg gcc gcc ggt ggt gga atg gat aag gga ttg acg gtg aag tgc gag Val Ala Ala Gly Gly Met Asp Lys Gly Leu Thr Val Lys Cys Glu gtt gtt gaa gtg gca cgt ggc gat cgt tta ttg gtt tta taa Val Val Glu Val Ala Arg Gly Asp Arg Leu Leu Val Leu 260 265 -

!

ttttgatttt tctttgttgg atgattatat gattcttcaa aaaagaagaa cgttaataaa 929

aaaattogtt tattattaaa aaaaaaaaaa aaaaa oma

- <210> 2 <211> 268 <212> PRT <213> Arabidopsis thaliana <400> 2
- Met Ser Met Thr Ala Asp Ser Gln Ser Asp Tyr Ala Phe Leu Glu Ser 1 10
- Ile Arg Arg His Leu Leu Gly Glu Ser Glu Pro Ile Leu Ser Glu Ser 20 25 30
- Thr Ala Ser Ser Val Thr Gln Ser Cys Val Thr Gly Gln Ser Ile Lys 35 40 45
- Pro Val Tyr Gly Arg Asn Pro Ser Phe Ser Lys Leu Tyr Pro Cys Phe 50 55 60
- Thr Glu Ser Trp Gly Asp Leu Pro Leu Lys Glu Asn Asp Ser Glu Asp 65 70 75 80
- Pro Ser Ser Ser Ser Ser Asp Glu Asp Arg Ser Ser Phe Pro Ser Val
- Lys Ile Glu Thr Pro Glu Ser Phe Ala Ala Val Asp Ser Val Pro Val 115 120 125
- Lys Lys Glu Lys Thr Ser Pro Val Ser Ala Ala Val Thr Ala Ala Lys
- Gly Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe Ala 145 150 155 155 160
- Thr Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Arg Ala Ala 180 185 185
- Phe Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg Val

Asn Ser Gly Glu Pro Asp Pro Val Arg Ile Lys Ser Lys Arg Ser Ser 210 215 220

Phe Ser Ser Ser Asn Glu Asn Gly Ala Pro Lys Lys Arg Arg Thr Val 225 230 235 240

Ala Ala Gly Gly Met Asp Lys Gly Leu Thr Val Lys Cys Glu Val 245 250 255

Val Glu Val Ala Arg Gly Asp Arg Leu Leu Val Leu 260 265

<210> 3 <211> 798 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(798) <223> G634

<400> 3

tca cct att agt tca aga cct cct gct aac aac tta gaa gag ctt atg 96. Ser Pro Ile Ser Ser Arg Pro Pro Ala Asn Asn Leu Glu Glu Leu Met

20 25 30 aga tto toa goo goo gog gat gac ggt gga tta gga ggt gga ggt gga

144
Arg Phe Ser Ala Ala Ala Asp Asp Gly Gly Leu Gly Gly Gly Gly Gly Gly 35
40
45

gga gga gga gga agt gct tct tct tca tcg gga aat cga tgg ccg

Gly Gly Gly Gly Ser Ala Ser Ser Ser Ser Gly Asn Arg Trp Pro
50 55 60

aga gaa gaa act tta gct ctt ctt cgg atc cga tcc gat atg gat tct 240

Arg Glu Glu Thr Leu Ala Leu Leu Arg Ile Arg Ser Asp Met Asp Ser 65

act ttt cgt gat gct act ctc aaa gct cct ctt tgg gaa cat gtt tcc 288

Thr Phe Arg Asp Ala Thr Leu Lys Ala Pro Leu Trp Glu His Val Ser 85 90 95

agg aag cta ttg gag tta ggt tac aaa cga agt tca aag aaa tgc aaa 336

Arg Lys Leu Glu Leu Gly Tyr Lys Arg Ser Ser Lys Lys Cys Lys 100 105 110

gag aaa tte gaa aac gtt cag aaa tat tac aaa cgt act aaa gaa act 384

Glu Lys Phe Glu Asn Val Gln Lys Tyr Tyr Lys Arg Thr Lys Glu Thr 115 120 125

cgc ggt ggt cgt cat gat ggt aaa gct tac aag ttc ttc tct cag ctt

Arg Gly Gly Arg His Asp Gly Lys Ala Tyr Lys Phe Phe Ser Gln Leu 130

gaa get ete aac aet aet eet eet eet eet eet eet eat eet eac get

Glu Ala Leu Asn Thr Thr Pro Pro Pro Pro Pro Ser His Pro His Ala 150 155

528

His Gln Pro Glu Gln Lys Gln Gln Gln Fro Gln Gln Glu Met Val

atg agc tcg gaa caa tca tca tta cca tca tca tca aga tgg cca aag 576

Met Ser Ser Glu Gln Ser Ser Leu Pro Ser Ser Ser Arg Trp Pro Lys 185

gca gag att cta gcg ctt ata aac ctg aga agt gga atg gaa cca agg 624

Ala Glu Ile Leu Ala Leu Ile Asn Leu Arg Ser Gly Met Glu Pro Arg 195 200

tac caa gat aat gta cct aaa gga ctt cta tgg gaa gag atc tca act

Tyr Gln Asp Asn Val Pro Lys Gly Leu Leu Trp Glu Glu Ile Ser Thr

tca atg aag aga atg gga tac aac aga aac gct aag aga tgt aaa gag

Ser Met Lys Arg Met Gly Tyr Asn Arg Asn Ala Lys Arg Cys Lys Glu 230

aaa tgg gaa aac ata aac aaa tac tac aag aaa gtt aaa gaa agc aac 768

Lys Trp Glu Asn Ile Asn Lys Tyr Tyr Lys Lys Val Lys Glu Ser Asn 245 250

aac agc aac tac aac aac aag aat caa tga

Asn Ser Asn Tyr Asn Asn Lys Asn Gln 260

<210> 4 <211> 265 <212> PRT <213> Arabidopsis thaliana <400> 4

Met Glu Gln Gly Gly Gly Gly Gly Asn Glu Val Val Glu Glu Ala

Ser Pro Ile Ser Ser Arg Pro Pro Ala Asn Asn Leu Glu Glu Leu Met

Arg Phe Ser Ala Ala Ala Asp Asp Gly Gly Leu Gly Gly Gly Gly 35

Gly Gly Gly Gly Ser Ala Ser Ser Ser Gly Asn Arg Trp Pro

	50					55					60				
Arg 65	Glu	Glu	Thr	Leu	Ala 70	Leu	Leu	Arg	Ile	Arg 75	Ser	Asp	Met	Asp	Ser 80
Thr	Phe	Arg	Asp	Ala 85	Thr	Leu	Lys	Ala	Pro 90	Leu	Trp	Glu	His	Val 95	Ser
Arg	Lys	Leu	Leu 100	Glu	Leu	Gly	Tyr	Lys 105	Arg	Ser	Ser	Lys	Lys 110	Суз	Lys
Glu		Phe 115	Glu	Asn	Val	Gln	Lys 120	Tyr	Tyr	Lys	Arg	Thr 125	Lys	Glu	Thr
Arg	Gly 130	Gly	Arg	His	Asp	Gly 135	Lys	Ala	Tyr	Lys	Phe 140	Phe	Ser	Gln	Leu
				Thr								His			Ala 160
				Gln 165	-							Gln			Val
Met	Ser	Ser	Glu 180	Gln	Ser	Ser	Leu	Pro 185	Ser	Ser	Ser	Arg	Trp 190	Pro	Lys
Ala	Glu	Ile 195	Leu	Ala	Leu		Asn 200			Ser			Glu	Pro	Arg
_	Gln 210	Asp	Asn	Val	Pro	Lys 215	Gly	Leu	Leu	Trp	Glu 220	Glu	Ile	Ser	Thr
			Arg	Met	Gly 230		٠.	:	in a hy					$\mathcal{B}_{k}^{(k)}(x_{k})$	
Lys	Trp	Glu	Asn	Ile 245		Lys					Val			Ser 255	Asn
Asn	Ser	Asn	Tyr 260	Asn	Asn	Lys	Asn	Gln 265							
<210> 5 <211> 696 <212> DNA <213> Arabidopsis thaliana <											<220				

<221> CDS <222> (77)..(496) <223> G1792
<400> 5
aatccataga tctcttatta aataacagtg ctgaccaagc tcttacaaag caaaccaatc

tagaacacca aagtta atg gag agc tca aac agg agc agc aac aac caa tca 112

Met Glu Ser Ser Asn Arg Ser Ser Asn Asn Gln Ser 1 5 10

caa gat gac aag caa gct cgt ttc cgg gga gtt cga aga agg cct tgg

Gln Asp Asp Lys Gln Ala Arg Phe Arg Gly Val Arg Arg Arg Pro Trp
15 20 25

gga aag ttt gca gca gag att cga gac ccg tcg aga aac ggt gcc cgt 208

Gly Lys Phe Ala Ala Glu Ile Arg Asp Pro Ser Arg Asn Gly Ala Arg 30 35 40

ctt tgg ctc ggg aca ttt gag acc gct gag gag gca gca agg gct tat 256

Leu Trp Leu Gly Thr Phe Glu Thr Ala Glu Glu Ala Ala Arg Ala Tyr 50 55 60

gac cga gca gcc ttt aac ctt agg ggt cat ctc gct ata ctc aac ttc 304

Asp Arg Ala Ala Phe Asn Leu Arg Gly His Leu Ala Ile Leu Asn Phe 65 70 75

cct aat gag tat tat cca cgt atg gac gac tac tcg ctt cgc cct cct 352

Pro Asn Glu Tyr Tyr Pro Arg Met Asp Asp Tyr Ser Leu Arg Pro Pro 80 85 90

tat gct tct tct tcg tcg tcg tca tcg ggt tca act tct act aat 400

Tyr Ala Ser Ser Ser Ser Ser Ser Ser Ser Gly Ser Thr Ser Thr Asn 95 100 105

gtg agt cga caa aac caa aga gaa gtt ttc gag ttt gag tat ttg gac

Val Ser Arg Gln Asn Gln Arg Glu Val Phe Glu Phe Glu Tyr Leu Asp 110 115 , 120

gat aag gtt ctt gaa gaa ctt ctt gat tca gaa gaa agg aag aga taa

496 Asp Lys Val Leu Glu Glu Leu Leu Asp Ser Glu Glu Arg Lys Arg 125 130 135

tcacgattag ttttgttttg atattttatg tggcactgtt gtggctacct acgtgcatta 556

tgtgcatgta taggtcgctt gattagtact ttataacatg catgccacga ccataaattg 616

taagagaaga cgtactttgc gttttcatga aatatgaatg ttagatggtt tgagtacaaa 676

aaaaaaaaa aaaaaaaaaa 696

<210> 6 <211> 139 <212> PRT <213> Arabidopsis thaliana <400> 6

Met Glu Ser Ser Asn Arg Ser Ser Asn Asn Gln Ser Gln Asp Asp Lys

5 10 15

Gln Ala Arg Phe Arg Gly Val Arg Arg Arg Pro Trp Gly Lys Phe Ala 20 25 30

Ala Glu Ile Arg Asp Pro Ser Arg Asn Gly Ala Arg Leu Trp Leu Gly 35 40 45

Thr Phe Glu Thr Ala GIu Glu Ala Ala Arg Ala Tyr Asp Arg Ala Ala
50 55 60

Phe Asn Leu Arg Gly His Leu Ala Ile Leu Asn Phe Pro Asn Glu Tyr 65 70 75 80

Tyr Pro Arg Met Asp Asp Tyr Ser Leu Arg Pro Pro Tyr Ala Ser Ser

Ser Ser Ser Ser Ser Ser Gly Ser Thr Ser Thr Asn Val Ser Arg Gln

Asn Gln Arg Glu Val Phe Glu Phe Glu Tyr Leu Asp Asp Lys Val Leu 115 120 125

Glu Glu Leu Leu Asp Ser Glu Glu Arg Lys Arg 130 135

<210> 7 <211> 944 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (39)..(755) <223> G156

<400> 7

aggaagagg agccactcat aagaggaaga agagagag atg ggt aga ggg aag ata 56

Met Gly Arg Gly Lys Ile 1 5

gag ata aag aag ata gag aat cag acg gcg agg caa gtg acc ttc tcc

Glu Ile Lys Lys Ile Glu Asn Gln Thr Ala Arg Gln Val Thr Phe Ser 10 15 20

aag aga aga act ggt ctt ata aag aag act cgt gag ctc tct att ctc

Lys Arg Arg Thr Gly Leu Ile Lys Lys Thr Arg Glu Leu Ser Ile Leu 25 30 35

tgt gac gct cac ato ggt ctc atc gtc ttc tca gcc acc gga aag ctt 200

Cys Asp Ala His Ile Gly Leu Ile Val Phe Ser Ala Thr Gly Lys Leu
40 45 50

WO 02/15675

tcc gag ttc tgc tcc gaa cag aac agg atg cct caa ctc att gac cga Ser Glu Phe Cys Ser Glu Gln Asn Arg Met Pro Gln Leu Ile Asp Arg 60 tac ttg cat acc aac gga ttg cga ctt cct gat cat cat gac gac cag Tyr Leu His Thr Asn Gly Leu Arg Leu Pro Asp His His Asp Asp Gln gag caa ttg cac cat gag atg gaa cta cta aga aga gag aca tgt aac Glu Gln Leu His His Glu Met Glu Leu Leu Arg Arg Glu Thr Cys Asn ctt gag ctt cgt ctg cgt cca ttc cat gga cat gac tta gcc tcc att Leu Glu Leu Arg Leu Arg Pro Phe His Gly His Asp Leu Ala Ser Ile 105 cct cct aat gag ctt gac gga ctc gag aga cag cta gaa cat tct gtc Pro Pro Asn Glu Leu Asp Gly Leu Glu Arg Gln Leu Glu His Ser Val 125 120 ctc aaa gtc cgt gag cgt aag agg agg atg cta gaa gaa gat aac aac Leu Lys Val Arg Glu Arg Lys Arg Arg Met Leu Glu Glu Asp Asn Asn aac atg tac cgt tgg ctt cat gag cat cgt gca gcg atg gag ttt caa Asn Met Tyr Arg Trp Leu His Glu His Arg Ala Ala Met Glu Phe Gln 160 155 caa gct ggg ata gat acc aaa cca ggg gag tat caa cag ttt ata gag Gln Ala Gly Ile Asp Thr Lys Pro Gly Glu Tyr Gln Gln Phe Ile Glu 170 cag ctt cag tgc tat aaa cca ggg gag tat cag cag ttt cta gag cag Gln Leu Gln Cys Tyr Lys Pro Gly Glu Tyr Gln Gln Phe Leu Glu Gln 185 cag caa caa caa cca aac agc gtt ctt cag ctt gct aca ctt cct tct Gln Gln Gln Pro Asn Ser Val Leu Gln Leu Ala Thr Leu Pro Ser 205 200 gag att gat cct act tac aat ctc cag ctt gct cag cct aat ctt caa Glu Ile Asp Pro Thr Tyr Asn Leu Gln Leu Ala Gln Pro Asn Leu Gln 220 215 aac gat cca acg gcc cag aat gat taa tacaattctc aatagatatc 775 Asn Asp Pro Thr Ala Gln Asn Asp 235

tactctttct ttatggagac agattcatga acttttatta cctatatttt gataagccag 835

tgtcttcttt tgtgtggcta tggaaacctt gtttaaagca caatgcactt gagttcttgg 895

<210> 8 <211> 238 <212> PRT <213> Arabidopsis thaliana <400> 8

Met Gly Arg Gly Lys Ile Glu Ile Lys Lys Ile Glu Asn Gln Thr Ala 1 5 10 15

Arg Gln Val Thr Phe Ser Lys Arg Arg Thr Gly Leu Ile Lys Lys Thr 20 25 30

Arg Glu Leu Ser Ile Leu Cys Asp Ala His Ile Gly Leu Ile Val Phe 35 40

Pro Gln Leu Ile Asp Arg Tyr Leu His Thr Asn Gly Leu Arg Leu Pro 65 70 75 80

Asp His His Asp Asp Gln Glu Gln Leu His His Glu Met Glu Leu Leu
85 90 95

Arg Arg Glu Thr Cys Asn Leu Glu Leu Arg Leu Arg Pro Phe His Gly 100 105 110

His Asp Leu Ala Ser Ile Pro Pro Asn Glu Leu Asp Gly Leu Glu Arg 115 120 125

Gln Leu Glu His Ser Val Leu Lys Val Arg Glu Arg Lys Arg Arg Met
130 135 140

Leu Glu Glu Asp Asn Asn Met Tyr Arg Trp Leu His Glu His Arg 145 150 155 160

Ala Ala Met Glu Phe Gln Gln Ala Gly Ile Asp Thr Lys Pro Gly Glu 165 170 175

Tyr Gln Gln Phe Ile Glu Gln Leu Gln Cys Tyr Lys Pro Gly Glu Tyr 180 185 190

Gln Gln Phe Leu Glu Gln Gln Gln Gln Pro Asn Ser Val Leu Gln

PCT/US01/26189 WO 02/15675

> 205 200 195

Leu Ala Thr Leu Pro Ser Glu Ile Asp Pro Thr Tyr Asn Leu Gln Leu 215

Ala Gln Pro Asn Leu Gln Asn Asp Pro Thr Ala Gln Asn Asp 235 230

<210> 9 <211> 2215 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (429)..(2135) <223> G175

atttctaaaa atagttaaac tgttggtgat ttttgtggaa ctgattaatt aacacaattg

gagaaaacaa attgaaactt ttttgtttgt tagagagtta aggagaaatt ttatctaacc 120

aagctgtgta aatctcttgt agtttttctg ccgatataca ttttcattgt gttgagggta

aacgataatc aagaacgaga gagagagaga gcaagagcaa gagatttcta ctacagaaga

tttattatat tgatcatttt gtgtgatcaa cccataaaaa cagagagaca tagacaagtc

catgtttcga tgtttcgatc tctcttactg tctaaacggc gaaataaaaa gtctgatggg 360

tgtcacttat tgcatgtata ttagtaaatc agettgagcc caagttaaag ctgaaacttg

ggtttgca atg gct ggt att gat aat aaa gct gct gta atg gga gaa tgg

Met Ala Gly Ile Asp Asn Lys Ala Ala Val Met Gly Glu Trp

tte gac tgt agt act act aac cac agg aag aga teg aaa geg gaa ett Phe Asp Cys Ser Thr Thr Asn His Arg Lys Arg Ser Lys Ala Glu Leu 20

ggt aga gag ttt tct tta aat tac atc aag aat gag gat tct ttg caa

Gly Arg Glu Phe Ser Leu Asn Tyr Ile Lys Asn Glu Asp Ser Leu Gln

acc acc ttt caa gaa agt tca cga gga get ett egt gaa agg att get

Thr Thr Phe Gln Glu Ser Ser Arg Gly Ala Leu Arg Glu Arg Ile Ala

gcg aga tcc ggg ttt aat gca ccg tgg tta aac act gag gat att ctt Ala Arg Ser Gly Phe Asn Ala Pro Trp Leu Asn Thr Glu Asp Ile Leu

cag tog aaa tot tta acc atc tot tot cot ggt ott agt cot gca act Gln Ser Lys Ser Leu Thr Ile Ser Ser Pro Gly Leu Ser Pro Ala Thr ctg tta gag tet cct gtt ttc ctc tca aac cct ttg cta tct cca aca Leu Leu Glu Ser Pro Val Phe Leu Ser Asn Pro Leu Leu Ser Pro Thr 100 105 acc ggg aag ctc tca tca gta cct tct gat aag gct aaa gct gag tta Thr Gly Lys Leu Ser Ser Val Pro Ser Asp Lys Ala Lys Ala Glu Leu 120 115 ttt gac gac att acc aca tcc tta gcc ttc caa acc att tca gga agt Phe Asp Asp Ile Thr Thr Ser Leu Ala Phe Gln Thr Ile Ser Gly Ser 135 gge ctt gat cct act aac atc gct tta gaa ccc gat gat tcc caa gac 902 Gly Leu Asp Pro Thr Asn Ile Ala Leu Glu Pro Asp Asp Ser Gln Asp Acres 145 As Acres 151 Acres 150 Acres 中で、155 155 1.2 ある 数 tat gaa gaa aga cag ctc ggc ggt tta gga gac tcg atg gct tgt tgt 950 to release the control that they can control and the control experience. Tyr Glu Glu Arg Gln Leu Gly Gly Leu Gly Asp Ser Met Ala Cys Cys 160 165 170 gca cct gca gat gat gga tac aac tgg aga aaa tat gga caa aag cta 998 Ala Pro Ala Asp Asp Gly Tyr Asn Trp Arg Lys Tyr Gly Gln Lys Leu 180 185 gtt aaa gga agt gag tat ccg cgg agc tat tac aag tgc acg cac ccg 1046 Val Lys Gly Ser Glu Tyr Pro Arg Ser Tyr Tyr Lys Cys Thr His Pro 195 mm Sacrate 200 As any first 205 va aat tgt gag gcc aag aag gtt gaa cgg tct cgg gaa ggt cat att Asn Cys Glu Ala Lys Lys Lys Val Glu Arg Ser Arg Glu Gly His Ile 210 215 The Park Style ata gag atc ata tac aca gga gat cat ata cac agc aaa cct cca cct Ile Glu Ile Ile Tyr Thr Gly Asp His Ile His Ser Lys Pro Pro Pro 235 230 225 aac cgc cgg tca ggg att gga tca tcc ggt act ggc caa gac atg caa Asn Arg Arg Ser Gly Ile Gly Ser Ser Gly Thr Gly Gln Asp Met Gln 245 ata gat gca acc gaa tac gaa ggt ttt gct gga acc aat gag aac ata Ile Asp Ala Thr Glu Tyr Glu Gly Phe Ala Gly Thr Asn Glu Asn Ile 260 265

gaa tgg aca tca cct gta tct gca gag ctc gaa tac gga agc cat tca

Glu Trp Thr Ser Pro Val Ser Ala Glu Leu Glu Tyr Gly Ser His Ser 275 280 280

gga tca atg cag gtt caa aac ggg act cat cag ttc ggg tat ggt gat 1334

Gly Ser Met Gln Val Gln Asn Gly Thr His Gln Phe Gly Tyr Gly Asp 290 295 300

gca gca gct gat gcc tta tat aga gat gaa aac gaa gat gat cgc acg 1382

Ala Ala Asp Ala Leu Tyr Arg Asp Glu Asn Glu Asp Asp Arg Thr 305 310 315

tcc cac atg agt gtt tcc ctg act tac gat gga gag gta gaa gag tcc 1430

Ser His Met Ser Val Ser Leu Thr Tyr Asp Gly Glu Val Glu Glu Ser 320 325 330 .

gaa tca aag aga agg aaa cta gaa gct tat gca aca gaa acg agt gga 1478

Glu Ser Lys Arg Arg Lys Leu Glu Ala Tyr Ala Thr Glu Thr Ser Gly 335 340 345 350

tca acc aga gcc agc cgt gag cca aga gtt gtg gtg cag acc aca agt 1526

Ser Thr Arg Ala Ser Arg Glu Pro Arg Val Val Val Gln Thr Thr Ser 355 360 365

gac att gac atc ctc gat gat ggt tat cgc tgg cgc aag tat ggg caa 1574

Asp Ile Asp Ile Leu Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln 370 380

aaa gtc gtt aaa gga aac ccg aat cca agg agc tac tat aaa tgc aca 1622

Lys Val Val Lys Gly Asn Pro Asn Pro Arg Ser Tyr Tyr Lys Cys Thr 385 390 395

gct aat gga tgt acc gta acg aag cat gta gag aga gcc tct gat gac 1670

Ala Asn Gly Cys Thr Val Thr Lys His Val Glu Arg Ala Ser Asp Asp 400 405 410

ttc aag agc gta cta aca act tat ata ggc aag cac acc cac gtt gta 1718

Phe Lys Ser Val Leu Thr Thr Tyr Ile Gly Lys His Thr His Val Val 415 420 425 430

cca gca gca cgc aac agc cac gtc ggt gca ggc agt tca ggg act 1766

Pro Ala Ala Arg Asn Ser Ser His Val Gly Ala Gly Ser Ser Gly Thr
435 440 445

ctc caa ggc agt tta gcg act cag acc cac aac cac aat gtg cac tat 1814

Leu Gln Gly Ser Leu Ala Thr Gln Thr His Asn His Asn Val His Tyr 450 455 460

cca atg cca cac agt aga tct gag gga ctg gcc aca gcc aac tca tct 1862

Pro Met Pro His Ser Arg Ser Glu Gly Leu Ala Thr Ala Asn Ser Ser 465 470 475

cta ttt gac ttc cag tca cac ctg agg cat cct aca ggt ttc tcc gtt 1910

Leu Phe Asp Phe Gln Ser His Leu Arg His Pro Thr Gly Phe Ser Val 480 485 490

tac ata ggc caa tot gag ctt tot gat ctt toa atg cot ggt cta act 1958

Tyr Ile Gly Gln Ser Glu Leu Ser Asp Leu Ser Met Pro Gly Leu Thr 495 500 505 510

att ggg caa gag aag ctt acc agc ctg cag gcg cct gac att ggg gat 2006

Ile Gly Gln Glu Lys Leu Thr Ser Leu Gln Ala Pro Asp Ile Gly Asp 515 520 525

cca act ggc cta atg ttg cag tta gca gca cag ccg aag gtg gaa cca 2054

Pro Thr Gly Leu Met Leu Gln Leu Ala Ala Gln Pro Lys Val Glu Pro 530 535 540

gtg tca cca caa cag gga ctt gat ttg tca gcg agc tca ttg ata tgc 2102

Val Ser Pro Gln Gln Gly Leu Asp Leu Ser Ala Ser Ser Leu Ile Cys 545 550 555

aga gag atg ttg agt aga tta cga cag ata tga aacaaatctc tttgttcact 2155

Arg Glu Met Leu Ser Arg Leu Arg Gln Ile 560 565

<210> 10 <211> 568 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Gly Ile Asp Asn Lys Ala Ala Val Met Gly Glu Trp Phe Asp 1 5 10 15

Cys Ser Thr Thr Asn His Arg Lys Arg Ser Lys Ala Glu Leu Gly Arg 20 25 30

Glu Phe Ser Leu Asn Tyr Ile Lys Asn Glu Asp Ser Leu Gln Thr Thr 35 40 45

Phe Gln Glu Ser Ser Arg Gly Ala Leu Arg Glu Arg Ile Ala Ala Arg
50 55 60

Ser Gly Phe Asn Ala Pro Trp Leu Asn Thr Glu Asp Ile Leu Gln Ser 65 70 75 80

Lys Ser Leu Thr Ile Ser Ser Pro Gly Leu Ser Pro Ala Thr Leu Leu 85 90 95

- Glu Ser Pro Val Phe Leu Ser Asn Pro Leu Leu Ser Pro Thr Thr Gly
  100 105 110
- Lys Leu Ser Ser Val Pro Ser Asp Lys Ala Lys Ala Glu Leu Phe Asp 115 · 120 · 125
- Asp Ile Thr Thr Ser Leu Ala Phe Gln Thr Ile Ser Gly Ser Gly Leu 130 135 140
- Asp Pro Thr Asn Ile Ala Leu Glu Pro Asp Asp Ser Gln Asp Tyr Glu 145 150 155 160
- Glu Arg Gln Leu Gly Gly Leu Gly Asp Ser Met Ala Cys Cys Ala Pro 165 170 175
- Ala Asp Asp Gly Tyr Asn Trp Arg Lys Tyr Gly Gln Lys Leu Val Lys 180 185 190
- Gly Ser Glu Tyr Pro Arg Ser Tyr Tyr Lys Cys Thr His Pro Asn Cys 195 200 205
- Glu Ala Lys Lys Lys Val Glu Arg Ser Arg Glu Gly His Ile Ile Glu 210 215 220
- Ile Ile Tyr Thr Gly Asp His Ile His Ser Lys Pro Pro Pro Asn Arg 225 230 235 240
- Arg Ser Gly Ile Gly Ser Ser Gly Thr Gly Gln Asp Met Gln Ile Asp 245 250 255
- Ala Thr Glu Tyr Glu Gly Phe Ala Gly Thr Asn Glu Asn Ile Glu Trp
  260 265 270
- Thr Ser Pro Val Ser Ala Glu Leu Glu Tyr Gly Ser His Ser Gly Ser 275 280 285
- Met Gln Val Gln Asn Gly Thr His Gln Phe Gly Tyr Gly Asp Ala Ala 290 295 300
- Ala Asp Ala Leu Tyr Arg Asp Glu Asn Glu Asp Asp Arg Thr Ser His 305 310 315 . 320

Met Ser Val Ser Leu Thr Tyr Asp Gly Glu Val Glu Glu Ser Glu Ser 325 330 335

- Lys Arg Arg Lys Leu Glu Ala Tyr Ala Thr Glu Thr Ser Gly Ser Thr 340 345 350
- Arg Ala Ser Arg Glu Pro Arg Val Val Gln Thr Thr Ser Asp Ile
  355 360 365
- Asp Ile Leu Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln Lys Val 370 375 380
- Val Lys Gly Asn Pro Asn Pro Arg Ser Tyr Tyr Lys Cys Thr Ala Asn 385 390 395 400
- Gly Cys Thr Val Thr Lys His Val Glu Arg Ala Ser Asp Asp Phe Lys
  405 410 415
- Ser Val Leu Thr Thr Tyr Ile Gly Lys His Thr His Val Val Pro Ala
- Ala Arg Asn Ser Ser His Val Gly Ala Gly Ser Ser Gly Thr Leu Gln
  435 440 445
- Gly Ser Leu Ala Thr Gln Thr His Asn His Asn Val His Tyr Pro Met 450 455 460
- Pro His Ser Arg Ser Glu Gly Leu Ala Thr Ala Asn Ser Ser Leu Phe 465 470 475 480
- Asp Phe Gln Ser His Leu Arg His Pro Thr Gly Phe Ser Val Tyr Ile 485 490 495
- Gly Gln Ser Glu Leu Ser Asp Leu Ser Met Pro Gly Leu Thr Ile Gly
  500 505 510
- Gln Glu Lys Leu Thr Ser Leu Gln Ala Pro Asp Ile Gly Asp Pro Thr 515 520 525
- Gly Leu Met Leu Gln Leu Ala Ala Gln Pro Lys Val Glu Pro Val Ser 530 535 540
- Pro Gln Gln Gly Leu Asp Leu Ser Ala Ser Ser Leu Ile Cys Arg Glu 545 550 555 560

Met Leu Ser Arg Leu Arg Gln Ile

565

<210> 11 <211> 1115 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (34)..(987) <223> G189

<400> 11

ccacaactct ctccttgtag agagagagat ttt atg gcg gtg gag ctc atg act

Met Ala Val Glu Leu Met Thr

cgg aat tac atc tcc ggc gtc gga gct gat agc ttc gcc gtt caa gaa 102

Arg Asn Tyr Ile Ser Gly Val Gly Ala Asp Ser Phe Ala Val Gln Glu
10 15 20

gca gct gct tca gga ctc aaa agt atc gaa aat ttc atc ggt tta atg

Ala Ala Ala Ser Gly Leu Lys Ser Ile Glu Asn Phe Ile Gly Leu Met
25 30 35

tct cgt gat agc ttt aac tct gat cag cca tct tct tct tcc gcc tcc 198

Ser Arg Asp Ser Phe Asn Ser Asp Gln Pro Ser Ser Ser Ser Ala Ser 40 45 50 50

gcc tcc gcc tcc gcc gcc gca gat ctt gaa tca gct cgt aac aca acg

Ala Ser Ala Ser Ala Ala Ala Asp Leu Glu Ser Ala Arg Asn Thr Thr 60 65 70

gcg gac gcg gct gtt tca aag ttt aaa aga gtc ata tct ctc tta gat 294

Ala Asp Ala Val Ser Lys Phe Lys Arg Val Ile Ser Leu Leu Asp 75 80 85

cga act cga acc gga cac gcc cgg ttt aga cgt gct ccg gtt cat gtt 342

Arg Thr Arg Thr Gly His Ala Arg Phe Arg Arg Ala Pro Val His Val 90 95 100

att tet eeg gtt ett tta eaa gaa gaa eea aaa aeg aeg eeg ttt eag

Ile Ser Pro Val Leu Leu Gln Glu Glu Pro Lys Thr Thr Pro Phe Gln 105

tct cct ctt cct cct ccg ccg caa atg atc cga aaa ggt tcg ttt tct

Ser Pro Leu Pro Pro Pro Pro Gln Met Ile Arg Lys Gly Ser Phe Ser 120 130 135

tca tcg atg aaa acg att gat ttc tca tct ctc tcc tct gta aca acg 486

Ser Ser Met Lys Thr Ile Asp Phe Ser Ser Leu Ser Ser Val Thr Thr 140 145 150

gaa tca gac aac cag aag aag att cat cat cat caa cgt ccc tct gaa 534

Glu Ser Asp Asn Gln Lys Lys Ile His His His Gln Arg Pro Ser Glu
155 160 165

acg gcg ccg ttt gcg tct caa act caa agc ctc tcc acg acg gtc tcg Thr Ala Pro Phe Ala Ser Gln Thr Gln Ser Leu Ser Thr Thr Val Ser 175 tct ttc tca aaa tca aca aag aga aaa tqt aac tct gag aat ctt ctc Ser Phe Ser Lys Ser Thr Lys Arg Lys Cys Asn Ser Glu Asn Leu Leu 185 190 acc gga aaa tgc gct tcc gct tct tcc tcc ggt cgt tgt cat tgc tcg 678 Thr Gly Lys Cys Ala Ser Ala Ser Ser Ser Gly Arg Cys His Cys Ser 205 210 aag aaa aga aag ata aaa cag agg aga ata att agg gtt ccg gcg ata Lys Lys Arg Lys Ile Lys Gln Arg Arg Ile Ile Arg Val Pro Ala Ile 220 agt gca aaa atg too gat gta cca ccg gac gat tat toa tgg agg aaa 774 Ser Ala Lys Met Ser Asp Val Pro Pro Asp Asp Tyr Ser Trp Arg Lys 235 240 245 tac gga caa aaa cca att aaa gga tot cca cat cca aga gga tat tat Tyr Gly Gln Lys Pro Ile Lys Gly Ser Pro His Pro Arg Gly Tyr Tyr 255 aag tgt agt agc gta aga ggt tgt cca gca cgt aaa cat gtt gag aga 87.0 Lys Cys Ser Ser Val Arg Gly Cys Pro Ala Arg Lys His Val Glu Arg 265 270 275 gca gct gat gat tcg tcc atg ttg att gtt act tat gaa gga gat cat 918 Ala Ala Asp Asp Ser Ser Met Leu Ile Val Thr Tyr Glu Gly Asp His 285 290 aat cat tot oto too goo got gat oto goo gga goo goo gtt got gat Asn His Ser Leu Ser Ala Ala Asp Leu Ala Gly Ala Ala Val Ala Asp 300 305 ctt att ttg gaa tcg tct tga aaagaacaaa tctttattta aggcttttat 1017 Leu Ile Leu Glu Ser Ser 315

aatataaatt tagateetta ettagtgaag taeteaaact atgaatgaaa teaatgtaat 1077

caaaatcaaa aagcttttgc taaaaaaaaa aaaaaaaa 1115

化二十二十二烷基

. . . .

<210> 12 <211> 317 <212> PRT <213> Arabidopsis thaliana <400> 12

Met Ala Val Glu Leu Met Thr Arg Asn Tyr Ile Ser Gly Val Gly Ala
1 10 15

- Asp Ser Phe Ala Val Gln Glu Ala Ala Ala Ser Gly Leu Lys Ser Ile 20 25 30
- Glu Asn Phe Ile Gly Leu Met Ser Arg Asp Ser Phe Asn Ser Asp Gln 35 40
- Pro Ser Ser Ser Ser Ala Ser Ala Ser Ala Ser Ala Ala Ala Ala Asp Leu
  50 55 60
- Glu Ser Ala Arg Asn Thr Thr Ala Asp Ala Ala Val Ser Lys Phe Lys 65 70 75 80
- Arg Val Ile Ser Leu Leu Asp Arg Thr Arg Thr Gly His Ala Arg Phe 85
- Arg Arg Ala Pro Val His Val Ile Ser Pro Val Leu Euu Gln Glu Glu 100 105 110
- Pro Lys Thr Thr Pro Phe Gln Ser Pro Leu Pro Pro Pro Pro Gln Met 115 120 125
- Ile Arg Lys Gly Ser Phe Ser Ser Ser Met Lys Thr Ile Asp Phe Ser 130 135 140
- Ser Leu Ser Ser Val Thr Thr Glu Ser Asp Asn Gln Lys Lys Ile His 145 155 160
- His His Gln Arg Pro Ser Glu Thr Ala Pro Phe Ala Ser Gln Thr Gln 165 170 175
- Ser Leu Ser Thr Thr Val Ser Ser Phe Ser Lys Ser Thr Lys Arg Lys 180 185 190
- Cys Asn Ser Glu Asn Leu Leu Thr Gly Lys Cys Ala Ser Ala Ser Ser 195 200 205
- Ser Gly Arg Cys His Cys Ser Lys Lys Arg Lys Ile Lys Gln Arg Arg 210 215 220
- Ile Ile Arg Val Pro Ala Ile Ser Ala Lys Met Ser Asp Val Pro Pro 225 235 240
- Asp Asp Tyr Ser Trp Arg Lys Tyr Gly Gln Lys Pro Ile Lys Gly Ser

> 250 245 255

Pro His Pro Arg Gly Tyr Tyr Lys Cys Ser Ser Val Arg Gly Cys Pro 260 265 .

Ala Arg Lys His Val Glu Arg Ala Ala Asp Asp Ser Ser Met Leu Ile 280

Val Thr Tyr Glu Gly Asp His Asn His Ser Leu Ser Ala Ala Asp Leu 295

Ala Gly Ala Ala Val Ala Asp Leu Ile Leu Glu Ser Ser 310

<210> 13 <211> 1033 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (113)..(862) <223> G663

<400> 13

. . .

gtcgacccac gcgtccgtgg gaagccacaa taacccccta ttcctcggcc ttttttaaaa in Note 

aagttttaga ataatccgat aaaatacttt tatattaatt tttctttggt cc atg gag

Met Glu

ggt tcg tcc aaa ggg ttg agg aaa ggt gca tgg act gct gaa gaa gat

Gly Ser Ser Lys Gly Leu Arg Lys Gly Ala Trp Thr Ala Glu Glu Asp 5 10

agt ctc ttg agg cta tgt att gat aag tat gga gaa ggc aaa tgg cat 214

Ser Leu Leu Arg Leu Cys Ile Asp Lys Tyr Gly Glu Gly Lys Trp His

caa gtt cct ttg aga gct ggg cta aat cga tgc aga aag agt tgt aga

Gln Val Pro Leu Arg Ala Gly Leu Asn Arg Cys Arg Lys Ser Cys Arg 40 45

cta aga tgg ttg aac tat ttg aag cca agt atc aag aga gga aga ctt

Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly Arg Leu

age aat gat gaa gtt gat ett ett ett ege ett eat aag ett eta gga

Ser Asn Asp Glu Val Asp Leu Leu Leu Arg Leu His Lys Leu Leu Gly

aat agg tgg tcc ttg att gct ggt cga ttg cct ggt cgg acc gct aat 406

Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr Ala Asn

PCT/US01/26189 WO 02/15675

gat gtc aaa aat tac tgg aac acc cat ctg agt aaa aaa cat gag tct Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His Glu Ser 110 105 tcg tgt tgt aag tct aaa atg aaa aag aaa aac att att tcc cct cct 502 Ser Cys Cys Lys Ser Lys Met Lys Lys Lys Asn Ile Ile Ser Pro Pro 125 · 120 ·115 aca aca ccg gtc caa aaa atc ggt gtt ttt aag cct cga cct cga tcc Thr Thr Pro Val Gln Lys Ile Gly Val Phe Lys Pro Arg Pro Arg Ser 140 tte tet gtt aac aat ggt tge age cat ete aat ggt etg eea gaa gtt Phe Ser Val Asn Asn Gly Cys Ser His Leu Asn Gly Leu Pro Glu Val 155 gat tta att cct tca tgc ctt gga ctc aag aaa aat aat gtt tgt gaa 646 Asp Leu Ile Pro Ser Cys Leu Gly Leu Lys Lys Asn Asn Val Cys Glu 170 165 aat agt atc aca tgt aac aaa gat gat gag aaa gat gat ttt gtg aat 694 Asn Ser Ile Thr Cys Asn Lys Asp Asp Glu Lys Asp Asp Phe Val Asn aat cta atg aat gga gat aat atg tgg ttg gag aat tta ctg ggg gaa 742 Asn Leu Met Asn Gly Asp Asn Met Trp Leu Glu Asn Leu Leu Gly Glu 205 200 195 aac caa gaa gct gat gcg att gtt cct gaa gcg acg aca gct gaa cat Asn Gln Glu Ala Asp Ala Ile Val Pro Glu Ala Thr Thr Ala Glu His 225 220 ggg gcc act ttg gcg ttt gac gtt gag caa ctt tgg agt ctg ttt gat 838 Gly Ala Thr Leu Ala Phe Asp Val Glu Gln Leu Trp Ser Leu Phe Asp 235 gga gag act gtt gaa ctt gat tag tgtttctcac cgtttgttta agattgtggg 892 Gly Glu Thr Val Glu Leu Asp 245 tggcttttct ttcgtatttt agtaatgtat ttttctgtat gaagtaaaga atttcagcat

)

aaaaaaaaaa aaaaaaaaaa a 1033

<210> 14 <211> 249 <212> PRT <213> Arabidopsis thaliana <400> Met Glu Gly Ser Ser Lys Gly Leu Arg Lys Gly Ala Trp Thr Ala Glu 10 Glu Asp Ser Leu Leu Arg Leu Cys Ile Asp Lys Tyr Gly Glu Gly Lys 25 Trp His Gln Val Pro Leu Arg Ala Gly Leu Asn Arg Cys Arg Lys Ser 40 Cys Arg Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly Arg Leu Ser Asn Asp Glu Val Asp Leu Leu Leu Arg Leu His Lys Leu 70 75 Control of the second of the second Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr 85 90 Ala Asn Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His The register 100 years of the 105 to the rest of 110 to 12. Glu Ser Ser Cys Cys Lys Ser Lys Met Lys Lys Lys Asn Ile Ile Ser 120 Pro Pro Thr Thr Pro Val Gln Lys Ile Gly Val Phe Lys Pro Arg Pro 13. 130 Fig. 682, 787 [Sci. 135] H. Bard J. J. 140 [Sci. 1988 Sept. 42] Arg Ser Phe Ser Val Asn Asn Gly Cys Ser His Leu Asn Gly Leu Pro **145** 155 1 150 1 160 Glu Val Asp Leu Ile Pro Ser Cys Leu Gly Leu Lys Lys Asn Asn Val 165 170 Cys Glu Asn Ser Ile Thr Cys Asn Lys Asp Asp Glu Lys Asp Asp Phe 180 185 Val Asn Asn Leu Met Asn Gly Asp Asn Met Trp Leu Glu Asn Leu Leu 200 Gly Glu Asn Gln Glu Ala Asp Ala Ile Val Pro Glu Ala Thr Thr Ala Glu His Gly Ala Thr Leu Ala Phe Asp Val Glu Gln Leu Trp Ser Leu 225 230 235 41.

PCT/US01/26189 WO 02/15675

Phe Asp Gly Glu Thr Val Glu Leu Asp 245

<210> 15 <211> 1281 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (64)..(1098) <223> G867

cacaacacaa acacattct gttttctcca ttgtttcaaa ccataaaaaa aaacacagat

taa atg gaa tog agt agc gtt gat gag agt act aca agt aca ggt toc Met Glu Ser Ser Ser Val Asp Glu Ser Thr Thr Ser Thr Gly Ser 108

atc tgt gaa acc ccg gcg ata act ccg gcg aaa aag tcg tcg gta ggt Ile Cys Glu Thr Pro Ala Ile Thr Pro Ala Lys Lys Ser Ser Val Gly

aac tta tac agg atg gga agc gga tca agc gtt gtg tta gat tca gag Asn Leu Tyr Arg Met Gly Ser Gly Ser Ser Val Val Leu Asp Ser Glu

40 35

aac ggc gta gaa gct gaa tct agg aag ctt ccg tcg tca aaa tac aaa Asn Gly Val Glu Ala Glu Ser Arg Lys Leu Pro Ser Ser Lys Tyr Lys 55 50

ggt gtg gtg cca caa cca aac gga aga tgg gga gct cag att tac gag Gly Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln Ile Tyr Glu

aaa cac cag cgc gtg tgg ctc ggg aca ttc aac gaa gaa gac gaa gcc Lys His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Glu Asp Glu Ala 80

get egt gee tae gae gte geg gtt cae agg tte egt ege egt gae gee Ala Arg Ala Tyr Asp Val Ala Val His Arg Phe Arg Arg Arg Asp Ala 100

gtc aca aat ttc aaa gac gtg aag atg gac gaa gac gag gtc gat ttc Val Thr Asn Phe Lys Asp Val Lys Met Asp Glu Asp Glu Val Asp Phe

ttg aat tct cat tcg aaa tct gag atc gtt gat atg ttg agg aaa cat Leu Asn Ser His Ser Lys Ser Glu Ile Val Asp Met Leu Arg Lys His 135

act tat aac gaa gag tta gag cag agt aaa cgg cgt cgt aat ggt aac Thr Tyr Asn Glu Glu Leu Glu Gln Ser Lys Arg Arg Arg Asn Gly Asn

145 150 155 gga aac atg act agg acg ttg tta acg tcg ggg ttg agt aat gat ggt Gly Asn Met Thr Arg Thr Leu Leu Thr Ser Gly Leu Ser Asn Asp Gly 165 gtt tot acg acg ggg ttt aga tog gcg gag gca ctg ttt gag aaa gcg Val Ser Thr Thr Gly Phe Arg Ser Ala Glu Ala Leu Phe Glu Lys Ala 180 185 gta acg cca age gac gtt ggg aag cta aac cgt ttg gtt ata ccg aaa 684 Val Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu Val Ile Pro Lys 195 200 cat cac gca gag aaa cat ttt ccg tta ccg tca agt aac gtt tcc gtg His His Ala Glu Lys His Phe Pro Leu Pro Ser Ser Asn Val Ser Val aaa gga gtg ttg ttg aac ttt gag gac gtt aac ggg aaa gtg tgg agg 780 នេះ ប្រជាពល បានទទួក ខាម ២៤៤ ស្ថិត្ត ស្រា ਦ ខេត្ត សេដ្ឋា 😅 ខេត្ត ស្រែ Lys Gly Val Leu Leu Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg ttc cgt tac tcg tat tgg aac agt agt cag agt tat gtt ttg act aaa 1. The state of th Phe Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys 245 250 255 ggt tgg age agg tte gtt aag gag aag aat eta egt get ggt gae gtg Gly Trp Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val 260 265 gtt agt ttc agt aga tct aac ggt cag gat caa cag ttg tac att ggg Company of the Company 924 Val Ser Phe Ser Arg Ser Asn Gly Gln Asp Gln Gln Leu Tyr Ile Gly 275 280 tgg aag tcg aga tcc ggg tca gat tta gat gcg ggt cgg gtt ttg aga Trp Lys Ser Arg Ser Gly Ser Asp Leu Asp Ala Gly Arg Val Leu Arg 290 : 300 · 300 · 300 7.3% ttg ttc gga gtt aac att tca ccg gag agt tca aga aac gac gtc gta 1020 Leu Phe Gly Val Asn Ile Ser Pro Glu Ser Ser Arg Asn Asp Val Val 310 315 gga aac aaa aga gtg aac gat act gag atg tta tcg ttg gtg tgt agc Gly Asn Lys Arg Val Asn Asp Thr Glu Met Leu Ser Leu Val Cys Ser 320 325 aag aag caa cgc atc ttt cac gcc tcg taa caactcttct tcttttttt

Lys Lys Gln Arg Ile Phe His Ala Ser 340

 $\mathcal{F}_{\mathbf{y}} = \mathcal{F}_{\mathbf{y}} + \mathcal{F}_{\mathbf{y}} = \mathcal{F}_{\mathbf{y}} + \mathcal{F}_{\mathbf{y}} + \mathcal{F}_{\mathbf{y}} = \mathcal{F}_{\mathbf{y}}$ 

and the second

tcttttgttg ttttaataat ttttaaaaac tccattttcg ttttctttat ttgcatcggt

ttetttette ttgtttacca aaggtteatg agttgttttt gttgtattga tgaactgtaa

<210> 16 <211> 344 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Ser Ser Ser Val Asp Glu Ser Thr Thr Ser Thr Gly Ser Ile

5 10 15

Cys Glu Thr Pro Ala Ile Thr Pro Ala Lys Lys Ser Ser Val Gly Asn 20 25 30

Leu Tyr Arg Met Gly Ser Gly Ser Ser Val Val Leu Asp Ser Glu Asn 35 40 45

Gly Val Glu Ala Glu Ser Arg Lys Leu Pro Ser Ser Lys Tyr Lys Gly
50 55 60

Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys 70 75 80

His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Glu Asp Glu Ala Ala 85 90 95

Arg Ala Tyr Asp Val Ala Val His Arg Phe Arg Arg Arg Asp Ala Val 100 105 105

Thr Asn Phe Lys Asp Val Lys Met Asp Glu Asp Glu Val Asp Phe Leu 115 120 125

Asn Ser His Ser Lys Ser Glu Ile Val Asp Met Leu Arg Lys His Thr
130 135 140

Tyr Asn Glu Glu Leu Glu Gln Ser Lys Arg Arg Arg Asn Gly Asn Gly 145 150 155 160

Asn Met Thr Arg Thr Leu Leu Thr Ser Gly Leu Ser Asn Asp Gly Val 165 . The Leu Thr Ser Gly Leu Ser Asn Asp Gly Val

Ser Thr Thr Gly Phe Arg Ser Ala Glu Ala Leu Phe Glu Lys Ala Val

Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu Val Ile Pro Lys His
195 200 205

- His Ala Glu Lys His Phe Pro Leu Pro Ser Ser Asn Val Ser Val Lys 210 215 220
- Gly Val Leu Leu Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg Phe 225 230 235 240
- Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly
  245 250 255
- Trp Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val Val 260 265 270
- Ser Phe Ser Arg Ser Asn Gly Gln Asp Gln Gln Leu Tyr Ile Gly Trp
  275 280 285
- Lys Ser Arg Ser Gly Ser Asp Leu Asp Ala Gly Arg Val Leu Arg Leu 290 295 300
- Phe Gly Val Asn Ile Ser Pro Glu Ser Ser Arg Asn Asp Val Val Gly 305 310 315 320
- Asn Lys Arg Val Asn Asp Thr Glu Met Leu Ser Leu Val Cys Ser Lys 325 330 335
- Lys Gln Arg Ile Phe His Ala Ser 340
- <210> 17 <211> 2603 <212> DNA <213> Arabidopsis thaliana <220>
  <221> CDS <222> (397)..(2460) <223> G877

<400> 17

caaagattag actaatccga ctgtgttttt aatcaatcat cattttattt aggggagaga 60

agttgtaaag ttttgatttt tttttctggg ttttttctgt gagacccaga agaagaacag

agagagaag aaggagaaga aaaaaatatc tctttctctc cggctttcaa caaaatctct

cttttttcct tcatcagtgt taaattcgga tccgggtcgg gtgggttttc ggtttttggt 240

gttcggatca gagcacagtt ggatgttagc gacggaactg aggatttcag tttgcggctg 300

PCT/US01/26189 WO 02/15675

cggcggctgt gacggtgttt gtgtgtcgtc ttcttttatc aatcaggagt ttcatcacag 360

tttgatcaga gattcagcca aattcttgga tactaa atg gct ggt ttt gat gaa Met Ala Gly Phe Asp Glu

aat gtt gct gtg atg gga gaa tgg gtg cct cgt agt cct agt ccc ggg

Asn Val Ala Val Met Gly Glu Trp Val Pro Arg Ser Pro Ser Pro Gly

aca ctt ttc tcc tct gct att gga gaa gag aag agc tcg aaa cgt gtt

Thr Leu Phe Ser Ser Ala Ile Gly Glu Glu Lys Ser Ser Lys Arg Val 25

ctt gaa aga gag tta tct ttg aat cat ggt caa gtt att ggt tta gaa

Leu Glu Arg Glu Leu Ser Leu Asn His Gly Gln Val Ile Gly Leu Glu

gaa gac act agt agt aat cat aac aag gat tot toa caa agc aat gtt

Glu Asp Thr Ser Ser Asn His Asn Lys Asp Ser Ser Gln Ser Asn Val

ttt cga ggt ggt ctc agt gaa aga att gct gca aga gct gga ttt aat

Phe Arg Gly Gly Leu Ser Glu Arg Ile Ala Ala Arg Ala Gly Phe Asn 75

gct cca agg ttg aac act gag aat atc cgc acc aac acc gac ttt tcc

Ala Pro Arg Leu Asn Thr Glu Asn Ile Arg Thr Asn Thr Asp Phe Ser 95 90

att gac tot aac ott oga tot oot tgo tta acc atc tot tot oot ggo

Ile Asp Ser Asn Leu Arg Ser Pro Cys Leu Thr Ile Ser Ser Pro Gly 105

ctt agc cct gca aca ctc ttg gaa tct cct gtt ttc ctt tct aac cca 798

Leu Ser Pro Ala Thr Leu Leu Glu Ser Pro Val Phe Leu Ser Asn Pro 125 . 120

ttg gct caa cct tet cca act acc ggg aaa ttt cca ttt ctt cct ggt

Leu Ala Gln Pro Ser Pro Thr Thr Gly Lys Phe Pro Phe Leu Pro Gly 145

gtt aat ggt aat gca ttg tct tct gag aaa gcg aaa gac gag ttc ttt

Val Asn Gly Asn Ala Leu Ser Ser Glu Lys Ala Lys Asp Glu Phe Phe 155

gat gat att gga gca tca ttc agc ttc cat cct gtt tca aga tca tct

Asp Asp Ile Gly Ala Ser Phe Ser Phe His Pro Val Ser Arg Ser Ser

170 175 180 tcc tct ttc ttc caa ggc aca aca gag atg atg tca gtt gat tat qqt Ser Ser Phe Phe Gln Gly Thr Thr Glu Met Met Ser Val Asp Tyr Gly 185 190 aac tac aac aat aga tot tot tot cat caa too goa gaa gaa gta aaa Asn Tyr Asn Asn Arg Ser Ser Ser His Gln Ser Ala Glu Glu Val Lys 205 ect ggc tet gaa aac ata gaa age tee aat ett tat ggg att gaa act Pro Gly Ser Glu Asn Ile Glu Ser Ser Asn Leu Tyr Gly Ile Glu Thr 220 gac aat caa aac ggg cag aac aag aca tot gat gtc act aca aac acc 1134 Asp Asn Gln Asn Gly Gln Asn Lys Thr Ser Asp Val Thr Thr Asn Thr 235 240 agt ctt gaa acc gtg gat cat caa gag gaa gaa gaa gag caa aga cgc and some the same way. Ser Leu Glu Thr Val Asp His Gln Glu Glu Glu Glu Gln Arg Arg 250 255 260 ggt gat tcg atg gct ggt gcg cct gca gag gat gga tat aac tgg 1230 Gly Asp Ser Met Ala Gly Gly Ala Pro Ala Glu Asp Gly Tyr Asn Trp 27.5 cm (4.4) agg aaa tac gga caa aag ttg gtc aaa gga agt gag tat ccg cga agc Arg Lys Tyr Gly Gln Lys Leu Val Lys Gly Ser Glu Tyr Pro Arg Ser tat tac aag tgc aca aac ccg aat tgt cag gtg aag aag aaa gtt gag Tyr Tyr Lys Cys Thr Asn Pro Asn Cys Gln Val Lys Lys Lys Val Glu 295 300 305 aga tca agg gaa ggt cac atc aca gag att ata tac aaa gga gct cat 1374 Arg Ser Arg Glu Gly His Ile Thr Glu Ile Ile Tyr Lys Gly Ala His 315 320 aat cat ctt aaa cct cca cct aat cgc cgc tca ggg atg caa gta gat 1422 Asn His Leu Lys Pro Pro Pro Asn Arg Arg Ser Gly Met Gln Val Asp 330 335 340 gga act gaa caa gtt gaa caa caa caa cag aga gat tct gct gca Gly Thr Glu Gln Val Glu Gln Gln Gln Gln Arg Asp Ser Ala Ala acg tgg gtt agt tgt aat aac act caa caa ggt gga agc aat, gag Thr Trp Val Ser Cys Asn Asn Thr Gln Gln Gln Gly Gly Ser Asn Glu

365

360

aac aat gtc gaa gag gga tct acg aga ttc gag tat gga aac caa tct 1566

Asn Asn Val Glu Glu Gly Ser Thr Arg Phe Glu Tyr Gly Asn Gln Ser 375 380 385 385

gga tca att caa gct caa acc gga ggt caa tac gag tca ggt gat cct

Gly Ser Ile Gln Ala Gln Thr Gly Gly Gln Tyr Glu Ser Gly Asp Pro
395 400 405

gtg gtt gtg gtt gat gct tct tca aca ttc tct aat gat gaa gat gaa

Val Val Val Asp Ala Ser Ser Thr Phe Ser Asn Asp Glu Asp Glu
410 415 420

gat gat cga ggg aca cat gga agt gtt tct ttg ggt tac gat gga gga 1710

Asp Asp Arg Gly Thr His Gly Ser Val Ser Leu Gly Tyr Asp Gly Gly 425 430 435

gga gga ggt ggg gga gga gga gga gat gaa tca gag tcg aaa aga agg

Gly Gly Gly Gly Gly Glu Gly Asp Glu Ser Glu Ser Lys Arg Arg
440 445 450

aaa cta gaa gct ttt gca gca gag atg agt gga tca aca aga gcc ata 1806

Lys Leu Glu Ala Phe Ala Ala Glu Met Ser Gly Ser Thr Arg Ala Ile 455 460 465 470

cgt gag cca aga gtt gtt gtg cag aca acg agt gat gtt gac att ctt 1854

Arg Glu Pro Arg Val Val Val Gln Thr Thr Ser Asp Val Asp Ile Leu 475 480 485

gat gat ggt tat cgc tgg cga aaa tat ggt cag aaa gtt gtc aaa ggc 1902

Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln Lys Val Lys Gly 490 495 500

aat cca aat cca agg agt tat tac aaa tgc aca gct cca gga tgt aca

Asn Pro Asn Pro Arg Ser Tyr Tyr Lys Cys Thr Ala Pro Gly Cys Thr 505 510 515

gtg agg aaa cat gtt gaa aga gct tct cat gat ctc aaa tcc gtt ata

Val Arg Lys His Val Glu Arg Ala Ser His Asp Leu Lys Ser Val Ile
520 525 530

aca act tac gaa ggc aaa cat aac cat gac gtc ccc gct gca cgc aac

Thr Thr Tyr Glu Gly Lys His Asn His Asp Val Pro Ala Ala Arg Asn 535 540 545 550

age age cae gga gge ggt ggt gat agt ggt aac ggt aac age gge ggt

Ser Ser His Gly Gly Gly Gly Asp Ser Gly Asn Gly Asn Ser Gly Gly
555 560 565

tca gcc gca gtt tct cac cat tac cac aac ggt cat cac tca gag ccg 2142

Ser Ala Ala Val Ser His His Tyr His Asn Gly His His Ser Glu Pro 570 575 580

cca cgt ggg aga ttc gac aga caa gtc aca act aac aat cag tct cct 2190

Pro Arg Gly Arg Phe Asp Arg Gln Val Thr Thr Asn Asn Gln Ser Pro 585 590 595

ttt agc cgt ccc ttt agc ttt cag cca cat ttg ggt cct cct tct ggt 2238

Phe Ser Arg Pro Phe Ser Phe Gln Pro His Leu Gly Pro Pro Ser Gly 600 605 610

ttc tcc ttc ggt tta gga caa acc ggt ttg gtt aat ctt tca atg cct 2286

Phe Ser Phe Gly Leu Gly Gln Thr Gly Leu Val Asn Leu Ser Met Pro 615 620 625

ggt tta gcg tat ggt caa ggg aaa atg ccg ggt ttg cct cac ccg tat 2334

Gly Leu Ala Tyr Gly Gln Gly Lys Met Pro Gly Leu Pro His Pro Tyr

(- ; 14.

atg aca caa ccg gtt ggg atg agt gaa gca atg atg cag aga ggg atg 2382

Met Thr Gln Pro Val Gly Met Ser Glu Ala Met Met Gln Arg Gly Met 650 660

gaa cca aag gtt gaa ccg gtt tca gat tca gga caa tcg gta tat aac 2430

Glu Pro Lys Val Glu Pro Val Ser Asp Ser Gly Gln Ser Val Tyr Asn 665 670 675

cag atc atg agt aga tta cct cag att tga aatttactct tcttcttctt 2480

Gln Ile Met Ser Arg Leu Pro Gln Ile 680 685

cttctgcatt tggtcactcc ttataataac ttttaatttc tgcttcttct tcttcttca 2540

tttattggtt tcaaactttg gggaaggtaa aggctgtttt attgttaaaa aaaaaaaaa 2600

aaa (1975) (1976

25.5

<210> 18 <211> 687 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Gly Phe Asp Glu Asn Val Ala Val Met Gly Glu Trp Val Pro 1 5 10 15

Arg Ser Pro Ser Pro Gly Thr Leu Phe Ser Ser Ala Ile Gly Glu Glu 20 25 30

Lys Ser Ser Lys Arg Val Leu Glu Arg Glu Leu Ser Leu Asn His Gly 35 40 45

- Gln Val Ile Gly Leu Glu Glu Asp Thr Ser Ser Asn His Asn Lys Asp 50 55 60
- Ser Ser Gln Ser Asn Val Phe Arg Gly Gly Leu Ser Glu Arg Ile Ala 65 70 75 80
- Ala Arg Ala Gly Phe Asn Ala Pro Arg Leu Asn Thr Glu Asn Ile Arg 85 90 95
- Thr Asn Thr Asp Phe Ser Ile Asp Ser Asn Leu Arg Ser Pro Cys Leu 100 105 110
- Thr Ile Ser Ser Pro Gly Leu Ser Pro Ala Thr Leu Leu Glu Ser Pro 115 120 125
- Val Phe Leu Ser Asn Pro Leu Ala Gln Pro Ser Pro Thr Thr Gly Lys 130 135 140
- Phe Pro Phe Leu Pro Gly Val Asn Gly Asn Ala Leu Ser Ser Glu Lys 145 150 155 160
- Ala Lys Asp Glu Phe Phe Asp Asp Ile Gly Ala Ser Phe Ser Phe His 165 170 175
- Pro Val Ser Arg Ser Ser Ser Ser Phe Phe Gln Gly Thr Thr Glu Met 180 185 190
- Met Ser Val Asp Tyr Gly Asn Tyr Asn Asn Arg Ser Ser His Gln
  195 200 205
- Ser Ala Glu Glu Val Lys Pro Gly Ser Glu Asn Ile Glu Ser Ser Asn 210 215 220
- Leu Tyr Gly Ile Glu Thr Asp Asn Gln Asn Gly Gln Asn Lys Thr Ser 225 230 235 240
- Asp Val Thr Thr Asn Thr Ser Leu Glu Thr Val Asp His Gln Glu Glu 245 250 255
- Glu Glu Glu Gln Arg Arg Gly Asp Ser Met Ala Gly Gly Ala Pro Ala 260 265 270
- Glu Asp Gly Tyr Asn Trp Arg Lys Tyr Gly Gln Lys Leu Val Lys Gly

275 280 285

Ser Glu Tyr Pro Arg Ser Tyr Tyr Lys Cys Thr Asn Pro Asn Cys Gln 290 295 300

Val Lys Lys Lys Val Glu Arg Ser Arg Glu Gly His Ile Thr Glu Ile 305 310 315 320

Ile Tyr Lys Gly Ala His Asn His Leu Lys Pro Pro Pro Asn Arg Arg 325 330 335

Ser Gly Met Gln Val Asp Gly Thr Glu Gln Val Glu Gln Gln Gln Gln 340 345 350

Gln Arg Asp Ser Ala Ala Thr Trp Val Ser Cys Asn Asn Thr Gln Gln 355 360 365

Gln Gly Gly Ser Asn Glu Asn Asn Val Glu Glu Gly Ser Thr Arg Phe 370 380

- 4 ·

Glu Tyr Gly Asn Gln Ser Gly Ser Ile Gln Ala Gln Thr Gly Gln 385 390 395 400

Tyr Glu Ser Gly Asp Pro Val Val Val Asp Ala Ser Ser Thr Phe
405 410 415

Ser Asn Asp Glu Asp Glu Asp Asp Arg Gly Thr His Gly Ser Val Ser 420 425 430

Leu Gly Tyr Asp Gly Gly Gly Gly Gly Gly Glu Gly Asp Glu
435 440 445

Ser Glu Ser Lys Arg Arg Lys Leu Glu Ala Phe Ala Ala Glu Met Ser 450 455 460

Gly Ser Thr Arg Ala Ile Arg Glu Pro Arg Val Val Val Gln Thr Thr 465 470 475 480

Ser Asp Val Asp Ile Leu Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly 485 490 495

Gln Lys Val Val Lys Gly Asn Pro Asn Pro Arg Ser Tyr Tyr Lys Cys 500 505 510

Thr Ala Pro Gly Cys Thr Val Arg Lys His Val Glu Arg Ala Ser His 515 520 525

Asp Leu Lys Ser Val Ile Thr Thr Tyr Glu Gly Lys His Asn His Asp 530 535 540

- Val Pro Ala Ala Arg Asn Ser Ser His Gly Gly Gly Gly Asp Ser Gly 555 550 560
- Asn Gly Asn Ser Gly Gly Ser Ala Ala Val Ser His His Tyr His Asn 565 570 575
- Gly His His Ser Glu Pro Pro Arg Gly Arg Phe Asp Arg Gln Val Thr 580 585 585 60 7
- Thr Asn Asn Gln Ser Pro Phe Ser Arg Pro Phe Ser Phe Gln Pro His 595 600 605
- Leu Gly Pro Pro Ser Gly Phe Ser Phe Gly Leu Gly Gln Thr Gly Leu 610 615 620
- Val Asn Leu Ser Met Pro Gly Leu Ala Tyr Gly Gln Gly Lys Met Pro 625 630 635 635
- Gly Leu Pro His Pro Tyr Met Thr Gln Pro Val Gly Met Ser Glu Ala 645 650 655
- Met Met Gln Arg Gly Met Glu Pro Lys Val Glu Pro Val Ser Asp Ser 660 665 670
- Gly Gln Ser Val Tyr Asn Gln Ile Met Ser Arg Leu Pro Gln Ile 675 680 685
- <210> 19 <211> 724 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (20)..(694) <223> G912
- <400> 19
  catcttatcc aaagaaaaa atg aat cca ttt tac tct aca ttc cca gac tcg

  Met Asn Pro Phe Tyr Ser Thr Phe Pro Asp Ser
- ttt ctc tca atc tcc gat cat aga tct ccg gtt tca gac agt agt gag
- Phe Leu Ser Ile Ser Asp His Arg Ser Pro Val Ser Asp Ser Ser Glu
  15 20 25
- tgt tca cca aag tta gct tca agt tgt cca aag aaa cga gct ggg agg 148 Cys Ser Pro Lys Leu Ala Ser Ser Cys Pro Lys Lys Arg Ala Gly Arg

aag aag ttt cgt gag aca cgt cat ccg att tac aga gga gtt cgt cag Lys Lys Phe Arg Glu Thr Arg His Pro Ile Tyr Arg Gly Val Arg Gln agg aat tot ggt aaa tgg gtt tgt gaa gtt aga gag oot aat aag aaa Arg Asn Ser Gly Lys Trp Val Cys Glu Val Arg Glu Pro Asn Lys Lys tct agg att tgg tta ggt act ttt ccg acg gtt gaa atg gct gct cgt Ser Arg Ile Trp Leu Gly Thr Phe Pro Thr Val Glu Met Ala Ala Arg gct cat gat gtt gct gct tta gct ctt cgt ggt cgc tct gct tgt ctc 340 Ala His Asp Val Ala Ala Leu Ala Leu Arg Gly Arg Ser Ala Cys Leu aat ttc gct gat tct gct tgg cgg ctt cgt att cct gag act act tgt Asn Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile Pro Glu Thr Thr Cys 110 115 120 ... cct aag gag att cag aaa gct gcg tct gaa gct gca atg gcg ttt cag 436 Pro Lys Glu Ile Gln Lys Ala Ala Ser Glu Ala Ala Met Ala Phe Gln 130 aat gag act acg acg gag gga tct aaa act gcg gcg gag gca gag gag Asn Glu Thr Thr Glu Gly Ser Lys Thr Ala Ala Glu Ala Glu Glu gcg gca ggg gag ggg gtg agg gag ggg gag agg gcg gag gag cag 532 Ala Ala Gly Glu Gly Val Arg Glu Gly Glu Arg Arg Ala Glu Glu Gln 160 165 aat ggt ggt gtg ttt tat atg gat gat gag gcg ctt ttg ggg atg ccc 580 Asn Gly Gly Val Phe Tyr Met Asp Asp Glu Ala Leu Leu Gly Met Pro 175 180 aac ttt ttt gag aat atg gcg gag ggg atg ctt ttg ccg ccg ccg gaa Asn Phe Phe Glu Asn Met Ala Glu Gly Met Leu Leu Pro Pro Glu 190 195 200 gtt ggc tgg aat cat aac gac ttt gac gga gtg ggt gac gtg tca ctc Val Gly Trp Asn His Asn Asp Phe Asp Gly Val Gly Asp Val Ser Leu . 205 210 tgg agt ttt gac gag taa ttttttggct cttttctgg ataataagtt Trp Ser Phe Asp Glu 220

<210> 20 <211> 224 <212> PRT <213> Arabidopsis thaliana <400>

- Met Asn Pro Phe Tyr Ser Thr Phe Pro Asp Ser Phe Leu Ser Ile Ser 1 10
- Asp His Arg Ser Pro Val Ser Asp Ser Ser Glu Cys Ser Pro Lys Leu 25 30
- Ala Ser Ser Cys Pro Lys Lys Arg Ala Gly Arg Lys Lys Phe Arg Glu 35 40 45
- Thr Arg His Pro Ile Tyr Arg Gly Val Arg Gln Arg Asn Ser Gly Lys
  50 55 60
- Trp Val Cys Glu Val Arg Glu Pro Asn Lys Lys Ser Arg Ile Trp Leu 65 70 75 80
- Gly Thr Phe Pro Thr Val Glu Met Ala Ala Arg Ala His Asp Val Ala 85 90 95
- Ala Leu Ala Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser 100 . 105 . 110
- Ala Trp Arg Leu Arg Ile Pro Glu Thr Thr Cys Pro Lys Glu Ile Gln 115 120 125
- Lys Ala Ala Ser Glu Ala Ala Met Ala Phe Gln Asn Glu Thr Thr 130 140
- Glu Gly Ser Lys Thr Ala Ala Glu Ala Glu Glu Ala Ala Gly Glu Gly 145 150 155 160
- Val Arg Glu Gly Glu Arg Arg Ala Glu Glu Gln Asn Gly Gly Val Phe
  165 170 175
- Tyr Met Asp Asp Glu Ala Leu Leu Gly Met Pro Asn Phe Phe Glu Asn 180 185 185
- Met Ala Glu Gly Met Leu Leu Pro Pro Pro Glu Val Gly Trp Asn His
- Asn Asp Phe Asp Gly Val Gly Asp Val Ser Leu Trp Ser Phe Asp Glu 210 215 220
- <210> 21 <211> 4011 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(4011) <223> G987

<400> 21 atg ggt tet tac tea get gge tte eet gga tee ttg gae tgg ttt gat Met Gly Ser Tyr Ser Ala Gly Phe Pro Gly Ser Leu Asp Trp Phe Asp 5 10 ttt ccc ggt tta gga aac gga tcc tat cta aat gat caa cct ttg tta Phe Pro Gly Leu Gly Asn Gly Ser Tyr Leu Asn Asp Gln Pro Leu Leu 20 25 gat att gga tot gtt cot cot cta gac cca tat cot caa cag aat 144 Asp Ile Gly Ser Val Pro Pro Pro Leu Asp Pro Tyr Pro Gln Gln Asn 35 40 ctt gct tct gcg gat gct gat ttc tct gat tct gtt ttg aag tac ata Leu Ala Ser Ala Asp Ala Asp Phe Ser Asp Ser Val Leu Lys Tyr Ile age caa gtt ett atg gaa gag gae atg gaa gat aag eet tgt atg ttt Ser Gln Val Leu Met Glu Glu Asp Met Glu Asp Lys Pro Cys Met Phe 75 cat gat gct tta tct ctt caa gca gct gag aag tct ctc tat gaa gct His Asp Ala Leu Ser Leu Gln Ala Ala Glu Lys Ser Leu Tyr Glu Ala ctc ggc gag aag tac ccg gtt gat gat tct gat cag cct ctg act act 336 Leu Gly Glu Lys Tyr Pro Val Asp Asp Ser Asp Gln Pro Leu Thr Thr act act age ett get caa ttg gtt agt agt eet ggt ggt tet tet tat Thr Thr Ser Leu Ala Gln Leu Val Ser Ser Pro Gly Gly Ser Ser Tyr 115 120 get tea age ace aca ace act tee tet gat tea caa tgg agt ttt gat 432 Ala Ser Ser Thr Thr Thr Ser Ser Asp Ser Gln Trp Ser Phe Asp 130 135 tgt ttg gag aat aat agg cct tct tct tgg ttg cag aca ccg atc ccg Cys Leu Glu Asn Asn Arg Pro Ser Ser Trp Leu Gln Thr Pro Ile Pro 150 155 agt aac ttc att ttt cag tct aca tct act aga gcc agt agc ggt aac 528 Ser Asn Phe Ile Phe Gln Ser Thr Ser Thr Arg Ala Ser Ser Gly Asn 165 170 175 gcg gtt ttc ggg tca agt ttt agc ggt gat ttg gtt tct aat atg ttt 576 Ala Val Phe Gly Ser Ser Phe Ser Gly Asp Leu Val Ser Asn Met Phe 180 185

aat gat act gac ttg gcg tta caa ttc aag aaa ggg atg gag gaa gct 624 Asn Asp Thr Asp Leu Ala Leu Gln Phe Lys Lys Gly Met Glu Glu Ala 195 200 205

agt aaa ttc ctt cct aag agc tct cag ttg gtt ata gat aac tct gtt

Ser Lys Phe Leu Pro Lys Ser Ser Gln Leu Val Ile Asp Asn Ser Val 210 . 215 220

cet aac aga tta acc gga aag aag age cat tgg ege gaa gaa gaa cat

Pro Asn Arg Leu Thr Gly Lys Lys Ser His Trp Arg Glu Glu Glu His 235 235

ttg act gaa gaa aga agt aag aaa caa tct gct att tat gtt gat gaa 768 Leu Thr Glu Glu Arg Ser Lys Lys Gln Ser Ala Ile Tyr Val Asp Glu

250 255 act gat gag ctt act gat atg ttt gac aat att ctg ata ttt ggc gag

816
Thr Asp Glu Leu Thr Asp Met Phe Asp Asn Ile Leu Ile Phe Gly Glu
260
270

gct aag gaa caa cct gta tgc att ctt aac gag agt ttc cct aag gaa 864 Ala Lys Glu Gln Pro Val Cys Ile Leu Asn Glu Ser Phe Pro Lys Glu 275 280 285

cct gcg aaa gct tca acg ttt agt aag agt cct aaa ggc gaa aaa ccg 912 Pro Ala Lys Ala Ser Thr Phe Ser Lys Ser Pro Lys Gly Glu Lys Pro

290

gaa get agt ggt aac agt tat aca aaa gag aca cet gat ttg agg aca 960

Glu Ala Ser Gly Asn Ser Tyr Thr Lys Glu Thr Pro Asp Leu Arg Thr 305

atg ctg gtt tct tgt gct caa gct gtt tcg att aac gat cgt aga act 1008
Met Leu Val Ser Cys Ala Gln Ala Val Ser Ile Asn Asp Arg Arg Thr 325

gct gac gag ctg tta agt cgg ata agg caa cat tct tca tct tac ggc 1056 Ala Asp Glu Leu Leu Ser Arg Ile Arg Gln His Ser Ser Ser Tyr Gly 340

gat gga aca gag aga ttg gct cat tat ttt gct aac agt ctt gaa gca 1104 Asp Gly Thr Glu Arg Leu Ala His Tyr Phe Ala Asn Ser Leu Glu Ala 355 360 365

cgt ttg gct ggg ata ggt aca cag gtt tat act gcc ttg tct tcc aag 1152 Arg Leu Ala Gly Ile Gly Thr Gln Val Tyr Thr Ala Leu Ser Ser Lys 370 375 .

aaa aca tot act tot gac atg ttg aaa got tat cag aca tat ata toa 1200 Lys Thr Ser Thr Ser Asp Met Leu Lys Ala Tyr Gln Thr Tyr Ile Ser gto tgt cog tto aag aaa ato goa ato ata tto goo aac cat agt att Val Cys Pro Phe Lys Lys Ile Ala Ile Ile Phe Ala Asn His Ser Ile 405 410 atg cgg ttg gct tca agt gct aat gcc aaa acc atc cac atc ata gat 1296 Met Arg Leu Ala Ser Ser Ala Asn Ala Lys Thr Ile His Ile Ile Asp 420 ttt gga ata tct gat ggt ttc cag tgg cct tct ctg att cat cga ctt 1344 Phe Gly Ile Ser Asp Gly Phe Gln Trp Pro Ser Leu Ile His Arg Leu 440 get tgg aga egt ggt tea tet tgt aag ett egg ata ace ggt ata gag Ala Trp Arg Arg Gly Ser Ser Cys Lys Leu Arg Ile Thr Gly Ile Glu 455 460 450 ttg cct caa cgt ggt ttt aga cca gcc gag gga gtt att gag act ggt 1440 Leu Pro Gln Arg Gly Phe Arg Pro Ala Glu Gly Val Ile Glu Thr Gly 470 465 475 cgt cgc ttg gct aag tat tgt cag aag ttc aat att ccg ttt gag tac Arg Arg Leu Ala Lys Tyr Cys Gln Lys Phe Asn Ile Pro Phe Glu Tyr 485 aat gcg att gcg cag aaa tgg gaa tca atc aag ttg gag gac ttg aag 1536 Asn Ala Ile Ala Gln Lys Trp Glu Ser Ile Lys Leu Glu Asp Leu Lys 500 505 510 cta aaa gaa ggc gag ttt gtt gcg gta aac tct tta ttt cgg ttt agg 1584 Leu Lys Glu Gly Glu Phe Val Ala Val Asn Ser Leu Phe Arg Phe Arg 520 aat ctt cta gat gag acg gtg gca gtg cat agc ccg aga gat acg gtt 1632 Asn Leu Leu Asp Glu Thr Val Ala Val His Ser Pro Arg Asp Thr Val 530 535 ttg aag ctg ata agg aag ata aag cca gac gtg ttc atc ccc ggg atc 1680 Leu Lys Leu Ile Arg Lys Ile Lys Pro Asp Val Phe Ile Pro Gly Ile ctc age gga tec tao aac geg cet ttc ttt gtc aeg agg ttt aga gaa Leu Ser Gly Ser Tyr Asn Ala Pro Phe Phe Val Thr Arg Phe Arg Glu 565 570

PCT/US01/26189 WO 02/15675

gtt ctg ttt cat tac tca tct ctg ttt gac atg tgt gac acg aat cta

Val Leu Phe His Tyr Ser Ser Leu Phe Asp Met Cys Asp Thr Asn Leu

aca cgg gaa gat cca atg agg gtt atg ttt gag aaa gag ttc tat ggg

Thr Arg Glu Asp Pro Met Arg Val Met Phe Glu Lys Glu Phe Tyr Gly

cgg gag atc atg aac gtg gtg gcg tgt gag ggg acg gag aga gtg gag

Arg Glu Ile Met Asn Val Val Ala Cys Glu Gly Thr Glu Arg Val Glu

agg cca gag agt tat aag cag tgg cag gcg agg gcg atg aga gcc ggg

Arg Pro Glu Ser Tyr Lys Gln Trp Gln Ala Arg Ala Met Arg Ala Gly 630 625

ttt aga cag att ccg ctg gag aag gaa cta gtt cag aaa ctg aag ttg

Phe Arg Gln Ile Pro Leu Glu Lys Glu Leu Val Gln Lys Leu Lys Leu 645

atg gtg gaa agt gga tac aaa ccc aaa gag ttt gat gtt gat caa gat

Met Val Glu Ser Gly Tyr Lys Pro Lys Glu Phe Asp Val Asp Gln Asp

tgt cac tgg ttg ctt cag ggc tgg aaa ggt aga att gta tac ggt tca

Cys His Trp Leu Leu Gln Gly Trp Lys Gly Arg Ile Val Tyr Gly Ser 675

tot att tgg gtt cot tto ttt tto tat gtg ggc aga gca act agg gtt 2112

Ser Ile Trp Val Pro Phe Phe Phe Tyr Val Gly Arg Ala Thr Arg Val 695 690

ttg atc atg gat cca aac ttc tct gaa tct cta aac ggc ttt gag tat

Leu Ile Met Asp Pro Asn Phe Ser Glu Ser Leu Asn Gly Phe Glu Tyr 710 705

ttt gat ggt aac cct aat ttg ctt act gat cca atg gaa gat cag tat

Phe Asp Gly Asn Pro Asn Leu Leu Thr Asp Pro Met Glu Asp Gln Tyr 725

cca cca cca tct gat act ctg ttg aaa tac gtg agt gag att ctt atg

Pro Pro Pro Ser Asp Thr Leu Leu Lys Tyr Val Ser Glu Ile Leu Met 740

gaa gag agt aat gga gat tat aag caa tot atg tto tat gat toa ttg 2304

Glu Glu Ser Asn Gly Asp Tyr Lys Gln Ser Met Phe Tyr Asp Ser Leu 755

get tta ega aaa act gaa gaa atg ttg eag caa gte att act gat tet 2352 Ala Leu Arg Lys Thr Glu Glu Met Leu Gln Gln Val Ile Thr Asp Ser 770 caa aat cag tcc ttt agt cct gct gat tca ttg att act aat tct tgg 2400 Gln Asn Gln Ser Phe Ser Pro Ala Asp Ser Leu Ile Thr Asn Ser Trp 790 795 gat gca agc gga agc atc gat gaa tcg gct tat tcg gct gat ccg caa 2448 Asp Ala Ser Gly Ser Ile Asp Glu Ser Ala Tyr Ser Ala Asp Pro Gln 805 cct gtg aat gaa att atg gtt aag agt atg ttt agt gat gca gaa tca 2496 Pro Val Asn Glu Ile Met Val Lys Ser Met Phe Ser Asp Ala Glu Ser 820 825 830 get tta cag ttt aag aaa ggg gtt gaa gaa get agt aaa tte ett eec 2544 Ala Leu Gln Phe Lys Lys Gly Val Glu Glu Ala Ser Lys Phe Leu Pro 835 840 aat agt gat caa tgg gtt atc aat ctg gat atc gag aga tcc gaa agg 2592 Asn Ser Asp Gln Trp Val Ile Asn Leu Asp Ile Glu Arg Ser Glu Arg cgc gat tcg gtt aaa gaa gag atg gga ttg gat cag ttg aga gtt aag Arg Asp Ser Val Lys Glu Glu Met Gly Leu Asp Gln Leu Arg Val Lys 870 875 2688 Lys Asn His Glu Arg Asp Phe Glu Glu Val Arg Ser Ser Lys Gln Phe 885 890 895 gct agt aat gta gaa gat agt aag gtt aca gat atg ttt gat aag gtt 2736 Ala Ser Asn Val Glu Asp Ser Lys Val Thr Asp Met Phe Asp Lys Val 905 ( ttg ctt ctt gac ggt gaa tgc gat ccg caa aca ttg tta gac agc gag 2784 Leu Leu Leu Asp Gly Glu Cys Asp Pro Gln Thr Leu Leu Asp Ser Glu 925 915 920 att caa gcg att cgg agt agt aag aac ata gga gag aaa ggg aag aag Ile Gln Ala Ile Arg Ser Ser Lys Asn Ile Gly Glu Lys Gly Lys Lys 930 aag aag aag aag agt caa gtg gtt gat ttt cgt aca ctt ctc act Lys Lys Lys Lys Ser Gln Val Val Asp Phe Arg Thr Leu Leu Thr 955 960 945 950

cat tgt gca caa gcc att tcc aca gga gat aaa acc acg gct ctt gag 2928 His Cys Ala Gln Ala Ile Ser Thr Gly Asp Lys Thr Thr Ala Leu Glu 965 ttt ctg tta cag ata agg caa cag tct tcg cct ctc ggt gac gcg ggg Phe Leu Leu Gln Ile Arg Gln Gln Ser Ser Pro Leu Gly Asp Ala Gly caa aga cta gct cat tgt ttc gct aac gcg ctt gaa gct cgt cta cag 3024 Gln Arg Leu Ala His Cys Phe Ala Asn Ala Leu Glu Ala Arg Leu Gln 995 1000 gga agt acc ggt cct atg atc cag act tat tac aat gct tta acc 3069 Gly Ser Thr Gly Pro Met Ile Gln Thr Tyr Tyr Asn Ala Leu Thr 1015 1020 tcg tcg ttg aag gat act gct gcg gat aca att aga gcg tat cga 3114 Ser Ser Leu Lys Asp Thr Ala Ala Asp Thr Ile Arg Ala Tyr Arg 1025 1035 1030 gtt tat ctt tct tcg tct ccg ttt gtt acc ttg atg tat ttc ttc Val Tyr Leu Ser Ser Pro Phe Val Thr Leu Met Tyr Phe Phe 1040 1045 1050 tcc atc tgg atg att ctt gat gtg gct aaa gat gct cct gtt ctt 3204 Ser Ile Trp Met Ile Leu Asp Val Ala Lys Asp Ala Pro Val Leu 1055 1060 1065 cat ata gtt gat ttt ggg att cta tac ggg ttt caa tgg ccg atg His Ile Val Asp Phe Gly Ile Leu Tyr Gly Phe Gln Trp Pro Met 1070 1075 1080 ttt att cag tct ata tca gat cga aaa gat gta ccg cgg aag ctg Phe Ile Gln Ser Ile Ser Asp Arg Lys Asp Val Pro Arg Lys Leu 1085 1090 1095 cgg att act ggt atc gag ctt cct cag tgc ggg ttt cgg ccc gcg Arg Ile Thr Gly Ile Glu Leu Pro Gln Cys Gly Phe Arg Pro Ala 1100 1105 1110 gag cga ata gag gag aca gga cgg aga ttg gct gag tat tgt aaa 3384 Glu Arg Ile Glu Glu Thr Gly Arg Arg Leu Ala Glu Tyr Cys Lys 1115 1120 cgg ttt aat gtt ccg ttt gag tac aaa gcc att gcg tct cag aac Arg Phe Asn Val Pro Phe Glu Tyr Lys Ala Ile Ala Ser Gln Asn

1140

1135

1130

3474	l										cga		aac	gaa
Trp	Glu 1145	Thr	Ile	Arg	Ile	Glu 1150	Asp	Leu	Asp	Ile	Arg 1155	Pro	Asn	Glu
gtc 3519	tta	gcg	gtt	aat	gct	gga	ctt	aga	ctc	aag	aac	ctt	caa	gat
Val	Leu 1160	Ala	Val	Asn	Ala	Gly 1165	Leu	Arg	Leu	Lys	Asn 1170	Leu	Gln	Asp
gaa 3564	aca !	gga	agc	gaa	gag	aat	tgc	ccg	aga	gat	gct	gtc	ttg	aag
Glu	Thr 1175	Gly	Ser	Glu	Glu	Asn 1180	Суз	Pro	Arg	Asp	Ala 1185	Val	Leu	Lys
cta 3609		aga	aac	atg	aac	ccg	gac	gtt	ttc	atc	cac	gcg	att	gtc
	Ile 1190	-	Asn-	Met	Asn	Pro 1195	Asp	Val	Phe	Ile	His 1200	Ala	Ile	Val
aac 3654		tca	ttc	aac	gca	ccc	ttc	ttt	atc	tcg	cgg	ttt	aaa	gaa
Asn	Gly 1205	Ser	Phe	Asn	Ala	Pro 1210	Phe		Ile		Arg 1215	Phe	ГÀЗ	Glu
gcg 3699	-	tac	cat	tac	tcc	gct	ctc	ttc	gac	atg	ttt	gat	tcg	acg
Ala	Val 1220	Tyr	His	Tyr	Ser	Ala 1225	Leu	Phe	Asp	Met	Phe 1230	Asp	Ser	Thr
ttg 3744		cgg	gat	aac	aaa	gag	agg	att	agg	ttc	gag	agg	gag	ttt
Leu	Pro 1235	Arg	Asp	Asn	Lys	Glu 1240	Arg	Ile	Arg	Phe	Glu 1245	Arg	Glu	Phe
tac 3789		aga	gag	gct	atg	aac	gtg	ata	gcg	tgc	gag	gaa	gct	gat
	Gly 1250		Glu	Ala		Asn 1255	Val	Ile	Ala	Суз	Glu 1260	Glu	Ala	Asp
cga 3834		gag	agg	cct	gag	act	tac	agg	caa	tgg	cag	gtt	aga	atg
Arg	Val 1265		Arg			Thr 1270	_	_	Gln	Trp	Gln 1275	Val	Arg	Met
gtt 3879	-	gcc	ggg	ttt	aag	cag	aaa	acg	att	aag	cct	gag	ctg	gta
Val	Arg 1280		Gly	Phe	Lys	Gln 1285	_	Thr	Ile	Lys	Pro 1290	Glu	Leu	Val
gag 3924	_	ttt	aga	gga	aag	ctg	aag	aaa	tgg	cgt	tac	cat	aaa	gac
			Arg	Gly	Lys	Leu 1300	Lys	Lys	Trp	Arg	Tyr 1305	His	Lys	Asp
ttt 3969	-	gtt	gat	gaa	aat	agt	aaa	tgg	ttg	tta	caa	ggc	tgg	aaa
Phe	Val 1310		Asp	Glu	Asn	Ser 1315	Lys	Trp	Leu	Leu	Gln 1320	Gly	Trp	Lys

ggt cga act ctc tat gct tct tct tgt tgg gtt cct gcc tag 4011 Gly Arg Thr Leu Tyr Ala Ser Ser Cys Trp Val Pro Ala 1325 1330 1335

<210> 22 <211> 1336 <212> PRT <213> Arabidopsis thaliana <400>

Met Gly Ser Tyr Ser Ala Gly Phe Pro Gly Ser Leu Asp Trp Phe Asp 1 10 15

Phe Pro Gly Leu Gly Asn Gly Ser Tyr Leu Asn Asp Gln Pro Leu Leu 20 25 30

Asp Ile Gly Ser Val Pro Pro Pro Leu Asp Pro Tyr Pro Gln Gln Asn 35 40 45

Leu Ala Ser Ala Asp Ala Asp Phe Ser Asp Ser Val Leu Lys Tyr Ile 50 55 60

Ser Gln Val Leu Met Glu Glu Asp Met Glu Asp Lys Pro Cys Met Phe 65 70 75 80

His Asp Ala Leu Ser Leu Gln Ala Ala Glu Lys Ser Leu Tyr Glu Ala 85 90 95

Leu Gly Glu Lys Tyr Pro Val Asp Asp Ser Asp Gln Pro Leu Thr Thr 100 105 110

Thr Thr Ser Leu Ala Gln Leu Val Ser Ser Pro Gly Gly Ser Ser Tyr 115 120 125

Ala Ser Ser Thr Thr Thr Ser Ser Asp Ser Gln Trp Ser Phe Asp 130 135 140

Cys Leu Glu Asn Asn Arg Pro Ser Ser Trp Leu Gln Thr Pro Ile Pro 145 150 155 160

Ser Asn Phe Ile Phe Gln Ser Thr Ser Thr Arg Ala Ser Ser Gly Asn 165 170 175

Ala Val Phe Gly Ser Ser Phe Ser Gly Asp Leu Val Ser Asn Met Phe 180 185 190

Asn Asp Thr Asp Leu Ala Leu Gln Phe Lys Lys Gly Met Glu Glu Ala 195 200 205

Ser Lys Phe Leu Pro Lys Ser Ser Gln Leu Val Ile Asp Asn Ser Val 210 215 220

- Pro Asn Arg Leu Thr Gly Lys Lys Ser His Trp Arg Glu Glu Glu His 225 230 235 240
- Leu Thr Glu Glu Arg Ser Lys Lys Gln Ser Ala Ile Tyr Val Asp Glu 245 250 255
- Thr Asp Glu Leu Thr Asp Met Phe Asp Asn Ile Leu Ile Phe Gly Glu 260 265 270
- Ala Lys Glu Gln Pro Val Cys Ile Leu Asn Glu Ser Phe Pro Lys Glu 275 280 285
- Pro Ala Lys Ala Ser Thr Phe Ser Lys Ser Pro Lys Gly Glu Lys Pro 290 295 300
- Glu Ala Ser Gly Asn Ser Tyr Thr Lys Glu Thr Pro Asp Leu Arg Thr 305 310 315 320
- Met Leu Val Ser Cys Ala Gln Ala Val Ser Ile Asn Asp Arg Arg Thr 325 330 335
- Ala Asp Glu Leu Leu Ser Arg Ile Arg Gln His Ser Ser Ser Tyr Gly 340 345 350
- Asp Gly Thr Glu Arg Leu Ala His Tyr Phe Ala Asn Ser Leu Glu Ala 355 360 365
- Arg Leu Ala Gly Ile Gly Thr Gln Val Tyr Thr Ala Leu Ser Ser Lys 370 375 380
- Lys Thr Ser Thr Ser Asp Met Leu Lys Ala Tyr Gln Thr Tyr Ile Ser 385 390 395 400
- Val Cys Pro Phe Lys Lys Ile Ala Ile Ile Phe Ala Asn His Ser Ile 405 410 415
- Met Arg Leu Ala Ser Ser Ala Asn Ala Lys Thr Ile His Ile Ile Asp 420 425 430
- Phe Gly Ile Ser Asp Gly Phe Gln Trp Pro Ser Leu Ile His Arg Leu 435 440 445
- Ala Trp Arg Arg Gly Ser Ser Cys Lys Leu Arg Ile Thr Gly Ile Glu

	455	•	460
150	455		

Leu Pro Gln Arg Gly Phe Arg Pro Ala Glu Gly Val Ile Glu Thr Gly 465 470 470 480

Arg Arg Leu Ala Lys Tyr Cys Gln Lys Phe Asn Ile Pro Phe Glu Tyr 485

Asn Ala Ile Ala Gln Lys Trp Glu Ser Ile Lys Leu Glu Asp Leu Lys 500 505

Leu Lys Glu Gly Glu Phe Val Ala Val Asn Ser Leu Phe Arg Phe Arg 515

Asn Leu Leu Asp Glu Thr Val Ala Val His Ser Pro Arg Asp Thr Val 530 535

Leu Lys Leu Ile Arg Lys Ile Lys Pro Asp Val Phe Ile Pro Gly Ile 545

Leu Ser Gly Ser Tyr Asn Ala Pro Phe Phe Val Thr Arg Phe Arg Glu 565 570 575

Val Leu Phe His Tyr Ser Ser Leu Phe Asp Met Cys Asp Thr Asn Leu 580 585

Thr Arg Glu Asp Pro Met Arg Val Met Phe Glu Lys Glu Phe Tyr Gly 595 600 605

Arg Glu Ile Met Asn Val Val Ala Cys Glu Gly Thr Glu Arg Val Glu 610 620

Arg Pro Glu Ser Tyr Lys Gln Trp Gln Ala Arg Ala Met Arg Ala Gly 635 630

Phe Arg Gln Ile Pro Leu Glu Lys Glu Leu Val Gln Lys Leu Lys Leu 655

Met Val Glu Ser Gly Tyr Lys Pro Lys Glu Phe Asp Val Asp Gln Asp 660 665 670

Cys His Trp Leu Leu Gln Gly Trp Lys Gly Arg Ile Val Tyr Gly Ser 675 680 685

Ser Ile Trp Val Pro Phe Phe Phe Tyr Val Gly Arg Ala Thr Arg Val 690 695 700

Leu 705	Ile	Met	Asp	Pro	Asn 710	Phe	Ser	Glu	Ser	Leu 715	Asn	Gly	Phe	Glu	Tyr 720
Phe	Asp	Gly	Asn	Pro 725	Asn	Leu	Leu	Thr	Asp 730	Pro	Met	Glu	Asp	Gln 735	Tyr
Pro	Pro	Pro	Ser 740	Asp	Thr	Leu	Leu	Lys 745	Tyr	Val	Ser	Glu	Ile 750	Leu	Met
Glu	Glu	Ser 755	Asn	Gly	qaA	Tyr	Lys 760	Gln	Ser	Met	Phe	Tyr 765	Asp	Ser	Leu
Ala	Leu 770	Arg	Lys	Thr	Glu	Glu 775	Met	Leu	Gln	Gln	Val 780	Ile	Thr	Asp	Ser
31n 785	Asn	Gln			Ser 790		Ala	Asp	Ser	Leu 795	Ile	Thr	Asn	Ser	Trp 800
Asp	Ala	Ser					Glu							Pro 815	
Pro	Val	Asn		Ile		Val	Lys	Ser 825	Met	Phe	Ser	Asp	Ala 830	Glu	Ser
Ala	Leu	Gln 835	Phe	Lys	Lys		Val 840	Glu	Glu	Ala		Lys 845	Phe	Leu	Pro
	Ser 850	Asp	Gln	Trp	Val	Ile 855	Asn	Leu	Asp	Ile		Arg		Glu	Arg
Arg 865	Asp	Ser	Val	Lys	Glu 870	Glu	Met	Gly	Leu	Asp 875	Gln	Leu	Arg	Val	Eys 880
Lys	Asn	His	Glu	Arg 885	Asp	Phe	Glu	Glu	Val 890	Arg	Ser	Ser	Lys	Gln 895	
Ala		Asn	Val 900			Ser		Val 905	•	Asp	Met	Phe	Asp 910	Lys	Val
Leu	Leu	Leu 915			Glu		Asp 920	Pro	Gln		Leu		Asp	Ser	Glu
	Gln 930	Ala	Ile	Arg	Ser	Ser 935	Lys	Asn	Ile	Gly	Glu 940	Lys	Gly	Lys	Lys

Lys Lys Lys Lys Lys Ser Gln Val Val Asp Phe Arg Thr Leu Leu Thr 945 950 955 960

- His Cys Ala Gln Ala Ile Ser Thr Gly Asp Lys Thr Thr Ala Leu Glu 965 970 975
- Phe Leu Leu Gln Ile Arg Gln Gln Ser Ser Pro Leu Gly Asp Ala Gly 980 985 990
- Gln Arg Leu Ala His Cys Phe Ala Asn Ala Leu Glu Ala Arg Leu Gln 995 1000 1005
- Gly Ser Thr Gly Pro Met Ile Gln Thr Tyr Tyr Asn Ala Leu Thr 1010 1015 1020
- Ser Ser Leu Lys Asp Thr Ala Ala Asp Thr Ile Arg Ala Tyr Arg 1025 1030 1035
- Val Tyr Leu Ser Ser Ser Pro Phe Val Thr Leu Met Tyr Phe Phe 1040 1045 1050
- Ser Ile Trp Met Ile Leu Asp Val Ala Lys Asp Ala Pro Val Leu 1055 1060 1065
- His Ile Val Asp Phe Gly Ile Leu Tyr Gly Phe Gln Trp Pro Met 1070 1080
- Phe Ile Gln Ser Ile Ser Asp Arg Lys Asp Val Pro Arg Lys Leu 1085 1090 1095
- Arg Ile Thr Gly Ile Glu Leu Pro Gln Cys Gly Phe Arg Pro Ala 1100 1105 1110
- Glu Arg Ile Glu Glu Thr Gly Arg Arg Leu Ala Glu Tyr Cys Lys 1115 1120 1125
- Arg Phe Asn Val Pro Phe Glu Tyr Lys Ala Ile Ala Ser Gln Asn 1130 1140
- Trp Glu Thr Ile Arg Ile Glu Asp Leu Asp Ile Arg Pro Asn Glu 1145 1150 1155
- Val Leu Ala Val Asn Ala Gly Leu Arg Leu Lys Asn Leu Gln Asp 1160 1165 1170

Glu Thr Gly Ser Glu Glu Asn Cys Pro Arg Asp Ala Val Leu Lys 1175 1180 1185

- Leu Ile Arg Asn Met Asn Pro Asp Val Phe Ile His Ala Ile Val 1190 1195 1200
- Asn Gly Ser Phe Asn Ala Pro Phe Phe Ile Ser Arg Phe Lys Glu 1205 1210 1215
- Ala Val Tyr His Tyr Ser Ala Leu Phe Asp Met Phe Asp Ser Thr 1220 1230
- Leu Pro Arg Asp Asn Lys Glu Arg Ile Arg Phe Glu Arg Glu Phe 1235 1240 1245
- Tyr Gly Arg Glu Ala Met Asn Val Ile Ala Cys Glu Glu Ala Asp 1250 1260
- Arg Val Glu Arg Pro Glu Thr Tyr Arg Gln Trp Gln Val Arg Met 1265 1270 1275
- Val Arg Ala Gly Phe Lys Gln Lys Thr Ile Lys Pro Glu Leu Val 1280 1290
- Glu Leu Phe Arg Gly Lys Leu Lys Lys Trp Arg Tyr His Lys Asp 1295 1300 1305
- Phe Val Val Asp Glu Asn Ser Lys Trp Leu Leu Gln Gly Trp Lys 1310 1315 1320
- Gly Arg Thr Leu Tyr Ala Ser Ser Cys Trp Val Pro Ala 1325 1330 1335
- <210> 23 <211> 715 <212> DNA <213> Arabidopsis thaliana <220>
  <221> CDS <222> (20)..(703) <223> G1047

<400> 23

caattttaaa coggtoatt atg atg tot act gta cog goo ttt acc ttt act 52

Met Met Ser Thr Val Pro Ala Phe Thr Phe Thr 1 5 10

- gaa ccg ggt ttg gtt aac caa tta tcg gat ttc cag acc gga ttc act  $100\,$
- Glu Pro Gly Leu Val Asn Gln Leu Ser Asp Phe Gln Thr Gly Phe Thr 15 20 25
- cct tgg gaa ttg aac tgc tcc gat ctc ttc tct aca atc cat ctc gaa
- Pro Trp Glu Leu Asn Cys Ser Asp Leu Phe Ser Thr Ile His Leu Glu

30 35 40

ccg gtc gta ccg agt cct tgt tct ggt gaa tcc gat gcc ggt tct gtc
196
Pro Val Val Pro Ser Pro Cys Ser Gly Glu Ser Asp Ala Gly Ser Val
45

Lys Ile Asn Thr Asp Phe Asn Gly Phe Asp Glu Ser Cys Ile Gly Ser 60 70 75

atc aaa act aac tcc ggt tct gat gat tcc aac ctt ttc cac ggc gta

Ile Lys Thr Asn Ser Gly Ser Asp Asp Ser Asn Leu Phe His Gly Val 80 85 90

ccg agt cct caa tcc gac gaa ttg gac tca aaa aac acg aaa atc cga

Pro Ser Pro Gln Ser Asp Glu Leu Asp Ser Lys Asn Thr Lys Ile Arg

agt aac gcc acg aat cat aac cgg aac aaa ttg aac cgg tcg gtt ttg

Ser Asn Ala Thr Asn His Asn Arg Asn Lys Leu Asn Arg Ser Val Leu 110 115 120

cag gtg act gac gac cgt aaa cgc aaa cgg atg gaa tca aac cga gaa

Gln Val Thr Asp Asp Arg Lys Arg Lys Arg Met Glu Ser Asn Arg Glu 125 130 135

tca gcg aag cgg tcg agg atg cgt aaa caa aga cac att gat aat tta

Ser Ala Lys Arg Ser Arg Met Arg Lys Gln Arg His Ile Asp Asn Leu 145 150 150

aaa gac gaa gca aat cgt ctc ggt tta gaa aac cgg gaa ctc gca aac 532  $\sim$ 

Lys Asp Glu Ala Asn Arg Leu Gly Leu Glu Asn Arg Glu Leu Ala Asn 160 165 170

cgg ctt cga att gtt ttg tac aac atc gca tta atg tgt acg gac aac 580

Arg Leu Arg Ile Val Leu Tyr Asn Ile Ala Leu Met Cys Thr Asp Asn 175 180 180

aat cag ctt ttg tcg gaa caa gag att ctc aga cgg aga ttc ttg gag

Asn Gln Leu Leu Ser Glu Gln Glu Ile Leu Arg Arg Phe Leu Glu
190 195 200

atg agg cag att ttg att ttc aga cag ctt cag ctg aat cca tca ttg 676

Met Arg Gln Ile Leu Ile Phe Arg Gln Leu Gln Leu Asn Pro Ser Leu 205 210 215

atc atc aat cat cat atg att tga aagaaaaaaa aa 715

Ile Ile Asn His His His Met Ile

220 225

<210> 24 <211> 227 <212> PRT <213> Arabidopsis thaliana <400> 24

Met Met Ser Thr Val Pro Ala Phe Thr Phe Thr Glu Pro Gly Leu Val 1 5 10 15

Asn Gln Leu Ser Asp Phe Gln Thr Gly Phe Thr Pro Trp Glu Leu Asn 20 25 30

Cys Ser Asp Leu Phe Ser Thr Ile His Leu Glu Pro Val Val Pro Ser 35 40 45

Pro Cys Ser Gly Glu Ser Asp Ala Gly Ser Val Lys Ile Asn Thr Asp 50 55 60

Phe Asn Gly Phe Asp Glu Ser Cys Ile Gly Ser Ile Lys Thr Asn Ser 65 70 75 80

Gly Ser Asp Asp Ser Asn Leu Phe His Gly Val Pro Ser Pro Gln Ser 85 90 95

Asp Glu Leu Asp Ser Lys Asn Thr Lys Ile Arg Ser Asn Ala Thr Asn 100 105 110

His Asn Arg Asn Lys Leu Asn Arg Ser Val Leu Gln Val Thr Asp Asp 115 120 125

Arg Lys Arg Lys Arg Met Glu Ser Asn Arg Glu Ser Ala Lys Arg Ser 130 135 140

Arg Met Arg Lys Gln Arg His Ile Asp Asn Leu Lys Asp Glu Ala Asn 145 150 155 160

Arg Leu Gly Leu Glu Asn Arg Glu Leu Ala Asn Arg Leu Arg Ile Val 165 170 175

Leu Tyr Asn Ile Ala Leu Met Cys Thr Asp Asn Asn Gln Leu Leu Ser 180 185 190

Glu Gln Glu Ile Leu Arg Arg Phe Leu Glu Met Arg Gln Ile Leu 195 200 205

Ile Phe Arg Gln Leu Gln Leu Asn Pro Ser Leu Ile Ile Asn His His 210 215 220

His Met Ile 225

<210> 25 <211> 2026 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (297)..(1781) <223> G1062

<400> 25

caaaaaaaaa gtttcaattt ttgaaagctc tgagaaatga aatctatcat tctctctc 60

tatctctatc ttccttttca gatttcgctt cttcaattca tgaaatcctc gtgattctac 120

tttaatgett etetttttt aetttteeaa gtetetgaat atteaaagta tatatetttt 180

gttttcaaac ttttgcagaa ttgtcttcaa gcttccaaat ttcagttaaa ggtctcaact 240

ttgcagaatt ttcctctaaa ggttcagact ttggggtaaa ggtgtcaact ttggcg atg 299

Met 1

ggt ctt gac gga aac aat ggt gga ggg gtt tgg tta aac ggt ggt ggt 347

Gly Leu Asp Gly Asn Asn Gly Gly Gly Val Trp Leu Asn Gly Gly Gly 5 10

gga gaa agg gaa gag aac gag gaa ggt tca tgg gga agg aat caa gaa 395

Gly Glu Arg Glu Glu Asn Glu Glu Gly Ser Trp Gly Arg Asn Gln Glu 20 25 , 30

gat ggt tct tct: cag ttt aag cct atg ctt gaa ggt gat tgg ttt agt 443

Asp Gly Ser Ser Gln Phe Lys Pro Met Leu Glu Gly Asp Trp Phe Ser 35 40 45

agt aac caa cca cat cca caa gat ctt cag atg tta cag aat cag cca 491

Ser Asn Gln Pro His Pro Gln Asp Leu Gln Met Leu Gln Asn Gln Pro 50 55 60 65

gat ttc aga tac ttt ggt ggt ttt cct ttt aac cct aat gat aat ctt 539

Asp Phe Arg Tyr Phe Gly Gly Phe Pro Phe Asn Pro Asn Asp Asn Leu 70 75 80

ctt ctt caa cac tct att gat tct tct tct tct tct tct tct tct caa 587

Leu Leu Gln His Ser Ile Asp Ser Ser Ser Ser Cys Ser Pro Ser Gln 85 90 95

gct ttt agt ctt gac cct tct cag caa aat cag ttc ttg tca act aac 635

Ala Phe Ser Leu Asp Pro Ser Gln Gln Asn Gln Phe Leu Ser Thr Asn 100 105 110

aac aac aag ggt tgt ctt ctc aat gtt cct tct tct gca aac cct ttt Asn Asn Lys Gly Cys Leu Leu Asn Val Pro Ser Ser Ala Asn Pro Phe 120 125 gat aat get tit gag tit gge tet gaa tet ggt tit ett aac caa ate 731 Asp Asn Ala Phe Glu Phe Gly Ser Glu Ser Gly Phe Leu Asn Gln Ile 135 145 cat gct cct att tcg atg ggg ttt ggt tct ttg aca caa ttg ggg aac 779 His Ala Pro Ile Ser Met Gly Phe Gly Ser Leu Thr Gln Leu Gly Asn 155 160 agg gat ttg agt tct gtt cct gat ttc ttg tct gct cgg tca ctt ctt 827 Arg Asp Leu Ser Ser Val Pro Asp Phe Leu Ser Ala Arg Ser Leu Leu 165 170 gcg ccg gaa agc aac aac aac aca atg ttg tgt ggt ttc aca Ala Pro Glu Ser Asn Asn Asn Thr Met Leu Cys Gly Gly Phe Thr 180 185 190 get eeg ttg gag ttg gaa ggt ttt ggt agt eet get aat ggt ggt ttt Ala Pro Leu Glu Leu Glu Gly Phe Gly Ser Pro Ala Asn Gly Gly Phe 195 200 205 gtt ggg aac aga gcg aaa gtt ctg aag cct tta gag gtg tta gca tcg Val Gly Asn Arg Ala Lys Val Leu Lys Pro Leu Glu Val Leu Ala Ser 215 tct ggt gca cag cct act ctg ttc cag aaa cgt gca gct atg cgt cag 1019 Ser Gly Ala Gln Pro Thr Leu Phe Gln Lys Arg Ala Ala Met Arg Gln 230 235 ago tot gga ago aaa atg gga aat tog gag agt tog gga atg agg 1067 Ser Ser Gly Ser Lys Met Gly Asn Ser Glu Ser Ser Gly Met Arg Arg 250 ttt agt gat gat gga gat atg gat gag act ggg att gag gtt tct ggg 1115 Phe Ser Asp Asp Gly Asp Met Asp Glu Thr Gly Ile Glu Val Ser Gly 260 . 265 270 ttg aac tat gag tct gat gag ata aat gag agc ggt aaa gcg gct gag 1163 Leu Asn Tyr Glu Ser Asp Glu Ile Asn Glu Ser Gly Lys Ala Ala Glu 280 1211 Ser Val Gln Ile Gly Gly Gly Lys Gly Lys Lys Lys Gly Met Pro 290 295 300

gct aag aat ctg atg gct gag agg agg agg aag aag ctt aat gat

Ala Lys Asn Leu Met Ala Glu Arg Arg Arg Lys Lys Leu Asn Asp 315

agg ctt tat atg ctt aga tca gtt gtc ccc aag atc agc aaa atg gat

Arg Leu Tyr Met Leu Arg Ser Val Val Pro Lys Ile Ser Lys Met Asp

aga gca tca ata ctt gga gat gca att gat tat ctg aag gaa ctt cta

Arg Ala Ser Ile Leu Gly Asp Ala Ile Asp Tyr Leu Lys Glu Leu Leu 345

caa agg atc aat gat ctt cac aat gaa ctt gag tca act cct cct gga

Gln Arg Ile Asn Asp Leu His Asn Glu Leu Glu Ser Thr Pro Pro Gly 365

tet ttg eet eea act tea tea age tte eat eeg ttg aca eet aca eeg

Ser Leu Pro Pro Thr Ser Ser Ser Phe His Pro Leu Thr Pro Thr Pro 380

caa act ctt tct tgt cgt gtc aag gaa gag ttg tgt ccc tct tct tta

Gln Thr Leu Ser Cys Arg Val Lys Glu Glu Leu Cys Pro Ser Ser Leu 395

cca agt cct aaa ggc cag caa gct aga gtt gag gtt aga tta agg gaa

Pro Ser Pro Lys Gly Gln Gln Ala Arg Val Glu Val Arg Leu Arg Glu 410

gga aga gca gtg aac att cat atg ttc tgt ggt cgt aga ccg ggt ctg

Gly Arg Ala Val Asn Ile His Met Phe Cys Gly Arg Arg Pro Gly Leu

ttg ctc gct acc atg aaa gct ttg gat aat ctt gga ttg gat gtt cag

Leu Leu Ala Thr Met Lys Ala Leu Asp Asn Leu Gly Leu Asp Val Gln

caa gct gtg atc agc tgt ttt aat ggg ttt gcc ttg gat gtt ttc cgc

Gln Ala Val Ile Ser Cys Phe Asn Gly Phe Ala Leu Asp Val Phe Arg

get gag caa tge caa gaa gga caa gag ata etg eet gat caa ate aaa

Ala Glu Gln Cys Gln Glu Gly Gln Glu Ile Leu Pro Asp Gln Ile Lys 475

gca gtg ctt ttc gat aca gca ggg tat gct ggt atg atc tga

Ala Val Leu Phe Asp Thr Ala Gly Tyr Ala Gly Met Ile 490

tetgateetg acttegagte cattaagcat etgttgaage agagetagaa gaactaagte

cctttaaatc tgcaattttc ttctcaactt tttttcttat gtcataactt caatctaagc

atgtaatgca attgcaaatg agagttgttt ttaaattaag cttttgagaa cttgaggttg

tigtigtigg atacataact tcaacctttt attagcaatg ttaacttcca tttatgtttc

atctt 2026

<210> 26 <211> 494 <212> PRT <213> Arabidopsis thaliana <400>

Met Gly Leu Asp Gly Asn Asn Gly Gly Gly Val Trp Leu Asn Gly Gly 10

Gly Gly Glu Arg Glu Glu Asn Glu Glu Gly Ser Trp Gly Arg Asn Gln THE SECTION OF THE PROPERTY OF A SECTION OF THE PROPERTY OF TH

Glu Asp Gly Ser Ser Gln Phe Lys Pro Met Leu Glu Gly Asp Trp Phe 40

Ser Ser Asn Gln Pro His Pro Gln Asp Leu Gln Met Leu Gln Asn Gln 55

Pro Asp Phe Arg Tyr Phe Gly Gly Phe Pro Phe Asn Pro Asn Asp Asn 65 75 80 70

Leu Leu Gln His Ser Ile Asp Ser Ser Ser Cys Ser Pro Ser 85 90 95

Gln Ala Phe Ser Leu Asp Pro Ser Gln Gln Asn Gln Phe Leu Ser Thr 100 and 100 and 100 and 100 and 105  $\operatorname{confit}(-\lambda_{k+1}) = \operatorname{conf}(-\lambda_{k+1}) = \lambda_{k+1}$ 

Contract of the second

Asn Asn Asn Lys Gly Cys Leu Leu Asn Val Pro Ser Ser Ala Asn Pro 115 120. 125

Phe Asp Asn Ala Phe Glu Phe Gly Ser Glu Ser Gly Phe Leu Asn Gln 130 135 140

Ile His Ala Pro Ile Ser Met Gly Phe Gly Ser Leu Thr Gln Leu Gly 155 160 145 150

Asn Arg Asp Leu Ser Ser Val Pro Asp Phe Leu Ser Ala Arg Ser Leu 165 170 175

Leu Ala Pro Glu Ser Asn Asn Asn Thr Met Leu Cys Gly Gly Phe 180 185 190

- Thr Ala Pro Leu Glu Leu Glu Gly Phe Gly Ser Pro Ala Asn Gly Gly 195 200 205
- Phe Val Gly Asn Arg Ala Lys Val Leu Lys Pro Leu Glu Val Leu Ala 210 215 220
- Ser Ser Gly Ala Gln Pro Thr Leu Phe Gln Lys Arg Ala Ala Met Arg 225 230 235 240
- Gln Ser Ser Gly Ser Lys Met Gly Asn Ser Glu Ser Ser Gly Met Arg 245 250 255
- Arg Phe Ser Asp Asp Gly Asp Met Asp Glu Thr Gly Ile Glu Val Ser 260 265 270
- Gly Leu Asn Tyr Glu Ser Asp Glu Ile Asn Glu Ser Gly Lys Ala Ala 275 280 285
- Glu Ser Val Gln Ile Gly Gly Gly Lys Gly Lys Lys Lys Gly Met 290 295 300
- Pro Ala Lys Asn Leu Met Ala Glu Arg Arg Arg Lys Lys Leu Asn 305 310 315 320
- Asp Arg Leu Tyr Met Leu Arg Ser Val Val Pro Lys Ile Ser Lys Met 325 330 335
- Asp Arg Ala Ser Ile Leu Gly Asp Ala Ile Asp Tyr Leu Lys Glu Leu 340 345 350
- Leu Gln Arg Ile Asn Asp Leu His Asn Glu Leu Glu Ser Thr Pro Pro 355 360 365
- Gly Ser Leu Pro Pro Thr Ser Ser Ser Phe His Pro Leu Thr Pro Thr 370 380
- Pro Gln Thr Leu Ser Cys Arg Val Lys Glu Glu Leu Cys Pro Ser Ser 385 390 395 400
- Leu Pro Ser Pro Lys Gly Gln Gln Ala Arg Val Glu Val Arg Leu Arg 405 410 415

Glu Gly Arg Ala Val Asn Ile His Met Phe Cys Gly Arg Arg Pro Gly
420 425 430

Leu Leu Leu Ala Thr Met Lys Ala Leu Asp Asn Leu Gly Leu Asp Val 435 440 445

Gln Gln Ala Val Ile Ser Cys Phe Asn Gly Phe Ala Leu Asp Val Phe 450 455 460

Arg Ala Glu Gln Cys Gln Glu Gly Gln Glu Ile Leu Pro Asp Gln Ile 465 470 475 480

Lys Ala Val Leu Phe Asp Thr Ala Gly Tyr Ala Gly Met Ile 485 490

<210> 27 <211> 2054 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (390)..(1793) <223> G1196

<400> 27

catctgttct gagattgtct tcttcttctt gaaatctttt tcatttgtgc aatgattttg

aagactaccc atctattcag ttctttctct tatgatttaa gtttcattta gtttttttt 120

cteatcegec attttegttg actttttgaa gcattteteg aattgaettt gttetteaea 180

ttgattcatt agaatgttet tteataaagt ttggatettt tetteaggge ttgattaatt 240

tcatatctat gatcttctct gtattgtttt tgatccaatc acttctcaaa atttgatcct, 300

tgtcattgga tttagattta gggtttttgt atccttgggg atttgaagat caaaaacaga 360

gtctttgagt gatacttctg gggaacaaa atg gct gca act gca ata gag cca 413

Met Ala Ala Thr Ala Ile Glu Pro 1 5

tet tea tet ata agt tte aca tet tet cae tta tea aac eet tet eet

Ser Ser Ser Ile Ser Phe Thr Ser Ser His Leu Ser Asn Pro Ser Pro 10 15 20

gtt gtt act act tat cac tca gct gct aat ctt gaa gag ctc agc tct 509

Val Val Thr Thr Tyr His Ser Ala Ala Asn Leu Glu Glu Leu Ser Ser 25 30 35 40

aac ttg gag cag ctt ctc act aat cca gat tgc gat tac act gac gca 557

Asn Leu Glu Gln Leu Leu Thr Asn Pro Asp Cys Asp Tyr Thr Asp Ala

PCT/US01/26189 WO 02/15675

> 50 45

gag atc atc att gaa gaa gct aac cct cgg aag ctt cgt aac tat Glu Ile Ile Glu Glu Glu Ala Asn Pro Arg Lys Leu Arg Asn Tyr

gtt gag aag tca cta gta gag aat gtt ctt cct atc ctc tta gtt gcg

Val Glu Lys Ser Leu Val Glu Asn Val Leu Pro Ile Leu Leu Val Ala 75

ttt cat tgt gat ttg aca cag ctt ctt gat caa tgc att gag aga gtg

Phe His Cys Asp Leu Thr Gln Leu Leu Asp Gln Cys Ile Glu Arg Val

gcg aga tca gac tta gac aga ttc tgt atc gaa aag gag ctt cct tta Ala Arg Ser Asp Leu Asp Arg Phe Cys Ile Glu Lys Glu Leu Pro Leu

110 105 gaa gta ttg gaa aaa atc aaa cag ctt cga gtt aag tcg gtg aac ata

Glu Val Leu Glu Lys Ile Lys Gln Leu Arg Val Lys Ser Val Asn Ile 125

ccc gag gtg gag gat aaa tcg ata gag aga aca ggg aaa gta ctc aag

Pro Glu Val Glu Asp Lys Ser Ile Glu Arg Thr Gly Lys Val Leu Lys

gca ttg gat tca gat gat gta gaa ctc gtg aag ctt ctt ttg act gag

Ala Leu Asp Ser Asp Asp Val Glu Leu Val Lys Leu Leu Thr Glu 160 155

tca gat ata act cta gac caa gcc aat ggt cta cat tat gca gtg gca

Ser Asp Ile Thr Leu Asp Gln Ala Asn Gly Leu His Tyr Ala Val Ala 175 170

tac agt gat ccg aaa gtt gtg aca cag gtt ctt gat cta gat atg gct

Tyr Ser Asp Pro Lys Val Val Thr Gln Val Leu Asp Leu Asp Met Ala 190 185

gat gtt aat ttc aga aat tcc agg ggg tat acg gtt ctt cat att gct

Asp Val Asn Phe Arg Asn Ser Arg Gly Tyr Thr Val Leu His Ile Ala

gct atg cgt aga gag cca aca att atc ata cca ctt att caa aaa gga

Ala Met Arg Arg Glu Pro Thr Ile Ile Ile Pro Leu Ile Gln Lys Gly 225 220

gct aat gct tca gat ttc acg ttt gat gga cgc agt gcg gta aat ata

Ala Asn Ala Ser Asp Phe Thr Phe Asp Gly Arg Ser Ala Val Asn Ile 240 235

tgt agg aga ctc act agg ccg aaa gat tat cat acc aaa acc tca agg Cys Arg Arg Leu Thr Arg Pro Lys Asp Tyr His Thr Lys Thr Ser Arg 250 255 aaa gaa cct agt aaa tac cgc tta tgc atc gat atc ttg gaa agg gaa Lys Glu Pro Ser Lys Tyr Arg Leu Cys Ile Asp Ile Leu Glu Arg Glu 270 275 att aga agg aat cca ttg gtt agt ggg gat aca ccc act tgt tcc cat Ile Arg Arg Asn Pro Leu Val Ser Gly Asp Thr Pro Thr Cys Ser His tcg atg ccc gag gat ctc caa atg agg ttg tta tac tta gaa aag cga 1325 Ser Met Pro Glu Asp Leu Gln Met Arg Leu Leu Tyr Leu Glu Lys Arg 300 305 gtg gga ctt gct cag ttg ttc ttc cca gca gaa gcc aat gtg gct atg 1373 and the facilities of activities Val Gly Leu Ala Gln Leu Phe Phe Pro Ala Glu Ala Asn Val Ala Met 315 Telefore 1 320 Telefore 1 325 Telefore 1 1 4 gac gtt gct aat gtt gaa ggg aca agc gag tgc aca ggt ctt cta act 1421 Asp Val Ala Asn Val Glu Gly Thr Ser Glu Cys Thr Gly Leu Leu Thr web. 330 and the whole of 335 to be for 100 to 340 to 100 washing and  $(\gamma, \gamma, \beta_0)$ cca cct cca tca aat gat aca act gaa aac ttg ggt aaa gtc gat tta Pro Pro Pro Ser Asn Asp Thr Thr Glu Asn Leu Gly Lys Val Asp Leu 345 350 355 aat gaa acg cot tat gtg caa acg aaa aga atg ctt aca cgt atg aaa Asn Glu Thr Pro Tyr Val Gln Thr Lys Arg Met Leu Thr Arg Met Lys 365 370 gcc ctc atg asa aca gtt gag aca ggt cgg aga tac ttc cca tct tgt 1565 Ala Leu Met Lys Thr Val Glu Thr Gly Arg Arg Tyr Phe Pro Ser Cys 380 385 385 tat gag gtt ctg gat aag tac atg gat cag tat atg gac gaa gaa atc Tyr Glu Val Leu Asp Lys Tyr Met Asp Gln Tyr Met Asp Glu Glu Ile 395 400 cct gat atg tcg tat ccc gag aaa ggc act gtg aaa gag aga aga cag **1661** Pro Asp Met Ser Tyr Pro Glu Lys Gly Thr Val Lys Glu Arg Arg Gln 415 aag agg atg aga tat aac gag ctg aag aac gac gtt aaa aaa gca tat Lys Arg Met Arg Tyr Asn Glu Leu Lys Asn Asp Val Lys Lys Ala Tyr 430 . . . 435

age aaa gac aaa gte geg egg tet tgt ett tet tet tea tea eea get 1757

Ser Lys Asp Lys Val Ala Arg Ser Cys Leu Ser Ser Ser Ser Pro Ala
445
455

tot tot ott aga gaa goo tta gag aat oca aca tga tottgtocca

Ser Ser Leu Arg Glu Ala Leu Glu Asn Pro Thr 460 465

gataagtaat gctactagag atagttcctt ggaagaaatt agctattta taggttttgg

tttagaaaac agtggagatc ccattttggt attcaggttt attacatggt ttaggtttga

ttttgtatta aaggagatgg atttttgaaa tgtataaagc aaaacctttc ctttttgctt

tgcttctttc tttaaaaaaa aaattgtaat atatggaagt gaaatcgaag caacgattga 2043

The second of the second of the second

gcaaaaaaaa a 2054

<210> 28 <211> 467 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Ala Thr Ala Ile Glu Pro Ser Ser Ser Ile Ser Phe Thr Ser 1 5 10 15

Ser His Leu Ser Asn Pro Ser Pro Val Val Thr Thr Tyr His Ser Ala
20 25 30

Ala Asn Leu Glu Glu Leu Ser Ser Asn Leu Glu Gln Leu Leu Thr Asn 35

Pro Asp Cys Asp Tyr Thr Asp Ala Glu Ile Ile Glu Glu Glu Ala 50 55 60

Asn Pro Arg Lys Leu Arg Asn Tyr Val Glu Lys Ser Leu Val Glu Asn 65 70 75 80

Val Leu Pro Ile Leu Leu Val Ala Phe His Cys Asp Leu Thr Gln Leu 85

Leu Asp Gln Cys Ile Glu Arg Val Ala Arg Ser Asp Leu Asp Arg Phe

Cys Ile Glu Lys Glu Leu Pro Leu Glu Val Leu Glu Lys Ile Lys Gln

Leu Arg Val Lys Ser Val Asn Ile Pro Glu Val Glu Asp Lys Ser Ile 130 135 140

- Glu Arg Thr Gly Lys Val Leu Lys Ala Leu Asp Ser Asp Asp Val Glu 145 150 155 160
- Leu Val Lys Leu Leu Thr Glu Ser Asp Ile Thr Leu Asp Gln Ala 165 170 175
- Asn Gly Leu His Tyr Ala Val Ala Tyr Ser Asp Pro Lys Val Val Thr 180 185 190
- Gln Val Leu Asp Leu Asp Met Ala Asp Val Asn Phe Arg Asn Ser Arg 195 200 205
- Gly Tyr Thr Val Leu His Ile Ala Ala Met Arg Arg Glu Pro Thr Ile 210 215 220
- Ile Ile Pro Leu Ile Gln Lys Gly Ala Asn Ala Ser Asp Phe Thr Phe 225 230 235 240
- Asp Gly Arg Ser Ala Val Asn Ile Cys Arg Arg Leu Thr Arg Pro Lys 245 250 255
- Asp Tyr His Thr Lys Thr Ser Arg Lys Glu Pro Ser Lys Tyr Arg Leu 260 265 270
- Cys Ile Asp Ile Leu Glu Arg Glu Ile Arg Arg Asn Pro Leu Val Ser 275 280 285
- Gly Asp Thr Pro Thr Cys Ser His Ser Met Pro Glu Asp Leu Gln Met 290 295 300
- Arg Leu Leu Tyr Leu Glu Lys Arg Val Gly Leu Ala Gln Leu Phe Phe 305 310 315 320
- Pro Ala Glu Ala Asn Val Ala Met Asp Val Ala Asn Val Glu Gly Thr 325 330 335
- Ser Glu Cys Thr Gly Leu Leu Thr Pro Pro Pro Ser Asn Asp Thr Thr 340 345 350
- Glu Asn Leu Gly Lys Val Asp Leu Asn Glu Thr Pro Tyr Val Gln Thr 355 360 365
- Lys Arg Met Leu Thr Arg Met Lys Ala Leu Met Lys Thr Val Glu Thr

370 375 380

Gly Arg Arg Tyr Phe Pro Ser Cys Tyr Glu Val Leu Asp Lys Tyr Met 385 390 395 400

Asp Gln Tyr Met Asp Glu Glu Ile Pro Asp Met Ser Tyr Pro Glu Lys
405
410
415

Gly Thr Val Lys Glu Arg Arg Gln Lys Arg Met Arg Tyr Asn Glu Leu 420 425 430

Lys Asn Asp Val Lys Lys Ala Tyr Ser Lys Asp Lys Val Ala Arg Ser 435 440 445

Cys Leu Ser Ser Ser Ser Pro Ala Ser Ser Leu Arg Glu Ala Leu Glu 450 455 460

Asn Pro Thr 465

<210> 29 <211> 1011 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (57)..(983) <223> G1363

<400> 29
cgtctaccta ctatggtctg gagattagtt cgtttattg;

cgtctaccta ctatggtctg gagattagtt cgtttattga actaatgttt tagaca atg 59

Met 1

caa gag ttc cat agt agc aaa gat tca ttg cct tgt cct gca act tct 107

Gln Glu Phe His Ser Ser Lys Asp Ser Leu Pro Cys Pro Ala Thr Ser 5 10 15

tgg gat aac tet gte tte aec aac tea aat gte caa gga tea tea tee 155

Trp Asp Asn Ser Val Phe Thr Asn Ser Asn Val Gln Gly Ser Ser Ser 20 25 30

ttg acc gat aac aac act tta agc ttg aca atg gag atg aaa caa act 203

Leu Thr Asp Asn Asn Thr Leu Ser Leu Thr Met Glu Met Lys Gln Thr 35 40 45

ggt ttt caa atg cag cac tat gat tcc tcc tct act caa tcc act gga 251

Gly Phe Gln Met Gln His Tyr Asp Ser Ser Ser Thr Gln Ser Thr Gly 50 55 60 65

gga gaa toa tat agt gaa gtt gct agc tta agt gaa cct act aat cgt

Gly Glu Ser Tyr Ser Glu Val Ala Ser Leu Ser Glu Pro Thr Asn Arg
70 75 80

tat ggc cac aac att gtt gtc act cat ctc tca ggt tac aaa gaa aac Tyr Gly His Asn Ile Val Val Thr His Leu Ser Gly Tyr Lys Glu Asn 90 ccg gaa aat cct att gga agt cat tcg ata tca aag gtg tct caa gat Pro Glu Asn Pro Ile Gly Ser His Ser Ile Ser Lys Val Ser Gln Asp 105 tca gtg gtt ctt cct att gag gcg gct tct tgg cct tta cac ggc aat Ser Val Val Leu Pro Ile Glu Ala Ala Ser Trp Pro Leu His Gly Asn 115 gta acg cca cat ttc aat ggt ttc ttg tct ttt cct tat gca tca caa 491 Val Thr Pro His Phe Asn Gly Phe Leu Ser Phe Pro Tyr Ala Ser Gln 135 140 cac acg gtg cag cat cct caa atc aga ggg ttg gtt ccg tct aga atg 539 Table Call the court of the death of the control of the death of the control of the death of the control of His Thr Val Gln His Pro Gln Ile Arg Gly Leu Val Pro Ser Arg Met (a) 1 (1) 2 (2) 3 (3) 4 (4) 4 (4) 4 (4) 4 (5) 4 (4) 4 (4) 4 (4) 4 (4) cct ttg cct cac aac att cca gag aac gaa cca att ttc gtc aat gca Pro Leu Pro His Asn Ile Pro Glu Asn Glu Pro Ile Phe Val Asn Ala 165 170 aaa cag tac caa gcc att ctc cgc cgc aga gag cgc cgt gca aag ctt Lys Gln Tyr Gln Ala Ile Leu Arg Arg Arg Glu Arg Arg Ala Lys Leu 185 180 gaa gct cag aac aag ctc atc aaa gtc cgc aaa cca tat ctt cac gag 683 Glu Ala Gln Asn Lys Leu Ile Lys Val Arg Lys Pro Tyr Leu His Glu 200 205 195 tcg cgg cac ctc cat gca cta aag aga gtt aga ggc tct ggt gga cgt Ser Arg His Leu His Ala Leu Lys Arg Val Arg Gly Ser Gly Gly Arg ttc ctc aac aca aag cat caa gaa tca aat tcc tca cta tct cct Phe Leu Asn Thr Lys Lys His Gln Glu Ser Asn Ser Ser Leu Ser Pro 235 230 cca ttc ttg att cca cct cat gtc ttc aag aac tct cca gga aag ttc Pro Phe Leu Ile Pro Pro His Val Phe Lys Asn Ser Pro Gly Lys Phe . 245 250 cgg caa atg gac att tca agg ggt ggg gtt gtg tct agt gtc tcg aca Arg Gln Met Asp Ile Ser Arg Gly Gly Val Val Ser Ser Val Ser Thr 265 260 270

aca tot tgc tcg gac ata acc ggg aac aac aac gac atg ttc cag caa

Thr Ser Cys Ser Asp Ile Thr Gly Asn Asn Asn Asp Met Phe Gln Gln 275 280 285

aac cca caa ttc agg ttc tca ggt tat cca tca aac cac cat gtc tca

Asn Pro Gln Phe Arg Phe Ser Gly Tyr Pro Ser Asn His His Val Ser 290 295 300 300

gtc ctc atg tga gagagetece geaagtggtg gatgagge 1011 Val Leu Met

<210> 30 <211> 308 <212> PRT <213> Arabidopsis thaliana <400>

Met Gln Glu Phe His Ser Ser Lys Asp Ser Leu Pro Cys Pro Ala Thr 1 10 10 15

Ser Trp Asp Asn Ser Val Phe Thr Asn Ser Asn Val Gln Gly Ser Ser 25 30

Ser Leu Thr Asp Asn Asn Thr Leu Ser Leu Thr Met Glu Met Lys Gln 35 40 45

Thr Gly Phe Gln Met Gln His Tyr Asp Ser Ser Ser Thr Gln Ser Thr 50 55 60

Gly Gly Glu Ser Tyr Ser Glu Val Ala Ser Leu Ser Glu Pro Thr Asn 75 80

Arg Tyr Gly His Asn Ile Val Val Thr His Leu Ser Gly Tyr Lys Glu 85 90 95

Asn Pro Glu Asn Pro Ile Gly Ser His Ser Ile Ser Lys Val Ser Gln 100 105 110

Asp Ser Val Val Leu Pro Ile Glu Ala Ala Ser Trp Pro Leu His Gly 115 120 125

Asn Val Thr Pro His Phe Asn Gly Phe Leu Ser Phe Pro Tyr Ala Ser

Gln His Thr Val Gln His Pro Gln Ile Arg Gly Leu Val Pro Ser Arg 155 150

Met Pro Leu Pro His Asn Ile Pro Glu Asn Glu Pro Ile Phe Val Asn 165 170 175

Ala Lys Gln Tyr Gln Ala Ile Leu Arg Arg Glu Arg Arg Ala Lys 180 185 190

Leu Glu Ala Gln Asn Lys Leu Ile Lys Val Arg Lys Pro Tyr Leu His 195 200 205

Glu Ser Arg His Leu His Ala Leu Lys Arg Val Arg Gly Ser Gly Gly 210 215 220

Arg Phe Leu Asn Thr Lys Lys His Gln Glu Ser Asn Ser Ser Leu Ser 225 230 235 240

Pro Pro Phe Leu Ile Pro Pro His Val Phe Lys Asn Ser Pro Gly Lys 245 250 255

Phe Arg Gln Met Asp Ile Ser Arg Gly Gly Val Val Ser Ser Val Ser 260 265 270

Thr Thr Ser Cys Ser Asp Ile Thr Gly Asn Asn Asn Asp Met Phe Gln 275 280 285

Gln Asn Pro Gln Phe Arg Phe Ser Gly Tyr Pro Ser Asn His His Val 290 295 300

Ser Val Leu Met 305

<210> 31 <211> 1038 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (50)..(736) <223> G1760

<400> 31

ccctaaaaaa gagaagaacc agaggagatt caattagagg ataaaattg atg gga aga 58

Met Gly Arg

ggg aag att gtg atc caa agg atc gat gat tca acg agt aga caa gtc 106

Gly Lys Ile Val Ile Gln Arg Ile Asp Asp Ser Thr Ser Arg Gln Val 5 10 15

act ttc tcc aaa cga aga aag ggc ctt atc aag aaa gcc aaa gag cta

Thr Phe Ser Lys Arg Arg Lys Gly Leu Ile Lys Lys Ala Lys Glu Leu 20 25 30 35

get att etc tgt gat gee gag gte ggt etc atc atc tte tet age acc 202

Ala Ile Leu Cys Asp Ala Glu Val Gly Leu Ile Ile Phe Ser Ser Thr
40 45 50

gga aag ctc tat gac ttt gca agc tcc agc atg aag tcg gtt att gat Gly Lys Leu Tyr Asp Phe Ala Ser Ser Ser Met Lys Ser Val Ile Asp aga tac aac aag agc aag atc gag caa caa caa cta ttg aac ccc gca Arg Tyr Asn Lys Ser Lys Ile Glu Gln Gln Leu Leu Asn Pro Ala tca gaa gtc aag ttt tgg cag aga gaa gct gct gtt cta aga caa gaa Ser Glu Val Lys Phe Trp Gln Arg Glu Ala Ala Val Leu Arg Gln Glu ctg cat gct ttg caa gaa aat cat cgg caa atg atg gga gaa cag cta Leu His Ala Leu Gln Glu Asn His Arg Gln Met Met Gly Glu Gln Leu aat ggt tta agt gtt aac gag cta aac agt ctt gag aat caa att gag Asn Gly Leu Ser Val Asn Glu Leu Asn Ser Leu Glu Asn Gln Ile Glu 125 130 ata agt ttg cgt gga att cgt atg aga aag gaa caa ctg ttg act caa Ile Ser Leu Arg Gly Ile Arg Met Arg Lys Glu Gln Leu Leu Thr Gln 140 145 gaa atc caa gaa cta agc caa aag agg aat ctt att cat cag gaa aac ed No. Glu Ile Gln Glu Leu Ser Gln Lys Arg Asn Leu Ile His Gln Glu Asn 155 160 ctc gat tta tct agg aaa gta caa cgg att cat caa gaa aat gtg gag Leu Asp Leu Ser Arg Lys Val Gln Arg Ile His Gln Glu Asn Val Glu 175 ctc tac aag aag gct tat atg gca aac aca aac ggg ttt aca cac cgt Leu Tyr Lys Lys Ala Tyr Met Ala Asn Thr Asn Gly Phe Thr His Arg 195 gaa gta gct gtt gcg gat gat gaa tca cac act cag att cgg ctg caa Glu Val Ala Val Ala Asp Asp Glu Ser His Thr Gln Ile Arg Leu Gln 205 cta agc cag cct gaa cat tcc gat tat gac act cca cca aga gca aac Leu Ser Gln Pro Glu His Ser Asp Tyr Asp Thr Pro Pro Arg Ala Asn 220 gaa taa cagagagatt gaagttggaa gataccatga tgttgaagaa cactccaaag Glu

gccttggttt gaataaggtt cttgaactgg aaacctctat acaccaagcc acgtacgata 846

agcagcatgg ttcttctaac atagtcatat tttcaatcct aaatataatt aaagcatata 906

taattaaaat ccggtgttgt tatactcatc ttgagtatta atattgtact tgtttataac

aaaaaaaaaa aa 1038

<210> 32 <211> 228 <212> PRT <213> Arabidopsis thaliana <400> 32

Control of the Daglery of the state of

Met Gly Arg Gly Lys Ile Val Ile Gln Arg Ile Asp Asp Ser Thr Ser 1 5 10 15

Arg Gln Val Thr Phe Ser Lys Arg Arg Lys Gly Leu Ile Lys Lys Ala
20 25 30

Lys Glu Leu Ala Ile Leu Cys Asp Ala Glu Val Gly Leu Ile Ile Phe 35 40 45

Ser Ser Thr Gly Lys Leu Tyr Asp Phe Ala Ser Ser Ser Met Lys Ser 50 55 60

Val Ile Asp Arg Tyr Asn Lys Ser Lys Ile Glu Gln Gln Gln Leu Leu 65 70 75 80

Asn Pro Ala Ser Glu Val Lys Phe Trp Gln Arg Glu Ala Ala Val Leu 85 90 95

Arg Gln Glu Leu His Ala Leu Gln Glu Asn His Arg Gln Met Met Gly
100 105 110

Glu Gln Leu Asn Gly Leu Ser Val Asn Glu Leu Asn Ser Leu Glu Asn 115 120 125

Gln Ile Glu Ile Ser Leu Arg Gly Ile Arg Met Arg Lys Glu Gln Leu 130 135 140

Leu Thr Gln Glu Ile Gln Glu Leu Ser Gln Lys Arg Asn Leu Ile His 145 150 155 160

Gln Glu Asn Leu Asp Leu Ser Arg Lys Val Gln Arg Ile His Gln Glu 165 170 175

Asn Val Glu Leu Tyr Lys Lys Ala Tyr Met Ala Asn Thr Asn Gly Phe 180 185 190

Thr His Arg Glu Val Ala Val Ala Asp Asp Glu Ser His Thr Gln Ile 195 200 205

Arg Leu Gln Leu Ser Gln Pro Glu His Ser Asp Tyr Asp Thr Pro Pro 210 215 220

Arg Ala Asn Glu 225

<210> 33 <211> 609 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(609) <223> G1820

<400> 33

atg gct gag aac aac aac aac ggc gac aac atg aac aac gac aac

Met Ala Glu Asn Asn Asn Asn Gly Asp Asn Met Asn Asn Asp Asn 1 5 10 15

cac cag caa cca ccg tcg tac tcg cag ctg ccg ccg atg gca tca tcc 96

His Gln Gln Pro Pro Ser Tyr Ser Gln Leu Pro Pro Met Ala Ser Ser 20 25 30

aac cct cag tta cgt aat tac tgg att gag cag atg gaa acc gtc tcg 144

Asn Pro Gln Leu Arg Asn Tyr Trp Ile Glu Gln Met Glu Thr Val Ser 35 40 45

gat ttc aaa aac cgt cag ctt cca ttg gct cga att aag aag atc atg 192

Asp Phe Lys Asn Arg Gln Leu Pro Leu Ala Arg Ile Lys Lys Ile Met 50 55 60

aag gct gat cca gat gtg cac atg gtc tcc gca gag gct ccg atc atc 240

Lys Ala Asp Pro Asp Val His Met Val Ser Ala Glu Ala Pro Ile Ile 65 70 75 80

ttc gca aag gct tgc gaa atg ttc atc gtt gat ctc acg atg cgg tcg

Phe Ala Lys Ala Cys Glu Met Phe Ile Val Asp Leu Thr Met Arg Ser 85 90 95

tgg ctc aaa gcc gag gag aac aaa cgc cac acg ctt cag aaa tcg gat 336

Trp Leu Lys Ala Glu Glu Asn Lys Arg His Thr Leu Gln Lys Ser Asp 100 · 105 110

atc too aac goa gtg got ago tot tto acc tac gat tto ott ott gat 384

Ile Ser Asn Ala Val Ala Ser Ser Phe Thr Tyr Asp Phe Leu Leu Asp 115 120 125

gtt gtc cet aag gac gag tet atc gcc acc get gat cet ggc ttt gtg 432

Val Val Pro Lys Asp Glu Ser Ile Ala Thr Ala Asp Pro Gly Phe Val 130 135 140

gct atg cca cat cct gac ggt gga gga gta ccg caa tat tat tat cca 480

Ala Met Pro His Pro Asp Gly Gly Gly Val Pro Gln Tyr Tyr Pro 145 150 155 160

ccg gga gtg gtg atg gga act cct atg gtt ggt agt gga atg tac gcg 528

Pro Gly Val Val Met Gly Thr Pro Met Val Gly Ser Gly Met Tyr Ala 165 170 175

cca tcg cag gcg tgg cca gca gcg gct ggt gac ggg gag gat gat gct 576

Pro Ser Gln Ala Trp Pro Ala Ala Ala Gly Asp Gly Glu Asp Asp Ala 180 185 190

gag gat aat gga gga aac ggc ggc gga aat tga 609

Glu Asp Asn Gly Gly Asn Gly Gly Asn

<210> 34 <211> 202 <212> PRT <213> Arabidopsis thaliana <400> 34

Met Ala Glu Asn Asn Asn Asn Gly Asp Asn Met Asn Asn Asp Asn 1 5 10 15

His Gln Gln Pro Pro Ser Tyr Ser Gln Leu Pro Pro Met Ala Ser Ser 20 25 30

Asn Pro Gln Leu Arg Asn Tyr Trp Ile Glu Gln Met Glu Thr Val Ser 35 40 45

Asp Phe Lys Asn Arg Gln Leu Pro Leu Ala Arg Ile Lys Lys Ile Met 50 55 60

Lys Ala Asp Pro Asp Val His Met Val Ser Ala Glu Ala Pro Ile Ile 65 70 75 80

Phe Ala Lys Ala Cys Glu Met Phe Ile Val Asp Leu Thr Met Arg Ser 85 90 95

Trp Leu Lys Ala Glu Glu Asn Lys Arg His Thr Leu Gln Lys Ser Asp 100 105 110

Ile Ser Asn Ala Val Ala Ser Ser Phe Thr Tyr Asp Phe Leu Leu Asp 115 120 125

Val Val Pro Lys Asp Glu Ser Ile Ala Thr Ala Asp Pro Gly Phe Val 130 140

Ala Met Pro His Pro Asp Gly Gly Gly Val Pro Gln Tyr Tyr Tyr Pro 145 150 155 160

Pro Gly Val Val Met Gly Thr Pro Met Val Gly Ser Gly Met Tyr Ala 165 170 175

Pro Ser Gln Ala Trp Pro Ala Ala Ala Gly Asp Gly Glu Asp Asp Ala 180 . 185 190

Glu Asp Asn Gly Gly Asn Gly Gly Gly Asn 195 200

<210> 35 <211> 1155 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (76)..(1077) <223> G1930

<400> 35

attcacatta ctaatctctc aagatttcac aattttcttg tgattttctc tcagtttctt 60

atttcgtttc ataac atg gat gcc atg agt agc gta gac gag agc tct aca 111

Met Asp Ala Met Ser Ser Val Asp Glu Ser Ser Thr 1 5 10

3-2-

act aca gat tee att eeg geg aga aag tea teg tet eeg geg agt tta

Thr Thr Asp Ser Ile Pro Ala Arg Lys Ser Ser Ser Pro Ala Ser Leu 15 20 25

cta tat aga atg gga agc gga aca agc gtg gta ctt gat tca gag aac 207

Leu Tyr Arg Met Gly Ser Gly Thr Ser Val Val Leu Asp Ser Glu Asn 30 . 35 40

ggt gtc gaa gtc gaa gcc gaa tca aga aag ctt cct tct tca 255

Gly Val Glu Val Glu Val Glu Ala Glu Ser Arg Lys Leu Pro Ser Ser 45 50 55 60

aga ttc aaa ggt gtt gtt cct caa cca aat gga aga tgg gga gct cag 303

Arg Phe Lys Gly Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln 65 70 75

att tac gag aaa cat caa cgc gtg tgg ctt ggt act ttc aac gag gaa 351

Ile Tyr Glu Lys His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Glu 80 85 90

gac gaa gca gct cgt gct tac gac gtc gcg gct cac cgt ttc cgt ggc 399

Asp Glu Ala Ala Arg Ala Tyr Asp Val Ala Ala His Arg Phe Arg Gly

		95			. :	:	100					105			
cgc 447	gat	gcc	gtt	act	aat	ttc	aaa	gac	acg	acg	ttc	gaa	gaa	gag	gtt
Arg	Asp 110	Ala	Val	Thr	Asn	Phe 115	Lys	Asp	Thr	Thr	Phe 120	Glu	Glu	Glu	Val
gag 495	ttc	tta	aac	gcg	cat	tcg	aaa	tca	gag	atc	gta	gat	atg	ttg	aga
	Phe	Leu	Asn	Ala	His 130	Ser	Lys	Ser	Glu	Ile 135	Val	Asp	Met	Leu	Arg 140
aaa 543	cac	act	tac	aaa	gaa	gag	tta	gac	caa	agg	aaa	cgt	aac	cgt	ġac
Lys	His	Thr	Tyr	Lys 145	Glu	Glu	Leu	Asp	Gln 150	Arg	Lys	Arg	Asn	Arg 155	Asp
ggt 591	aac	gga	aaa	gag	acg	acg	gcg	ttt	gct	ttg	gct	tcg	atg	gtg	gtt
Gly	Asn	Gly	Lys 160	Glu	Thr	Thr	Ala	Phe 165	Ala	Leu	Ala	Ser	Met 170	Val	Val
atg 639	acg	ggg	ttt	aaa	acg	gcg	gag	tta	ctg	ttt	gag	aaa	acg	gta	acg
Met	Thr	Gly 175	Phe	Lys	Thr	Ala	Glu 180	Leu	Leu	Phe	Glu	Lys 185	Thr	Val	Thr
cca 68.7	agt	gac	gtc	ggg	aaa		aac	cgt	tta	gtt	ata	cca	aaa	cac	caa
	Ser 190	Asp	Val	Gly	Lys	Leu		Arg	Leu	Val	Ile 200	Pro	Lys	His	Gln
gcg 735	gag	aaa	cat	ttt	ccg	tta	ccg	tta	ggt	aat	aat	aac	gtc	tcc	gtt
Ala 205	Glu	Lys	His	Phe	Pro 210	Leu	Pro	Leu	Gly	Asn 215	Asn	Asn	Val	Ser	Val 220
aaa 783	ggt	atg	ctg	ttg	aat	ttc	gaa	gac	gtt	aac	ggg	aaa	gtg	tgg	agg
Lys	Gly	Met	Leu	Leu 225	Asn	Phe	Glu	Asp	Val 230	Ásn	Gly	Lys	Val	Trp 235	Arg
ttc 831	cgt	tac	tct	tat	tgg	aat	agt	agt	caa	agt	tat	gtg	ttg	acc	aaa
	Arg	Tyr	Ser 240	Tyr	Trp	Asn	Ser	Ser 245	Gln	Ser	Tyr	Val	Leu 250	Thr	Lys
ggt 879	tgg	agt	aga	ttc	gtt	aaa	gag	aag	aga	ctt	tgt	gct	ggt	gat	ttg
Gly	Trp	Ser 255	Arg	Phe	Val		Glu 260	Lys	Arg	Leu	Суз	Ala 265	Gly	Asp	Leu
atc 927	agt	ttt	aaa	aga	tcc	aac	gat	caa	gat	caa	aaa	ttc	ttt	atc	ggg
Ile	Ser 270	Phe	Lys	Arg	Ser	Asn 275	Asp	Gln	Asp	Gln	Lys 280	Phe	Phe	Ile	Gly
tgg 975	aaa	tcg	aaa	tcc	ggg	ttg	gat	cta	gag	acg	ggt	cgg	gtt	atg	aga
Trp 285	Lys	Ser	ГÀЗ	Ser	Gly 290	Leu	Asp	Leu	Glu	Thr 295	Gly	Arg	Val	Met <sub>.</sub>	Arg 300
						•	* `	70	•					•.	

ttg ttt ggg gtt gat att tct tta aac gcc gtc gtt gta gtg aag gaa 1023

Leu Phe Gly Val Asp Ile Ser Leu Asn Ala Val Val Val Lys Glu 305 310 315

aca acg gag gtg tta atg tcg tcg tta agg tgt aag aag caa cga gtt 1071

Thr Thr Glu Val Leu Met Ser Ser Leu Arg Cys Lys Lys Gln Arg Val 320 325 330

ttg taa taacaattta acaacttggg aaagaaaaaa aagctttttg attttaattt 1127 Leu

ctcttcaacg ttaatcttgc tgagatta 1155

<210> 36 <211> 333 <212> PRT <213> Arabidopsis thaliana <400> 36

Met Asp Ala Met Ser Ser Val Asp Glu Ser Ser Thr Thr Thr Asp Ser 1 10 15

Ile Pro Ala Arg Lys Ser Ser Ser Pro Ala Ser Leu Leu Tyr Arg Met 20 25 30

Gly Ser Gly Thr Ser Val Val Leu Asp Ser Glu Asn Gly Val Glu Val
35 40

Glu Val Glu Ala Glu Ser Arg Lys Leu Pro Ser Ser Arg Phe Lys Gly
50 60

Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys 65 70 75 80

His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Glu Asp Glu Ala Ala 85 90 95

Arg Ala Tyr Asp Val Ala Ala His Arg Phe Arg Gly Arg Asp Ala Val 100 105 110

Thr Asn Phe Lys Asp Thr Thr Phe Glu Glu Glu Val Glu Phe Leu Asn 115 120 125

Ala His Ser Lys Ser Glu Ile Val Asp Met Leu Arg Lys His Thr Tyr 130 135 140

Lys Glu Glu Leu Asp Gln Arg Lys Arg Asn Arg Asp Gly Asn Gly Lys 145 150 155 160

Glu Thr Thr Ala Phe Ala Leu Ala Ser Met Val Val Met Thr Gly Phe 170 165 Lys Thr Ala Glu Leu Leu Phe Glu Lys Thr Val Thr Pro Ser Asp Val 180 185 190 Gly Lys Leu Asn Arg Leu Val Ile Pro Lys His Gln Ala Glu Lys His 195 200 205 Phe Pro Leu Pro Leu Gly Asn Asn Val Ser Val Lys Gly Met Leu 210 215 220 Leu Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg Phe Arg Tyr Ser 230 235 Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly Trp Ser Arg 250 255 Phe Val Lys Glu Lys Arg Leu Cys Ala Gly Asp Leu Ile Ser Phe Lys 260 265 270 Arg Ser Asn Asp Gln Asp Gln Lys Phe Phe Ile Gly Trp Lys Ser Lys 280 285 285 Ser Gly Leu Asp Leu Glu Thr Gly Arg Val Met Arg Leu Phe Gly Val 290 295 300 Asp Ile Ser Leu Asn Ala Val Val Val Lys Glu Thr Thr Glu Val 315 Leu Met Ser Ser Leu Arg Cys Lys Lys Gln Arg Val Leu 325 330 <210> 37 <211> 525 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(525) <223> G2010 <400> 37 atg gag ggt aag aga tca caa gga caa ggt tac atg aaa aag aag tct Met Glu Gly Lys Arg Ser Gln Gly Gln Gly Tyr Met Lys Lys Ser 10 tac ctt gtg gaa gaa gat atg gag act gat acg gat gaa gaa gag gaa

Tyr Leu Val Glu Glu Asp Met Glu Thr Asp Thr Asp Glu Glu Glu Glu

PCT/US01/26189 WO 02/15675

gta ggt agg gat aga gtt aga ggg tot aga ggt agc atc aat cgt ggt Val Gly Arg Asp Arg Val Arg Gly Ser Arg Gly Ser Ile Asn Arg Gly

40

ggc tcg ttg cgg ctt tgc caa gta gat aga tgc aca gct gat atg aaa Gly Ser Leu Arg Leu Cys Gln Val Asp Arg Cys Thr Ala Asp Met Lys 55

gag gca aaa ctg tat cac cgg aga cac aaa gtg tgt gaa gtt cat gca

Glu Ala Lys Leu Tyr His Arg Arg His Lys Val Cys Glu Val His Ala

aag gca tot tot gto ttt oto toa gga ott aac caa cgo ttt tgt caa Lys Ala Ser Ser Val Phe Leu Ser Gly Leu Asn Gln Arg Phe Cys Gln 90

85

caa tgc agt agg ttt cat gac ctc caa gag ttt gat gaa gct aag aga Gln Cys Ser Arg Phe His Asp Leu Gln Glu Phe Asp Glu Ala Lys Arg 105 100

agt tgc agg agg cgc tta gct gga cac aat gag cga aga agg aag agc

Ser Cys Arg Arg Leu Ala Gly His Asn Glu Arg Arg Lys Ser 115

tot ggt gag agt act tat gga gaa gga toa ggt cgg aga gga atc aat Ser Gly Glu Ser Thr Tyr Gly Glu Gly Ser Gly Arg Arg Gly Ile Asn

135 130 ggt cag gtg gtg atg cag aat caa gaa aga tca agg gta gag atg aca

Gly Gln Val Val Met Gln Asn Gln Glu Arg Ser Arg Val Glu Met Thr 155 150 145

ctt cct atg cca aac tca tca ttc aag cga cca cag att aga tag Leu Pro Met Pro Asn Ser Ser Phe Lys Arg Pro Gln Ile Arg 170 165

<210> 38 <211> 174 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Gly Lys Arg Ser Gln Gly Gln Gly Tyr Met Lys Lys Ser

Tyr Leu Val Glu Glu Asp Met Glu Thr Asp Thr Asp Glu Glu Glu Glu 20

Val Gly Arg Asp Arg Val Arg Gly Ser Arg Gly Ser Ile Asn Arg Gly 45 -40 35.

Gly Ser Leu Arg Leu Cys Gln Val Asp Arg Cys Thr Ala Asp Met Lys 55 Glu Ala Lys Leu Tyr His Arg Arg His Lys Val Cys Glu Val His Ala 75 . 70 Lys Ala Ser Ser Val Phe Leu Ser Gly Leu Asn Gln Arg Phe Cys Gln Gln Cys Ser Arg Phe His Asp Leu Gln Glu Phe Asp Glu Ala Lys Arg 105 100 Ser Cys Arg Arg Arg Leu Ala Gly His Asn Glu Arg Arg Arg Lys Ser 120 125 Ser Gly Glu Ser Thr Tyr Gly Glu Gly Ser Gly Arg Arg Gly Ile Asn 9 a 1 **130** - 14 C. C. C. (1984) - 142 **135** C. H. 14 J. C. C. C. C. 1 **140** (1984) - 14 C. Heb. (1984) Gly Gln Val Val Met Gln Asn Gln Glu Arg Ser Arg Val Glu Met Thr 145 No. 1, 200 1 150 No. 100 No. 11 155 OF GRAPH IN 160 Leu Pro Met Pro Asn Ser Ser Phe Lys Arg Pro Gln Ile Arg कुछ को एक 👉 165 अधिक रक्षण रहि 😂 170 रक्षण अपने अपने एक रहिन्द कर छ। <210> 39 <211> 759 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (16)..(477) <223> G3 <400> 39 gtttgtcttt tatca atg gaa aga gaa caa gaa gag tct acg atg aga aag Met Glu Arg Glu Gln Glu Glu Ser Thr Met Arg Lys aga agg cag cca cct caa gaa gaa gtg cct aac cac gtg gct aca agg . , 21,5 Arg Arg Gln Pro Pro Gln Glu Glu Val Pro Asn His Val Ala Thr Arg 15 20 25 aag ccg tac aga ggg ata cgg agg agg aag tgg ggc aag tgg gtg gct 147 Lys Pro Tyr Arg Gly Ile Arg Arg Arg Lys Trp Gly Lys Trp Val Ala 35 gag att cgt gag cct aac aaa cgc tca cgg ctt tgg ctt ggc tct tac Glu Ile Arg Glu Pro Asn Lys Arg Ser Arg Leu Trp Leu Gly Ser Tyr 50 aca acc gat atc gcc gcc gct aga gcc tac gac gtg gcc gtc ttc tac

Thr Thr Asp Ile Ala Ala Ala Arg Ala Tyr Asp Val Ala Val Phe Tyr

Substitution of the state of the state of

ctc cgt ggc ccc tcc gca cgt ctc aac ttc cct gat ctt ctc ttg caa

Leu Arg Gly Pro Ser Ala Arg Leu Asn Phe Pro Asp Leu Leu Gln 80 85 90

gaa gag gac cat ctc tca gcc gcc acc acc gct gac atg ccc gca gct

Glu Glu Asp His Leu Ser Ala Ala Thr Thr Ala Asp Met Pro Ala Ala 95 100 105

ctt ata agg gaa aaa gcg gcg gag gtc ggc gcc aga gtc gac gct ctt

Leu Ile Arg Glu Lys Ala Ala Glu Val Gly Ala Arg Val Asp Ala Leu 110 115 120

cta get tet gee get eet teg atg get eac tee act eeg eeg gta ata

Leu Ala Ser Ala Ala Pro Ser Met Ala His Ser Thr Pro Pro Val Ile 130 135 140

aaa ccc gac ttg aat caa ata ccc gaa tcc gga gat ata tag

Lys Pro Asp Leu Asn Gln Ile Pro Glu Ser Gly Asp Ile 145 150

tcaatttata tacatgtagt ttgttttgtt tgattagaag attacattta catacaagat 537

acacatagat actggaaaat ataggtatgt atacattcat aaattatctt atgtatcaaa 597

gaattttata gattctgatt agctttttgt ttttgttttt gataagaact ctgattagtt

gtccggagac aaaaccggct aagagcaatc catgagaagc tagcgagtgt tttttagttc

aagttgtaat ataaatgcat attaattctt tagtaatttt gt

<210> 40 <211> 153 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Arg Glu Glu Glu Glu Ser Thr Met Arg Lys Arg Arg Gln Pro 1 10 15

Pro Gln Glu Glu Val Pro Asn His Val Ala Thr Arg Lys Pro Tyr Arg 25 25 30

Gly Ile Arg Arg Arg Lys Trp Gly Lys Trp Val Ala Glu Ile Arg Glu
35 40 45

Pro Asn Lys Arg Ser Arg Leu Trp Leu Gly Ser Tyr Thr Thr Asp Ile
50 60

Ala Ala Ala Arg Ala Tyr Asp Val Ala Val Phe Tyr Leu Arg Gly Pro

65

70

75

80

Ser Ala Arg Leu Asn Phe Pro Asp Leu Leu Gln Glu Glu Asp His 85 90 95

Leu Ser Ala Ala Thr Thr Ala Asp Met Pro Ala Ala Leu Ile Arg Glu 100 105 110

Lys Ala Ala Glu Val Gly Ala Arg Val Asp Ala Leu Leu Ala Ser Ala 115 120 125

Ala Pro Ser Met Ala His Ser Thr Pro Pro Val Ile Lys Pro Asp Leu 130 135 140

Asn Gln Ile Pro Glu Ser Gly Asp Ile 145 150

<210> 41 <211> 1650 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (107)..(1393) <223> G20

<400> 41
ctctcactct cttttctct ctctttactt ctactgtatc aagaagctcc gttttgctta
60

gccatagtgc gtctagggtt tggttggtgg gaagaaggtt ccgatc atg gcg tcg 115

Met Ala Ser

gtg tcg tcg gat caa gga cct aag aca gaa gca gga tgt agc ggc 163

Val Ser Ser Ser Asp Gln Gly Pro Lys Thr Glu Ala Gly Cys Ser Gly 5 10 15

gga gga gga gag agc tcg gag aca gtg gcg gcg agt gat cag atg 211

Gly Gly Gly Glu Ser Ser Glu Thr Val Ala Ala Ser Asp Gln Met 20 30 35

ttg ttg tat aga ggt ttt aag aag gcg aag aag gag aga ggt tgt aca 259

Leu Leu Tyr Arg Gly Phe Lys Lys Ala Lys Lys Glu Arg Gly Cys Thr 40 45 50

get aag gag egt att agt aaa atg eet eeg tge aet get ggg aaa agg 307

Ala Lys Glu Arg Ile Ser Lys Met Pro Pro Cys Thr Ala Gly Lys Arg
55 60 65

agt too ata tac ogg gga gto acc aga cat aga tgg aca ggt ogt tat 355

Ser Ser Ile Tyr Arg Gly Val Thr Arg His Arg Trp Thr Gly Arg Tyr
70 75 80

gaa gct cac ctt tgg gat aag agt acc tgg aac caa aac cag aac aag Glu Ala His Leu Trp Asp Lys Ser Thr Trp Asn Gln Asn Gln Asn Lys aag gga aaa caa gtt tat cta gga gca tat gat gat gaa gag gct gct Lys Gly Lys Gln Val Tyr Leu Gly Ala Tyr Asp Asp Glu Glu Ala Ala gct aga gct tac gac ctt gct gcc tta aaa tat tgg ggt cct ggg aca 499 Ala Arg Ala Tyr Asp Leu Ala Ala Leu Lys Tyr Trp Gly Pro Gly Thr ctt ata aat ttt ccg gtg act gat tat acc agg gat tta gaa gaa atg 547 Leu Ile Asn Phe Pro Val Thr Asp Tyr Thr Arg Asp Leu Glu Glu Met 135 140 caa aat ctc tca agg gaa gaa tac ctt gca tct tta cgt aga tat ccc Gln Asn Leu Ser Arg Glu Glu Tyr Leu Ala Ser Leu Arg Arg Tyr Pro 150 155 160 ttt ggc aga aaa agc agc ggt ttc tct agg gga ata gcg aaa tat cgt Phé Gly Arg Lys Ser Ser Gly Phe Ser Arg Gly Ile Ala Lys Tyr Arg 165 170 · gga ctt caa agc cga tgg gac gca tca gcc agt cgt atg cct gga cct Gly Leu Gln Ser Arg Trp Asp Ala Ser Ala Ser Arg Met Pro Gly Pro 185 gaa tac ttc agt aac att cat tac ggg gca ggt gat gat cgt gga aca 739 Glu Tyr Phe Ser Asn Ile His Tyr Gly Ala Gly Asp Asp Arg Gly Thr 200 205 210 gaa ggt gac ttt cta ggt agc ttt tgt ctg gaa aga aag att gat cta Glu Gly Asp Phe Leu Gly Ser Phe Cys Leu Glu Arg Lys Ile Asp Leu 220 aca gga tac ata aag tgg tgg gga gcc.aac aag aac cgt caa cca gaa Thr Gly Tyr Ile Lys Trp Trp Gly Ala Asn Lys Asn Arg Gln Pro Glu 230 235 tet tea tea aaa gea tea gag gat gea aac gte gaa gat get ggt act Ser Ser Ser Lys Ala Ser Glu Asp Ala Asn Val Glu Asp Ala Gly Thr gag ett aaa aca etg gaa cac aca tee cat gea aca gaa eea tae aag 931 Glu Leu Lys Thr Leu Glu His Thr Ser His Ala Thr Glu Pro Tyr Lys 260 265 270

gcg cca aac ctt ggc gtc ctt tgt gga act cag aga aaa gaa aaa qaa 979 . Ala Pro Asn Leu Gly Val Leu Cys Gly Thr Gln Arg Lys Glu Lys Glu ata toa toa coa toa ago tot tot got tta ago ato ttg tot cag tog Ile Ser Ser Pro Ser Ser Ser Ser Ala Leu Ser Ile Leu Ser Gln Ser 300 295 cct gcc ttc aag agc cta gag gag aaa gtg ttg aag atc caa gaa agc Pro Ala Phe Lys Ser Leu Glu Glu Lys Val Leu Lys Ile Gln Glu Ser 315 tgc aat aat gaa aac gat gag aat gca aac cgt aac atc atc aat atg Cys Asn Asn Glu Asn Asp Glu Asn Ala Asn Arg Asn Ile Ile Asn Met .330 gag aag aat aac ggc aag gca ata gag aaa cca gtt gtg agt cat gga 4171 Control for the control of the Glu Lys Asn Asn Gly Lys Ala Ile Glu Lys Pro Val Val Ser His Gly 340 **→ 350 → 355** gtt gct tta ggc ggt gct gct gct ttg tct ctt cag aaa agc atg tac 1219 Val Ala Leu Gly Gly Ala Ala Ala Leu Ser Leu Gln Lys Ser Met Tyr THE REPORT OF SERVICE AND ADDRESS OF THE PARK HER AND STOP AND ADDRESS OF THE PARK HER cca ctt acc tct ctc tta acg gct cca ttg ctc acc aac tac aat aca Pro Leu Thr Ser Leu Leu Thr Ala Pro Leu Leu Thr Asn Tyr Asn Thr ttg gat cct ctt gca gac cct att ctc tgg aca cca ttt ctt cct tca 1315 Leu Asp Pro Leu Ala Asp Pro Ile Leu Trp Thr Pro Phe Leu Pro Ser 390 395 gga too tot out act toa gag gtg aca aag aca gag acc agc tgt too ar ila karawa liga 1363 Gly Ser Ser Leu Thr Ser Glu Val Thr Lys Thr Glu Thr Ser Cys Ser acg tac age tac etc eca caa gag aaa tga geegtteeet ttagaettta 1413 Thr Tyr Ser Tyr Leu Pro Gln Glu Lys 420 425 \$ 100000 4 . tgtatgtcag atteteettt tttgagatga attegtegae ttgacatete tttgtetett ttatggagaa aaagttggga aaagtgtgac aatggtctga agcaggaatg tacaggtttt gttagtggtt gtgttttttt ttttccagtg tggaatatag aatcatgata ttttgtgtaa aacagaaaaa agttatcatt atagtataga agtttgctct taaaaaaaaa aaaaaaa 1650

<210> 42 <211> 428 <212> PRT <213> Arabidopsis thaliana <400>

- Met Ala Ser Val Ser Ser Ser Asp Gln Gly Pro Lys Thr Glu Ala Gly 1 5 10 15
- Cys Ser Gly Gly Gly Gly Glu Ser Ser Glu Thr Val Ala Ala Ser 20 25 30
- Asp Gln Met Leu Leu Tyr Arg Gly Phe Lys Lys Ala Lys Lys Glu Arg 35 40 45
- Gly Cys Thr Ala Lys Glu Arg Ile Ser Lys Met Pro Pro Cys Thr Ala 50 55 60
- Gly Lys Arg Ser Ser Ile Tyr Arg Gly Val Thr Arg His Arg Trp Thr 65 70 75 80
- Gly Arg Tyr Glu Ala His Leu Trp Asp Lys Ser Thr Trp Asn Gln Asn 85 90 95
- Gln Asn Lys Lys Gly Lys Gln Val Tyr Leu Gly Ala Tyr Asp Asp Glu 100 105 110
- Glu Ala Ala Arg Ala Tyr Asp Leu Ala Ala Leu Lys Tyr Trp Gly
  115 120 125
- Pro Gly Thr Leu Ile Asn Phe Pro Val Thr Asp Tyr Thr Arg Asp Leu 130 135 140
- Glu Glu Met Gln Asn Leu Ser Arg Glu Glu Tyr Leu Ala Ser Leu Arg 145 150 155 160
- Arg Tyr Pro Phe Gly Arg Lys Ser Ser Gly Phe Ser Arg Gly Ile Ala 165 170 175
- Lys Tyr Arg Gly Leu Gln Ser Arg Trp Asp Ala Ser Ala Ser Arg Met . 180 185 190
- Pro Gly Pro Glu Tyr Phe Ser Asn Ile His Tyr Gly Ala Gly Asp Asp 195 200 205
- Arg Gly Thr Glu Gly Asp Phe Leu Gly Ser Phe Cys Leu Glu Arg Lys 210 220

Ile Asp Leu Thr Gly Tyr Ile Lys Trp Trp Gly Ala Asn Lys Asn Arg 225 230 235 240

Gln Pro Glu Ser Ser Ser Lys Ala Ser Glu Asp Ala Asn Val Glu Asp 245 250 255

Ala Gly Thr Glu Leu Lys Thr Leu Glu His Thr Ser His Ala Thr Glu 260 265 270

Pro Tyr Lys Ala Pro Asn Leu Gly Val Leu Cys Gly Thr Gln Arg Lys 275 280 285

Glu Lys Glu Ile Ser Ser Pro Ser Ser Ser Ser Ala Leu Ser Ile Leu 290 295 300

Ser Gln Ser Pro Ala Phe Lys Ser Leu Glu Glu Lys Val Leu Lys Ile 305 310 315 320

Gln Glu Ser Cys Asn Asn Glu Asn Asp Glu Asn Ala Asn Arg Asn Ile 325 330 335

Ile Asn Met Glu Lys Asn Asn Gly Lys Ala Ile Glu Lys Pro Val Val 340 345 350

Ser His Gly Val Ala Leu Gly Gly Ala Ala Ala Leu Ser Leu Gln Lys 355 360 365

Ser Met Tyr Pro Leu Thr Ser Leu Leu Thr Ala Pro Leu Leu Thr Asn 370 375 380

Tyr Asn Thr Leu Asp Pro Leu Ala Asp Pro Ile Leu Trp Thr Pro Phe 385 390 395 400

Leu Pro Ser Gly Ser Ser Leu Thr Ser Glu Val Thr Lys Thr Glu Thr 405 410 415

Ser Cys Ser Thr Tyr Ser Tyr Leu Pro Gln Glu Lys 420 425

<210> 43 <211> 933 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (20)..(757) <223> G33

<400> 43

attetecece aaccaaaat atg ace aca gaa aaa gag aat gte act acg gee 52

Met Thr Thr Glu Lys Glu Asn Val Thr Thr Ala 1 5 10

gtg gcc gtg aaa gac ggc gga gaa aag agt aag gaa gtg agt gac aag 100 Val Ala Val Lys Asp Gly Glu Lys Ser Lys Glu Val Ser Asp Lys ggc gta aag aag aag aat gta act aag gcc ctg gcc gtg aat gac Gly Val Lys Lys Arg Lys Asn Val Thr Lys Ala Leu Ala Val Asn Asp ggc gga gaa aag agt aag gaa gtg cgt tac agg ggt gta agg agg 196 Gly Gly Glu Lys Ser Lys Glu Val Arg Tyr Arg Gly Val Arg Arg Arg cca tgg ggg aga tat gct gcg gag atc cgt gat ccg gta aag aaa aaa 244 Pro Trp Gly Arg Tyr Ala Ala Glu Ile Arg Asp Pro Val Lys Lys egg gtc tgg ctc ggg tcc ttc aac acg ggg gag gaa gcc gcc aga gcc 292 Arg Val Trp Leu Gly Ser Phe Asn Thr Gly Glu Glu Ala Ala Arg Ala 90 1 4 80 85 tac gac tee get gee ata agg ttt ega gga teg aaa get act act aac 340 Tyr Asp Ser Ala Ala Ile Arg Phe Arg Gly Ser Lys Ala Thr Thr Asn 100 ttc cct cta atc qga tac tat qgg att tct tcg gcg acg ccg gtg aac 388 Phe Pro Leu Ile Gly Tyr Tyr Gly Ile Ser Ser Ala Thr Pro Val Asn 115 aac aac ctt tcc gag acg gtg agt gat gga aat gcc aac ctc cct ctc 436 Asn Asn Leu Ser Glu Thr Val Ser Asp Gly Asn Ala Asn Leu Pro Leu 125 130 135 gtt gga gac gat ggg aat gct ttg gct tct ccg gtg aac aac acc ctt 484 Val Gly Asp Asp Gly Asn Ala Leu Ala Ser Pro Val Asn Asn Thr Leu 145 150 tcc gaa acg gcg cgt gat gga aca ctt cca tcg gat tgt cac gac atg Ser Glu Thr Ala Arg Asp Gly Thr Leu Pro Ser Asp Cys His Asp Met 160 165 170 tta tct ccg ggg gtg gct gaa gcg gtt gct gga ttt ttc tta gat ctg 580 Leu Ser Pro Gly Val Ala Glu Ala Val Ala Gly Phe Phe Leu Asp Leu 175 cct gaa gtt att gcg ttg aaa gag gag ctt gat cga gtt tgt cct gac 628 Pro Glu Val Ile Ala Leu Lys Glu Glu Leu Asp Arg Val Cys Pro Asp 190 195 200

cag ttt gag tcc att gat atg ggg ttg act att ggt cct caa acc gcc 676

Gln Phe Glu Ser Ile Asp Met Gly Leu Thr Ile Gly Pro Gln Thr Ala 205 210 215

gtg gaa gag cot gag act too too goo gtg gat tgt aag otg oga atg

Val Glu Glu Pro Glu Thr Ser Ser Ala Val Asp Cys Lys Leu Arg Met 220 225 230 235

gaa ccg gat ctt gac ctc aac gca agt ccc taa agattgatct gatgttgttg

Glu Pro Asp Leu Asp Leu Asn Ala Ser Pro 240 245

teettgaata agtttgttat ettgtegete ttetgattgt etgtaettet attggttgat 837

tcgtgctttt ggaggacaaa acaaacattt ttttatgtat taaaaaaagg taattgaact 897

<210> 44 <211> 245 <212> PRT <213> Arabidopsis thaliana <400>

Met Thr Thr Glu Lys Glu Asn Val Thr Thr Ala Val Ala Val Lys Asp 1 5 10 15

Gly Gly Glu Lys Ser Lys Glu Val Ser Asp Lys Gly Val Lys Lys Arg 20 25 30

Lys Asn Val Thr Lys Ala Leu Ala Val Asn Asp Gly Gly Glu Lys Ser 35 40 45

Lys Glu Val Arg Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Arg Tyr 50 55 60

Ala Ala Glu Ile Arg Asp Pro Val Lys Lys Lys Arg Val Trp Leu Gly 65 70 75 80

Ser Phe Asn Thr Gly Glu Glu Ala Ala Arg Ala Tyr Asp Ser Ala Ala 85 90 95

Ile Arg Phe Arg Gly Ser Lys Ala Thr Thr Asn Phe Pro Leu Ile Gly 100 105 110

Tyr Tyr Gly Ile Ser Ser Ala Thr Pro Val Asn Asn Asn Leu Ser Glu 115 120 125

Thr Val Ser Asp Gly Asn Ala Asn Leu Pro Leu Val Gly Asp Asp Gly

130 135 140

Asn Ala Leu Ala Ser Pro Val Asn Asn Thr Leu Ser Glu Thr Ala Arg 145 150 155 160

Asp Gly Thr Leu Pro Ser Asp Cys His Asp Met Leu Ser Pro Gly Val 165 170 175

Ala Glu Ala Val Ala Gly Phe Phe Leu Asp Leu Pro Glu Val Ile Ala 180 185 190

Leu Lys Glu Glu Leu Asp Arg Val Cys Pro Asp Gln Phe Glu Ser Ile 195 200 205

Asp Met Gly Leu Thr Ile Gly Pro Gln Thr Ala Val Glu Glu Pro Glu 210 215 220

Thr Ser Ser Ala Val, Asp Cys Lys Leu Arg Met Glu Pro Asp Leu Asp 225 230 230 235 235 240

Leu Asn Ala Ser Pro 245

<210> 45 <211> 754 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (75)..(638) <223> G39

<400> 45
gtttccacag tccctgtact tgtgcataaa actgtaaaac actactctga aaattttgct
60

Met Pro Pro Ser Pro Pro Lys Ser Pro Phe Ile Ser 1 5 10

tot toa oto aaa gga got oat gaa gat ogo aaa ttt aaa tgo tat agg 158

Ser Ser Leu Lys Gly Ala His Glu Asp Arg Lys Phe Lys Cys Tyr Arg 15 20 25

ggt gtc cga aag agg tct tgg ggc aaa tgg gtg tct gaa atc aga gtt 206

Gly Val Arg Lys Arg Ser Trp Gly Lys Trp Val Ser Glu Ile Arg Val 30 35 40

cca aag act gga cga cga ata tgg cta ggt tca tac gat gct cca gag

Pro Lys Thr Gly Arg Arg Ile Trp Leu Gly Ser Tyr Asp Ala Pro Glu 45 50 55 60

aag gca gct aga gcc tat gat gct gct ttg ttc tgt att agg ggt gag 302

Lys Ala Ala Arg Ala Tyr Asp Ala Ala Leu Phe Cys Ile Arg Gly Glu

65

75

70

aag gga gtt tac aat ttt ccc act gat aaa aag ccg cag ctt cca gaa

Lys Gly Val Tyr Asn Phe Pro Thr Asp Lys Lys Pro Gln Leu Pro Glu 80 85 90

ggt tot gto egg cot etg toe aag etc gac ata eag aca ata gea aca 398

Gly Ser Val Arg Pro Leu Ser Lys Leu Asp Ile Gln Thr Ile Ala Thr 95 100 105

aac tat gct tca tca gtt gtg cat gta cct tcc cat gcc acc aca ctc 446

Asn Tyr Ala Ser Ser Val Val His Val Pro Ser His Ala Thr Thr Leu 110 115 120

ccg gca aca acc cag gtt ccc tct gaa gtt cct gct tcc tct gat gtt 494

Pro Ala Thr Thr Gln Val Pro Ser Glu Val Pro Ala Ser Ser Asp Val 125 130 135 140

tct gct tct act gag att aca gag atg gtc gat gaa tat tat ctc cca

Ser Ala Ser Thr Glu Ile Thr Glu Met Val Asp Glu Tyr Tyr Leu Pro 145 150 155

acc gat gca act gca gaa tca ata ttc tca gtt gaa gac tta caa ctg 590

Thr Asp Ala Thr Ala Glu Ser Ile Phe Ser Val Glu Asp Leu Gln Leu
160 165 170

gac agt ttc ctc atg atg gac att gat tgg ata aac aat cta atc tga 638

Asp Ser Phe Leu Met Met Asp Ile Asp Trp Ile Asn Asn Leu Ile 175 180 185

tgtgtaacgt cacttgcagt gacatttaat atggtttaac tatcagttac ctgtctgctt 698

cttgtaaggg tatacttgga tccttgtctt tgaacttgtt ttatttagca tgcaaa 754

<210> 46 <211> 187 <212> PRT <213> Arabidopsis thaliana <400> 46

Met Pro Pro Ser Pro Pro Lys Ser Pro Phe Ile Ser Ser Ser Leu Lys 1 5 10 15

Gly Ala His Glu Asp Arg Lys Phe Lys Cys Tyr Arg Gly Val Arg Lys
20 25 30

Arg Ser Trp Gly Lys Trp Val Ser Glu Ile Arg Val Pro Lys Thr Gly 35 40

Arg Arg Ile Trp Leu Gly Ser Tyr Asp Ala Pro Glu Lys Ala Ala Arg
50 55 60

Ala Tyr Asp Ala Ala Leu Phe Cys Ile Arg Gly Glu Lys Gly Val Tyr 65 70 75 80

Asn Phe Pro Thr Asp Lys Lys Pro Gln Leu Pro Glu Gly Ser Val Arg 85 90 95

Pro Leu Ser Lys Leu Asp Ile Gln Thr Ile Ala Thr Asn Tyr Ala Ser 100 105 110

Ser Val Val His Val Pro Ser His Ala Thr Thr Leu Pro Ala Thr Thr 115 120 125

Gln Val Pro Ser Glu Val Pro Ala Ser Ser Asp Val Ser Ala Ser Thr 130 135 140

Glu Ile Thr Glu Met Val Asp Glu Tyr Tyr Leu Pro Thr Asp Ala Thr 145 150 155

Ala Glu Ser Ile Phe Ser Val Glu Asp Leu Gln Leu Asp Ser Phe Leu 165 170 175

Met Met Asp Ile Asp Trp Ile Asn Asn Leu Ile 180 185

<210> 47 <211> 914 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (37)..(672) <223> G147

<400> 47

aaatcatcag atagaaggaa atattctgat tgagag atg gct cgt gga aag att54

Met Ala Arg Gly Lys Ile
1 5

cag ctt aag agg att gag aac ccg gtt cac aga caa gtg act ttt tgc 102

Gln Leu Lys Arg Ile Glu Asn Pro Val His Arg Gln Val Thr Phe Cys 10 15 20

aag agg aga act ggt ctt ctc aag aag gct aag gag ctc tct gtg ctc 150

Lys Arg Arg Thr Gly Leu Leu Lys Lys Ala Lys Glu Leu Ser Val Leu 25 30 35

tgt gat gcc gag atc ggt gtt gtg atc ttc tct cct cag ggc aag ctc 198

Cys Asp Ala Glu Ile Gly Val Val Ile Phe Ser Pro Gln Gly Lys Leu
40 50

ttt gag ctc gct act aaa gga aca atg gag gga atg att gat aag tac 246

Phe Glu Leu Ala Thr Lys Gly Thr Met Glu Gly Met Ile Asp Lys Tyr

5					60			·		65					70
itg	aag	tgţ	act	ggt	ggt	ggt	cgt	ggt	tct	tct	tct	gct	act	ttt	act
	Lys	Cys	Thr	Gly 75	Gly	Gly	Arg	Gly	Ser 80	Ser	Ser	Ala	Thr	Phe 85	Thr
gct 342	caa	gaa	caa	ctţ	caa	cca	cca	aat	ctt	gat	ccg	aaa	gat	gag	atc
	Gln	Glu	Gln 90	Leu	Gln	Pro	Pro	Asn 95	Leu	Asp	Pro	Lys	Asp 100	Glu	Ile
ac 390	gtg	ctt	aag	caa	gag	att	gag	atg	ctť	cag	aaa	ggg	ata	agc	tat
	Val	Leu 105	Lys	Gln	Glu	Ile	Glu 110	Met	Leu	Gln	Lys	Gly 115	Ile	Ser	Tyr
11g		gga	gga	gga	gat	ggg	gct	atg	aat	ctt	gaa	gaa	ctt	ctt	ttg
1et	Phe 120	Gly	Gly	Gly	Asp	Gly 125	Ala	Met	Asn	Leu	Glu 130	Glu	Leu	Leu	Leu
tt 186	gag	aag	cat	ctt		tat	tgg	att	tct	cag	att	cgc	tct	gct	aag
Leu L35		Lys		Leu				Ile						Ala	
atg 534	gat	gtt	atg	ctt	caa	gaa	att	cag	tca	ttg	agg	aac	aag	gaa	gga
1et	Asp	Val	Met	Leu 155	Gln	Glu	Ile	Gln	Ser 160	Leu	Arg	Asn	_	Glu 165	Gly
1tc 582		aaa			aac	aag	tat	ctc	ctc	gac	aag	ata	gag	gaa 、,,	aac
/a1	Leu		Asn 170	Thr	Asn	Lys	Tyr		Ļeu			Ile	Glu 180	Glu	Asn
aac 530	aat	agc		tta	gat	gct		ttc		gtc	atg	gag	aca	aac	tat
Asn	Asn	Ser 185		Leu	Asp				Ala	Val	Met	- 0-	Thr	Asn	Tyr
572	tat	ccg	cta	aca	atg	cca	agt	gaa	ata	ttt	cag	ttc	tag		
	Tyr 200	Pro	Leu	Thr	Met	Pro 205	Ser	Glu	Ile	Phe	Gln 210	Phe	٠.		
accatagggt atttgaagac tatgtctcac gaatttaaat aaccttggta agtataa 732													aatat		
	gttgi	tta a	aatca	acaca	at aa	atta	aaat	a aa	gcct	gtgg	aaci	ttege	cta (	ggcag	gttgaa
aatetateeg tatgttttat eetettgtt tacatttgtt ggtgtgaaga tgaaatg 352															
усаа 912	agtgl	tgg t	gtgl	cacti	ta ta	acto	sttt	c tad	cttt	ctat	cta	tgtti	ttg :	aatti	atgga
.t	٠						• :				đ.,		:		
14			4.2	٠.			11,				15				

<210> 48 <211> 211 <212> PRT <213> Arabidopsis thaliana <400>

- Met Ala Arg Gly Lys Ile Gln Leu Lys Arg Ile Glu Asn Pro Val His 1 5 10 10 10 10 15
- Arg Gln Val Thr Phe Cys Lys Arg Arg Thr Gly Leu Leu Lys Lys Ala 20 25 30
- Lys Glu Leu Ser Val Leu Cys Asp Ala Glu Ile Gly Val Val Ile Phe 35
- Ser Pro Gln Gly Lys Leu Phe Glu Leu Ala Thr Lys Gly Thr Met Glu 50 . 60
- Gly Met Ile Asp Lys Tyr Met Lys Cys Thr Gly Gly Gly Arg Gly Ser 70 75 80
- Ser Ser Ala Thr Phe Thr Ala Gln Glu Gln Leu Gln Pro Pro Asn Leu 85 90 95
- Asp Pro Lys Asp Glu Ile Asn Val Leu Lys Gln Glu Ile Glu Met Leu 100 105 110
- Gln Lys Gly Ile Ser Tyr Met Phe Gly Gly Gly Asp Gly Ala Met Asn 115
- Leu Glu Glu Leu Leu Leu Glu Lys His Leu Glu Tyr Trp Ile Ser
- Gln Ile Arg Ser Ala Lys Met Asp Val Met Leu Gln Glu Ile Gln Ser 145 150 155 160
- Leu Arg Asn Lys Glu Gly Val Leu Lys Asn Thr Asn Lys Tyr Leu Leu 165 170 175
- Asp Lys Ile Glu Glu Asn Asn Asn Ser Ile Leu Asp Ala Asn Phe Ala . 180 185 190
- Val Met Glu Thr Asn Tyr Ser Tyr Pro Leu Thr Met Pro Ser Glu Ile 195 200 205

Phe Gln Phe 210

<210> 49 <211> 1414 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (171)..(1169) <223> G158

<400> 49

gatctgggta ttatagattg cagattctgg aaacgtatta tgttaatgat tcatttcaag 60

ttttgatttt ttgtgttgga ttgaagagaa gaatagttta ttgatgtttt gtgaagaaga 120

agaagaagag attitgatti tggtttaata tatagtiggg gattaacagg atg gga 176

Met Gly

agg gta aaa ttg aag ata aag aag tta gag aac aca aat gga cgc caa 224

Arg Val Lys Leu Lys Ile Lys Leu Glu Asn Thr Asn Gly Arg Gln 5 10 15

tct aca ttt gct aaa agg aaa aat ggg atc ttg aaa aag gct aat gag 272

Ser Thr Phe Ala Lys Arg Lys Asn Gly Ile Leu Lys Lys Ala Asn Glu 20 25 30

cta tot att ctt tgt gac att gat att gtt ctt ctt atg ttc tct cct 320

Leu Ser Ile Leu Cys Asp Ile Asp Ile Val Leu Leu Met Phe Ser Pro 35 40 45 50

act ggc aag gct gca ata tgt tgc ggt aca cga aga tgt ttc tct ttc 368

Thr Gly Lys Ala Ala Ile Cys Cys Gly Thr Arg Arg Cys Phe Ser Phe 55 60 65

gaa agc tca gaa ctt gaa gaa aac ttt cca aaa gtt gga tca cga tgt 416

Glu Ser Ser Glu Leu Glu Glu Asn Phe Pro Lys Val Gly Ser Arg Cys 70 75 80

aaa tat acg cga att tat agc ctc aag gac ttg agt act caa gca agg 464

Lys Tyr Thr Arg Ile Tyr Ser Leu Lys Asp Leu Ser Thr Gln Ala Arg 85 90 95

att ctg cag gct cgg att tct gag ata cat gga aga tta agt tat tgg 512

Ile Leu Gln Ala Arg Ile Ser Glu Ile His Gly Arg Leu Ser Tyr Trp 100 105 110

acg gaa cca gat aag att aac aat gtt gaa cac ttg gga cag ctc gaa 560

Thr Glu Pro Asp Lys Ile Asn Asn Val Glu His Leu Gly Gln Leu Glu 115 120 125 130

att tcg att agg caa tcc ctt gat caa ttg cgt gca cac aag atg caa 608

Ile Ser Ile Arg Gln Ser Leu Asp Gln Leu Arg Ala His Lys Met Gln 135 140 145

gat ggg att cag att cct tta gaa caa cag ctt caa tct atg tca tgg Asp Gly Ile Gln Ile Pro Leu Glu Gln Gln Leu Gln Ser Met Ser Trp att ctt aat agc aac acc acc att gtc acc gag gaa cac aat tca Ile Leu Asn Ser Asn Thr Thr Asn Ile Val Thr Glu Glu His Asn Ser 170 atc ccg cag agg gaa gtc gag tgc tca gcg agt tct tca ttc ggg agc Ile Pro Gln Arg Glu Val Glu Cys Ser Ala Ser Ser Ser Phe Gly Ser 185 tat cca ggc tac ttt gga aca ggg aaa tct cct gaa atg aca att ccg Tyr Pro Gly Tyr Phe Gly Thr Gly Lys Ser Pro Glu Met Thr Ile Pro 200 ggt caa gaa aca agc ttt ctt gat gaa cta aac acc gga cag ctg aaa Gly Gln Glu Thr Ser Phe Leu Asp Glu Leu Asn Thr Gly Gln Leu Lys 215 220 . 225 cag gac aca agc tcg cag cag ttc act aat aat aat atc aca Gln Asp Thr Ser Ser Gln Gln Gln Phe Thr Asn Asn Asn Ile Thr 230 235 gca tac aat ccc aat ctt cac aat gat atg aat cat cac caa acg ttg Ala Tyr Asn Pro Asn Leu His Asn Asp Met Asn His His Gln Thr Leu 250 cct cct cct cct cct cct act ctt ccg cat gct cag gtg tať att Pro Pro Pro Leu Pro Leu Thr Leu Pro His Ala Gln Val Tyr Ile 260 265 270 cca atg aat cag aga gag tat cat atg aat gga ttc ttt gaa gca cca Pro Met Asn Gln Arg Glu Tyr His Met Asn Gly Phe Phe Glu Ala Pro 275 (19) (19) (19) (280 Fee Supplementary 285 cca cct gat tct tct gct tac aac gac aac acc aac caa acc agg ttt Pro Pro Asp Ser Ser Ala Tyr Asn Asp Asn Thr Asn Gln Thr Arg Phe 295 300 305 ggt tot age age tee ttg eet tge tea ate tea atg tte gae gaa Gly Ser Ser Ser Ser Leu Pro Cys Ser Ile Ser Met Phe Asp Glu 310 315 tac ttg ttt tcc cag atg cag ccg aac tga gagagatttg atgaatgatg Tyr Leu Phe Ser Gln Met Gln Gln Pro Asn 325 330

ataaaacatc tcactgaaga aactcaaacc aatattttt ttcagaaaca gcaagaaagc 1249

taaaactctg ccgatttctg aattggttcc aagaagaaaa aaaccagtgg taatccctgg 1309

tagattgtgc aaccaaacca cacacaatac gtgttcattt atttttcta tatcttcaat 1369

agatgtcact taattetttt ctatacataa tttctcagte agaat 1414

1.34

5.00

<210> 50 <211> 332 <212> PRT <213> Arabidopsis thaliana <400> 50

Met Gly Arg Val Lys Leu Lys Ile Lys Lys Leu Glu Asn Thr Asn Gly 1 5 10

Arg Gln Ser Thr Phe Ala Lys Arg Lys Asn Gly Ile Leu Lys Lys Ala 20 25 30

Asn Glu Leu Ser Ile Leu Cys Asp Ile Asp Ile Val Leu Leu Met Phe 35 40 45

Ser Pro Thr Gly Lys Ala Ala Ile Cys Cys Gly Thr Arg Arg Cys Phe
50
60

Ser Phe Glu Ser Ser Glu Leu Glu Glu Asn Phe Pro Lys Val Gly Ser 65 70 75 80

Arg Cys Lys Tyr Thr Arg Ile Tyr Ser Leu Lys Asp Leu Ser Thr Gln 85 90 95

Ala Arg Ile Leu Gln Ala Arg Ile Ser Glu Ile His Gly Arg Leu Ser 100 105 110

Tyr Trp Thr Glu Pro Asp Lys Ile Asn Asn Val Glu His Leu Gly Gln 115 120 125

Leu Glu Ile Ser Ile Arg Gln Ser Leu Asp Gln Leu Arg Ala His Lys 130 135 140

Met Gln Asp Gly Ile Gln Ile Pro Leu Glu Gln Gln Leu Gln Ser Met 145 150 155 160

Ser Trp Ile Leu Asn Ser Asn Thr Thr Asn Ile Val Thr Glu Glu His 165 170 175

Asn Ser Ile Pro Gln Arg Glu Val Glu Cys Ser Ala Ser Ser Ser Phe

PCT/US01/26189 WO 02/15675

> 190 185 180

Gly Ser Tyr Pro Gly Tyr Phe Gly Thr Gly Lys Ser Pro Glu Met Thr 200 195

Ile Pro Gly Gln Glu Thr Ser Phe Leu Asp Glu Leu Asn Thr Gly Gln . 215

Leu Lys Gln Asp Thr Ser Ser Gln Gln Gln Phe Thr Asn Asn Asn 230 225

Ile Thr Ala Tyr Asn Pro Asn Leu His Asn Asp Met Asn His His Gln 245

Thr Leu Pro Pro Pro Pro Leu Pro Leu Thr Leu Pro His Ala Gln Val 260

Tyr Ile Pro Met Asn Gln Arg Glu Tyr His Met Asn Gly Phe Phe Glu 280 285

Ala Pro Pro Pro Asp Ser Ser Ala Tyr Asn Asp Asn Thr Asn Gln Thr 300 295 🕫 290

Arg Phe Gly Ser Ser Ser Ser Leu Pro Cys Ser Ile Ser Met Phe 310

Asp Glu Tyr Leu Phe Ser Gln Met Gln Gln Pro Asn . . 325

<210> 51 <211> 991 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (38)..(784) <223> G160

tcaaatttgt catttgttta ttcaaatttt tgagaaa atg gtg aga agt acc aaa Met Val Arg Ser Thr Lys 55

ggt cgt cag aaa ata gag atg aaa aaa atg gaa aac gaa agc aac ctt

Gly Arg Gln Lys Ile Glu Met Lys Lys Met Glu Asn Glu Ser Asn Leu 10

cag gtt act ttc tca aaa aga aga ttc ggt ctt ttc aaa aaa gct agt Gln Val Thr Phe Ser Lys Arg Arg Phe Gly Leu Phe Lys Lys Ala Ser

gaa ctt tgc aca tta agt ggt gca gag att ctg ttg att gtg ttc tct

Glu Leu Cys Thr Leu Ser Gly Ala Glu Ile Leu Leu Ile Val Phe Ser

40 . 45

cct ggt ggg aaa gtg ttt tct ttt ggc cat cca agt gtt caa gaa ctc Pro Gly Gly Lys Val Phe Ser Phe Gly His Pro Ser Val Gln Glu Leu 60 att cat cgc ttt tcg aat cct aac cat aat tct gcc att gtc cat cat Ile His Arg Phe Ser Asn Pro Asn His Asn Ser Ala Ile Val His His cag aac aac aat ctc caa ctt gtt gaa acc cgt ccg gat aga aat atc Gln Asn Asn Asn Leu Gln Leu Val Glu Thr Arg Pro Asp Arg Asn Ile . 90 caa tat ctc aac aat ata ctc act gag gtg ctg gca aac cag gaa aag Gln Tyr Leu Asn Asn Ile Leu Thr Glu Val Leu Ala Asn Gln Glu Lys gag aaa cag aag aga atg gtt ttg gac cta ttg aaa gaa tcc aga gaa 439 Glu Lys Gln Lys Arg Met Val Leu Asp Leu Leu Lys Glu Ser Arg Glu 120 125 130 caa gta gga aac tgg tat gaa aaa gat gtg aaa gat ctc gac atg aat Gln Val Gly Asn Trp Tyr Glu Lys Asp Val Lys Asp Leu Asp Met Asn 140 gaa acc aac cag ctg ata tot got ott caa gat gtg aaa aag aaa ctg 535 Glu Thr Asn Gln Leu Ile Ser Ala Leu Gln Asp Val Lys Lys Leu 155 gta aga gaa atg tct caa tat tct caa gta aat gtt tcg cag aat tac Val Arg Glu Met Ser Gln Tyr Ser Gln Val Asn Val Ser Gln Asn Tyr 170 175 ttt ggt caa agt tet gge gtg att ggt ggt ggt aat gtt gge att gat 631 Phe Gly Gln Ser Ser Gly Val Ile Gly Gly Gly Asn Val Gly Ile Asp ctt ttt gat caa aga aga aat gca ttc aac tat aat cca aac atg gtg Leu Phe Asp Gln Arg Arg Asn Ala Phe Asn Tyr Asn Pro Asn Met Val 205 210 ttt ccc aat cat aca cca cca atg ttt gga tac aac aat gat gga gtt 727 Phe Pro Asn His Thr Pro Pro Met Phe Gly Tyr Asn Asn Asp Gly Val . 220 225 . ctc gtt ccg ata tcc aac atg aac tac atg tca agt tac aac ttc aac 775 Leu Val Pro Ile Ser Asn Met Asn Tyr Met Ser Ser Tyr Asn Phe Asn 235 240 245

cag agc tag agtctgaagc tagaagaaca tcctaatcaa tatttgcgtt 824 Gln Ser

attttggcta tggttactgt taggattgtt cttgtattgt gagacttaag tttgttttt 884

cttttaattt gtttcagttg gttggttttt cattttattc gtcgtttgtt ttcctttgtt 944

tttggatatt tttgtatccc agaataaatt tatttatcct ttaaaaa 991

<210> 52 <211> 248 <212> PRT <213> Arabidopsis thaliana <400> 52

Met Val Arg Ser Thr Lys Gly Arg Gln Lys Ile Glu Met Lys Lys Met
1 5 10 15

Glu Asn Glu Ser Asn Leu Gln Val Thr Phe Ser Lys Arg Arg Phe Gly 20 25 30

Leu Phe Lys Lys Ala Ser Glu Leu Cys Thr Leu Ser Gly Ala Glu Ile 35 40 45

Leu Leu Ile Val Phe Ser Pro Gly Gly Lys Val Phe Ser Phe Gly His 50 55 60

Pro Ser Val Gln Glu Leu Ile His Arg Phe Ser Asn Pro Asn His Asn 65 70 75 80

Ser Ala Ile Val His His Gln Asn Asn Leu Gln Leu Val Glu Thr 85 90 95

Arg Pro Asp Arg Asn Ile Gln Tyr Leu Asn Asn Ile Leu Thr Glu Val 100 105 110

Leu Ala Asn Gln Glu Lys Glu Lys Gln Lys Arg Met Val Leu Asp Leu 115 120 125

Leu Lys Glu Ser Arg Glu Gln Val Gly Asn Trp Tyr Glu Lys Asp Val 130 135 140

Lys Asp Leu Asp Met Asn Glu Thr Asn Gln Leu Ile Ser Ala Leu Gln 145 150 155 160

Asp Val Lys Lys Leu Val Arg Glu Met Ser Gln Tyr Ser Gln Val 165 170 175

Asn Val Ser Gln Asn Tyr Phe Gly Gln Ser Ser Gly Val Ile Gly Gly
180 185 190

Gly Asn Val Gly Ile Asp Leu Phe Asp Gln Arg Arg Asn Ala Phe Asn 195 200 205

Tyr Asn Pro Asn Met Val Phe Pro Asn His Thr Pro Pro Met Phe Gly 210 215 220

Tyr Asn Asn Asp Gly Val Leu Val Pro Ile Ser Asn Met Asn Tyr Met 225 230 235 240

Ser Ser Tyr Asn Phe Asn Gln Ser 245

<210> 53 <211> 837 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (54)..(629) <223> G180

<400> 53

gtaattacga tctacaacaa gtgacatcgt cgtcgacgac gattcaagag aat atg 56

Met

aac ttc ctc gtt cct ttt gaa gaa acc aat gtc tta acc ttt ttc tct 104

Asn Phe Leu Val Pro Phe Glu Glu Thr Asn Val Leu Thr Phe Phe Ser 5 10 15

Ser Ser Ser Ser Ser Leu Ser Ser Pro Ser Phe Pro Ile His Asn 20 25 30

tet tee tee act act act eat gea eet eta ggg tit tet aat aat 200

Ser Ser Ser Thr Thr Thr His Ala Pro Leu Gly Phe Ser Asn Asn 35 40 45

ctt cag ggt gga gga ccc ttg gga tca aag gtg gtt aat gat gat cag 248

Leu Gln Gly Gly Pro Leu Gly Ser Lys Val Val Asn Asp Asp Gln 55 60 65

gag aat ttt gga ggt gga act aac aat gat gct cat tct aat tct tgg

Glu Asn Phe Gly Gly Gly Thr Asn Asn Asp Ala His Ser Asn Ser Trp
70 75 80

tgg aga tca aat agt gga agt gga gat atg aag aac aaa gtg aag ata 344

Trp Arg Ser Asn Ser Gly Ser Gly Asp Met Lys Asn Lys Val Lys Ile 85 90 95

agg agg aaa cta aga gag cca aga ttc tgt ttc caa acc aaa agc gat 392

Arg Arg Lys Leu Arg Glu Pro Arg Phe Cys Phe Gln Thr Lys Ser Asp 100 105 110

gtt gat gtt ctt gac gat ggc tac aaa tgg cgt aaa tat ggt cag aaa 440

Val Asp Val Leu Asp Asp Gly Tyr Lys Trp Arg Lys Tyr Gly Gln Lys 115 120 125

gtc gtc aag aac agc ctt cac ccc agg agt tat tac aga tgc aca cac 488

Val Val Lys Asn Ser Leu His Pro Arg Ser Tyr Tyr Arg Cys Thr His 130 . 135 140 145

aac aac tgt agg gtg aaa aag aga gtg gag cga cta tcg gaa gat tgt 536

Asn Asn Cys Arg Val Lys Lys Arg Val Glu Arg Leu Ser Glu Asp Cys 150 155 160

aga atg gtg att act act tac gaa ggt cgt cac aac cac att ccc tct 584

Arg Met Val Ile Thr Thr Tyr Glu Gly Arg His Asn His Ile Pro Ser 165 170 175

gat gac tcc act tct cct gac cat gat tgt ctc tct tcc ttt taa 629

Asp Asp Ser Thr Ser Pro Asp His Asp Cys Leu Ser Ser Phe 180 185 190

catctctttc tatatatcta tatatagaca gttatatgtg cacatataga tgtgtgatat 689

attgcatatt tgatattgca tgtgtttttc aagagtatgt catcagatgt tatgcatata 749

ttcttgactt gttgcttata gtatacatat gtaataatat atattgacat tggtagttca

tttctgttca aacaaaaaa aaaaaaaa 837

<210> 54 <211> 191 <212> PRT <213> Arabidopsis thaliana <400> 54

Met Asn Phe Leu Val Pro Phe Glu Glu Thr Asn Val Leu Thr Phe Phe 1 5 10

Ser Ser Ser Ser Ser Ser Leu Ser Ser Pro Ser Phe Pro Ile His
20 25 30

Asn Ser Ser Ser Thr Thr Thr His Ala Pro Leu Gly Phe Ser Asn 35 40 45

Asn Leu Gln Gly Gly Gly Pro Leu Gly Ser Lys Val Val Asn Asp Asp 50 55 60

Gln Glu Asn Phe Gly Gly Gly Thr Asn Asn Asp Ala His Ser Asn Ser 65 70 75 80

Trp Trp Arg Ser Asn Ser Gly Ser Gly Asp Met Lys Asn Lys Val Lys 85 90 95

Ile Arg Arg Lys Leu Arg Glu Pro Arg Phe Cys Phe Gln Thr Lys Ser 100 105 110

Asp Val Asp Val Leu Asp Asp Gly Tyr Lys Trp Arg Lys Tyr Gly Gln 115 120 125

Lys Val Val Lys Asn Ser Leu His Pro Arg Ser Tyr Tyr Arg Cys Thr 130 135 140

His Asn Asn Cys Arg Val Lys Lys Arg Val Glu Arg Leu Ser Glu Asp 145 150 155 160

Cys Arg Met Val Ile Thr Thr Tyr Glu Gly Arg His Asn His Ile Pro 165 170 175

Ser Asp Asp Ser Thr Ser Pro Asp His Asp Cys Leu Ser Ser Phe 180 185 190

<210> 55 <211> 844 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (5)..(544) <223> G181

<400> 55

aaca atg gac aga gac ata aat cct atg tta agc cgc cta gat gtc 49

Met Asp Arg Glu Asp Ile Asn Pro Met Leu Ser Arg Leu Asp Val 1 5 10 15

gaa aac aac acc ttc tct tcc ttt gta gac aaa acc cta atg atg 97

Glu Asn Asn Asn Thr Phe Ser Ser Phe Val Asp Lys Thr Leu Met Met 20 25 30

atg cct cca tca aca ttt tcc ggt gaa gtg gaa cct tca tct tct tct 145

Met Pro Pro Ser Thr Phe Ser Gly Glu Val Glu Pro Ser Ser Ser Ser 35

tct tgg tat cca gaa agc ttt cat gtg cat gcg ccg cca tta cca cct 193

Ser Trp Tyr Pro Glu Ser Phe His Val His Ala Pro Pro Leu Pro Pro 50 55 60

gag aat gat caa ata ggt gag aaa ggg aag gag ctg aaa gag aag aga 241

Glu Asn Asp Gln Ile Gly Glu Lys Gly Lys Glu Leu Lys Glu Lys Arg
65 70 75

tcg agg aaa gtt cca agg att gcg ttt cat acg agg agc gat gat gat 289
Ser Arg Lys Val Pro Arg Ile Ala Phe His Thr Arg Ser Asp Asp Asp 80

gtt ctt gat gat ggt tat cgt tgg cga aaa tat ggg cag aaa tct gtc 337 . Val Leu Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln Lys Ser Val

aag cac aat gct cat ccc agg agc tat tac aga tgt acg tac cac aca

Lys His Asn Ala His Pro Arg Ser Tyr Tyr Arg Cys Thr Tyr His Thr 115 120 125

tgc aac gtg aag aaa caa gtg cag aga ttg gca aaa gat cca aac gtc

Cys Asn Val Lys Lys Gln Val Gln Arg Leu Ala Lys Asp Pro Asn Val

gtc gta acg acc tac gaa ggc gtt cat aac cat cct tgt gag aag ctc 481 Val Val Thr Tyr Glu Gly Val His Asn His Pro Cys Glu Lys Leu 145

atg gag act ctt aat cct ctt ctc agg caa ctc cag ttc ctc tcc agt

Met Glu Thr Leu Asn
165

Pro Leu Leu Arg Gln Leu Gln Phe Leu Ser Ser
170

175

ttc tct aat ctt tga atatataatg gcttaattaa tggtgtaatt acttaaaggt 584 Phe Ser Asn Leu

gattaaggtg ttaatcaccc cactgaccgt ttgacgaccc acatctccca agtgacaagt

cacaagtgtg tagatcagat tttaaaccaa tgtaacagtt acgactttt acaaatgttt

ctgaatttta teecetgatt tetggttaat gateggttta egeegatgat ttgacaaata

ccagacaaaa caagtttagt tacatatgta agtatgaaaa ggtagtttcc tctaacttca

ttaaaaaaaa aaaaaaaaa . 844

<210> 56 <211> 179 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Arg Glu Asp Ile Asn Pro Met Leu Ser Arg Leu Asp Val Glu 10 15

Asn Asn Asn Thr Phe Ser Ser Phe Val Asp Lys Thr Leu Met Met Met 25 30

Pro Pro Ser Thr Phe Ser Gly Glu Val Glu Pro Ser Ser Ser Ser Ser 35 40 45

Trp Tyr Pro Glu Ser Phe His Val His Ala Pro Pro Leu Pro Pro Glu 50 55 60

Asn Asp Gln Ile Gly Glu Lys Gly Lys Glu Leu Lys Glu Lys Arg Ser 65 70 75 80

Arg Lys Val Pro Arg Ile Ala Phe His Thr Arg Ser Asp Asp Val 85 90 95

Leu Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln Lys Ser Val Lys
100 105 110

His Asn Ala His Pro Arg Ser Tyr Tyr Arg Cys Thr Tyr His Thr Cys
115 120 125

Asn Val Lys Lys Gln Val Gln Arg Leu Ala Lys Asp Pro Asn Val Val 130 135 140

Val Thr Thr Tyr Glu Gly Val His Asn His Pro Cys Glu Lys Leu Met 145 150 155 160

Glu Thr Leu Asn Pro Leu Leu Arg Gln Leu Gln Phe Leu Ser Ser Phe
165 170 175

Ser Asn Leu

<210> 57 <211> 1974 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (327)..(1937) <223> G184

<400> 57

tgaattetag cetttttgta ggegaateat etggaceggt aagagaetet eteategata

ataaccacat aatttaatca aactetttet etetettet aagatetttt getttgetet 120

tttccttttt gatcttccta tatatggaga agcaccaaaa cggtacttac tatacgatac 180

tgtacggatc catcaaactg gattaattat caaaacgtac atttttatct tacctggcaa 240

gttacattcc tagggttttg gagaatccaa tcaacaacaa agaaaataat catcgttaca 300

ataatcagta tcacgcacag acttag atg ttc cgg ttt cca gtg agt cta ggc 353

Met Phe Arg Phe Pro Val Ser Leu Gly

ggt tca cgt gac gaa gac cgt cac gat cag atc aca ccg ttg gat gac 401
Gly Ser Arg Asp Glu Asp Arg His Asp Gln Ile Thr Pro Leu Asp Asp 10
25

cat cgt gtg gtg gtt gat gag gtt gac ttc ttc tca gag aag aga gat 449

His Arg Val Val Asp Glu Val Asp Phe Phe Ser Glu Lys Arg Asp 30 35 40

agg gtt tca cgt gag aac atc aac gac gac gac gac gaa ggc aat aag

Arg Val Ser Arg Glu Asn Ile Asn Asp Asp Asp Glu Gly Asn Lys
45 50 55

gtt ctc atc aaa atg gag ggt tca cga gtt gaa gaa aac gat cgt tcc 545

Val Leu Ile Lys Met Glu Gly Ser Arg Val Glu Glu Asn Asp Arg Ser 60 65 70

aga gat gtc aat atc ggt ctg aat ctt ctg acc gcg aat acg gga agc 593

Arg Asp Val Asn Ile Gly Leu Asn Leu Leu Thr Ala Asn Thr Gly Ser 75 80 85

gat gag toa acg gtg gat gat gga cta toa atg gat atg gaa gat aaa 641

Asp Glu Ser Thr Val Asp Asp Gly Leu Ser Met Asp Met Glu Asp Lys 90 95 100 105

cgt gca aag att gag aac gca caa cta caa gaa gag ctc aag aag atg 689

Arg Ala Lys Ile Glu Asn Ala Gln Leu Gln Glu Glu Leu Lys Lys Met 110 115 120

aaa ata gag aat caa agg cta aga gat atg ttg agc caa gcg acg acc 737

Lys Ile Glu Asn Gln Arg Leu Arg Asp Met Leu Ser Gln Ala Thr Thr 125 130 135

aac ttc aat gcc tta caa atg caa ctt gtt gcc gtc atg agg caa caa 785

Asn Phe Asn Ala Leu Gln Met Gln Leu Val Ala Val Met Arg Gln Gln 140 145 150

gaa caa cgt aac tet tea caa gat cat ete etg gag age aaa gea gaa 833

Glu Gln Arg Asn Ser Ser Gln Asp His Leu Leu Glu Ser Lys Ala Glu 155 160 165

gga agg aaa cgg cag gaa ctg caa atc atg gtg cca agg cag ttc atg

Gly Arg Lys Arg Gln Glu Leu Gln Ile Met Val Pro Arg Gln Phe Met 170 175 180 185

gac ctt ggg ccg tcg tct gga gca gca gag cat gga gcc gaa gtg tca Asp Leu Gly Pro Ser Ser Gly Ala Ala Glu His Gly Ala Glu Val Ser tet gaa gag agg aca acg gtt egt tea ggt tet eet teg ett eta Ser Glu Glu Arg Thr Thr Val Arg Ser Gly Ser Pro Pro Ser Leu Leu gaa agt tcc aat ccc cga gag aac gga aag agg ttg ctt gga aga gaa Glu Ser Ser Asn Pro Arg Glu Asn Gly Lys Arg Leu Leu Gly Arg Glu 225 gaa agc tca gag gaa tca gag tct aac gcc tgg gga aac cct aac aaa 1073 Glu Ser Ser Glu Glu Ser Glu Ser Asn Ala Trp Gly Asn Pro Asn Lys 240 245 gtc ccc aaa cat aat cca tcc tct agc aat agc aat gga aac aga aac 1121 Val Pro Lys His Asn Pro Ser Ser Ser Asn Ser Asn Gly Asn Arg Asn 255 260 265 gga aat gtt att gat cag tcg gcc gca gaa gcc acc atg cgg aaa gcc Gly Asn Val Ile Asp Gln Ser Ala Ala Glu Ala Thr Met Arg Lys Ala 270 275 cgt gtc tca gtt cgt gcc cga tct gaa gct gcc atg ata agc gat gga 1217 Arg Val Ser Val Arg Ala Arg Ser Glu Ala Ala Met Ile Ser Asp Gly 285 290 tgt caa tgg aga aag tac gga caa aaa atg gct aaa gga aac ccg tgt Cys Gln Trp Arg Lys Tyr Gly Gln Lys Met Ala Lys Gly Asn Pro Cys 300 305 ccg cgg gct tat tat cgt tgc aca atg gcc ggt gga tgt cca gtt cgc 1313 Pro Arg Ala Tyr Tyr Arg Cys Thr Met Ala Gly Gly Cys Pro Val Arg 320 aag caa gtg cag cgt tgc gca gaa gac aga tct att ctc ata acc acc Lys Gln Val Gln Arg Cys Ala Glu Asp Arg Ser Ile Leu Ile Thr Thr 335 340 345 tac gaa gga aac cac aac cat cca ctc cca cca gcc gct acg gcc atg Tyr Glu Gly Asn His Asn His Pro Leu Pro Pro Ala Ala Thr Ala Met gcc tca aca acc acc gca gct gca agc atg ctc ctc tcg ggc tca atg Ala Ser Thr Thr Thr Ala Ala Ser Met Leu Leu Ser Gly Ser Met 365 375

tog agt caa gac ggt tta atg aac cca aca aac ctc cta gct cga gct 1505

Ser Ser Gln Asp Gly Leu Met Asn Pro Thr Asn Leu Leu Ala Arg Ala 380

atc ttg cct tgc tcc tca agc atg gct aca atc tca gcc tcc gca cca 1553

Ile Leu Pro Cys Ser Ser Ser Met Ala Thr Ile Ser Ala Ser Ala Pro 395

ttc cca acc atc aca ttg gac ctc acc aat tca ccc aac ggt aac aac 1601

Phe Pro Thr Ile Thr Leu Asp Leu Thr Asn Ser Pro Asn Gly Asn Asn 415 420 425

cct aat atg acc act aat aac ccg ttg atg cag ttc gct caa cgg ccc 1649

1649
Pro Asn Met Thr Thr Asn Asn Pro Leu Met Gln Phe Ala Gln Arg Pro 440

ggt ttc aac ccg gca gtt ttg cct caa gtg gtt ggt caa gct atg tac 1697 Gly Phe Asn Pro Ala Val Leu Pro Gln Val Val Gly Gln Ala Met Tyr 445

aat aac caa caa cag tee aag ttt tet ggt tta cag tta eeg get eag

Asn Asn Gln Gln Gln Ser Lys Phe Ser Gly Leu Gln Leu Pro Ala Gln
460 465 470

cca ctg cag atc gcg gcc act tcc tcg gtg gcc gag agc gtt agt gct 1793

Pro Leu Gln Ile Ala Ala Thr Ser Ser Val Ala Glu Ser Val Ser Ala 475 480 485

gcc agt gca gca att gcg tcc gat cca aac ttt gcg gcg gct cta gcg 1841 Ala Ser Ala Ala Ile Ala Ser Asp Pro Asn Phe Ala Ala Ala Leu Ala 495

gca gcg atc acg tcc att atg aac ggt tcc agt cat caa aat aat aac 1889 Ala Ala Ile Thr Ser Ile Met Asn Gly Ser Ser His Gln Asn Asn Asn 510

acc aat aat aat aat gtg gct acg agc aac aat gac agt agg caa taa 1937 Thr Asn Asn Asn Asn Val Ala Thr Ser Asn Asn Asp Ser Arg Gln 525

gagttttcat tttgatggtc gattttttt tttgggg

<210> 58 <211> 536 <212> PRT <213> Arabidopsis thaliana <400>

Met Phe Arg Phe Pro Val Ser Leu Gly Gly Ser Arg Asp Glu Asp Arg 10 15

His Asp Gln Ile Thr Pro Leu Asp Asp His Arg Val Val Val Asp Glu 20 25 30

Val Asp Phe Phe Ser Glu Lys Arg Asp Arg Val Ser Arg Glu Asn Ile 35 40 45

Asn Asp Asp Asp Glu Gly Asn Lys Val Leu Ile Lys Met Glu Gly 50 60

Ser Arg Val Glu Glu Asn Asp Arg Ser Arg Asp Val Asn Ile Gly Leu 65 70 75 80

Asn Leu Leu Thr Ala Asn Thr Gly Ser Asp Glu Ser Thr Val Asp Asp 85 90 95

Gly Leu Ser Met Asp Met Glu Asp Lys Arg Ala Lys Ile Glu Asn Ala 100 105 110

Gln Leu Gln Glu Glu Leu Lys Lys Met Lys Ile Glu Asn Gln Arg Leu 115 120 125

Arg Asp Met Leu Ser Gln Ala Thr Thr Asn Phe Asn Ala Leu Gln Met 130

Gln Leu Val Ala Val Met Arg Gln Gln Glu Gln Arg Asn Ser Ser Gln 145 150 155 160

Asp His Leu Leu Glu Ser Lys Ala Glu Gly Arg Lys Arg Gln Glu Leu
165 170 175

Gln Ile Met Val Pro Arg Gln Phe Met Asp Leu Gly Pro Ser Ser Gly 180 185 190

Ala Ala Glu His Gly Ala Glu Val Ser Ser Glu Glu Arg Thr Thr Val 195 200 205

Arg Ser Gly Ser Pro Pro Ser Leu Leu Glu Ser Ser Asn Pro Arg Glu 210 215 220

Asn Gly Lys Arg Leu Leu Gly Arg Glu Glu Ser Ser Glu Glu Ser Glu 225 230 235 240

Ser Asn Ala Trp Gly Asn Pro Asn Lys Val Pro Lys His Asn Pro Ser 245 250 255

Ser Ser Asn Ser Asn Gly Asn Arg Asn Gly Asn Val Ile Asp Gln Ser

260 265 270

Ala Ala Glu Ala Thr Met Arg Lys Ala Arg Val Ser Val Arg Ala Arg 275 280 285

Ser Glu Ala Ala Met Ile Ser Asp Gly Cys Gln Trp Arg Lys Tyr Gly 290 295

Gln Lys Met Ala Lys Gly Asn Pro Cys Pro Arg Ala Tyr Tyr Arg Cys 305 310 310 320

Thr Met Ala Gly Gly Cys Pro Val Arg Lys Gln Val Gln Arg Cys Ala 325

Glu Asp Arg Ser Ile Leu Ile Thr Thr Tyr Glu Gly Asn His Asn His 340

Pro Leu Pro Pro Ala Ala Thr Ala Met Ala Ser Thr Thr Thr Ala Ala 365

Ala Ser Met Leu Leu Ser Gly Ser Met Ser Ser Gln Asp Gly Leu Met 370 375

Asn Pro Thr Asn Leu Leu Ala Arg Ala Ile Leu Pro Cys Ser Ser Ser 395 400

Met Ala Thr Ile Ser Ala Ser Ala Pro Phe Pro Thr Ile Thr Leu Asp 405 410 415

Leu Thr Asn Ser Pro Asn Gly Asn Asn Pro Asn Met Thr Thr Asn Asn 430

Pro Leu Met Gln Phe Ala Gln Arg Pro Gly Phe Asn Pro Ala Val Leu 435 440 445

Pro Gln Val Val Gly Gln Ala Met Tyr Asn Asn Gln Gln Gln Ser Lys
450 460

Phe Ser Gly Leu Gln Leu Pro Ala Gln Pro Leu Gln Ile Ala Ala Thr 465 470 475 480

Ser Ser Val Ala Glu Ser Val Ser Ala Ala Ser Ala Ala Ile Ala Ser 485 490 495

Asp Pro Asn Phe Ala Ala Ala Leu Ala Ala Ala Ile Thr Ser Ile Met 500

Asn Gly Ser Ser His Gln Asn Asn Asn Thr Asn Asn Asn Asn Val Ala 515 520 525

Thr Ser Asn Asn Asp Ser Arg Gln 530 535

<210> 59 <211> 1205 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (77)..(988) <223> G185

<400> 59

atgcaaaaat aaacatagta acaatacttt aaactattta caccacttta atcttattct .60

ccactctttg aacgta atg gag aag aac cat agt agt gga gag tgg gag aag 112

Met Glu Lys Asn His Ser Ser Gly Glu Trp Glu Lys 1 5 10

atg aag aac gag atc aac gag cta atg ata gaa gga aga gac tat gca 160

Met Lys Asn Glu Ile Asn Glu Leu Met Ile Glu Gly Arg Asp Tyr Ala 15 20 25

cac cag tit gga toa gct toa tot caa gaa aca cgt gaa cat tia gcc 208

His Gln Phe Gly Ser Ala Ser Ser Gln Glu Thr Arg Glu His Leu Ala 30 35 40

ada aag att ett eaa tet tae eac aag tet ete ace ate atg aac tae 256

Lys Lys Ile Leu Gln Ser Tyr His Lys Ser Leu Thr Ile Met Asn Tyr 45 50 55 60

tcc ggc gaa ctt gac caa gtt tct cag ggt gga gga agc ccc aag agc 304

Ser Gly Glu Leu Asp Gln Val Ser Gln Gly Gly Gly Ser Pro Lys Ser 65 70 75

gat gat tcc gat caa gaa cca ctt gtc atc aag agt tcg aag aag tca 352

Asp Asp Ser Asp Gln Glu Pro Leu Val Ile Lys Ser Ser Lys Lys Ser 80 85 90

atg cca agg tgg agt tca aaa gtc aga att gcc cct gga gct ggt gtt 400

Met Pro Arg Trp Ser Ser Lys Val Arg Ile Ala Pro Gly Ala Gly Val 95 100 105

gat aga acg ctg gac gat gga ttc agt tgg aga aag tac ggc cag aag

Asp Arg Thr Leu Asp Asp Gly Phe Ser Trp Arg Lys Tyr Gly Gln Lys
110 . 115 120

gat att ctc gga gcc aaa ttt cca aga gga tac tat aga tgc acg tat 496

Asp Ile Leu Gly Ala Lys Phe Pro Arg Gly Tyr Tyr Arg Cys Thr Tyr 125 130 135 140

aga aag tot caa gga tgt gaa goo act aaa caa gto caa aga tot gat 544 Arg Lys Ser Gln Gly Cys Glu Ala Thr Lys Gln Val Gln Arg Ser Asp 145 gaa aat cag atg ctc ctt gag atc agt tac cga gga ata cat tct tgc 592 Glu Asn Gln Met Leu Leu Glu Ile Ser Tyr Arg Gly Ile His Ser Cys tet caa get gea aat gte ggt aca aca atg eeg ata caa aac ete gaa Ser Gln Ala Ala Asn Val Gly Thr Thr Met Pro Ile Gln Asn Leu Glu 180 ccg aac cag acc caa gaa cac gga aat ctt gac atg gta aag gaa agt Pro Asn Gln Thr Gln Glu His Gly Asn Leu Asp Met Val Lys Glu Ser 200 195 190 gta gac aac tac aat cac caa gca cat ttg cat cac aac ctt cac tat 736 Val Asp Asn Tyr Asn His Gln Ala His Leu His His Asn Leu His Tyr 210 Page 1 of 1,112 215 cca ttg tca tct acc cca aat cta gag aat aac aat gcc tat atg ctt 784 Pro Leu Ser Ser Thr Pro Asn Leu Glu Asn Asn Asn Ala Tyr Met Leu 225 230 caa atg cga gat caa aac atc gaa tat ttt gga tct acg agc ttc tct Gln Met Arg Asp Gln Asn Ile Glu Tyr Phe Gly Ser Thr Ser Phe Ser 245 240 agt gat cta gga act agt atc aac tac aat ttt cca gca tct ggc tcg Ser Asp Leu Gly Thr Ser Ile Asn Tyr Asn Phe Pro Ala Ser Gly Ser 260 255 get tet cae tea gea tea aac tet eeg tee ace gte eet ttg gaa tee 928 Ala Ser His Ser Ala Ser Asn Ser Pro Ser Thr Val Pro Leu Glu Ser 270 275 280 ccg ttt gaa agc tat gat cca aat cat cca tat gga gga ttt ggt ggg Pro Phe Glu Ser Tyr Asp Pro Asn His Pro Tyr Gly Gly Phe Gly Gly 295 285 ttc tat tct tag ttatctactt aagggaggga cggaactttt tacatgacct Phe Tyr Ser

cttgattaaa gagagagttt tcataatagc taatcaattt cctattcaaa tatccgagtt 1088

ttttttctaa tcatgtttat caattgtctt attacagaag gcttattttc aggtctatgt 1148

tgaaataaat ggatttgtac tcgtaggtat gatccttgtt atctaaaaaa aaaaaaa 1205

<210> 60 <211> 303 <212> PRT <213> Arabidopsis thaliana <400> 60

Met Glu Lys Asn His Ser Ser Gly Glu Trp Glu Lys Met Lys Asn Glu 1 5 10 15

. 400

Ile Asn Glu Leu Met Ile Glu Gly Arg Asp Tyr Ala His Gln Phe Gly 20 25 30

Ser Ala Ser Ser Gln Glu Thr Arg Glu His Leu Ala Lys Lys Ile Leu 35 40 45

Gln Ser Tyr His Lys Ser Leu Thr Ile Met Asn Tyr Ser Gly Glu Leu 50 60

Asp Gln Val Ser Gln Gly Gly Gly Ser Pro Lys Ser Asp Asp Ser Asp 65 70 75 80

Gln Glu Pro Leu Val Ile Lys Ser Ser Lys Lys Ser Met Pro Arg Trp

Ser Ser Lys Val Arg Ile Ala Pro Gly Ala Gly Val Asp Arg Thr Leu 100 105 110

Asp Asp Gly Phe Ser Trp Arg Lys Tyr Gly Gln Lys Asp Ile Leu Gly
115 120 125

Ala Lys Phe Pro Arg Gly Tyr Tyr Arg Cys Thr Tyr Arg Lys Ser Gln
130 135 140

Gly Cys Glu Ala Thr Lys Gln Val Gln Arg Ser Asp Glu Asn Gln Met 145 150 155 160

Leu Leu Glu Ile Ser Tyr Arg Gly Ile His Ser Cys Ser Gln Ala Ala 165 170 175

Asn Val Gly Thr Thr Met Pro Ile Gln Asn Leu Glu Pro Asn Gln Thr 180 185 190

Gln Glu His Gly Asn Leu Asp Met Val Lys Glu Ser Val Asp Asn Tyr 195 200 205

Asn His Gln Ala His Leu His His Asn Leu His Tyr Pro Leu Ser Ser

210 215 220

Thr Pro Asn Leu Glu Asn Asn Asn Ala Tyr Met Leu Gln Met Arg Asp 225 230 230 240

Gln Asn Ile Glu Tyr Phe Gly Ser Thr Ser Phe Ser Ser Asp Leu Gly 245 250 255

Thr Ser Ile Asn Tyr Asn Phe Pro Ala Ser Gly Ser Ala Ser His Ser 260 265 270

Ala Ser Asn Ser Pro Ser Thr Val Pro Leu Glu Ser Pro Phe Glu Ser 275 280 280

Tyr Asp Pro Asn His Pro Tyr Gly Gly Phe Gly Gly Phe Tyr Ser 290 295 300

<210> 61 <211> 1241 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (51)..(1031) <223> G195

cat gaa atc aaa gat ctt aac aac tat cac tac act tca tcg tat aat 104 His Glu Ile Lys Asp Leu Asn Asn Tyr His Tyr Thr Ser Ser Tyr Asn

cat tac aat atc aac aac caa aat atg att aat ctc cct tac gtt tct

His Tyr Asn Ile Asn Asn Gln Asn Met Ile Asn Leu Pro Tyr Val Ser 20 25 30

ggt cca tct gct tat aat gca aac atg atc tca tca tca caa gta ggt 200

Gly Pro Ser Ala Tyr Asn Ala Asn Met Ile Ser Ser Ser Gln Val Gly 35 40 50

ttt gat cta ccc tcg aag aac ttg agt cct caa gga gcc ttc gag ttg

Phe Asp Leu Pro Ser Lys Asn Leu Ser Pro Gln Gly Ala Phe Glu Leu 55 60 65

ggt ttc gag ctt tct cca tct tct tct gac ttt ttt aat cct tcc ctc
296
Gly Phe Glu Leu Ser Pro Ser Ser Ser Asp Phe Phe Asn Pro Ser Leu
70
75
80

gat caa gag aac ggt ttg tat aat gct tat aat tat aat agt agt caa 344 Asp Gln Glu Asn Gly Leu Tyr Asn Ala Tyr Asn Tyr Asn Ser Ser Gln 85 90 95

aag agt cat gaa gtt gtc ggt gat ggt tgt gca acc att aag agt gaa Lys Ser His Glu Val Val Gly Asp Gly Cys Ala Thr Ile Lys Ser Glu 100 105 gtt agg gtt tca gca tct cct tct tca agt gag gcc gat cat cat cca 440 Val Arq Val Ser Ala Ser Pro Ser Ser Glu Ala Asp His His Pro 115 120 125 gga gaa gat too ggo aag ato ogg aag aaa aga gaa gtt ogo gat gga Gly Glu Asp Ser Gly Lys Ile Arg Lys Lys Arg Glu Val Arg Asp Gly gga gaa gat gat caa cgc tct cag aaa gta gtt aaa aca aag aag aaa 536 Gly Glu Asp Asp Gln Arg Ser Gln Lys Val Val Lys Thr Lys Lys 150 155 160 gag gag aag aaa aaa gag cca cga gtc tcg ttc atg act aag acc gaa 584 Glu Glu Lys Lys Glu Pro Arg Val Ser Phe Met Thr Lys Thr Glu 165 gtt gat cat ctc gaa gac ggc tat cgt tgg aga aag tat ggc caa aaa Val Asp His Leu Glu Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln Lys 185 190 180 gca gtc aaa aac agt cct tat ccg agg agt tac tat aga tgc acg act 680 Ala Val Lys Asn Ser Pro Tyr Pro Arg Ser Tyr Tyr Arg Cys Thr Thr 205 200 cag aag tgc aac gtg aag aag aga gtg gag aga tct tac caa gac cca Gln Lys Cys Asn Val Lys Lys Arg Val Glu Arg Ser Tyr Gln Asp Pro 215 220 acq qtc qtc atc aca acc tac gag agt caa cac aac cat ccg atc ccg 7.76 Thr Val Val Ile Thr Thr Tyr Glu Ser Gln His Asn His Pro Ile Pro 230 235 240 acc aat cgt cgg aca gca atg ttc tct gga acc acc gca tct gat tat 824 Thr Asn Arg Arg Thr Ala Met Phe Ser Gly Thr Thr Ala Ser Asp Tyr 245 250 aac cca tca tcg tct cca ata ttc tcc gat ctc atc atc aat act cca Asn Pro Ser Ser Ser Pro Ile Phe Ser Asp Leu Ile Ile Asn Thr Pro 260 265 270 aga agc ttc tca aat gat gat ctc ttc cgt gtg cca tac gct agt gtg Arg Ser Phe Ser Asn Asp Asp Leu Phe Arg Val Pro Tyr Ala Ser Val 280 285

aac gtg aac cct agt tat cat caa cag caa cat gga ttt cat caa cag

Asn Val Asn Pro Ser Tyr His Gln Gln Gln His Gly Phe His Gln Gln

gag agt gag ttc gag ctc ttg aag gag atg ttt cct tcg gtt ttc ttc

Glu Ser Glu Phe Glu Leu Leu Lys Glu Met Phe Pro Ser Val Phe Phe 315

aaa caa gag oot tga tgatataata taatatagaa acaattttt ttotgotaag Lys Gln Glu Pro

325

aaatatagaa caaaacttgg atgcataata agtgatgata gtgttattta ttttttgcat

gtatatatta tacatgtttt gttaactagc tataggatat actggtagta attaagcata

aatatggagc cottcgactt attacaataa tttttggtat ggaaaaaatt

<210> 62 <211> 326 <212> PRT <213> Arabidopsis thaliana <400> **62**1 (4) (4) (4) (4) (4) (4) (4) (4)

Met Ser His Glu Ile Lys Asp Leu Asn Asn Tyr His Tyr Thr Ser Ser

Tyr Asn His Tyr Asn Ile Asn Asn Gln Asn Met Ile Asn Leu Pro Tyr 25

Val Ser Gly Pro Ser Ala Tyr Asn Ala Asn Met Ile Ser Ser Ser Gln

Val Gly Phe Asp Leu Pro Ser Lys Asn Leu Ser Pro Gln Gly Ala Phe 60

Glu Leu Gly Phe Glu Leu Ser Pro Ser Ser Ser Asp Phe Phe Asn Pro

Ser Leu Asp Gln Glu Asn Gly Leu Tyr Asn Ala Tyr Asn Tyr Asn Ser 90

Ser Gln Lys Ser His Glu Val Val Gly Asp Gly Cys Ala Thr Ile Lys

Ser Glu Val Arg Val Ser Ala Ser Pro Ser Ser Ser Glu Ala Asp His 120 125

His Pro Gly Glu Asp Ser Gly Lys Ile Arg Lys Lys Arg Glu Val Arg

130 135 140

Asp Gly Glu Asp Asp Gln Arg Ser Gln Lys Val Val Lys Thr Lys 145 150 155 160

Lys Lys Glu Glu Lys Lys Glu Pro Arg Val Ser Phe Met Thr Lys 165 170 175

Thr Glu Val Asp His Leu Glu Asp Gly Tyr Arg Trp Arg Lys Tyr Gly
180 185 190

Gln Lys Ala Val Lys Asn Ser Pro Tyr Pro Arg Ser Tyr Tyr Arg Cys 195 200 205

Thr Thr Gln Lys Cys Asn Val Lys Lys Arg Val Glu Arg Ser Tyr Gln 210 215 220

Asp Pro Thr Val Val Ile Thr Thr Tyr Glu Ser Gln His Asn His Pro 225 230 235 240

Ile Pro Thr Asn Arg Arg Thr Ala Met Phe Ser Gly Thr Thr Ala Ser

Asp Tyr Asn Pro Ser Ser Ser Pro Ile Phe Ser Asp Leu Ile Ile Asn 260 265 270

Thr Pro Arg Ser Phe Ser Asn Asp Asp Leu Phe Arg Val Pro Tyr Ala 275 280 280 285

Ser Val Asn Val Asn Pro Ser Tyr His Gln Gln Gln His Gly Phe His 290 295 300

Gln Gln Glu Ser Glu Phe Glu Leu Leu Lys Glu Met Phe Pro Ser Val 305 310 315 320

Phe Phe Lys Gln Glu Pro 325

<210> 63 <211> 1107 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (16)..(930) <223> G207

(A.B. (1987) 1987) 14 (1987) 14 (1987) 14 (1987) 15 (198

PCT/US01/26189 WO 02/15675

gaa gat gag cag cta cga agg atg gtt gag aaa tac gga ccg agg aat Glu Asp Glu Gln Leu Arg Arg Met Val Glu Lys Tyr Gly Pro Arg Asn 20 15 tgg tot gcg att agc aaa tcg att cca ggt cga tct ggt aaa tcg tgt Trp Ser Ala Ile Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys 35 aga tta cgt tgg tgt aat cag tta tct ccg gag gtt gag cat cgt cct Arg Leu Arg Trp Cys Asn Gln Leu Ser Pro Glu Val Glu His Arg Pro ttc tcg ccg gag gaa gat gag act att gta acc gcc cgt gct cag ttt Phe Ser Pro Glu Glu Asp Glu Thr Ile Val Thr Ala Arg Ala Gln Phe 65 ggt aac aag tgg gcg acg att gct cgt ctt ctt aac ggt cgt acg gat Gly Asn Lys Trp Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp aac gcc gtt aaa aat cac tgg aac tct acg ctt aag agg aaa tgc agc Asn Ala Val Lys Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Ser 100 gga ggt gtg gcg gtt acg acg gtg acg gag acg gag gaa gat cag gat Gly Gly Val Ala Val Thr Thr Val Thr Glu Thr Glu Glu Asp Gln Asp 115 110 cgg ccg aag aag agg aga tot gtt agc ttt gat cct gct ttt gct ccg Arg Pro Lys Lys Arg Arg Ser Val Ser Phe Asp Pro Ala Phe Ala Pro 130 gtg gat act gga ttg tac atg agt cct gag agt cct aac gga atc gat Val Asp Thr Gly Leu Tyr Met Ser Pro Glu Ser Pro Asn Gly Ile Asp 150 145 gtt agt gat tot age acg att cog toa cog tog tot cot gtt get cag Val Ser Asp Ser Ser Thr Ile Pro Ser Pro Ser Pro Val Ala Gln 165 160 ctg ttt aaa cca atg ccg att tcc ggc ggt ttt acg gtg gtt ccg cag Leu Phe Lys Pro Met Pro Ile Ser Gly Gly Phe Thr Val Val Pro Gln 180 ccg tta ccg gtt gaa atg tct tcg tct tcg gag gat cca cct act tcg Pro Leu Pro Val Glu Met Ser Ser Ser Ser Glu Asp Pro Pro Thr Ser 200 195 190

ttg agt ttg tca cta cct gga gct gag aac acg agt tcg agc cat aac 675

Leu Ser Leu Ser Leu Pro Gly Ala Glu Asn Thr Ser Ser Ser His Asn 205 210 215 220

aat aac aac gcg ttg atg ttt ccg aga ttt gag agt cag atg aag 723

Asn Asn Asn Asn Ala Leu Met Phe Pro Arg Phe Glu Ser Gln Met Lys 225 230 235

Ile Asn Val Glu Glu Arg Gly Gly Gly Glu Gly Arg Arg Gly Glu 245 250

ttt atg acg gtg gtg cag gag atg ata aaa gct gaa gtg agg agt tac 819

Phe Met Thr Val Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser Tyr 255 260 265

atg gcg gaa atg cag aaa aca agt ggt gga ttc gtc ggc ggt tta 867

Met Ala Glu Met Gln Lys Thr Ser Gly Gly Phe Val Val Gly Gly Leu 270 275 280

Tyr Glu Ser Gly Gly Asn Gly Gly Phe Arg Asp Cys Gly Val Ile Thr 285 290 295 300

cct aag gtt gag tag ttttggttta gggttaaaac ttgaatcgat tggggattt 970 Pro Lys Val Glu

caagagcatt catttttggg gtttatggta aaattaaaaa caaaacaaa atgtacagag

gaattaaaat ttotatggaa taatottaaa totoaaatat ttgttaottg ttttggtgat 1090

tcataaccaa aatcaaa 1107

<210> 64 <211> 304 <212> PRT <213> Arabidopsis thaliana <400> 64

Met Ala Asp Arg Val Lys Gly Pro Trp Ser Glu Glu Glu Asp Glu Glu 1 5 15

Leu Arg Arg Met Val Glu Lys Tyr Gly Pro Arg Asn Trp Ser Ala Ile 20 25 30

Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp 35 40 45

Cys Asn Gln Leu Ser Pro Glu Val Glu His Arg Pro Phe Ser Pro Glu

50	55	60
30		

Glu Asp Glu Thr Ile Val Thr Ala Arg Ala Gln Phe Gly Asn Lys Trp 65 70 75

Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp Asn Ala Val Lys 85 90 95

Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Ser Gly Gly Val Ala

Val Thr Thr Val Thr Glu Thr Glu Glu Asp Gln Asp Arg Pro Lys Lys

Arg Arg Ser Val Ser Phe Asp Pro Ala Phe Ala Pro Val Asp Thr Gly 130 135

Leu Tyr Met Ser Pro Glu Ser Pro Asn Gly Ile Asp Val Ser Asp Ser 145

Ser Thr Ile Pro Ser Pro Ser Ser Pro Val Ala Gln Leu Phe Lys Pro 165 170 175

Met Pro Ile Ser Gly Gly Phe Thr Val Val Pro Gln Pro Leu Pro Val 180

Glu Met Ser Ser Ser Glu Asp Pro Pro Thr Ser Leu Ser Leu Ser 195 200

Leu Pro Gly Ala Glu Asn Thr Ser Ser Ser His Asn Asn Asn Asn Asn 210

Ala Leu Met Phe Pro Arg Phe Glu Ser Gln Met Lys Ile Asn Val Glu 225 230 230 235

Glu Arg Gly Gly Gly Glu Gly Arg Arg Gly Glu Phe Met Thr Val 245 250 255

Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser Tyr Met Ala Glu Met 260 265 270

Gln Lys Thr Ser Gly Gly Phe Val Val Gly Gly Leu Tyr Glu Ser Gly 285

Gly Asn Gly Gly Phe Arg Asp Cys Gly Val Ile Thr Pro Lys Val Glu 290 295 300

<210> 65 <211> 1209 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (41)..(1156) <223> G229 <400> 65 ttgtggtcag tggaataaac acatataacc gccggagaaa atg gga aga gcg cca Met Gly Arg Ala Pro tgt tgc gag aag gtc ggt atc aag aga ggg cgg tgg acg gcg gag gag Cys Cys Glu Lys Val Gly Ile Lys Arg Gly Arg Trp Thr Ala Glu Glu gac cag att ctc tcc aac tac att caa tcc aat ggt gaa ggt tct tgg 151 Asp Gln Ile Leu Ser Asn Tyr Ile Gln Ser Asn Gly Glu Gly Ser Trp aga tot oto oco aaa aat goo gga tta aaa agg tgt gga aag agc tgt 199 Arg Ser Leu Pro Lys Asn Ala Gly Leu Lys Arg Cys Gly Lys Ser Cys 45 aga ttg aga tgg ata aac tat cta aga tca gac ctc aag cgt gga aac n filigh in seith feith in a thair seil an thail file a filight film seil Arg Leu Arg Trp Ile Asn Tyr Leu Arg Ser Asp Leu Lys Arg Gly Asn . 55 65 60 ata act cca gaa gaa gaa ctc gtt gtt aaa ttg cat tcc act ttg Ile Thr Pro Glu Glu Glu Leu Val Val Lys Leu His Ser Thr Leu 70-1 services that 75 to 140 or the 60 to 80 or 10 state fight 85c. gga aac agg tgg tca cta atc gcg ggt cat cta cca ggg aga aca gac Gly Asn Arg Trp Ser Leu Ile Ala Gly His Leu Pro Gly Arg Thr Asp 90 95 aac gaa ata aaa aat tat tgg aac tct cat ctc agc cgt aaa ctc cac 391 Asn Glu Ile Lys Asn Tyr Trp Asn Ser His Leu Ser Arg Lys Leu His 115 aac ttc att agg aag cca tcc atc tct caa gac gtc tcc gcc gta atc Asn Phe Ile Arg Lys Pro Ser Ile Ser Gln Asp Val Ser Ala Val Ile 125 atg gcg aac gct tct tca gcg cca ccg ccg ccg cag gca aaa cgc aga Met Ala Asn Ala Ser Ser Ala Pro Pro Pro Pro Gln Ala Lys Arg Arg 135 140 145 ctt ggg aga acg agt agg tcc gct atg aaa cca aaa atc cqc aga aca Leu Gly Arg Thr Ser Arg Ser Ala Met Lys Pro Lys Ile Arg Arg Thr 155 . . 160

aaa act cgt aaa acg aag aaa acg tct gca cca ccg gag cct aac gcc Lys Thr Arg Lys Thr Lys Lys Thr Ser Ala Pro Pro Glu Pro Asn Ala gat gta gct ggg gct gat aaa gaa gca tta atg gtg gag tca agt gga Asp Val Ala Gly Ala Asp Lys Glu Ala Leu Met Val Glu Ser Ser Gly 185 gcc gag gct gag cta gga cga cca tgt gac tac tat gga gat gat tgt 679 Ala Glu Ala Glu Leu Gly Arg Pro Cys Asp Tyr Tyr Gly Asp Asp Cys 200 aac aaa aat ctc atg agc att aat ggc gat aat gga gtt tta acg ttt Asn Lys Asn Leu Met Ser Ile Asn Gly Asp Asn Gly Val Leu Thr Phe gat gat gat atc atc gat ctt ttg ttg gac gag tca gat cct ggc cac 775 Asp Asp Asp Ile Ile Asp Leu Leu Leu Asp Glu Ser Asp Pro Gly His 240 230 235 ttg tac aca aca acg tgc ggt ggt ggg gag ttg cat aac ata Leu Tyr Thr Asn Thr Thr Cys Gly Gly Gly Gly Glu Leu His Asn Ile 250 255 aga gac tct gaa gga gcc aga ggg ttc tcg gat act tgg aac caa ggg 871 Arg Asp Ser Glu Gly Ala Arg Gly Phe Ser Asp Thr Trp Asn Gln Gly 265 aat ctc gac tgt ctt ctt cag tct tgt cca tct gtg gag tcg ttt ctc Asn Leu Asp Cys Leu Leu Gln Ser Cys Pro Ser Val Glu Ser Phe Leu 290 285 280 .. . aac tac gac cac caa gtt aac gac gcg tcg acg gat gag ttt atc gat 967 Asn Tyr Asp His Gln Val Asn Asp Ala Ser Thr Asp Glu Phe Ile Asp 305 300 295 tgg gat tgt gtt tgg caa gaa ggt agt gat aat aat ctt tgg cat gag Trp Asp Cys Val Trp Gln Glu Gly Ser Asp Asn Asn Leu Trp His Glu 315 320 aaa gag aat ccc gac tca atg gtc tcg tgg ctt tta gac ggt gat gat Lys Glu Asn Pro Asp Ser Met Val Ser Trp Leu Leu Asp Gly Asp Asp 335 gag gcc acg atc ggg aat agt aat tgt gag aac ttt gga gaa ccg tta Glu Ala Thr Ile Gly Asn Ser Asn Cys Glu Asn Phe Gly Glu Pro Leu 355 345 350

gat cat gac gac gaa agc gct ttg gtc gct tgg ctt ctg tca tga 1156 Asp His Asp Asp Glu Ser Ala Leu Val Ala Trp Leu Leu Ser

tgatattgat tgatccgtta tgtaatcttt tttgtgcatt cacagtttga atc 1209

<210> 66 <211> 371 <212> PRT <213> Arabidopsis thaliana <400> 66

Met Gly Arg Ala Pro Cys Cys Glu Lys Val Gly Ile Lys Arg Gly Arg
1 5 10 15

Trp Thr Ala Glu Glu Asp Gln Ile Leu Ser Asn Tyr Ile Gln Ser Asn 20 25 30

Gly Glu Gly Ser Trp Arg Ser Leu Pro Lys Asn Ala Gly Leu Lys Arg 35 40 45

Cys Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Ser Asp 50 55 60

Leu Lys Arg Gly Asn Ile Thr Pro Glu Glu Glu Glu Leu Val Val Lys 75 75 80

Leu His Ser Thr Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly His Leu 85 90 95

Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp Asn Ser His Leu 100 105 110

Ser Arg Lys Leu His Asn Phe Ile Arg Lys Pro Ser Ile Ser Gln Asp 115 120 125

Val Ser Ala Val Ile Met Ala Asn Ala Ser Ser Ala Pro Pro Pro 130 135 140

Gln Ala Lys Arg Arg Leu Gly Arg Thr Ser Arg Ser Ala Met Lys Pro 145 150 155 160

Lys Ile Arg Arg Thr Lys Thr Arg Lys Thr Lys Lys Thr Ser Ala Pro 165 170 175

Pro Glu Pro Asn Ala Asp Val Ala Gly Ala Asp Lys Glu Ala Leu Met 180 185 190

Val Glu Ser Ser Gly Ala Glu Ala Glu Leu Gly Arg Pro Cys Asp Tyr

195 200 205

Tyr Gly Asp Asp Cys Asn Lys Asn Leu Met Ser Ile Asn Gly Asp Asn 210 215 220

Gly Val Leu Thr Phe Asp Asp Ile Ile Asp Leu Leu Asp Glu 225 230 235 240

Ser Asp Pro Gly His Leu Tyr Thr Asn Thr Thr Cys Gly Gly Gly 245 250 255

Glu Leu His Asn Ile Arg Asp Ser Glu Gly Ala Arg Gly Phe Ser Asp 260 265 270

Thr Trp Asn Gln Gly Asn Leu Asp Cys Leu Leu Gln Ser Cys Pro Ser 275 280 285

Val Glu Ser Phe Leu Asn Tyr Asp His Gln Val Asn Asp Ala Ser Thr 290 295 300

Asp Glu Phe Ile Asp Trp Asp Cys Val Trp Gln Glu Gly Ser Asp Asn 305 310 315 320

Asn Leu Trp His Glu Lys Glu Asn Pro Asp Ser Met Val Ser Trp Leu 325 330 335

Leu Asp Gly Asp Asp Glu Ala Thr Ile Gly Asn Ser Asn Cys Glu Asn 340 345 350

Phe Gly Glu Pro Leu Asp His Asp Asp Glu Ser Ala Leu Val Ala Trp 355 360 365

Leu Leu Ser

<210> 67 <211> 1195 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (66)..(983) <223> G242

<400> 67
ctctcaaaac caaaatcact aaagaggaga agattgctaa agtttgataa aacattccaa
60

aatca atg gct gat agg atc aaa ggt cca tgg agt cct gaa gaa gac gag
110
Met Ala Asp Arg Ile Lys Gly Pro Trp Ser Pro Glu Glu Asp Glu

cag ctt cgt agg ctt gtt gtt aaa tac ggt cca aga aac tgg aca gtg 158

Gln Leu Arg Arg Leu Val Val Lys Tyr Gly Pro Arg Asn Trp Thr Val 20 · 25 att agc aaa tot att coc ggt aga tog ggg aaa tog tgt cgt tta cgg Ile Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg 40 tgg tgc aac cag ctt tcg ccg caa gtt gag cat cgg ccg ttt tcg gct **254** Trp Cys Asn Gln Leu Ser Pro Gln Val Glu His Arg Pro Phe Ser Ala gag gaa gac gag acg atc gca cgt gct cac gct cag ttc ggg aat aaa Glu Glu Asp Glu Thr Ile Ala Arg Ala His Ala Gln Phe Gly Asn Lys 70 tgg gcg acg att gct cgt ctt ctc aac ggt cgt acg gac aac gcc gtg Trp Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp Asn Ala Val 85 90 95 80 aag aat cac tgg aac tcg acg ctc aag agg aaa tgc ggc ggt tac gac Lys Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Gly Gly Tyr Asp cat cgg ggt tac gat ggt tcg gag gat cat cgg ccg gtt aag aga tcg His Arg Gly Tyr Asp Gly Ser Glu Asp His Arg Pro Val Lys Arg Ser 115 120 gtg agt gcg gga tot cca cct gtt gtt act ggg ctt tac atg agc cca Val Ser Ala Gly Ser Pro Pro Val Val Thr Gly Leu Tyr Met Ser Pro 135 130 gga age cea act gga tet gat gte agt gat tea agt act ate eeg ata 542 and the second Gly Ser Pro Thr Gly Ser Asp Val Ser Asp Ser Ser Thr Ile Pro Ile 145. 150 155 tta cct tcc gtt gag ctt ttc aag cct gtg cct aga cct ggt gct gtt Leu Pro Ser Val Glu Leu Phe Lys Pro Val Pro Arg Pro Gly Ala Val 165 170 gtg cta ccg ctt cct atc gaa acg tcg tct ttt tcc gat gat cca ccg 638 Val Leu Pro Leu Pro Ile Glu Thr Ser Ser Phe Ser Asp Asp Pro Pro 185 act tog tta ago ttg toa ott oot ggt goo gao gta ago gag gag toa Thr Ser Leu Ser Leu Ser Leu Pro Gly Ala Asp Val Ser Glu Glu Ser 195 200 aac cgt agc cac gag tca acq aat atc aac acc act tcg agc cgc 734 Asn Arg Ser His Glu Ser Thr Asn Ile Asn Asn Thr Thr Ser Ser Arg

210 215 220

cac aac cac aac aat acg gtg tcg ttt atg ccg ttt agt ggt ggg ttt 782

His Asn His Asn Asn Thr Val Ser Phe Met Pro Phe Ser Gly Gly Phe 225 230 235

aga ggt gcg att gag gaa atg ggg aag tot ttt ccc ggt aac gga ggc 830

Arg Gly Ala Ile Glu Glu Met Gly Lys Ser Phe Pro Gly Asn Gly Gly 240 245 250 255

gag ttt atg gcg gtg gtg caa gag atg att aag gcg gaa gtg agg agt 878

Glu Phe Met Ala Val Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser 260 265 270

tac atg acg gag atg caa cgg aac aat ggt ggc gga ttc gtc gga gga 926

Tyr Met Thr Glu Met Gln Arg Asn Asn Gly Gly Gly Phe Val Gly Gly 275 280 285

ttc att gat aat ggc atg att ccg atg agt caa att gga gtt ggg aga 974

Phe Ile Asp Asn Gly Met Ile Pro Met Ser Gln Ile Gly Val Gly Arg

atc gag tag acaaagtgag attattagga aactgtttaa attggagaag 1023 Ile Glu 305

aagaaaaatg ctctgttttt ttctcctttg gattaggctt aagaattttg ggttttaagg

aaatgtatag aggaaatcga gtgaacaaag ctcgagaget ggggacgtag tgacgaagac 1143

<210> 68 <211> 305 <212> PRT <213> Arabidopsis thaliana <400>  $\dot{}$ 

Met Ala Asp Arg Ile Lys Gly Pro Trp Ser Pro Glu Glu Asp Glu Gln 1 5 10 15

Leu Arg Arg Leu Val Val Lys Tyr Gly Pro Arg Asn Trp Thr Val Ile 20 25 30

Ser Lys Ser Ile Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp 35 40 45

Cys Asn Gln Leu Ser Pro Gln Val Glu His Arg Pro Phe Ser Ala Glu 50 55 60

Glu Asp Glu Thr Ile Ala Arg Ala His Ala Gln Phe Gly Asn Lys Trp 65 70 75 80

Ala Thr Ile Ala Arg Leu Leu Asn Gly Arg Thr Asp Asn Ala Val Lys 85 90 95

Asn His Trp Asn Ser Thr Leu Lys Arg Lys Cys Gly Gly Tyr Asp His 100 105 110

Arg Gly Tyr Asp Gly Ser Glu Asp His Arg Pro Val Lys Arg Ser Val 115 120 125

Ser Ala Gly Ser Pro Pro Val Val Thr Gly Leu Tyr Met Ser Pro Gly 130 135 140

Ser Pro Thr Gly Ser Asp Val Ser Asp Ser Ser Thr Ile Pro Ile Leu 145 150 155 160

Pro Ser Val Glu Leu Phe Lys Pro Val Pro Arg Pro Gly Ala Val Val 165 170 175

Leu Pro Leu Pro Ile Glu Thr Ser Ser Phe Ser Asp Asp Pro Pro Thr
180 185 190

Ser Leu Ser Leu Pro Gly Ala Asp Val Ser Glu Glu Ser Asn 195 200 205

Arg Ser His Glu Ser Thr Asn Ile Asn Asn Thr Thr Ser Ser Arg His 210 215 220

Asn His Asn Asn Thr Val Ser Phe Met Pro Phe Ser Gly Gly Phe Arg 225 230 235 240

Gly Ala Ile Glu Glu Met Gly Lys Ser Phe Pro Gly Asn Gly Glu 245 250 255

Phe Met Ala Val Val Gln Glu Met Ile Lys Ala Glu Val Arg Ser Tyr 260 265 270

Met Thr Glu Met Gln Arg Asn Asn Gly Gly Gly Phe Val Gly Gly Phe 275 280 285

Ile Asp Asn Gly Met Ile Pro Met Ser Gln Ile Gly Val Gly Arg Ile 290 295 300

Glu

305

<210> 69 <211> 660 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(660) <223> G247

<400> 69

atg aga atg aca aga gat gga aaa gaa cat gaa tac aag aaa ggt tta
48

Met Arg Met Thr Arg Asp Gly Lys Glu His Glu Tyr Lys Lys Gly Leu
1 5 15

tgg aca gtg gaa gaa gac aag atc ctc atg gat tat gtc cga act cat 96

Trp Thr Val Glu Glu Asp Lys Ile Leu Met Asp Tyr Val Arg Thr His 20 25 30

ggc cag ggc cac tgg aac cgc atc gcc aag aaa act ggg ctc aag aga 144

Gly Gln Gly His Trp Asn Arg Ile Ala Lys Lys Thr Gly Leu Lys Arg 35 40 45

tgt ggg aaa agc,tgt agg ttg aga tgg atg aac tac tta agc cct aat 192

Cys Gly Lys Ser Cys Arg Leu Arg Trp Met Asn Tyr Leu Ser Pro Asn 50 55 60

gtt aac aga ggc aat tit act gac caa gaa gaa gat ctc atc atc aga 240

Val Asn Arg Gly Asn Phe Thr Asp Gln Glu Glu Asp Leu Ile Ile Arg 65 70 75 80

ctc cac aag etc ctc ggc aac aga tgg tcg ttg ata gcg aaa aga gtt 288

Leu His Lys Leu Leu Gly Asn Arg Trp Ser Leu Ile Ala Lys Arg Val 85 90 95

ccg gga aga aca gac aac caa gta aag aat tac tgg aac aca cat ctc

Pro Gly Arg Thr Asp Asn Gln Val Lys Asn Tyr Trp Asn Thr His Leu 100 105 110

age aag aaa ett ggt ete gga gat eat tea aet gee gte aaa gee gea 384

Ser Lys Leu Gly Leu Gly Asp His Ser Thr Ala Val Lys Ala Ala 115 120 125

tgc ggt gta gag tct cca ccg tct atg gcc ctt ata acc aca acg tcc 432

Cys Gly Val Glu Ser Pro Pro Ser Met Ala Leu Ile Thr Thr Ser 130 135 140

tcc tct cat caa gag atc tcc ggt gga aaa aat tca act cta agg ttc 480

Ser Ser His Gln Glu Ile Ser Gly Gly Lys Asn Ser Thr Leu Arg Phe 145 150 155 160

gac act tta gtt gac gaa tcc aaa ctc aaa cca aaa tcc aaa cta gtc 528

Asp Thr Leu Val Asp Glu Ser Lys Leu Lys Pro Lys Ser Lys Leu Val 165 170 175

cac gca aca cca act gac gta gaa gtt gca gct acg gtt cca aat ctg 576

His Ala Thr Pro Thr Asp Val Glu Val Ala Ala Thr Val Pro Asn Leu 180 185 190

ttc gat acc ttt tgg gtt ctt gaa gac gac ttc gag ctt agt tca ctc 624

Phe Asp Thr Phe Trp Val Leu Glu Asp Asp Phe Glu Leu Ser Ser Leu 195 200 205

act atg atg gat ttt act aat ggg tat tgc ctt tga 660

Thr Met Met Asp Phe Thr Asn Gly Tyr Cys Leu 210 215

Met Arg Met Thr Arg Asp Gly Lys Glu His Glu Tyr Lys Lys Gly Leu 1 5 10 15

Trp Thr Val Glu Glu Asp Lys Ile Leu Met Asp Tyr Val Arg Thr His 20 25 30

Gly Gln Gly His Trp Asn Arg Ile Ala Lys Lys Thr Gly Leu Lys Arg 35 40 45

Cys Gly Lys Ser Cys Arg Leu Arg Trp Met Asn Tyr Leu Ser Pro Asn 50 55 60

Val Asn Arg Gly Asn Phe Thr Asp Gln Glu Glu Asp Leu Ile Ile Arg 65 70 75 80

Leu His Lys Leu Leu Gly Asn Arg Trp Ser Leu Ile Ala Lys Arg Val 85 90 95

Pro Gly Arg Thr Asp Asn Gln Val Lys Asn Tyr Trp Asn Thr His Leu 100 105 110

Ser Lys Lys Leu Gly Leu Gly Asp His Ser Thr Ala Val Lys Ala Ala 115 120 125

Cys Gly Val Glu Ser Pro Pro Ser Met Ala Leu Ile Thr Thr Thr Ser 130 135 140

Ser Ser His Gln Glu Ile Ser Gly Gly Lys Asn Ser Thr Leu Arg Phe 145 150 155 160

Asp Thr Leu Val Asp Glu Ser Lys Leu Lys Pro Lys Ser Lys Leu Val

165 170. 175

His Ala Thr Pro Thr Asp Val Glu Val Ala Ala Thr Val Pro Asn Leu 180 185 189

Phe Asp Thr Phe Trp Val Leu Glu Asp Asp Phe Glu Leu Ser Ser Leu 195 200 200

Thr Met Met Asp Phe Thr Asn Gly Tyr Cys Leu 210 215

<210> 71 <211> 1613 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (30)..(1430) <223> G264

<400> 71
cttgtaccag tttctgatta gattcaaca atg aac ggc gca tta ggt aac tcc
53

Met Asn Gly Ala Leu Gly Asn Ser

tec gec tec gtt age gge gga gaa gga gee gga gga eea geg eet tte

Ser Ala Ser Val Ser Gly Gly Glu Gly Ala Gly Gly Pro Ala Pro Phe
10 20

ttg gtg aaa acc tac gag atg gtc gac gat tca tca acg gac cag atc

Leu Val Lys Thr Tyr Glu Met Val Asp Asp Ser Ser Thr Asp Gln Ile 35 40

gta tcg tgg agc gct aac aac agc ttc atc gtt tgg aat cat gcc

Val Ser Trp Ser Ala Asn Asn Asn Ser Phe Ile Val Trp Asn His Ala
45 50 55

gaa ttt tca cgc ctc ctt ctt cca acc tac ttc aaa cac aat aac ttc

Glu Phe Ser Arg Leu Leu Pro Thr Tyr Phe Lys His Asn Asn Phe 60 65 70

tet tee tte att egt eag ete aat ace tat ggg ttt agg aag att gat 293

Ser Ser Phe Ile Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Ile Asp
75 80 85

Pro Glu Arg Trp Glu Phe Leu Asn Asp Asp Phe Ile Lys Asp Gln Lys 90 95 100

cat ctt ctc aag aat ata cat aga agg aaa cct ata cac agc cac agt

His Leu Leu Lys Asn Ile His Arg Arg Lys Pro Ile His Ser His Ser 105 110 115 120

cat cca cct gct tcg tcg act gat caa gaa aga gca gtg ttg caa gag

His Pro Pro Ala Ser Ser Thr Asp Gln Glu Arg Ala Val Leu Gln Glu 130 caa atg gac aag ctt tca cgt gag aaa gct gca att gaa gct aag ctt Gln Met Asp Lys Leu Ser Arg Glu Lys Ala Ala Ile Glu Ala Lys Leu 140 145 tta aag ttc aaa caa cag aag gtt gta gca aag cat cag ttt gaa gaa Leu Lys Phe Lys Gln Gln Lys Val Val Ala Lys His Gln Phe Glu Glu 155 atg act gag cat gtt gat gat atg gag aat agg cag aag aag ctg ctg Met Thr Glu His Val Asp Asp Met Glu Asn Arg Gln Lys Lys Leu Leu 170 175 aat ttt ttg gaa act gcg att cgg aat cct act ttt gtt aag aat ttt 629 Asn Phe Leu Glu Thr Ala Ile Arg Asn Pro Thr Phe Val Lys Asn Phe 185 190 195 200 ggt aag aaa gtc gag cag ttg gat att tca gct tac aac aaa aag cga Gly Lys Lys Val Glu Gln Leu Asp Ile Ser Ala Tyr Asn Lys Lys Arg agg ctc cct gaa gtt gag caa tca aag cca cct tca gaa gat tct cat Arg Leu Pro Glu Val Glu Gln Ser Lys Pro Pro Ser Glu Asp Ser His 220 225 ctg gat aat agt agt agc tcg aga cgc gag tct gga aac att ttt Leu Asp Asn Ser Ser Gly Ser Ser Arg Arg Glu Ser Gly Asn Ile Phe cat caa aat ttc tct aat aaa ttg cga cta gag ctt tct cca gct gat 821 His Gln Asn Phe Ser Asn Lys Leu Arg Leu Glu Leu Ser Pro Ala Asp 255 tca gat atg aac atg gtt tca cac agt ata caa agt tcc aat gaa gaa 869 Ser Asp Met Asn Met Val Ser His Ser Ile Gln Ser Ser Asn Glu Glu 270 275 280 ggt gcg agt ccc aaa ggg ata ctg tca gga ggt gat cca aat act aca 917 Gly Ala Ser Pro Lys Gly Ile Leu Ser Gly Gly Asp Pro Asn Thr Thr 290 cta aca aaa aga gaa ggc cta cca ttt qca cct qaa qct cta qag ctt Leu Thr Lys Arg Glu Gly Leu Pro Phe Ala Pro Glu Ala Leu Glu Leu 300 305 gcg gat acc ggg aca tgc ccg agg aga tta ctg tta aat gat aat aca 1013 Ala Asp Thr Gly Thr Cys Pro Arg Arg Leu Leu Leu Asn Asp Asn Thr 315 320 325

agg gtg gag ace ttg cag cag agg cta act tct tca gag gag act gat 1061

Arg Val Glu Thr Leu Gln Gln Arg Leu Thr Ser Ser Glu Glu Thr Asp 330 335 340

ggt agc ttt tca tgt cat tta aat cta acc ctg gct tct gct ccg tta 1109

Gly Ser Phe Ser Cys His Leu Asn Leu Thr Leu Ala Ser Ala Pro Leu 345 350 350

ccg gac aaa aca gct tca cag ata gct aag acg act ctt aaa agt cag 1157

Pro Asp Lys Thr Ala Ser Gln Ile Ala Lys Thr Thr Leu Lys Ser Gln 365 370 375

gag tta aac ttt aac tca ata gaa aca agt gca agt gag aaa aat cgg 1205

Glu Leu Asn Phe Asn Ser Ile Glu Thr Ser Ala Ser Glu Lys Asn Arg 380 385 389

ggt aga caa gag att gca gtt gga ggt agc caa gca aat gca gct cct 1253

Gly Arg Gln Glu Ile Ala Val Gly Gly Ser Gln Ala Asn Ala Ala Pro 395 400 405

cca gca aga gtg aat gat gta ttc tgg gaa cag ttc cta aca gaa agg

Pro Ala Arg Val Asn Asp Val Phe Trp Glu Gln Phe Leu Thr Glu Arg

cca ggg tct tca gat aat gag gag gca agt tcg act tat aga ggt aac 1349

Pro Gly Ser Ser Asp Asn Glu Glu Ala Ser Ser Thr Tyr Arg Gly Asn 425 430 435 440

cca tac gaa gag caa gag gag aaa aga aac ggg agt atg atg tta cgt 1397

Pro Tyr Glu Glu Glu Glu Lys Arg Asn Gly Ser Met Met Leu Arg
445 450 455

aat aca aag aat atc gag cag ctg acc tta taa actatttgga cggttacatc

Asn Thr Lys Asn Ile Glu Gln Leu Thr Leu 460 465

aacgagagta cgaactgagg ttttggtaag aagtatgggt gagtaagtaa tgaaacattg

gactgaaaaa gcgtaagtag ctttgttgta aacacttgcg tctctgtcta cacaagtaat 1570

ttgactgtaa atgtaagtgt acaggattta aattgaataa gca 1613

<210> 72 <211> 466 <212> PRT <213> Arabidopsis thaliana <400>

Met Asn Gly Ala Leu Gly Asn Ser Ser Ala Ser Val Ser Gly Gly Glu

<b>1</b>	Magarith (Magarith)		: •.	5	:			÷	10					15	
Gly	Ala	Gly	Gly 20	Pro	Ala	Pro	Phe	Leu 25	Val	Lys	Thr	Tyr	G <b>l</b> u 30	Met	Val
Asp	Asp	Ser 35	Ser	Thr	Asp	Gln	Ile 40	Val	Ser	Trp	Ser	Ala 45	Asn	Asn	Asn
Ser	Phe 50	Ile	Val	Trp	Asn	His 55	Ala	Glu	Phe	Ser	Arg 60	Leu	Leu	Leu	Pro
Thr 65	Tyr	Phe	Lys	His	Asn 70	Asn	Phe	Ser	Ser	Phe 75	Ile	Arg	Gln	Leu	Asn 80
Thr		Gly	Phe	Arg 85	Lys	Ile	Asp	Pro	Glu 90	Arg	Trp	Glu	Phe	Leu 95	Asn
Asp	Asp		Ile 100	Lys	Asp	Gln				Leu		Asn		His	_
Arg	Lys	Pro 115	Ile	His	Ser	His	Ser 120	His	Pro	Pro	Ala	Ser 125	Ser	Thr	Asp
Gln	Glu 130	Arg	Ala	Val	Leu		Glu		Met	Asp		Leu	Ser	Arg	Glu
Lys 145	Ala	Ala	Ile	G1u	Ala 150	Lys	Leu	Leu	Lys	Phe 155	Lys	Gln	Gln	Lys	Val 160
Val	Ala	Lys		Gln 165											
Glu	Asn	Ārģ		Lys		Leu	Leu	Asn 185	Phe	Leu	Glu	Thr	Ala 190	Ile	Arg
Asn	Pro	Thr 195	Phe	Val	Lys	Asn	Phe 200	Gly	Lys	Lys	Val	Glu 205	Gln	Leu	Asp
Ile	Ser 210		Tyr	Asn	Lys	Lys 215		Arg		Pro	Glu 220		Glu		Ser
ւչs 225	Pro	Pro	Ser	Glu	Asp 230	Ser	His	Leu	Asp	Asn 235	Ser	Ser	Gly :	Ser	Ser 240

Arg Leu Glu Leu Ser Pro Ala Asp Ser Asp Met Asn Met Val Ser His 260 265 270

- Ser Ile Gln Ser Ser Asn Glu Glu Gly Ala Ser Pro Lys Gly Ile Leu 275 280 285
- Ser Gly Gly Asp Pro Asn Thr Thr Leu Thr Lys Arg Glu Gly Leu Pro 290 295 300
- Arg Leu Leu Asn Asp Asn Thr Arg Val Glu Thr Leu Gln Gln Arg 325 330 335
- Leu Thr Leu Ala Ser Ala Pro Leu Pro Asp Lys Thr Ala Ser Gln Ile 355 360 360
- Ala Lys Thr Thr Leu Lys Ser Gln Glu Leu Asn Phe Asn Ser Ile Glu 370 375 380
- Thr Ser Ala Ser Glu Lys Asn Arg Gly Arg Gln Glu Ile Ala Val Gly 395 400
- Gly Ser Gln Ala Asn Ala Ala Pro Pro Ala Arg Val Asn Asp Val Phe
  405 410 415
- Trp Glu Gln Phe Leu Thr Glu Arg Pro Gly Ser Ser Asp Asn Glu Glu 420 425 425
- Ala Ser Ser Thr Tyr Arg Gly Asn Pro Tyr Glu Glu Glu Glu Glu Lys 435
- Arg Asn Gly Ser Met Met Leu Arg Asn Thr Lys Asn Ile Glu Gln Leu 450 455 460

Thr Leu

<210> 73 <211> 2104 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (93)..(1874) <223> G278

<400> 73 togatottta accaaatoca gttgataagg totottogtt gattagcaga gatotottta attigigaat ticaattcat oggaaccigt ig atg gac acc acc att gat gga Met Asp Thr Thr Ile Asp Gly ttc gcc gat tct tat gaa atc agc agc act agt ttc gtc gct acc gat Phe Ala Asp Ser Tyr Glu Ile Ser Ser Thr Ser Phe Val Ala Thr Asp aac acc gac too tot att gtt tat ctg gcc gcc gaa caa gta ctc acc Asn Thr Asp Ser Ser Ile Val Tyr Leu Ala Ala Glu Gln Val Leu Thr 30 35 gga cot gat gta tot got otg caa ttg oto too aac ago tto gaa too 257 Gly Pro Asp Val Ser Ala Leu Gln Leu Leu Ser Asn Ser Phe Glu Ser gtc ttt gac tcg ccg gat gat ttc tac agc gac gct aag ctt gtt ctc 305 Val Phe Asp Ser Pro Asp Asp Phe Tyr Ser Asp Ala Lys Leu Val Leu **60** . 65 70 tee gae gge egg gaa gtt tet tte cae egg tge gtt ttg tea geg aga Ser Asp Gly Arg Glu Val Ser Phe His Arg Cys Val Leu Ser Ala Arg age tet the the aag age get tha gee gee get aag aag gag aaa gae 401 Ser Ser Phe Phe Lys Ser Ala Leu Ala Ala Lys Lys Glu Lys Asp 95 tcc aac acc gcc gcc gtg aag ctc gag ctt aag gag att gcc aag 449 Ser Asn Asn Thr Ala Ala Val Lys Leu Glu Leu Lys Glu Ile Ala Lys 105 110 115 gat tac gaa gtc ggt ttc gat tcg gtt gtg act gtt ttg gct tat gtt 497 Asp Tyr Glu Val Gly Phe Asp Ser Val Val Thr Val Leu Ala Tyr Val 125 130 tac agc agc aga gtg aga ccg ccg cct aaa gga gtt tct gaa tgc gca Tyr Ser Ser Arg Val Arg Pro Pro Pro Lys Gly Val Ser Glu Cys Ala

gac gag aat tgc tgc cac gtg gct tgc cgg ccg gcg gtg gat ttc atg 593

145

150

140

4.23

Asp Glu Asn Cys Cys His Val Ala Cys Arg Pro Ala Val Asp Phe Met 155 160 165

ttg gag gtt ctc tat ttg gct ttc atc ttc aag atc cct gaa tta att 641

Leu Glu Val Leu Tyr Leu Ala Phe Ile Phe Lys Ile Pro Glu Leu Ile act ctc tat cag agg cac tta ttg gac gtt gta gac aaa gtt gtt ata 689 Thr Leu Tyr Gln Arg His Leu Leu Asp Val Val Asp Lys Val Val Ile gag gac aca ttg gtt ata ctc aag ctt gct aat ata tgt ggt aaa gct Glu Asp Thr Leu Val Ile Leu Lys Leu Ala Asn Ile Cys Gly Lys Ala tgt atg aag cta ttg gat aga tgt aaa gag att att gtc aag tct aat Cys Met Lys Leu Leu Asp Arg Cys Lys Glu Ile Ile Val Lys Ser Asn gta gat atg gtt agt ctt gaa aag tca ttg ccg gaa gag ctt gtt aaa 833 Val Asp Met Val Ser Leu Glu Lys Ser Leu Pro Glu Glu Leu Val Lys 235 240 245 gag ata att gat aga cgt aaa gag ctt ggt ttg gag gta cct aaa gta 881 Glu Ile Ile Asp Arg Arg Lys Glu Leu Gly Leu Glu Val Pro Lys Val 255 260 aag aaa cat gtc tcg aat gta cat aag gca ctt gac tcg gat gat att Lys Lys His Val Ser Asn Val His Lys Ala Leu Asp Ser Asp Asp Ile 265 270 gag tta qtc aaq ttq ctt ttq aaa gag gat cac acc aat cta gat gat 977 Glu Leu Val Lys Leu Leu Lys Glu Asp His Thr Asn Leu Asp Asp 285 290 geg tgt get ett eat tte get gtt gea tat tge aat gtg aag ace gea 1025 Ala Cys Ala Leu His Phe Ala Val Ala Tyr Cys Asn Val Lys Thr Ala 300 % 305 aca gat ctt tta aaa ctt gat ctt gcc gat gtc aac cat agg aat ccg 1073 Thr Asp Leu Leu Lys Leu Asp Leu Ala Asp Val Asn His Arg Asn Pro 320 315 agg gga tat acg qtg ctt cat gtt gct gcg atg cgg aag gag cca caa 1121 Arg Gly Tyr Thr Val Leu His Val Ala Ala Met Arg Lys Glu Pro Gln ttg ata cta tct cta ttg gaa aaa ggt gca agt gca tca gaa gca act 1169 Leu Ile Leu Ser Leu Leu Glu Lys Gly Ala Ser Ala Ser Glu Ala Thr ttg gaa ggt aga acc gca ctc atg atc gca aaa caa gcc act atg gcg 1217 Leu Glu Gly Arg Thr Ala Leu Met Ile Ala Lys Gln Ala Thr Met Ala

360				365					370					375
gtt gaa 1265	tgt	aat	aat	atc	ccg	gag	caa	tgc	aag	cat	tct	ctc	aaạ	ggc
Val Glu	Сув	Asn	Asn 380	Ile	Pro	Glu	Gln	Cys 385	Lys	His	Ser	Leu	Lys 390	Gly
cga cta 1313	tgt	gta	gaa	ata	cta	gag	caa	gaa	gac	aaa	cga	gaa	caa	att
Arg Leu	Суз	Val 395	Glu	Ile	Leu	Glu	Gln 400	Glu	Asp	Lys	Arg	Glu 405	Gln	Ile
cct aga 1361	gat	gtt	cct	ccc	tct	ttt	gca	gtg	gcg	gcc	gat	gaa	ttg	aag
Pro Arg	Asp 410	Val	Pro	Pro	Ser	Phe 415	Ala	Val	Ala	Ala	Asp 420	Glu	Leu	Lys
atg acg 1409	ctg	ctc	gat	ctt	gaa	aat	aga	gtt	gca	ctt	gct	caa	cgt	ctt
Met Thr 425	Leu	Leu	Asp	Leu	Glu 430	Asn	Arg	Val	Ala	Leu 435		Gln	Arg	Leu
ttt cca								gag			gaa		aag	
1457 Phe Pro				Gln			Met	Glu			Glu	Met	Lys	
440				445		i			450					455
aca tgt 1505	gag	ttc	ata	gtg	act	agc	ctc	gag	cct	gac	cgt	ctc	act	ggt
Thr Cys	Glu	Phe	11e 460	Val	Thr			Glu 465		Asp			Thr 470	_
acg aag 1553	aga	aca	tca	ccg	ggt	gta	aag	ata	gca	cct	ttc	aga	atc	cta
Thr Lys	Arg	Thr 475	Ser	Pro	Gly	Val	Lys 480	Ile	Ala	Pro	Phe	Arg 485	Ile	Leu
gaa gag 1601	cat	caa	agt			aaa			tct		•	gtg	gaa	ctc
Glu Glu	His 490	Gln	Ser		Leu	Lys 4.95	Ala	Leu	Ser	Lys		Val	Glu	Leu
ggg aaa 1649	cga	ttc	ttc	ccg	cgc	tgt	tcg	gca	gtg	ctc	gac	cag	att	atg
Gly Lys 505	Arg	Phe	Phe	Pro	Arg 510	Cys	Ser	Ala	Val	Leu 515	Asp	Gln	Ile	Met
aac tgt 1697	gag	gac	ttg	act	caa	ctg	gct	tgc	gga	gaa	gac	gac	act	gct
Asn Cys 520	Glu	Asp	Leu	Thr 525	Gln	Leu	Ala	Суз	Gly 530	Glu	Asp	Asp	Thr	Ala 535
gag aaa 1745	cga	cta	caa	aag	aag	caa	agg	tac	atg	gaa	ata	caa	gag	aca
Glu Lys	Arg	Leu	Gln 540	Lys	Lys	Gln	Arg	Tyr 545	Met	Glu	Ile	Gln	Glu 550	Thr
cta aag 1793	aag	gcc	ttt	agt	gag	gac		ttg	gaa	tta	gga	aat	tcg	tcc
Leu Lys	Lys	Ala 555	Phe	Ser	Glu		Asn	Leu	Glu	Leu	Gly	Asn 565	Ser	Ser

ctg aca gat tcg act tct tcc aca tcg aaa tca acc ggt gga aag agg

Leu Thr Asp Ser Thr Ser Ser Thr Ser Lys Ser Thr Gly Gly Lys Arg 570 575 580

tot aac ogt aaa oto tot cat ogt ogt ogg tga gactottgoo tottagtgta 1894

Ser Asn Arg Lys Leu Ser His Arg Arg Arg 585 590

attittgctg taccatataa tictgttitc atgatgactg taactgttia tgtctatcgt 1954

tggcgtcata tagtttcgct cttcgttttg catcctgtgt attattgctg caggtgtgct 2014

tcaaacaaat gttgtaacaa tttgaaccaa tggtatacag atttgtaata tatatttatg 2074

tacatcaaca ataaaaaaaa aaaaaaaaaa 2104

<210> 74 <211> 593 <212> PRT <213> Arabidopsis thaliana <400> 74

Met Asp Thr Thr Ile Asp Gly Phe Ala Asp Ser Tyr Glu Ile Ser Ser 1 5 10 15

Thr Ser Phe Val Ala Thr Asp Asn Thr Asp Ser Ser Ile Val Tyr Leu 20 25 30

Ala Ala Glu Gln Val Leu Thr Gly Pro Asp Val Ser Ala Leu Gln Leu 35 40 45

Leu Ser Asn Ser Phe Glu Ser Val Phe Asp Ser Pro Asp Asp Phe Tyr 50 55 60

Ser Asp Ala Lys Leu Val Leu Ser Asp Gly Arg Glu Val Ser Phe His 65 70 80

Arg Cys Val Leu Ser Ala Arg Ser Ser Phe Phe Lys Ser Ala Leu Ala 85 90 95

Ala Ala Lys Lys Glu Lys Asp Ser Asn Asn Thr Ala Ala Val Lys Leu 100 105 110

Glu Leu Lys Glu Ile Ala Lys Asp Tyr Glu Val Gly Phe Asp Ser Val 115.

Val Thr Val Leu Ala Tyr Val Tyr Ser Ser Arg Val Arg Pro Pro Pro 130 135 140

Lys Gly Val Ser Glu Cys Ala Asp Glu Asn Cys Cys His Val Ala Cys 150 155 Arg Pro Ala Val Asp Phe Met Leu Glu Val Leu Tyr Leu Ala Phe Ile 165 170 175 Phe Lys Ile Pro Glu Leu Ile Thr Leu Tyr Gln Arg His Leu Leu Asp 180 185 Val Val Asp Lys Val Val Ile Glu Asp Thr Leu Val Ile Leu Lys Leu 200 Ala Asn Ile Cys Gly Lys Ala Cys Met Lys Leu Leu Asp Arg Cys Lys 215 220 Glu Ile Ile Val Lys Ser Asn Val Asp Met Val Ser Leu Glu Lys Ser 230 - 235 Leu Pro Glu Glu Leu Val Lys Glu Ile Ile Asp Arg Arg Lys Glu Leu 245 250 255 Gly Leu Glu Val Pro Lys Val Lys Lys His Val Ser Asn Val His Lys 260 270 Ala Leu Asp Ser Asp Asp Ile Glu Leu Val Lys Leu Leu Lys Glu 275 280 280 285 285 Asp His Thr Asn Leu Asp Asp Ala Cys Ala Leu His Phe Ala Val Ala 290 295 300 Tyr Cys Asn Val Lys Thr Ala Thr Asp Leu Leu Lys Leu Asp Leu Ala 310 3. 320 305 . . . . . Asp Val Asn His Arg Asn Pro Arg Gly Tyr Thr Val Leu His Val Ala 325 330 Ala Met Arg Lys Glu Pro Gln Leu Ile Leu Ser Leu Leu Glu Lys Gly . . . 340 . 345 Ala Ser Ala Ser Glu Ala Thr Leu Glu Gly Arg Thr Ala Leu Met Ile 360 Ala Lys Gln Ala Thr Met Ala Val Glu Cys Asn Asn Ile Pro Glu Gln 375

PCT/US01/26189 WO 02/15675

Cys Lys His Ser Leu Lys Gly Arg Leu Cys Val Glu Ile Leu Glu GIn 395 400 385
Glu Asp Lys Arg Glu Gln Ile Pro Arg Asp Val Pro Pro Ser Phe Ala 405 410 415
Val Ala Ala Asp Glu Leu Lys Met Thr Leu Leu Asp Leu Glu Asn Arg 420 425 430
Val Ala Leu Ala Gln Arg Leu Phe Pro Thr Glu Ala Gln Ala Met 435 440 445
Glu Ile Ala Glu Met Lys Gly Thr Cys Glu Phe Ile Val Thr Ser Leu 450 450
Glu Pro Asp Arg Leu Thr Gly Thr Lys Arg Thr Ser Pro Gly Val Lys 480 475 480
Ile Ala Pro Phe Arg Ile Leu Glu Glu His Gln Ser Arg Leu Lys Ala 485 490 495
Leu Ser Lys Thr Val Glu Leu Gly Lys Arg Phe Phe Pro Arg Cys Ser 500 505
Ala Val Leu Asp Gln Ile Met Asn Cys Glu Asp Leu Thr Gln Leu Ala 525 515
Cys Gly Glu Asp Asp Thr Ala Glu Lys Arg Leu Gln Lys Lys Gln Arg 530 535 540
Tyr Met Glu Ile Gln Glu Thr Leu Lys Lys Ala Phe Ser Glu Asp Asn 545 550 560
Leu Glu Leu Gly Asn Ser Ser Leu Thr Asp Ser Thr Ser Ser Thr Ser 575
Lys Ser Thr Gly Gly Lys Arg Ser Asn Arg Lys Leu Ser His Arg Arg 580 585
Arg
<210> 75 <211> 1350 <212> DNA <213> Arabidopsis thaliana <2203 <221> CDS <222> (124)(1197) <223> G291
<400> 75 133

caagaaccca aagatetete tetattigti tgeettette titetitetg aeteaaaccc 60

tcaaatcaat tctcgcgatt aagcaaaacc ctagatttat tctactcttc gaagtcgatt 120

tca atg gaa ggt tcc tcg tca gcc atc gcg agg aag aca tgg gag cta 168

Met Glu Gly Ser Ser Ser Ala Ile Ala Arg Lys Thr Trp Glu Leu
1 5 10 15

gag aac aac att ctc cca gtg gaa cca acc gat tca gcc tcc gac agt 216
Clu Asp Asp Ile Leu Pro Val Clu Pro Thr Asp Ser Ala Ser Asp Ser

Glu Asn Asn Ile Leu Pro Val Glu Pro Thr Asp Ser Ala Ser Asp Ser 20 25 30

ata ttc cac tac gac gac gct tca caa gcc aaa atc cag cag gag aag

Ile Phe His Tyr Asp Asp Ala Ser Gln Ala Lys Ile Gln Gln Glu Lys 35: 40 45

cca tgg gcc tcc gat cct aac tac ttc aag cgc gtt cac atc tca gcc 312

Pro Trp Ala Ser Asp Pro Asn Tyr Phe Lys Arg Val His Ile Ser Ala
50 55

ctt gct ctt ctc aag atg gtg gtt cac gct cgc t $\infty$  ggt ggc aca atc 360

Leu Ala Leu Leu Lys Met Val Val His Ala Arg Ser Gly Gly Thr Ile
65 70 75

gag atc atg ggt ctt atg cag ggt aaa acc gag ggt gat aca atc atc 408

Glu Ile Met Gly Leu Met Gln Gly Lys Thr Glu Gly Asp Thr Ile Ile 80 85 90 95

gtt atg gat gct ttt gct ttg cct gtt gaa ggt act gag act agg gtt

Val Met Asp Ala Phe Ala Leu Pro Val Glu Gly Thr Glu Thr Arg Val

aat get eag tet gat gee tat gag tat atg gtt gaa tae tet eag acc 504

Asn Ala Gln Ser Asp Ala Tyr Glu Tyr Met Val Glu Tyr Ser Gln Thr 115 120

age aag etg get ggg agg ttg gag aac gtt gtt gga tgg tat cac tet 552

Ser Lys Leu Ala Gly Arg Leu Glu Asn Val Val Gly Trp Tyr His Ser 130 135 140

cac cct ggg tat gga tgt tgg ctc tcg ggt att gat gtt tcg aca cag

His Pro Gly Tyr Gly Cys Trp Leu Ser Gly Ile Asp Val Ser Thr Gln
145 150 155

atg ctt aac caa cag tat cag gag cca ttc tta gct gtt gtt att gat

Met Leu Asn Gln Gln Tyr Gln Glu Pro Phe Leu Ala Val Val Ile Asp 160 165 170 175

cca aca agg act gtt tcg gct ggt aag gtt gag att ggg gca ttc aga Pro Thr Arg Thr Val Ser Ala Gly Lys Val Glu Ile Gly Ala Phe Arg aca tat cca gag gga cat aag atc tcg gat gat cat gtt tct gag tat Thr Tyr Pro Glu Gly His Lys Ile Ser Asp Asp His Val Ser Glu Tyr cag act atc cct ctt aac aag att gag gac ttt ggt gta cat tgc aaa 792 Gln Thr Ile Pro Leu Asn Lys Ile Glu Asp Phe Gly Val His Cys Lys 210 cag tac tac tca ttg gac atc act tat ttc aag tca tct ctc gat agt 840 Gln Tyr Tyr Ser Leu Asp Ile Thr Tyr Phe Lys Ser Ser Leu Asp Ser 230 cac ctt ctg gat ctc ctt tgg aac aag tac tgg gtg aac act ctt tct His Leu Leu Asp Leu Leu Trp Asn Lys Tyr Trp Val Asn Thr Leu Ser 245 250 tot toc coa ctg ttg ggc aat gga gac tat gtt gcc ggg caa ata toa 936 Ser Ser Pro Leu Leu Gly Asn Gly Asp Tyr Val Ala Gly Gln Ile Ser 260 265 gac ttg gct gag aag ctc gag caa gcg gag agt cag ctc gct aac tcc Asp Leu Ala Glu Lys Leu Glu Gln Ala Glu Ser Gln Leu Ala Asn Ser 275 cgg tat gga gga att gcg cca gcc ggt cac caa agg agg aaa gag gat 1032 Arg Tyr Gly Gly Ile Ala Pro Ala Gly His Gln Arg Arg Lys Glu Asp 290 295 300 gag cct caa ctc gcg aag ata act cgg gat agt gca aag ata act gtc 1080 Glu Pro Gln Leu Ala Lys Ile Thr Arg Asp Ser Ala Lys Ile Thr Val 310 gag cag gtc cat gga cta atg tca cag gtt atc aaa gac atc ttg ttc 1128 Glu Gln Val His Gly Leu Met Ser Gln Val Ile Lys Asp Ile Leu Phe 325 330 aat too got cgt cag too aag aag tot got gac gac toa toa gat coa Asn Ser Ala Arg Gln Ser Lys Lys Ser Ala Asp Asp Ser Ser Asp Pro gag ccc atg att aca tcg tga agttggtcta ttcttttgtt ttttggctgc 1227 Glu Pro Met Ile Thr Ser 355

ggaaattgac tatcggtttg acccggttta tgaggcaatg cccattgttc cctatatctc 1287

tagtgtagta tctgcttcag acaaagatct ttgggttatt aaatgacatt aacataaaaa 1347

aaa 1350

<210> 76 <211> 357 <212> PRT <213> Arabidopsis thaliana <400> 76

Met Glu Gly Ser Ser Ser Ala Ile Ala Arg Lys Thr Trp Glu Leu Glu 1 5 10 15

Asn Asn Ile Leu Pro Val Glu Pro Thr Asp Ser Ala Ser Asp Ser Ile 20 25 30

Phe His Tyr Asp Asp Ala Ser Gln Ala Lys Ile Gln Gln Glu Lys Pro 35 40 45

Trp Ala Ser Asp Pro Asn Tyr Phe Lys Arg Val His Ile Ser Ala Leu 50 55 60

Ala Leu Leu Lys Met Val Val His Ala Arg Ser Gly Gly Thr Ile Glu 65 70 75 80

Ile Met Gly Leu Met Gln Gly Lys Thr Glu Gly Asp Thr Ile Ile Val 85 90 95

Met Asp Ala Phe Ala Leu Pro Val Glu Gly Thr Glu Thr Arg Val Asn 100 105 110

Ala Gln Ser Asp Ala Tyr Glu Tyr Met Val Glu Tyr Ser Gln Thr Ser 115 120 125

Lys Leu Ala Gly Arg Leu Glu Asn Val Val Gly Trp Tyr His Ser His 130 135 140

Pro Gly Tyr Gly Cys Trp Leu Ser Gly Ile Asp Val Ser Thr Gln Met 145 150 150

Leu Asn Gln Gln Tyr Gln Glu Pro Phe Leu Ala Val Val Ile Asp Pro 165 170 175

Thr Arg Thr Val Ser Ala Gly Lys Val Glu Ile Gly Ala Phe Arg Thr 180 185 190

PCT/US01/26189 WO 02/15675

Tyr Pro Glu Gly His Lys Ile Ser Asp Asp His Val Ser Glu Tyr Gln 200 . 195

Thr Ile Pro Leu Asn Lys Ile Glu Asp Phe Gly Val His Cys Lys Gln 215 210

Tyr Tyr Ser Leu Asp Ile Thr Tyr Phe Lys Ser Ser Leu Asp Ser His 230

Leu Leu Asp Leu Leu Trp Asn Lys Tyr Trp Val Asn Thr Leu Ser Ser 245

Ser Pro Leu Cly Asn Gly Asp Tyr Val Ala Gly Gln Ile Ser Asp

Leu Ala Glu Lys Leu Glu Gln Ala Glu Ser Gln Leu Ala Asn Ser Arg 280 275

Tyr Gly Gly Ile Ala Pro Ala Gly His Gln Arg Arg Lys Glu Asp Glu 295 290

Pro Gln Leu Ala Lys Ile Thr Arg Asp Ser Ala Lys Ile Thr Val Glu 305

Gln Val His Gly Leu Met Ser Gln Val Ile Lys Asp Ile Leu Phe Asn

Ser Ala Arg Gln Ser Lys Lys Ser Ala Asp Asp Ser Ser Asp Pro Glu 340 345

Pro Met Ile Thr Ser 355

<210> 77 <211> 795 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(795) <223> G343

atg gac gtc tat ggc tta tct tca cca gac tta ctt cga atc gac gac Met Asp Val Tyr Gly Leu Ser Ser Pro Asp Leu Leu Arg Ile Asp Asp

ctt ctt gat ttc tcc aac gaa gac atc ttc tcc gct tct tct tcc ggt Leu Leu Asp Phe Ser Asn Glu Asp Ile Phe Ser Ala Ser Ser Ser Gly

ggt tee acc gee get act tee tet tet tet tee ect ect caa aac Gly Ser Thr Ala Ala Thr Ser Ser Ser Phe Pro Pro Pro Gln Asn 40

35 45 cet agt tte cae cae cae cat ete cet tee tee gee gat cat cae tee Pro Ser Phe His His His Leu Pro Ser Ser Ala Asp His His Ser ttc ctc cac gac att tgc gtt ccc agt gat gac gca gct cat ctt gaa Phe Leu His Asp Ile Cys Val Pro Ser Asp Asp Ala Ala His Leu Glu tgg ctt tcg caa ttc gtg gac gat tct ttc gct gat ttt ccg gcg aat Trp Leu Ser Gln Phe Val Asp Asp Ser Phe Ala Asp Phe Pro Ala Asn cca tta gga gga act atg act tct gtc aaa act gaa act tcc ttt ccg Pro Leu Gly Gly Thr Met Thr Ser Val Lys Thr Glu Thr Ser Phe Pro 105 ggg aaa cca aga agc aaa cga tca aga gct cct gct cct ttc gcc gga 384 Gly Lys Pro Arg Ser Lys Arg Ser Arg Ala Pro Ala Pro Phe Ala Gly રેક કેંગ્રેટ **115** કુંગ કર્રક સ્ટીઝ કેંગ્રેડ **120** કે કે ઉત્તર જેવત કેન્દ્ર કર્યું કર્યું કરો સાથે છે. aca tgg tct ccg atg cca ctg gaa tcc gag cat cag cag ctt cac tcc Thr Trp Ser Pro Met Pro Leu Glu Ser Glu His Gln Gln Leu His Ser 130 140 gcc gcc aaa ttc aag cca aag aaa gaa caa tcc ggc gga gga gga gga Ala Ala Lys Phe Lys Pro Lys Lys Glu Gln Ser Gly Gly Gly Gly Gly 150 155 . : gga gga gga aga cat cag tca tcg tca tcg gag act acg gaa gga gga Gly Gly Gly Arg His Gln Ser Ser Ser Glu Thr Thr Glu Gly Gly [7] 165 [1] Problem 181 [28], 170 [1] Problem 182 [28] gga atg agg aga tgt act cac tgt gca tcg gag aaa acg cca cag tgg Gly Met Arg Arg Cys Thr His Cys Ala Ser Glu Lys Thr Pro Gln Trp 180 185 agg aca gga cca ctt gga cct aaa aca cta tgt aac gct tgt gga gtc 624 Arg Thr Gly Pro Leu Gly Pro Lys Thr Leu Cys Asn Ala Cys Gly Val 195 200 cgg ttt aaa tcc ggt aga ctt gta ccg gaa tat aga ccg gct tcg agt Arg Phe Lys Ser Gly Arg Leu Val Pro Glu Tyr Arg Pro Ala Ser Ser cct act ttt gtt ttg act cag cat tca aac tct cac cgg aaa gtg atg Pro Thr Phe Val Leu Thr Gln His Ser Asn Ser His Arg Lys Val Met

225 230

235

gag ctt cga cgg cag aaa gaa gtt atg aga caa cca caa caa gtt caa 768

Glu Leu Arg Arg Gln Lys Glu Val Met Arg Gln Pro Gln Gln Val Gln 245 250 255

ctt cat cac cac cac cac ccg ttt tag 795

Leu His His His His Pro Phe 260

<210> 78 <211> 264 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Val Tyr Gly Leu Ser Ser Pro Asp Leu Leu Arg Ile Asp Asp 1 5 10 15

Leu Leu Asp Phe Ser Asn Glu Asp Ile Phe Ser Ala Ser Ser Gly 20 25 30

Gly Ser Thr Ala Ala Thr Ser Ser Ser Ser Phe Pro Pro Pro Gln Asn 35 40 45

Pro Ser Phe His His His His Leu Pro Ser Ser Ala Asp His His Ser 50 • 55 60

Phe Leu His Asp Ile Cys Val Pro Ser Asp Asp Ala Ala His Leu Glu 65 70 75 80

Trp Leu Ser Gln Phe Val Asp Asp Ser Phe Ala Asp Phe Pro Ala Asn 85 90 95

Pro Leu Gly Gly Thr Met Thr Ser Val Lys Thr Glu Thr Ser Phe Pro 100 105 110

Gly Lys Pro Arg Ser Lys Arg Ser Arg Ala Pro Ala Pro Phe Ala Gly
115 120 125

Thr Trp Ser Pro Met Pro Leu Glu Ser Glu His Gln Gln Leu His Ser 130 135 140

Ala Ala Lys Phe Lys Pro Lys Lys Glu Gln Ser Gly Gly Gly Gly 145 150 155 160

Gly Gly Gly Arg His Gln Ser Ser Ser Glu Thr Thr Glu Gly Gly 165 170 175

Gly Met Arg Arg Cys Thr His Cys Ala Ser Glu Lys Thr Pro Gln Trp 180 185 190

Arg Thr Gly Pro Leu Gly Pro Lys Thr Leu Cys Asn Ala Cys Gly Val 195 200 205

Arg Phe Lys Ser Gly Arg Leu Val Pro Glu Tyr Arg Pro Ala Ser Ser 210 215 220

Pro Thr Phe Val Leu Thr Gln His Ser Asn Ser His Arg Lys Val Met 225 230 235 240

Glu Leu Arg Arg Gln Lys Glu Val Met Arg Gln Pro Gln Gln Val Gln 245 250 255

Leu His His His His Pro Phe 260

<210> 79 <211> 727 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (82)..(570) <223> G353

<400> 79

accaaactca aaaaacacaa accacaagag gatcatttca tbttttattg tttcgtttta 60

atcatcatca tcagaagaaa a atg gtt gcg ata tcg gag atc aag tcg acg 111

Met Val Ala Ile Ser Glu Ile Lys Ser Thr 1 5 10

gtg gat gtc acg gcg gcg aat tgt ttg atg ctt tta tct aga gtt gga 159

Val Asp Val Thr Ala Ala Asn Cys Leu Met Leu Leu Ser Arg Val Gly
15 20 25

caa gaa aac gtt gac ggt ggc gat caa aaa cgc gtt ttc aca tgt aaa 207

Gln Glu Asn Val Asp Gly Gly Asp Gln Lys Arg Val Phe Thr Cys Lys 30 35 40

acg tgt ttg aag cag ttt cat tcg ttc caa gcc tta gga ggt cac cgt 255

Thr Cys Leu Lys Gln Phe His Ser Phe Gln Ala Leu Gly Gly His Arg
45 50 55

gcg agt cac aag aag cct aac aac gac gct ttg tcg tct gga ttg atg 303

Ala Ser His Lys Lys Pro Asn Asn Asp Ala Leu Ser Ser Gly Leu Met 60 65 70

aag aag gtg aaa acg tcg tcg cat cct tgt ccc ata tgt gga gtg gag 351

Lys Lys Val Lys Thr Ser Ser His Pro Cys Pro Ile Cys Gly Val Glu
75 80 85 90

ttt ccg atg gga caa gct ttg gga gga cac atg agg aga cac agg aac 399

Phe Pro Met Gly Gln Ala Leu Gly Gly His Met Arg Arg His Arg Asn 95 100 100

gag agt ggg gct gct ggt ggc gcg ttg gtt aca cgc gct ttg ttg ccg

Glu Ser Gly Ala Ala Gly Gly Ala Leu Val Thr Arg Ala Leu Leu Pro 110 115 120

gag ccc acg gtg act acg ttg aag aaa tct agc agt ggg aag aga gtg

Glu Pro Thr Val Thr Thr Leu Lys Lys Ser Ser Ser Gly Lys Arg Val 125 130 135

gct tgt ttg gat ctg agt cta ggg atg gtg gac aat ttg aat ctc aag 543

Ala Cys Leu Asp Leu Ser Leu Gly Met Val Asp Asn Leu Asn Leu Lys 140 145 150

ttg gag ctt gga aga aca gtt tat tga ttttatttat tttccttaaa

Leu Glu Leu Gly Arg Thr Val Tyr

ttttctgaat atatttgttt ctctcattct ttgaattttt cttaatattc tagattatac 650

atacateege agatttagga aacttteata gagtgtaate ttttettet gtaaaaatat 710

attttacttg tagcaaa 727

<210> 80 <211> 162 <212> PRT <213> Arabidopsis thaliana <400> 80

Met Val Ala Ile Ser Glu Ile Lys Ser Thr Val Asp Val Thr Ala Ala 1 5 10 15

Asn Cys Leu Met Leu Leu Ser Arg Val Gly Gln Glu Asn Val Asp Gly 20 25 30

Gly Asp Gln Lys Arg Val Phe Thr Cys Lys Thr Cys Leu Lys Gln Phe 35 40

His Ser Phe Gln Ala Leu Gly Gly His Arg Ala Ser His Lys Lys Pro 50 55

Asn Asn Asp Ala Leu Ser Ser Gly Leu Met Lys Lys Val Lys Thr Ser 65 70 80

Ser His Pro Cys Pro Ile Cys Gly Val Glu Phe Pro Met Gly Gln Ala 85 90 95

Leu Gly Gly His Met Arg Arg His Arg Asn Glu Ser Gly Ala Ala Gly

100 105 110

Gly Ala Leu Val Thr Arg Ala Leu Leu Pro Glu Pro Thr Val Thr Thr 115 120 125

Leu Lys Lys Ser Ser Ser Gly Lys Arg Val Ala Cys Leu Asp Leu Ser 130 140

Leu Gly Met Val Asp Asn Leu Asn Leu Lys Leu Glu Leu Gly Arg Thr 145 150 155 160

Val Tyr

<210> 81 <211> 628 <212> DNA <213> Arabidopsis thaliana <220><221> CDS <222> (27)..(533) <223> G354

<400> 81

cctagaagtc actaagtcga ttcaaa atg gtt gcg aga agt gag gaa att gtg
53 Maria a saa a sa

Met Val Ala Arg Ser Glu Glu Ile Val

ata gtg gaa gaa gat acg act gcg aaa tgt ttg atg ttg tta tca aga

Ile Val Glu Glu Asp Thr Thr Ala Lys Cys Leu Met Leu Leu Ser Arg 10 15 20 25

gtc gga gaa tgc ggc ggc tgc ggg gga gat gaa cgt gtt ttc cga

Val Gly Glu Cys Gly Gly Cys Gly Gly Asp Glu Arg Val Phe Arg 30 35 40

tgc aag act tgt ctt aaa gag ttc tca tcg ttt caa gct ttg gga ggt 197

Cys Lys Thr Cys Leu Lys Glu Phe Ser Ser Phe Gln Ala Leu Gly Gly
45 50 55

cat cgt gca agc cac aag aaa ctt atc aac agt gac aat cca tca ctt 245

His Arg Ala Ser His Lys Lys Leu Ile Asn Ser Asp Asn Pro Ser Leu 60 65 70

ctt gga tcc ttg tcc aac aag aaa act aaa acg tct cat cct tgt ccg 293

Leu Gly Ser Leu Ser Asn Lys Lys Thr Lys Thr Ser His Pro Cys Pro 75 80 85

ata tgt gga gtg aag ttt ccg atg gga caa gct ctt ggt ggt cac atg 341

Ile Cys Gly Val Lys Phe Pro Met Gly Gln Ala Leu Gly Gly His Met 90 95 100 105

agg aga cat agg aac gag aaa gtc tca ggc tcg ttg gtt aca cgt tct 389

Arg Arg His Arg Asn Glu Lys Val Ser Gly Ser Leu Val Thr Arg Ser

-	•	^
Т	1	υ

115

120

ttt cta ccg gag acg acg gtg acg gct ttg aag aaa ttt agt agt

Phe Leu Pro Glu Thr Thr Thr Val Thr Ala Leu Lys Lys Phe Ser Ser 125

ggg aag aga gtg gct tgt ttg gat ttg gac tta gat tcg atg gag agt

Gly Lys Arg Val Ala Cys Leu Asp Leu Asp Leu Asp Ser Met Glu Ser 140 145 150

ttg gtc aat tgg aag ttg gag ttg gga aga acg att tct tgg agt taa

Leu Val Asn Trp Lys Leu Glu Leu Gly Arg Thr Ile Ser Trp Ser 155 160 165

gtttttgggt tgtatacagt ttcacatgat tttgtaatct ttgttgatcc aattatcgta 593

ccgatcgatg tgaatattat tttgatacaa taaaa 628

<210> 82 <211> 168 <212> PRT <213> Arabidopsis thaliana <400>

Met Val Ala Arg Ser Glu Glu Ile Val Ile Val Glu Glu Asp Thr Thr
1 5 10 15

Ala Lys Cys Leu Met Leu Leu Ser Arg Val Gly Glu Cys Gly Gly Gly 25 30

Cys Gly Gly Asp Glu Arg Val Phe Arg Cys Lys Thr Cys Leu Lys Glu 35 40 45

Phe Ser Ser Phe Gln Ala Leu Gly Gly His Arg Ala Ser His Lys Lys 50 55 60

Leu Ile Asn Ser Asp Asn Pro Ser Leu Leu Gly Ser Leu Ser Asn Lys 70 75 80

Lys Thr Lys Thr Ser His Pro Cys Pro Ile Cys Gly Val Lys Phe Pro 85 90 95

Met Gly Gln Ala Leu Gly Gly His Met Arg Arg His Arg Asn Glu Lys
100 105 110

Val Ser Gly Ser Leu Val Thr Arg Ser Phe Leu Pro Glu Thr Thr 115 120 125

Val Thr Ala Leu Lys Lys Phe Ser Ser Gly Lys Arg Val Ala Cys Leu 130 135 140

Asp Leu Asp Leu Asp Ser Met Glu Ser Leu Val Asn Trp Lys Leu Glu 145 150 155 160

Leu Gly Arg Thr Ile Ser Trp Ser 165

<210> 83 <211> 615 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(615) <223> G357

<400> 83

atg cag aac aaa cac aaa tgc aag ctc tgt tcc aag agt ttc tgt aat 48

Met Gln Asn Lys His Lys Cys Lys Leu Cys Ser Lys Ser Phe Cys Asn 1 5 10 15

ggc aga gca ctt ggt ggt cac atg aag tct cac ttg gtc tca tct cag 96

Gly Arg Ala Leu Gly Gly His Met Lys Ser His Leu Val Ser Ser Gln 20 25 30

tet tea get egg aag aaa eta ggt gae teg gte tat tet tet tet tee

Ser Ser Ala Arg Lys Lys Leu Gly Asp Ser Val Tyr Ser Ser Ser Ser 40 45

tet tee tee gat ggt aaa geg ete gee tae ggg tta ega gag aac eeg 192

Ser Ser Ser Asp Gly Lys Ala Leu Ala Tyr Gly Leu Arg Glu Asn Pro 50 55 60

agg aag agt tte egg gte ttt aat eeg gat eet gag tea tee aca att 240

Arg Lys Ser Phe Arg Val Phe Asn Pro Asp Pro Glu Ser Ser Thr Ile 65 70 75 80

tac aac agt gag aca gag acc gaa cct gaa tcc gga gac ccg gtt aag

Tyr Asn Ser Glu Thr Glu Thr Glu Pro Glu Ser Gly Asp Pro Val Lys 85 90 95

aaa cgg gtc aga gga gat gtt tca aag aag aag aag aag gca aag

Lys Arg Val Arg Gly Asp Val Ser Lys Lys Lys Lys Lys Lys Ala Lys
100 105 110

agt aag aga gtg ttt gag aac tcg aag aag caa aag aca att cac gag 384

Ser Lys Arg Val Phe Glu Asn Ser Lys Lys Gln Lys Thr Ile His Glu 115 120 125

tea cea gaa cea geg agt tet gte tet gat ggt tet eet gaa caa gat 432

Ser Pro Glu Pro Ala Ser Ser Val Ser Asp Gly Ser Pro Glu Gln Asp 130 135

tta gct atg tgc ttg atg ctg tca aga gat tca agg gag ctc gag 480

Leu Ala Met Cys Leu Met Met Leu Ser Arg Asp Ser Arg Glu Leu Glu 145

Ile Lys Leu Lys Lys Pro Glu Glu Glu Arg Lys Pro Glu Lys Arg His
165 170 175

ttc cct gag ctc cgt cgc tgt atg ata gat ctg aat ctt cct ccg ccg

caa gaa gct gaa gct gtc acc gtc gtt tca gcc ata taa

Gln Glu Ala Glu Ala Val Thr Val Val Ser Ala Ile

<210> 84 <211> 204 <212> PRT <213> Arabidopsis thaliana <400>

Met Gln Asn Lys His Lys Cys Lys Leu Cys Ser Lys Ser Phe Cys Asn 10 15

Gly Arg Ala Leu Gly Gly His Met Lys Ser His Leu Val Ser Ser Gln
20 25 30

Ser Ser Ala Arg Lys Lys Leu Gly Asp Ser Val Tyr Ser Ser Ser Ser Ser 35

Ser Ser Ser Asp Gly Lys Ala Leu Ala Tyr Gly Leu Arg Glu Asn Pro 50 55 60

Arg Lys Ser Phe Arg Val Phe Asn Pro Asp Pro Glu Ser Ser Thr 11e 75 75 80

Tyr Asn Ser Glu Thr Glu Thr Glu Pro Glu Ser Gly Asp Pro Val Lys
85 90 95

Lys Arg Val Arg Gly Asp Val Ser Lys Lys Lys Lys Lys Lys Ala Lys 100 105 110

Ser Lys Arg Val Phe Glu Asn Ser Lys Lys Gln Lys Thr Ile His Glu 115 120 125

Ser Pro Glu Pro Ala Ser Ser Val Ser Asp Gly Ser Pro Glu Gln Asp 130 135 140

Leu Ala Met Cys Leu Met Met Leu Ser Arg Asp Ser Arg Glu Leu Glu 145 150 150 155 160

Ile Lys Leu Lys Lys Pro Glu Glu Glu Arg Lys Pro Glu Lys Arg His 165 170 175

Phe Pro Glu Leu Arg Arg Cys Met Ile Asp Leu Asn Leu Pro Pro 180 185 190

Gln Glu Ala Glu Ala Val Thr Val Val Ser Ala Ile 195 200

<210> 85 <211> .728 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> '(64)..(516) <223> G364

<400> 85

aagettgata tegeetetet etaatetete titetetete tatetetaag aatatataaa 60

ggt atg gac tac cag cca aac aca tcc cta cgt cta agc cta cca agt 108

Met Asp Tyr Gln Pro Asn Thr Ser Leu Arg Leu Ser Leu Pro Ser
1 5 10 15

tac aag aac cac caa cta aac cta gaa ctt gtt ctc gag cct tct tcc 156 | 16 C | 17 C | 17

Tyr Lys Asn His Gln Leu Asn Leu Glu Leu Val Leu Glu Pro Ser Ser 20 25 30

atg tet tet tet tet tet tet tec acg aac tea tea tet ttg gag

Met Ser Ser Ser Ser Ser Ser Ser Thr Asn Ser Ser Ser Cys Leu Glu 35 40 45

cag cot agg gta tto toa tgt aac tat tgt caa aga aag ttt tac agc 252

Gln Pro Arg Val Phe Ser Cys Asn Tyr Cys Gln Arg Lys Phe Tyr Ser
50 60

Ser Gln Ala Leu Gly Gly His Gln Asn Ala His Lys Leu Glu Arg Thr
65 70 75

tta gcc aag aag agt cga gaa ctc ttt aga tcc tca aac act gtt gat

Leu Ala Lys Lys Ser Arg Glu Leu Phe Arg Ser Ser Asn Thr Val Asp 80 85 90 95

tet gat eag eet tae eeg tte tee ggt ege ttt gag ett tae gge egt

Ser Asp Gln Pro Tyr Pro Phe Ser Gly Arg Phe Glu Leu Tyr Gly Arg 100 105 110

ggc tac caa gga ttt ctc gaa agt ggc ggc tcg agg gac ttc tcc gcc

Gly Tyr Gln Gly Phe Leu Glu Ser Gly Gly Ser Arg Asp Phe Ser Ala 115 120 125

PCT/US01/26189 WO 02/15675

ege egt gtg eeg gag agt ggt ett gat eag gat eag gag aag agt eae

Arg Arg Val Pro Glu Ser Gly Leu Asp Gln Asp Gln Glu Lys Ser His

ctt gac tta tcc tta agg ctc taa aagaatctta tattttgtta gtctatatat Leu Asp Leu Ser Leu Arg Leu 145

tatcatatca attgttaatc ttaaaattga ttgttttact tattagtcat ttcctattat

ctgaaagttt tctttgtaag ttgtaactat ggtcctaaat tcaaatccaa atttgatttt 666

ggaagatggt acctaatgca gtagttaaat aagttaaaaa aatgaaggat ctataattct 726

ct 728

<210> 86 <211> 150 <212> PRT <213> Arabidopsis thaliana <400> 86

The Armst Art State of the Control

Met Asp Tyr Gln Pro Asn Thr Ser Leu Arg Leu Ser Leu Pro Ser Tyr 5

Lys Asn His Gln Leu Asn Leu Glu Leu Val Leu Glu Pro Ser Ser Met 20

Ser Ser Ser Ser Ser Ser Ser Thr Asn Ser Ser Ser Cys Leu Glu Gln 40 35

Pro Arg Val Phe Ser Cys Asn Tyr Cys Gln Arg Lys Phe Tyr Ser Ser 55

Gln Ala Leu Gly Gly His Gln Asn Ala His Lys Leu Glu Arg Thr Leu 65

Ala Lys Lys Ser Arg Glu Leu Phe Arg Ser Ser Asn Thr Val Asp Ser 85 .

Asp Gln Pro Tyr Pro Phe Ser Gly Arg Phe Glu Leu Tyr Gly Arg Gly

Tyr Gln Gly Phe Leu Glu Ser Gly Gly Ser Arg Asp Phe Ser Ala Arg 120

Arg Val Pro Glu Ser Gly Leu Asp Gln Asp Gln Glu Lys Ser His Leu 135 130

Asp Leu Ser Leu Arg Leu 145 150

<210> 87 <211> 2217 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (37)..(2202) <223> G385

<400> 87

tagggtttgc tttcagtttc cggagtataa gaaaag atg ttc gag cca aat atg

Met Phe Glu Pro Asn Met
1 5

ctg ctt gcg gct atg aac aac gca gac agc aat aac cac aac tac aac 102

Leu Leu Ala Ala Met Asn Asn Ala Asp Ser Asn Asn His Asn Tyr Asn 10 15 20

cac gaa gac aac aat aat gaa gga ttt ctt cgg gac gat gaa ttc gac 150

His Glu Asp Asn Asn Glu Gly Phe Leu Arg Asp Asp Glu Phe Asp 25 30 35

agt ccg aat act aaa tcg gga agt gag aat caa gaa gga gga tca gga 198

Ser Pro Asn Thr Lys Ser Gly Ser Glu Asn Gln Glu Gly Gly Ser Gly
40 50

aac gac caa gat cct ctt cat cct aac aag aag aaa cga tat cat cga 246

Asn Asp Gln Asp Pro Leu His Pro Asn Lys Lys Arg Tyr His Arg 55 60 65 70

cac acc caa ctt cag atc cag gag atg gaa gcg ttc ttc aaa gag tgt

His Thr Gln Leu Gln Ile Gln Glu Met Glu Ala Phe Phe Lys Glu Cys
75 80 85

cct cac cca gat gac aag caa agg aaa cag cta agc cgt gaa ttg aat 342

Pro His Pro Asp Asp Lys Gln Arg Lys Gln Leu Ser Arg Glu Leu Asn 90 95 100

ttg gaa cet ett cag gte aaa tte tgg tte caa aac aaa egt ace caa 390

Leu Glu Pro Leu Gln Val Lys Phe Trp Phe Gln Asn Lys Arg Thr Gln
105 110 115

atg aag aat cat cac gag cgg cat gag aac tca cat ctt cgg gcg gag 438

Met Lys Asn His His Glu Arg His Glu Asn Ser His Leu Arg Ala Glu
120 125 130

aac gaa aag ctt cga aac gac aac cta aga tat cga gag gct ctt gca 486

Asn Glu Lys Leu Arg Asn Asp Asn Leu Arg Tyr Arg Glu Ala Leu Ala 135 140 145 150

aat gct tcg tgt cct aat tgt ggt ggt cca aca gct atc gga gaa atg 534

Asn Ala Ser Cys Pro Asn Cys Gly Gly Pro Thr Ala Ile Gly Glu Met 155 156 . 165

- tca ttc gac gaa cac caa ctc cgt ctc gaa aat gct cga tta agg gaa 582
- Ser Phe Asp Glu His Gln Leu Arg Leu Glu Asn Ala Arg Leu Arg Glu 170 175 180
- gag atc gac cgt ata tec gea atc gea get aaa tac gta gge aag eea 630
- Glu Ile Asp Arg Ile Ser Ala Ile Ala Ala Lys Tyr Val Gly Lys Pro 185 190 195
- gtc tca aac tat cca ctt atg tct cct cct cct cct cct cca cgt cca 678
- Val Ser Asn Tyr Pro Leu Met Ser Pro Pro Pro Leu Pro Pro Arg Pro 200 205 210
- cta gaa ctc gcc atg gga aat att gga gga gaa gct tat gga aac aat 726
- Leu Glu Leu Ala Met Gly Asn Ile Gly Gly Glu Ala Tyr Gly Asn Asn 225 230
- cca aac gat ctc ctt aag tcc atc act gca cca aca gaa tct gac aaa 774
- Pro Asn Asp Leu Leu Lys Ser Ile Thr Ala Pro Thr Glu Ser Asp Lys 235 240 245
- cct gtc atc atc gac tta tcc gtg gct gca atg gaa gag ctc atg agg
- Pro Val Ile Ile Asp Leu Ser Val Ala Ala Met Glu Glu Leu Met Arg
  250 255 260
- atg gtt caa gta gac gag cct ctg tgg aag agt ttg gct tta gac gaa
- Met Val Gln Val Asp Glu Pro Leu Trp Lys Ser Leu Ala Leu Asp Glu 265 270 275
- gaa gaa tat gca agg acc ttt cct aga ggg atc gga cct aga ccg gct 918
- Glu Glu Tyr Ala Arg Thr Phe Pro Arg Gly Ile Gly Pro Arg Pro Ala 280 285 290
- gga tat aga tca gaa gct tcg cga gaa agc gcg gtt gtg atc atg aat 966
- Gly Tyr Arg Ser Glu Ala Ser Arg Glu Ser Ala Val Val Ile Met Asn 300 305 310
- cat gtt aac atc gtt gag att ctc atg gat gtg aat caa tgg tcg acg 1014
- His Val Asn Ile Val Glu Ile Leu Met Asp Val Asn Gln Trp Ser Thr 315 320 325
- att ttc gcg ggg atg gtt tct aga gca atg aca tta gcg gtt tta tcg 1062
- Ile Phe Ala Gly Met Val Ser Arg Ala Met Thr Leu Ala Val Leu Ser 330 335 340
- aca gga gtt gca gga aac tat aat gga gct ctt caa gtg atg agc gca
- Thr Gly Val Ala Gly Asn Tyr Asn Gly Ala Leu Gln Val Met Ser Ala

345 350 355

gag ttt caa gtt cca tct cca tta gtc cca aca cgt gaa acc tat ttc Glu Phe Gln Val Pro Ser Pro Leu Val Pro Thr Arg Glu Thr Tyr Phe 365 360 370 gca cgt tac tgt aaa caa caa gga gat ggt tcg tgg gcg gtt gtc gat 1206 Ala Arg Tyr Cys Lys Gln Gln Gly Asp Gly Ser Trp Ala Val Val Asp att tog ttg gat agt oto caa oca aat oco oog got aga tgo agg ogg Ile Ser Leu Asp Ser Leu Gln Pro Asn Pro Pro Ala Arg Cys Arg Arg 395 cga gct tca gga tgt ttg att caa gaa ttg cca aat gga tat tct aag 1302 Arg Ala Ser Gly Cys Leu Ile Gln Glu Leu Pro Asn Gly Tyr Ser Lys 410 415 gtg act tgg gtg gag cat gtg gaa gtt gat gac aga gga gtt cat aac 1350 to take the large transfer of the second secon Val Thr Trp Val Glu His Val Glu Val Asp Asp Arg Gly Val His Asn 1965 (1965 **425**, Mount Book (490) (1964 **430** (1965 1966) (1967) (1968) **435.** (1969) (1968) (1966) On (1968) (1967) (1967) (1967) the state of the s tta tac aaa cac atg gtt agt act ggt cat gcc ttc ggt gct aaa cgc 1398 Little Company of the matter than the first of the many dogs also give Leu Tyr Lys His Met Val Ser Thr Gly His Ala Phe Gly Ala Lys Arg 440 445 tog gta gee att ett gae ege caa tge gag egg tta get agt gte atg Trp Val Ala Ile Leu Asp Arg Gln Cys Glu Arg Leu Ala Ser Val Met 460 465 470 gct aca aac att tcc tct gga gaa gtt ggc gtg ata acc aac caa gaa ar again that was Ala Thr Asn Ile Ser Ser Gly Glu Val Gly Val Ile Thr Asn Gln Glu unit and the control 475 of the first of a control 480 of the state of the control 485 of the ggg agg agg agt atg ctg aaa ttg gca gag cgg atg gtt ata agc ttt Gly Arg Arg Ser Met Leu Lys Leu Ala Glu Arg Met Val Ile Ser Phe 490 495 500 11:00 Marian Company tgt gea gga gtg agt get tea acc get eac acg tgg act aca ttg tee 1590 Cys Ala Gly Val Ser Ala Ser Thr Ala His Thr Trp Thr Thr Leu Ser 505 510 515 ggt aca gga gct gaa gat gtt aga gtg atg act agg aag agt gtg gat 1638 Gly Thr Gly Ala Glu Asp Val Arg Val Met Thr Arg Lys Ser Val Asp 520 525 530 gat cca gga agg tct cct ggt att gtt ctt agt gca gcc act tct ttt Asp Pro Gly Arg Ser Pro Gly Ile Val Leu Ser Ala Ala Thr Ser Phe 540 550 535

PCT/US01/26189 WO 02/15675

tgg atc cct gtt cct cca aag cga gtc ttt gac ttc ctc aga gac gag

Trp Ile Pro Val Pro Pro Lys Arg Val Phe Asp Phe Leu Arg Asp Glu 555

aat tca aga aat gag tgg gat att ctg tct aat gga gga gtt gtg caa Asn Ser Arg Asn Glu Trp Asp Ile Leu Ser Asn Gly Gly Val Val Gln

gaa atg gca cat att gct aac ggg agg gat acc gga aac tgt gtt tct

Glu Met Ala His Ile Ala Asn Gly Arg Asp Thr Gly Asn Cys Val Ser 590 585

ctt ctt cgg gta aat agt gca aac tct agc cag agc aat atg ctg atc Leu Leu Arg Val Asn Ser Ala Asn Ser Ser Gln Ser Asn Met Leu Ile 600

cta caa gag age tgc att gat cct aca gct tcc ttt gtg atc tat gct Leu Gln Glu Ser Cys Ile Asp Pro Thr Ala Ser Phe Val Ile Tyr Ala 620

cca gtc gat att gta gct atg aac ata gtg ctt aat gga ggt gat cca Pro Val Asp Ile Val Ala Met Asn Ile Val Leu Asn Gly Gly Asp Pro 635

gac tat gtg gct ctg ctt cca tca ggt ttt gct att ctt cct gat ggt Asp Tyr Val Ala Leu Leu Pro Ser Gly Phe Ala Ile Leu Pro Asp Gly 650

aat gcc aat agt gga gcc cct gga gga gat gga ggg tcg ctc ttg act

Asn Ala Asn Ser Gly Ala Pro Gly Gly Asp Gly Gly Ser Leu Leu Thr 665

gtt gct ttt cag att ctg gtt gac tca gtt cct acg gct aag ctg tct Val Ala Phe Gln Ile Leu Val Asp Ser Val Pro Thr Ala Lys Leu Ser 685

680 ctt ggc tct gtt gca act gtc aat aat cta ata gct tgc act gtt gag Leu Gly Ser Val Ala Thr Val Asn Asn Leu Ile Ala Cys Thr Val Glu 7.00

695 aga\_atc aaa gct tca atg tct tgt gag act gct tga aaaccatcca ttagc

Arg Ile Lys Ala Ser Met Ser Cys Glu Thr Ala 715

<210> 88 <211> 721 <212> PRT <213>... Arabidopsis thaliana <400>

Met Phe Glu Pro Asn Met Leu Leu Ala Ala Met Asn Asn Ala Asp Ser

1 5 . 10 Asn Asn His Asn Tyr Asn His Glu Asp Asn Asn Asn Glu Gly Phe Leu 20 25 Arg Asp Asp Glu Phe Asp Ser Pro Asn Thr Lys Ser Gly Ser Glu Asn 35 40 Gln Glu Gly Gly Ser Gly Asn Asp Gln Asp Pro Leu His Pro Asn Lys Lys Lys Arg Tyr His Arg His Thr Gln Leu Gln Ile Gln Glu Met Glu 70 75 80 ; . Ala Phe Phe Lys Glu Cys Pro His Pro Asp Asp Lys Gln Arg Lys Gln 85 90 95 Leu Ser Arg Glu Leu Asn Leu Glu Pro Leu Gln Val Lys Phe Trp Phe 100 105 110 Gln Asn Lys Arg Thr Gln Met Lys Asn His His Glu Arg His Glu Asn 115 120 125 Ser His Leu Arg Ala Glu Asn Glu Lys Leu Arg Asn Asp Asn Leu Arg 130 Tyr Arg Glu Ala Leu Ala Asn Ala Ser Cys Pro Asn Cys Gly Gly Pro 150 155 Thr Ala Ile Gly Glu Met Ser Phe Asp Glu His Gln Leu Arg Leu Glu 165 170 Asn Ala Arg Leu Arg Glu Glu Ile Asp Arg Ile Ser Ala Ile Ala Ala 180 185 190 Lys Tyr Val Gly Lys Pro Val Ser Asn Tyr Pro Leu Met Ser Pro Pro 195 200 205 Pro Leu Pro Pro Arg Pro Leu Glu Leu Ala Met Gly Asn Ile Gly Gly 210 215 220 Glu Ala Tyr Gly Asn Asn Pro Asn Asp Leu Leu Lys Ser Ile Thr Ala 230

Pro Thr Glu Ser Asp Lys Pro Val Ile Ile Asp Leu Ser Val Ala Ala 245 250 255

Met Glu Glu Leu Met Arg Met Val Gln Val Asp Glu Pro Leu Trp Lys 260 265 270

- Ser Leu Ala Leu Asp Glu Glu Glu Tyr Ala Arg Thr Phe Pro Arg Gly 275 280 280
- Ile Gly Pro Arg Pro Ala Gly Tyr Arg Ser Glu Ala Ser Arg Glu Ser 290 295 300
- Ala Val Val Ile Met Asn His Val Asn Ile Val Glu Ile Leu Met Asp 305 310 315 320
- Val Asn Gln Trp Ser Thr Ile Phe Ala Gly Met Val Ser Arg Ala Met 325 330 335
- Thr Leu Ala Val Leu Ser Thr Gly Val Ala Gly Asn Tyr Asn Gly Ala 340 345 350
- Leu Gln Val Met Ser Ala Glu Phe Gln Val Pro Ser Pro Leu Val Pro 365
- Thr Arg Glu Thr Tyr Phe Ala Arg Tyr Cys Lys Gln Gln Gly Asp Gly 370 375 380
- Ser Trp Ala Val Val Asp Ile Ser Leu Asp Ser Leu Gln Pro Asn Pro 385 390 395
- Pro Ala Arg Cys Arg Arg Arg Ala Ser Gly Cys Leu Ile Gln Glu Leu 405 410 415
- Pro Asn Gly Tyr Ser Lys Val Thr Trp Val Glu His Val Glu Val Asp 420 425 430
- Asp Arg Gly Val His Asn Leu Tyr Lys His Met Val Ser Thr Gly His 435
- Ala Phe Gly Ala Lys Arg Trp Val Ala Ile Leu Asp Arg Gln Cys Glu 450 455 460
- Arg Leu Ala Ser Val Met Ala Thr Asn Ile Ser Ser Gly Glu Val Gly 465 470 480
- Val Ile Thr Asn Gln Glu Gly Arg Arg Ser Met Leu Lys Leu Ala Glu 495

Arg Met Val Ile Ser Phe Cys Ala Gly Val Ser Ala Ser Thr Ala His 500 505 Thr Trp Thr Thr Leu Ser Gly Thr Gly Ala Glu Asp Val Arg Val Met 515 520 525 Thr Arg Lys Ser Val Asp Asp Pro Gly Arg Ser Pro Gly Ile Val Leu 535 540 Ser Ala Ala Thr Ser Phe Trp Ile Pro Val Pro Pro Lys Arg Val Phe 550 Asp Phe Leu Arg Asp Glu Asn Ser Arg Asn Glu Trp Asp Ile Leu Ser 565 570 575 Asn Gly Gly Val Val Gln Glu Met Ala His Ile Ala Asn Gly Arg Asp Trus area trada 580 team who also have 585 had so the Ame 590 test with 海縄 アルフィン・ション 静水 一名 Thr Gly Asn Cys Val Ser Leu Leu Arg Val Asn Ser Ala Asn Ser Ser The Diff 595 (Fig. 1) And My 600 Mile the Tierra 605 (Ab Mile An Gln Ser Asn Met Leu Ile Leu Gln Glu Ser Cys Ile Asp Pro Thr Ala man **610** (a) The annual (b) **615** man (a) (b) The **620** May (1), and (b) for Ser Phe Val Ile Tyr Ala Pro Val Asp Ile Val Ala Met Asn Ile Val 625 630 635 Leu Asn Gly Gly Asp Pro Asp Tyr Val Ala Leu Leu Pro Ser Gly Phe 645 650 655 Ala Ile Leu Pro Asp Gly Asn Ala Asn Ser Gly Ala Pro Gly Gly Asp Gly Gly Ser Leu Leu Thr Val Ala Phe Gln Ile Leu Val Asp Ser Val 675 680 685 .5,... Pro Thr Ala Lys Leu Ser Leu Gly Ser Val Ala Thr Val Asn Asn Leu 690 700 Ile Ala Cys Thr Val Glu Arg Ile Lys Ala Ser Met Ser Cys Glu Thr 705 710 715 720 Ala

<210> 89 <211> 957 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(957) <223> G396

<400> 89

atg ggg gaa aga gat gat ggg ttg ggt ttg agt cta agc ttg gga aat 48

Met Gly Glu Arg Asp Asp Gly Leu Gly Leu Ser Leu Ser Leu Gly Asn
1 5 10 15

agt caa caa aaa gaa cca tct ctg agg ttg aat ctt atg ccg ttg aca 96

Ser Gln Gln Lys Glu Pro Ser Leu Arg Leu Asn Leu Met Pro Leu Thr 20 25 30

act tot tot tot tot tot tog ttt caa cac atg cac aat cag aat aac 144

Thr Ser Ser Ser Ser Ser Phe Gln His Met His Asn Gln Asn Asn 35 40 45

aat agc cat ccc cag aag att cat aac atc tct tgg act cat ctg ttt 192

Asn Ser His Pro Gln Lys Ile His Asn Ile Ser Trp Thr His Leu Phe 50 60

caa tot tot ggg att aaa cgt aca act gca gag aga aac toc gac gcc 240

Gln Ser Ser Gly Ile Lys Arg Thr Thr Ala Glu Arg Asn Ser Asp Ala 65 70 75 80

ggg tca ttt cta aga ggt ttc aac gtg aac aga gct cag tct tcg gtg 288

Gly Ser Phe Leu Arg Gly Phe Asn Val Asn Arg Ala Gln Ser Ser Val 85 90 95.

gcg gta gtg gac ttg gaa gaa gcc gcc gtc gtc tcg tct cca aac

Ala Val Val Asp Leu Glu Glu Glu Ala Ala Val Val Ser Ser Pro Asn 100 105 110

age gee gtt teg agt etg agt gga aat aaa agg gat ett geg gtg geg 384

Ser Ala Val Ser Ser Leu Ser Gly Asn Lys Arg Asp Leu Ala Val Ala 115 120 125

aga gga gga gat gaa aac gag gcg gag aga gct tct tgc tca cgc gga

Arg Gly Gly Asp Glu Asn Glu Ala Glu Arg Ala Ser Cys Ser Arg Gly
130 135 140

ggg gga agc ggt ggt agc gac gat gaa gac ggc gga aac ggc gac gga

Gly Gly Ser Gly Gly Ser Asp Asp Glu Asp Gly Gly Asn Gly Asp Gly
145 150 155 160

tca agg aag aaa cta cgg tta tcg aag gat caa gct ctt gtt ctc gag

Ser Arg Lys Lys Leu Arg Leu Ser Lys Asp Gln Ala Leu Val Leu Glu 165 . 170 175

gag act ttt aaa gaa cat agc act ctt aat ccg aag caa aag ctg gct 576

Glu Thr Phe Lys Glu His Ser Thr Leu Asn Pro Lys Gln Lys Leu Ala 180 185 190

cta gca aaa cag ttg aat cta agg gca aga caa gtt gaa gtg tgg ttt 624

Leu Ala Lys Gln Leu Asn Leu Arg Ala Arg Gln Val Glu Val Trp Phe 195 200 205

cag aac cgt agg gca agg acg aag ctg aaa caa acg gag gtt gat tgt 672

Gln Asn Arg Arg Ala Arg Thr Lys Leu Lys Gln Thr Glu Val Asp Cys 210 215 220

gag tat tta aag aga tgt tgc gat aat ctg acc gag gag aat cga cgg

Glu Tyr Leu Lys Arg Cys Cys Asp Asn Leu Thr Glu Glu Asn Arg Arg 225 230 235 240

ctg cag aaa gaa gtg tcg gag ctg agg gcg ttg aag ttg tct cca cat 768

Leu Gln Lys Glu Val Ser Glu Leu Arg Ala Leu Lys Leu Ser Pro His 245 250 255

ctc tac atg cac atg act cct cct act act ctc acc atg tgc cct tct 816

Leu Tyr Met His Met Thr Pro Pro Thr Thr Leu Thr Met Cys Pro Ser 260 265 270

tgc gaa cgt gtc tcc tcc tct gcc gcc act gtg acc gct gct cct tcc 864

Cys Glu Arg Val Ser Ser Ser Ala Ala Thr Val Thr Ala Ala Pro Ser 275 280 285

act act act act acg gtg gtg ggg cgg cca agt cca cag cga tta

Thr Thr Thr Thr Pro Thr Val Val Gly Arg Pro Ser Pro Gln Arg Leu 290 295 300

act cct tgg act gct att tct ctc cag caa aaa tca ggt cgc tag 957

Thr Pro Trp Thr Ala Ile Ser Leu Gln Gln Lys Ser Gly Arg 305 310 315

<210> 90 <211> 318 <212> PRT <213> Arabidopsis thaliana <400> 90

Met Gly Glu Arg Asp Asp Gly Leu Gly Leu Ser Leu Ser Leu Gly Asn 1 5 10 15

Ser Gln Gln Lys Glu Pro Ser Leu Arg Leu Asn Leu Met Pro Leu Thr 20 25 30

Thr Ser Ser Ser Ser Ser Ser Phe Gln His Met His Asn Gln Asn Asn 35 40 45

Asn Ser His Pro Gln Lys Ile His Asn Ile Ser Trp Thr His Leu Phe 50 55 60

Gln Ser Ser Gly Ile Lys Arg Thr Thr Ala Glu Arg Asn Ser Asp Ala Gly Ser Phe Leu Arg Gly Phe Asn Val Asn Arg Ala Gln Ser Ser Val Ala Val Val Asp Leu Glu Glu Glu Ala Ala Val Val Ser Ser Pro Asn 105 100 Ser Ala Val Ser Ser Leu Ser Gly Asn Lys Arg Asp Leu Ala Val Ala 115 120 Arg Gly Gly Asp Glu Asn Glu Ala Glu Arg Ala Ser Cys Ser Arg Gly 130 Gly Gly Ser Gly Gly Ser Asp Asp Glu Asp Gly Gly Asn Gly Asp Gly 145 % 2 % 150 %% 150 % 155 % 2 % 3 % 160 Ser Arg Lys Lys Leu Arg Leu Ser Lys Asp Gln Ala Leu Val Leu Glu Glu Thr Phe Lys Glu His Ser Thr Leu Asn Pro Lys Gln Lys Leu Ala Leu Ala Lys Gln Leu Asn Leu Arg Ala Arg Gln Val Glu Val Trp Phe 200 Gln Asn Arg Arg Ala Arg Thr Lys Leu Lys Gln Thr Glu Val Asp Cys 210 42 215 220 Glu Tyr Leu Lys Arg Cys Cys Asp Asn Leu Thr Glu Glu Asn Arg Arg 225 230 235 Leu Gln Lys Glu Val Ser Glu Leu Arg Ala Leu Lys Leu Ser Pro His 245 250 255 Leu Tyr Met His Met Thr Pro Pro Thr Thr Leu Thr Met Cys Pro Ser 260 265 Cys Glu Arg Val Ser Ser Ser Ala Ala Thr Val Thr Ala Ala Pro Ser 275 . 280 Thr Thr Thr Thr Pro Thr Val Val Gly Arg Pro Ser Pro Gln Arg Leu 300 290 295

Thr Pro Trp Thr Ala Ile Ser Leu Gln Gln Lys Ser Gly Arg 305 310 315

<210> 91 <211> 1177 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (128)..(967) <223> G439

<400> 91

tataaatctt cgtttctact ttttttctt ccataatata gtcaattcgt tttcttaatt 60

agggetectt etettigttt etecaatett tattagttta tttatttatt ttggttattg

tatacaa atg gca atg gct tta aac atg aat gct tac gta gac gag ttc

Met Ala Met Ala Leu Asn Met Asn Ala Tyr Val Asp Glu Phe
1 5 10

atg gaa gct ctt gaa cca ttc atg aag gta act tca tct tct tct act 217

Met Glu Ala Leu Glu Pro Phe Met Lys Val Thr Ser Ser Ser Ser Thr 15 20 25 30

tcg aat tca tca aat cca aaa cca tta act cct aat ttc atc cct aat 265 mm a common a see shaden een a common a see shaden een a common a see shaden een a common a common a common a common a common action as a common action action actions a common action action actions a common action action

Ser Asn Ser Ser Asn Pro Lys Pro Leu Thr Pro Asn Phe Ile Pro Asn 35 40 45

aat gac caa gtc tta eeg gta tet aac caa ace ggt eeg att ggg eta 313

aac cag etc act cca aca caa atc etc caa att cag aca gag tta cat 361

Asn Gln Leu Thr Pro Thr Gln Ile Leu Gln Ile Gln Thr Glu Leu His 65 70 75

ctc cgg caa aac caa tct cgt cgt cgc gct ggt agt cat ctt ctc acc 409

Leu Arg Gln Asn Gln Ser Arg Arg Arg Ala Gly Ser His Leu Leu Thr 80 85 90

gct aaa cca acc tca atg aag aaa atc gac gta gca act aaa ccg gtt 457

Ala Lys Pro Thr Ser Met Lys Lys Ile Asp Val Ala Thr Lys Pro Val 95 100 105 110

aaa cta tac cga ggc gta aga cag agg caa tgg ggt aaa tgg gta gct 505

Lys Leu Tyr Arg Gly Val Arg Gln Arg Gln Trp Gly Lys Trp Val Ala 115 120 125

gag att cgg cta cct aaa aac cga acc cgg tta tgg ctc ggt acg ttc 553

Glu Ile Arg Leu Pro Lys Asn Arg Thr Arg Leu Trp Leu Gly Thr Phe 130 135 140

gaa acg gct caa gaa gct gca tta gct tac gat caa gca gct cat aag

Glu Thr Ala Gln Glu Ala Ala Leu Ala Tyr Asp Gln Ala Ala His Lys

atc aga gga gac aac gct cgt ctc aat ttc cca gac att gtt cgt caa

Ile Arg Gly Asp Asn Ala Arg Leu Asn Phe Pro Asp Ile Val Arg Gln 160 165 170

gga cac tat aaa cag ata ttg tct ccg tct atc aac gca aag atc gaa

Gly His Tyr Lys Gln Ile Leu Ser Pro Ser Ile Asn Ala Lys Ile Glu 185 190

tee ate tge aat agt tet gat ett eea etg eet eag ate gag aaa eag

Ser Ile Cys Asn Ser Ser Asp Leu Pro Leu Pro Gln Ile Glu Lys Gln 195 200 205

aac aaa aca gag gag gtg ctc tct ggt ttt tcc aaa ccg gag aaa gaa

Asn Lys Thr Glu Glu Val Leu Ser Gly Phe Ser Lys Pro Glu Lys Glu 210 215 220

ccg gaa ttt ggg gag ata tac gga tgc gga tac tcg ggc tca tct cct

Pro Glu Phe Gly Glu Ile Tyr Gly Cys Gly Tyr Ser Gly Ser Ser Pro
225 230 235

gag tcg gat ata acg ttg ttg gat ttc tca agc gac tgt gtg aaa gaa

Glu Ser Asp Ile Thr Leu Leu Asp Phe Ser Ser Asp Cys Val Lys Glu 240 245 250

gat gag agt ttc ttg atg ggt ttg cac aag tat cct tct ttg gag att

Asp Glu Ser Phe Leu Met Gly Leu His Lys Tyr Pro Ser Leu Glu Ile 255 260 265 270

gat tgg gac gct ata gag aaa ctc ttc tga atccatttta tctttttgat

Asp Trp Asp Ala Ile Glu Lys Leu Phe

tcatttgtct ctaaattgta gaattttatt ttcagagctt tgtaagggaa gttcttgaat 1047

gagagttgca gaggactagt ggaacctaac tetgtttet tttgtaagta ttgtttataa

aaaaaaaaaa 1177

<210> 92 <211> 279 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Met Ala Leu Asn Met Asn Ala Tyr Val Asp Glu Phe Met Glu
1 5 10 15

- Ala Leu Glu Pro Phe Met Lys Val Thr Ser Ser Ser Ser Thr Ser Asn 20 25 30
- Ser Ser Asn Pro Lys Pro Leu Thr Pro Asn Phe Ile Pro Asn Asn Asp 35 40 45
- Gln Val Leu Pro Val Ser Asn Gln Thr Gly Pro Ile Gly Leu Asn Gln 50 55 60
- Leu Thr Pro Thr Gln Ile Leu Gln Ile Gln Thr Glu Leu His Leu Arg 70 75 80
- Gln Asn Gln Ser Arg Arg Arg Ala Gly Ser His Leu Leu Thr Ala Lys 85 90 95
- Pro Thr Ser Met Lys Lys Ile Asp Val Ala Thr Lys Pro Val Lys Leu 100 105 110
- Tyr Arg Gly Val Arg Gln Arg Gln Trp Gly Lys Trp Val Ala Glu Ile 115 120 125
- Arg Leu Pro Lys Asn Arg Thr Arg Leu Trp Leu Gly Thr Phe Glu Thr 130 135 140
- Ala Gln Glu Ala Ala Leu Ala Tyr Asp Gln Ala Ala His Lys Ile Arg 145 150 155 160
- Gly Asp Asn Ala Arg Leu Asn Phe Pro Asp Ile Val Arg Gln Gly His 165 170 175
- Tyr Lys Gln Ile Leu Ser Pro Ser Ile Asn Ala Lys Ile Glu Ser Ile 180 185 190
- Cys Asn Ser Ser Asp Leu Pro Leu Pro Gln Ile Glu Lys Gln Asn Lys 195 200 205
- Thr Glu Glu Val Leu Ser Gly Phe Ser Lys Pro Glu Lys Glu Pro Glu 210 215 220
- Phe Gly Glu Ile Tyr Gly Cys Gly Tyr Ser Gly Ser Ser Pro Glu Ser 225 230 235 240
- Asp Ile Thr Leu Leu Asp Phe Ser Ser Asp Cys Val Lys Glu Asp Glu

PCT/US01/26189 WO 02/15675

> 255 250 245

Ser Phe Leu Met Gly Leu His Lys Tyr Pro Ser Leu Glu Ile Asp Trp 260

Asp Ala Ile Glu Lys Leu Phe 275

<210> 93 <211> 992 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (41)..(760) <223> G464

ctctgctggt atcattggag tctagggttt tgttattgac atg cgt ggt gtg tca Met Arg Gly Val Ser

gaa ttg gag gtg ggg aag agt aat ett eeg geg gag agt gag etg gaa 103

Glu Leu Glu Val Gly Lys Ser Asn Leu Pro Ala Glu Ser Glu Leu Glu 15 The state of the state of the state of 10 1.1

ttg gga tta ggg ctc agc ctc ggt ggt ggc gcg tgg aaa gag cgt ggg Leu Gly Leu Gly Leu Ser Leu Gly Gly Gly Ala Trp Lys Glu Arg Gly 25 30

agg att ctt act gct aag gat ttt cct tcc gtt ggg tct aaa cgc tct Arg Ile Leu Thr Ala Lys Asp Phe Pro Ser Val Gly Ser Lys Arg Ser 40

get gaa tet tee tet cae caa gga get tet eet eet egt tea agt caa Ala Glu Ser Ser Ser His Gln Gly Ala Ser Pro Pro Arg Ser Ser Gln 60 55

gtg gta gga tgg cca cca att ggg tta cac agg atg aac agt ttg gtt Val Val Gly Trp Pro Pro Ile Gly Leu His Arg Met Asn Ser Leu Val 75 80

aat aac caa gct atg aag gca gca aga gcg gaa gaa gga gac ggg gag Asn Asn Gln Ala Met Lys Ala Ala Arg Ala Glu Glu Gly Asp Gly Glu

aag aaa gtt gtg aag aat gat gag ctc aaa gat gtg tca atg aag gtg Lys Lys Val Val Lys Asn Asp Glu Leu Lys Asp Val Ser Met Lys Val 105

aat ccg aaa gtt cag ggc tta ggg ttt gtt aag gtg aat atg gat gga Asn Pro Lys Val Gln Gly Leu Gly Phe Val Lys Val Asn Met Asp Gly 130 125 120

gtt ggt ata ggc aga aaa gtg gat atg aga gct cat tcg tct tac gaa Val Gly Ile Gly Arg Lys Val Asp Met Arg Ala His Ser Ser Tyr Glu 135 140 aac ttg gct cag acg ctt gag gaa atg ttc ttt gga atg aca ggt act Asn Leu Ala Gln Thr Leu Glu Glu Met Phe Phe Gly Met Thr Gly Thr 160 . 155 act tgt cga gaa aag gtt aaa cct tta agg ctt tta gat gga tca tca Thr Cys Arg Glu Lys Val Lys Pro Leu Arg Leu Leu Asp Gly Ser Ser 170 gac ttt gta ctc act tat gaa gat aag gaa ggg gat tgg atg ctt gtt 631 Asp Phe Val Leu Thr Tyr Glu Asp Lys Glu Gly Asp Trp Met Leu Val 185 190 195 gga gat gtt cca tgg aga atg ttt atc aac tcg gtg aaa agg ctt cgg 67.9 Gly Asp Val Pro Trp Arg Met Phe Ile Asn Ser Val Lys Arg Leu Arg atc atg gga acc tca gaa gct agt gga cta gct cca aga cgt caa gag 727 For the same state of the gard Ile Met Gly Thr Ser Glu Ala Ser Gly Leu Ala Pro Arg Arg Gln Glu .. 215 220 225 Gln Lys Asp Arg Gln Arg Asn Asn Pro Val 230 235 235 ttgtttatgt attgtttgag gtttgcaatt tactcgatac tttttgaaga aagtattttg gagaatatgg ataaaagcat gcagaagctt agatatgatt tgaatccggt tttcggatat ggttttgctt aggtcattca attcgtagtt ttccagtttg tttcttcttt ggctgtgtac 960 caattatcta tgttctgtga gagaaagctc tt <210> 94 <211> 239 <212> PRT <213> Arabidopsis thaliana <400> Met Arg Gly Val Ser Glu Leu Glu Val Gly Lys Ser Asn Leu Pro Ala 1997 5 10 15 Glu Ser Glu Leu Glu Leu Gly Leu Gly Leu Ser Leu Gly Gly Gly Ala 20 25 30

Trp Lys Glu Arg Gly Arg Ile Leu Thr Ala Lys Asp Phe Pro Ser Val 35 40

Gly Ser Lys Arg Ser Ala Glu Ser Ser Ser His Gln Gly Ala Ser Pro 50 55 60

- Pro Arg Ser Ser Gln Val Val Gly Trp Pro Pro Ile Gly Leu His Arg 65 70 75 80
- Met Asn Ser Leu Val Asn Asn Gln Ala Met Lys Ala Ala Arg Ala Glu 85 90 95
- Glu Gly Asp Gly Glu Lys Lys Val Val Lys Asn Asp Glu Leu Lys Asp 100 105 110
- Val Ser Met Lys Val Asn Pro Lys Val Gln Gly Leu Gly Phe Val Lys 115 120 125
- Val Asn Met Asp Gly Val Gly Ile Gly Arg Lys Val Asp Met Arg Ala 130 135 140
- His Ser Ser Tyr Glu Asn Leu Ala Gln Thr Leu Glu Glu Met Phe Phe 145 150 155 160
- Gly Met Thr Gly Thr Thr Cys Arg Glu Lys Val Lys Pro Leu Arg Leu 165 170 175
- Leu Asp Gly Ser Ser Asp Phe Val Leu Thr Tyr Glu Asp Lys Glu Gly 180 185
- Asp Trp Met Leu Val Gly Asp Val Pro Trp Arg Met Phe Ile Asn Ser 195 200
- Val Lys Arg Leu Arg Ile Met Gly Thr Ser Glu Ala Ser Gly Leu Ala 210 215 220
- Pro Arg Arg Gln Glu Gln Lys Asp Arg Gln Arg Asn Asn Pro Val 225 230 235
- <210> 95 <211> 1218 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1218) <223> G477
- <400> 95
  atg gat tct tgg agc tac ggg aga agc gtt ttc atg tca aat gaa act
  48
  Met Asp Ser Trp Ser Tyr Gly Arg Ser Val Phe Met Ser Asn Glu Thr
  10
- ctt tta cct tgt gat act ttt gct aag aat aga aga ttt gaa cag aga

Leu Leu Pro Cys Asp Thr Phe Ala Lys Asn Arg Arg Phe Glu Gln Arg 25 ctc tct aat aat gat gat gtg ttg att tct gac atg gct ggt aac tcc Leu Ser Asn Asn Asp Asp Val Leu Ile Ser Asp Met Ala Gly Asn Ser aat gga ttc agt gct gtt tct att act aaa gtt gtt cct gaa gag gaa Asn Gly Phe Ser Ala Val Ser Ile Thr Lys Val Val Pro Glu Glu Glu 50 gat gag gag aac ata tot tot tot toa aag tto tot agt cag gaa ttg Asp Glu Glu Asn Ile Ser Ser Ser Ser Lys Phe Ser Ser Gln Glu Leu aat agg ata gat ttc aaa ctt agg agc ttt ttg gat tta gga aat gat Asn Arg Ile Asp Phe Lys Leu Arg Ser Phe Leu Asp Leu Gly Asn Asp 85 90 gat gat gat aca tee tet aga ggt ttt get etg eea tet aaa aag tet Asp Asp Asp Thr Ser Ser Arg Gly Phe Ala Leu Pro Ser Lys Lys Ser cga get tea aac ttg tge tet cag aat eec ttg tgt caa gtt tat ggg Arg Ala Ser Asn Leu Cys Ser Gln Asn Pro Leu Cys Gln Val Tyr Gly 115 120 125 tgt agt aag gat ctg agc tct tcg aaa gat tac cac aaa agg cat aga Cys Ser Lys Asp Leu Ser Ser Ser Lys Asp Tyr His Lys Arq His Arq gtt tgc gag gct cat tcg aaa act tct gtg gtc ata gtt aat ggt ctt 480. Val Cys Glu Ala His Ser Lys Thr Ser Val Val Ile Val Asn Gly Leu 150 gaa cag agg ttt tgt caa cag tgc agc agg ttt cat ttc ctc tca gag 528 Glu Gln Arg Phe Cys Gln Gln Cys Ser Arg Phe His Phe Leu Ser Glu 165 170 · 175 ttt gat gat ggc aaa aga agt tgc aga agg cga tta gcc ggt cac aat Phe Asp Asp Gly Lys Arg Ser Cys Arg Arg Arg Leu Ala Gly His Asn 185 gaa cga aga agg aaa cct gca ttc tat ttc cta ccg ggt aag cgc cat 624 Glu Arg Arg Arg Lys Pro Ala Phe Tyr Phe Leu Pro Gly Lys Arg His 195 200 205 aag ott ott ogc acc tot caa gat gta gta ggc aac aag ttt otg gag Lys Leu Leu Arg Thr Ser Gln Asp Val Val Gly Asn Lys Phe Leu Glu

	210	0 215									2						
at	tca	tca	ttg	gta	ttg	cca	gag	tca	tt!	t cc	t g	gt	agt	ctc	tta	ta	c
						Pro					o G						
aga	gta	ata	gat	gaa	gac	gac	cac	cgt	t ac	a a	gta	aga	ctc	gtg	agt	t t	c
						Asp				r S							
aaa	gat	gaa	cct	act	tgt	tcc	atç	, tt	t co	t a	ct :	aat	gag	caa	a aa	c aç	gC
				Thr		Ser			e Pı						n As		
aσc	aga	act	: tat	gaa	tct	: aaa	CC	a go	a at	tt jt	at	tcc	acc	ga	a gt	a t	CC
			r Tyi			. Lys		o Al						Gl			
tco	att	t tg	g gad	: tta	a cat	gaq	g ac	g go	eg g	ca t	ca	cgc	tc	t ac	tc	gt g	ct
		e Tr				s Gl 29	u Th				Ser		Se.				
ct	c tc	t ct	t ct	g tc	a gc	t ca	g to	c c	aa c	aa	cac	tte	g tc	t aa	ag t	tt d	cca
						a Gl				3ln	His	Le					
30	5				31	U					J						
						c ac											
As	n Th	r Th	ar Ph	ne Se 32	er Il 25	e Th	ır G	ln F	ro l	Asn 330	GIn	AS	и те	u A	311 5	35	
to	a to	a a	ct ga	ac ta	at ca	at ca	ag a	tg q	gaa	caa	ccg	, tt	g to	gg a	tc ç	gat	cct
			hr As			is G		et (									
Œ	σc a	ag a	cc a	at t	ct g	ct g	gt t	.ct	agt	tct	tgt	t aa	aa g	ga a	aa (	gga	aca
		ys T				la G	ly S										
ŧ	.cc a	cq q	rtt g	at c	ta c	tg c	aa c	etg	tca	tca	ca	t c	tt c	aa a	aga	atc	gag
1	152 er T	hr V	al A	sp I	eu I	eu G	ln 1 375	Leu	Ser	Ser	Hi	s L	eu 6 80	3ln	Arg	Ile	G1u
c	caa c	ag a	agg a	at t	ac a	et 9	ggt (	gat	gtg	aag	, ca	g g	aa t	at	aat	gag	ctt
	1200 31n ( 385	3ln 1	Arg /	Asn ?	Fyr 1	Thr (	Sly A	Asp	Val	Lys	39	.n G 95	ilu :	fyr	Asn	Glu	400
	tat 1 1218	ttc	cct	ggc '	tcc 1	taa											
	Tyr	Phe	Pro (	Gly	Ser 405												

<210> 96 <211> 405 <212> PRT <213> Arabidopsis thaliana <400> Met Asp Ser Trp Ser Tyr Gly Arg Ser Val Phe Met Ser Asn Glu Thr 10 Leu Leu Pro Cys Asp Thr Phe Ala Lys Asn Arg Arg Phe Glu Gln Arg 20 25 Leu Ser Asn Asn Asp Asp Val Leu Ile Ser Asp Met Ala Gly Asn Ser 40 45 Asn Gly Phe Ser Ala Val Ser Ile Thr Lys Val Val Pro Glu Glu Glu 55 Asp Glu Glu Asn Ile Ser Ser Ser Ser Lys Phe Ser Ser Gln Glu Leu Asn Arg Ile Asp Phe Lys Leu Arg Ser Phe Leu Asp Leu Gly Asn Asp 85 Asp Asp Asp Thr Ser Ser Arg Gly Phe Ala Leu Pro Ser Lys Lys Ser h i - 2- i - 14 i - 100 - 2- i - 12- - 12- inn 105 inn 105 inn - 2- i - 2- i - 12- 110 inn 12-Arg Ala Ser Asn Leu Cys Ser Gln Asn Pro Leu Cys Gln Val Tyr Gly 115 120 125 Cys Ser Lys Asp Leu Ser Ser Ser Lys Asp Tyr His Lys Arg His Arg 130 Val Cys Glu Ala His Ser Lys Thr Ser Val Val Ile Val Asn Gly Leu 145 150 155 160 Glu Gln Arg Phe Cys Gln Gln Cys Ser Arg Phe His Phe Leu Ser Glu 165 170 175 Phe Asp Asp Gly Lys Arg Ser Cys Arg Arg Arg Leu Ala Gly His Asn [ A 185 ] A 185 ] A 185 ] A 185 ] A 186 ] A 190 ] A 19 Glu Arg Arg Arg Lys Pro Ala Phe Tyr Phe Leu Pro Gly Lys Arg His 195 200 205 Lys Leu Leu Arg Thr Ser Gln Asp Val Val Gly Asn Lys Phe Leu Glu 210 215 220

Asn Ser Ser Leu Val Leu Pro Glu Ser Phe Pro Gly Ser Leu Leu Tyr 235 230 240

- Arg Val Ile Asp Glu Asp Asp His Arg Thr Ser Arg Leu Val Ser Phe 245 255
- Lys Asp Glu Pro Thr Cys Ser Met Phe Pro Thr Asn Glu Gln Asn Ser 260 270
- Ser Arg Thr Tyr Glu Ser Lys Pro Ala Ile Tyr Ser Thr Glu Val Ser 275 280 285
- Ser Ile Trp Asp Leu His Glu Thr Ala Ala Ser Arg Ser Thr Arg Ala 290 295 300
- Leu Ser Leu Leu Ser Ala Gln Ser Gln Gln His Leu Ser Lys Phe Pro 305 310 315 320
- Asn Thr Thr Phe Ser Ile Thr Gln Pro Asn Gln Asn Leu Asn His Ser 325 330 330
- Gly Lys Thr Asn Ser Ala Gly Ser Ser Ser Cys Lys Gly Lys Gly Thr 355 360 365
- Ser Thr Val Asp Leu Leu Gln Leu Ser Ser His Leu Gln Arg Ile Glu 370 375 380
- Gln Gln Arg Asn Tyr Thr Gly Asp Val Lys Gln Glu Tyr Asn Glu Leu 385 390 395 400

Tyr Phe Pro Gly Ser 405

<210> 97 <211> 588 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(588) <223> G490

<400> 97

atg agg agg cca aag tca tct cac gtc agg atg gaa cct gtt gcg cct 48 Met Arg Arg Pro Lys Ser Ser His Val Arg Met Glu Pro Val Ala Pro

met Arg Arg Pro Lys Ser Ser His vai Arg Met Giu Pro Vai Ala Pro 1 5 10 15

cgt tca cat aac acg atg cca atg ctt gat caa ttt cga tct aat cat 96 Arg Ser His Asn Thr Met Pro Met Leu Asp Gln Phe Arg Ser Asn His 20 25 30

cet gaa aca age aag ate gag ggg gte tet teg ttg gae aca get etg Pro Glu Thr Ser Lys Ile Glu Gly Val Ser Ser Leu Asp Thr Ala Leu · 35 40 aag gtg ttt tgg aat aat caa agg gag cag cta gga aac ttt gca ggc Lys Val Phe Trp Asn Asn Gln Arg Glu Gln Leu Gly Asn Phe Ala Gly 55 60 caa act cat ttg ccg cta tct agg gtc aga aag att ttg aaa tct gat Gln Thr His Leu Pro Leu Ser Arg Val Arg Lys Ile Leu Lys Ser Asp cct gaa gtc aag aag ata agc tgt gat gtt cct gct ttg ttt tcg aaa Pro Glu Val Lys Lys Ile Ser Cys Asp Val Pro Ala Leu Phe Ser Lys 85 90 gcc tgt gaa tac ttc att cta gag gta aca tta cga gct tgg atg cat 336 Ala Cys Glu Tyr Phe Ile Leu Glu Val Thr Leu Arg Ala Trp Met His 105 act caa tca tgc act cgt gag acc atc cgg cgt tgt gat atc ttc cag Thr Gln Ser Cys Thr Arg Glu Thr Ile Arg Arg Cys Asp Ile Phe Gln 120 **115** May 149 149 149 149 120 125 gcc gta aag aac tca gga act tat gat ttc ctg att gat cgt gtc cct 432. Ala Val Lys Asn Ser Gly Thr Tyr Asp Phe Leu Ile Asp Arg Val Pro 130 135 ttt gga ccg cac tgt gtc acc cat cag ggt gtg caa cct cct gct gaa Phe Gly Pro His Cys Val Thr His Gln Gly Val Gln Pro Pro Ala Glu 150 · atg att ttg ccg gat atg aat gtt cca atc gat atg gac cag att gag 528 Met Ile Leu Pro Asp Met Asn Val Pro Ile Asp Met Asp Gln Ile Glu 165 170 175 gag gag aat atg atg gaa gag cgc tct gtc ggg ttt gac ctc aac tgt Glu Glu Asn Met Met Glu Glu Arg Ser Val Gly Phe Asp Leu Asn Cys 180 185 gat ctc cag tga 588 Asp Leu Gln 195

<210> 98 <211> 195 <212> PRT <213> Arabidopsis thaliana <400> 98

Met Arg Arg Pro Lys Ser Ser His Val Arg Met Glu Pro Val Ala Pro

5 10 15

Arg Ser His Asn Thr Met Pro Met Leu Asp Gln Phe Arg Ser Asn His 20 25 30

Pro Glu Thr Ser Lys Ile Glu Gly Val Ser Ser Leu Asp Thr Ala Leu 35 40 45

Lys Val Phe Trp Asn Asn Gln Arg Glu Gln Leu Gly Asn Phe Ala Gly 50 55 60

Gln Thr His Leu Pro Leu Ser Arg Val Arg Lys Ile Leu Lys Ser Asp 75 80

Pro Glu Val Lys Lys Ile Ser Cys Asp Val Pro Ala Leu Phe Ser Lys 85 90 95

Ala Cys Glu Tyr Phe Ile Leu Glu Val Thr Leu Arg Ala Trp Met His

Thr Gln Ser Cys Thr Arg Glu Thr Ile Arg Arg Cys Asp Ile Phe Gln
115 120 125

Ala Val Lys Asn Ser Gly Thr Tyr Asp Phe Leu Ile Asp Arg Val Pro
130 135 140

Phe Gly Pro His Cys Val Thr His Gln Gly Val Gln Pro Pro Ala Glu 145 150 155 160

Met Ile Leu Pro Asp Met Asn Val Pro Ile Asp Met Asp Gln Ile Glu
165 170 175

Glu Glu Asn Met Met Glu Glu Arg Ser Val Gly Phe Asp Leu Asn Cys 180 185 190

Asp Leu Gln 195

<210> 99 <211> 890 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (55)..(738) <223> G545

<400> 99
gcaaccttca aactaaaact cgagagacaa gaaatcctca gaatctttaa ctta atg
57

Met 1

geg etc gag get ett aca tea eca aga tta get tet eeg att eet eet Ala Leu Glu Ala Leu Thr Ser Pro Arq Leu Ala Ser Pro Ile Pro Pro ttg ttc gaa gat tct tca gtc ttc cat gga gtc gag cac tgg aca aag 153 Leu Phe Glu Asp Ser Ser Val Phe His Gly Val Glu His Trp Thr Lys ggt aag cga tot aag aga toa aga too gat tto cac cac caa aac oto 201 Gly Lys Arg Ser Lys Arg Ser Arg Ser Asp Phe His His Gln Asn Leu act gag gaa gag tat cta gct ttt tgc ctc atg ctt ctc gct cgc gac Thr Glu Glu Glu Tyr Leu Ala Phe Cys Leu Met Leu Leu Ala Arg Asp aac cgt cag cct cct cct cct ccg gcg gtg gag aag ttg agc tac aag 297, and a grag that the research refer agency and gift seem to the fact that the Asn Arg Gln Pro Pro Pro Pro Pro Ala Val Glu Lys Leu Ser Tyr Lys may be seen a 70 for all lattered 75. At 189 A. 180 A. tgt agc gtc tgc gac aag acg ttc tct tct tac caa gct ctc ggt ggt Cys Ser Val Cys Asp Lys Thr Phe Ser Ser Tyr Gln Ala Leu Gly Gly David Community (1985) and Dec Med Web Web 90e teaching. The Web 95, the back cac aag gca agc cac cgt aag aac tta tca cag act ctc tcc ggc gga His Lys Ala Ser His Arg Lys Asn Leu Ser Gln Thr Leu Ser Gly Gly 100 105 110 gga gat gat cat toa acc tog tog gcg aca acc aca toe gcc gtg act 441 open vare boer out of a grown of Agrical Charge Action according to Gly Asp Asp His Ser Thr Ser Ser Ala Thr Thr Thr Ser Ala Val Thr 115 [10] S. S. S. S. G. See, 120 (1998) Phys. Lett. 5 (1998) 1885. act gga agt ggg aaa toa cac gtt tgc acc atc tgt aac aag tot ttt Thr Gly Ser Gly Lys Ser His Val Cys Thr Ile Cys Asn Lys Ser Phe 135 140 145 cet tee ggt caa get ete gge gga cae aag egg tge cae tae gaa gga Pro Ser Gly Gln Ala Leu Gly Gly His Lys Arg Cys His Tyr Glu Gly 150 cm 155 aac aac aac atc aac act agt agc gtg tcc aac tcc gaa ggt gcg ggg Asn Asn Asn Ile Asn Thr Ser Ser Val Ser Asn Ser Glu Gly Ala Gly 165 170 tcc act age cac gtt age agt age cac cgt ggg ttt gac ctc aac atc Ser Thr Ser His Val Ser Ser Ser His Arg Gly Phe Asp Leu Asn Ile **185** All ::::

cct ccg atc cct gaa ttc tcg atg gtc aac gga gac gac gaa gtc atg

Pro Pro Ile Pro Glu Phe Ser Met Val Asn Gly Asp Asp Glu Val Met 195 200 205

age cet atg ceg geg aag aag eet egg ttt gae ttt eeg gte aaa ett 729

Ser Pro Met Pro Ala Lys Lys Pro Arg Phe Asp Phe Pro Val Lys Leu 210 215 220 225

caa ctt taa ggaaatttac ttagacgata agatttcgtt tgtatactgt 778 Gln Leu

tgagagttgt gtaggaattt gttgactgta cataccaaat tggactttga ctgattccaa 838

ttcttcttgt tctttcattt taaaaattat taaaccgatt ctttaccaca aa 890

<210> 100 <211> 227 <212> PRT <213> Arabidopsis thaliana <400> 100

Met Ala Leu Glu Ala Leu Thr Ser Pro Arg Leu Ala Ser Pro Ile Pro 1 5 10 15

Pro Leu Phe Glu Asp Ser Ser Val Phe His Gly Val Glu His Trp Thr 20 25 30

Lys Gly Lys Arg Ser Lys Arg Ser Arg Ser Asp Phe His His Gln Asn 35 40 45

Leu Thr Glu Glu Glu Tyr Leu Ala Phe Cys Leu Met Leu Leu Ala Arg 50 55 60

Asp Asn Arg Gln Pro Pro Pro Pro Pro Ala Val Glu Lys Leu Ser Tyr 65 70 75 80

Lys Cys Ser Val Cys Asp Lys Thr Phe Ser Ser Tyr Gln Ala Leu Gly 85 90 95

Gly His Lys Ala Ser His Arg Lys Asn Leu Ser Gln Thr Leu Ser Gly 100 105 110

Gly Gly Asp Asp His Ser Thr Ser Ser Ala Thr Thr Thr Ser Ala Val 115 120 125

Thr Thr Gly Ser Gly Lys Ser His Val Cys Thr Ile Cys Asn Lys Ser 130

Phe Pro Ser Gly Gln Ala Leu Gly Gly His Lys Arg Cys His Tyr Glu 145 150 155 160

Gly Asn Asn Asn Ile Asn Thr Ser Ser Val Ser Asn Ser Glu Gly Ala 165 170 175

Gly Ser Thr Ser His Val Ser Ser Ser His Arg Gly Phe Asp Leu Asn 180 185 190

Ile Pro Pro Ile Pro Glu Phe Ser Met Val Asn Gly Asp Asp Glu Val 195 200 205

Met Ser Pro Met Pro Ala Lys Lys Pro Arg Phe Asp Phe Pro Val Lys 210 215 220

Leu Gln Leu 225

<210> 101 <211> 842 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (192)..(698) <223> G557

<400> 101

cagagatetg aeggeggtag cagagtaate tatteettee caaaatgtet egeaattaga 60

ttettteeaa gttettetgt aaateecaag teeegetett tteetetta teettteae 120

cagetteget actaagacaa caaatettte eetetetete tegeetgate gatetteaaa 180

gagtaagaaa a atg cag gaa caa gcg act agc tct tta gct gca agc tct 230

Met Gln Glu Gln Ala Thr Ser Ser Leu Ala Ala Ser Ser 1 10

tta cca tca age age gag agg tca tca age tct get cca cat ttg gag 278

Leu Pro Ser Ser Ser Glu Arg Ser Ser Ser Ser Ala Pro His Leu Glu
15 20 25

atc aaa gaa gga att gaa agc gat gag gag ata cgg cga gtg ccg gag

326
Ile Lys Glu Gly Ile Glu Ser Asp Glu Glu Ile Arg Arg Val Pro Glu
30 35 40 45

ttt gga gga gaa gct gtc gga aaa gaa act tcc ggt aga gaa tct gga 374 Phe Gly Glu Ala Val Gly Lys Glu Thr Ser Gly Arg Glu Ser Gly 50 55 60

teg geg acc ggt cag gag egg aca cag geg act gte gga gaa agt caa 422

Ser Ala Thr Gly Gln Glu Arg Thr Gln Ala Thr Val Gly Glu Ser Gln 65 70 75

agg aag cga ggg agg aca ccg gcg gag aaa gag aac aag cgg ctg aag

Arg Lys Arg Gly Arg Thr Pro Ala Glu Lys Glu Asn Lys Arg Leu Lys

agg ttg ttg agg aac aga gtt tca gct cag caa gca aga gag agg aaa

Arg Leu Leu Arg Asn Arg Val Ser Ala Gln Gln Ala Arg Glu Arg Lys

aag gct tac ttg agc gag ttg gaa aac aga gtg aaa gac ttg gag aac

Lys Ala Tyr Leu Ser Glu Leu Glu Asn Arg Val Lys Asp Leu Glu Asn

aaa aac tot gaa ott gaa gag oga oto tot act ott cag aac gag aac

Lys Asn Ser Glu Leu Glu Glu Arg Leu Ser Thr Leu Gln Asn Glu Asn

cag atg ctt aga cat att ctg aag aac aca aca gga aac aag aga gga

Gln Met Leu Arg His Ile Leu Lys Asn Thr Thr Gly Asn Lys Arg Gly 145

ggt ggt ggt tct aat gct gat gca agc ctt tga tctccttctt

Gly Gly Gly Ser Asn Ala Asp Ala Ser Leu 165

cttcttgtgt tatatttttg tggataaaat ttacagagaa ttgtatcaat aattatcatg

ttaaaaattat atgggatgtg agagctaata ttgcaattgt agaccaagtt ctcttaaaaa

aaaaaaaaa aaaa 842

<210> 102 <211> 168 <212> PRT <213> Arabidopsis thaliana <400>

Met Gln Glu Gln Ala Thr Ser Ser Leu Ala Ala Ser Ser Leu Pro Ser

Ser Ser Glu Arg Ser Ser Ser Ser Ala Pro His Leu Glu Ile Lys Glu

Gly Ile Glu Ser Asp Glu Glu Ile Arg Arg Val Pro Glu Phe Gly Gly

Glu Ala Val Gly Lys Glu Thr Ser Gly Arg Glu Ser Gly Ser Ala Thr

Gly Gln Glu Arg Thr Gln Ala Thr Val Gly Glu Ser Gln Arg Lys Arg

65 70 75 80

Gly Arg Thr Pro Ala Glu Lys Glu Asn Lys Arg Leu Lys Arg Leu Leu 85 90 95

Arg Asn Arg Val Ser Ala Gln Gln Ala Arg Glu Arg Lys Lys Ala Tyr 100 105 110

Leu Ser Glu Leu Glu Asn Arg Val Lys Asp Leu Glu Asn Lys Asn Ser 115 120 125

Glu Leu Glu Glu Arg Leu Ser Thr Leu Gln Asn Glu Asn Gln Met Leu 130 135 140

Arg His Ile Leu Lys Asn Thr Thr Gly Asn Lys Arg Gly Gly Gly 145 150 155 160

Gly Ser Asn Ala Asp Ala Ser Leu 165

<210> 103 <211> 1294 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (141)..(995) <223> G568

<400> 103

gaceggetaa agteaagaac etetetetga geteteacea etttetetet etaeteeete 60

tctgcgtgta ggatactact agacaattga caaccaaaga ctaaagctgt gttgttggtt 120

cacttetgtt etetttteea atg ttg tea tea get aag eat eag aga aac eat 173

Met Leu Ser Ser Ala Lys His Gln Arg Asn His

1 5 10

aga etc tet get aca aac aag aac cag act etc acc aaa gtt tet tec 221

Arg Leu Ser Ala Thr Asn Lys Asn Gln Thr Leu Thr Lys Val Ser Ser 15 20 25

Ile Ser Ser Ser Ser Pro Ser Ser Ser Ser Ser Ser Ser Ser Thr Ser 30 35 40

tca tca tct cct tta cct tct caa gac tct caa gcc cag aag aga tct 317

Ser Ser Ser Pro Leu Pro Ser Gln Asp Ser Gln Ala Gln Lys Arg Ser 45

ctt gtc acc atg gaa gaa gtt tgg aat gac atc aac ctt gct tcc atc 365

Leu Val Thr Met Glu Glu Val Trp Asn Asp Ile Asn Leu Ala Ser Ile 60 65 70 75

412								cct											
					80			Pro		85						,,,			
4.61								cac											
461 Arg	Ph∈	. Ar		1y 5	Gln	Asn	His	His	Ası 10	n Gl	n A	sn	Pro	Asn	. Se:	r I] 5	e	Phe	•
	•							ttç											
		1.	10					: Let	•					120	•				
								aat											
	Th:	5					130						100	,					
	• .					7		a cc											
Let	) 1 Ту )	r S		Ser	Pro	Pho 14	e Pr 5	o Pr	o Pr	:o A	la	Thr 150	Va]	L Le	u Se	er I	eu	As 15	n 5
								t ct											
	r G1				16	)		e Le		_	.03								
								c ca											
	r As			175	5			nr Hi	1	00						-			
								et et											
	e A		190						95						•				
								at g											
L	/s A	05	·	٠	•		2	sn G 10			•								
								aa t											
A: 2:	rg M 20					. 2	25	lu S				2.5							
								ta ç											
G					2	40		ieu (			24.	,							
								aga d											
G	lu i	Asn	Ala		rg L 55	eu I	ys i	Arg (	Gln	Gln 260	As	ρG:	ln I	ys I	Met	Ala 265	AJ	La .	Ala

att cag caa ccc aaa aag aac aca ctt caa cgg tct tcc aca gct cca 989  $\,$ 

Ile Gln Gln Pro Lys Lys Asn Thr Leu Gln Arg Ser Ser Thr Ala Pro 270 275 280

ttt tga gaaatctaca agtccttgtt tctcttttgg ggattgagat tgtctcatga 1045 Phe

agaagtgaaa aaatggcaaa agtttgtacc cttttttatt agctataagt ataactaagc 1105

ctaaaattgt agaactaaga tattgtaggg gaaaaaagaa gatgtaaaac aaaagacccg 1165

gaaagagaaa aggatettte aattteetaa ggeacaggaa cacetgteet gggteetete 1225

ttaatgttet gtegttttee tatgeaaace ettttteae ttetgtaeta aettataett 1285

gtattcttg 1294

. .

<210> 104 <211> 284 <212> PRT <213> Arabidopsis thaliana <400> 104

Met Leu Ser Ser Ala Lys His Gln Arg Asn His Arg Leu Ser Ala Thr 1 5 10 15

Asn Lys Asn Gln Thr Leu Thr Lys Val Ser Ser Ile Ser Ser Ser Ser Ser 20

Pro Ser Ser Ser Ser Ser Ser Ser Ser Thr Ser Ser Ser Pro Leu
35 40 45

Pro Ser Gln Asp Ser Gln Ala Gln Lys Arg Ser Leu Val Thr Met Glu 50 55 60

Glu Val Trp Asn Asp Ile Asn Leu Ala Ser Ile His His Leu Asn Arg 65 70 75 80

His Ser Pro His Pro Gln His Asn His Glu Pro Arg Phe Arg Gly Gln 85 90 95

Asn His His Asn Gln Asn Pro Asn Ser Ile Phe Gln Asp Phe Leu Lys
100 105 110

Gly Ser Leu Asn Gln Glu Pro Ala Pro Thr Ser Gln Thr Thr Gly Ser 115 120 125

Ala Pro Asn Gly Asp Ser Thr Thr Val Thr Val Leu Tyr Ser Ser Pro 130 135 140

Phe Pro Pro Pro Ala Thr Val Leu Ser Leu Asn Ser Gly Ala Gly Phe 145

Glu Phe Leu Asp Asn Gln Asp Pro Leu Val Thr Ser Asn Ser Asn Leu 165 170 175

His Thr His His Leu Ser Asn Ala His Ala Phe Asn Thr Ser Phe 180 185 190

Glu Ala Leu Val Pro Ser Ser Ser Phe Gly Lys Lys Arg Gly Gln Asp 195 200 205

Ser Asn Glu Gly Ser Gly Asn Arg Arg His Lys Arg Met Ile Lys Asn 210 215 220

Arg Glu Ser Ala Ala Arg Ser Arg Ala Arg Lys Gln Ala Tyr Thr Asn 225 230 235 240

Glu Leu Glu Leu Glu Val Ala His Leu Gln Ala Glu Asn Ala Arg Leu 245 250 250

Lys Arg Gln Gln Asp Gln Lys Met Ala Ala Ala Ile Gln Gln Pro Lys 260 265 270

Lys Asn Thr Leu Gln Arg Ser Ser Thr Ala Pro Phe 275 280

<210> 105 <211> 1054 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (43)..(747) <223> G580

gca aag cat aat aag atc aac aac cat agt gcc ttt tca att tcc tct 102 Ala Lys His Asn Lys Ile Asn Asn His Ser Ala Phe Ser Ile Ser Ser 10

caa gtc acc atg gaa gaa gta tgg aaa gaa atc aac ctt ggt tca ctt 198

Gln Val Thr Met Glu Glu Val Trp Lys Glu Ile Asn Leu Gly Ser Leu 40 45 cac tac cat cgg caa cta aac att ggt cat gaa cca atg tta aag aac His Tyr His Arg Gln Leu Asn Ile Gly His Glu Pro Met Leu Lys Asn 60 caa aac cot aat aac too atc ttt caa gat tto ctc aac atg cot ctg Gln Asn Pro Asn Asn Ser Ile Phe Gln Asp Phe Leu Asn Met Pro Leu 70 Asn Gln Pro Pro Pro Pro Pro Pro Pro Ser Ser Ser Thr Ile Val act get etc tat gge tet etg eet ett eeg eet eet gee act gte etc 390 Thr Ala Leu Tyr Gly Ser Leu Pro Leu Pro Pro Pro Ala Thr Val Leu He for the training 105 the training to 110, also the east with 115 the age tta aac tee ggt gtt gga tte gag ttt ett gat ace aca gaa aat 438 Ser Leu Asn Ser Gly Val Gly Phe Glu Phe Leu Asp Thr Thr Glu Asn \*\*\* 120, \*\*\* 125 \*\*\* 125 ctt ctt gct tct aac cct cgc tcc ttt gag gaa tct gca aag ttt ggt 486 अपने किया प्राप्त कर कर केल और धेर्ड प्रमान को क्षेत्र भी प्रमान केल केल Leu Leu Ala Ser Asn Pro Arg Ser Phe Glu Glu Ser Ala Lys Phe Gly 135 tgt ctt ggt aag aaa aga ggc caa gat tct gat gat act aga gga gac **534** (a) Population two No. 1 (2014) 50 · 10 18 · 174 integration of a second Cys Leu Gly Lys Lys Arg Gly Gln Asp Ser Asp Asp Thr Arg Gly Asp 98. **150** 98. 98. 98. 98. **155** 22. 98. 98. **160** 2. 98. 98. 98. aga agg tat aag cgt atg atc aag aac aga gaa tot gct cgt tca 582 Arg Arg Tyr Lys Arg Met Ile Lys Asn Arg Glu Ser Ala Ala Arg Ser 175 Sept. 170 (1818) 180 Commence of the Commence of agg gct agg aag cag gca tat aca aac gaa ctt gag ctt gaa att gct 630 Arg Ala Arg Lys Gln Ala Tyr Thr Asn Glu Leu Glu Leu Glu Ile Ala 185 190 195 cac ttg cag aca gag aat gca aga ctc aag ata caa caa gag cag ctg His Leu Gln Thr Glu Asn Ala Arg Leu Lys Ile Gln Gln Glu Gln Leu 200 205 210 aaa ata gcc gaa gca act caa aac caa gta aag aaa aca cta caa cgg Lys Ile Ala Glu Ala Thr Gln Asn Gln Val Lys Lys Thr Leu Gln Arg 215 220 225 tct tcc aca gct cca ttt tga gaaaaatcta ctatttcttt ttgggggagt Ser Ser Thr Ala Pro Phe

230

ttcaagtgtt tcttatgaag atgagaaaaa cagaaaaagt ttgtacattt tagctaagtt 837

aagaaagcaa ctaacttict tettettete tggttteeta teaactettt tgaettttgt

ctagtacatg agtttctgtt ttcactggtt aagccat 1054

<210> 106 <211> 234 <212> PRT <213> Arabidopsis thaliana <400>

Met Leu Ser Ser Ala Lys His Asn Lys Ile Asn Asn His Ser Ala Phe 1 5

Ser Ile Ser Ser Ser Ser Ser Ser Leu Ser Thr Ser Ser Ser Leu Gly
20 25 30

His Asn Lys Ser Gln Val Thr Met Glu Glu Val Trp Lys Glu Ile Asn 35 40 45

Leu Gly Ser Leu His Tyr His Arg Gln Leu Asn Ile Gly His Glu Pro 50 60

Met Leu Lys Asn Gln Asn Pro Asn Asn Ser Ile Phe Gln Asp Phe Leu 65

Asn Met Pro Leu Asn Gln Pro Pro Pro Pro Pro Pro Pro Pro Pro Ser Ser 85.

Ser Thr Ile Val Thr Ala Leu Tyr Gly Ser Leu Pro Leu Pro Pro Pro 100 105 110

Ala Thr Val Leu Ser Leu Asn Ser Gly Val Gly Phe Glu Phe Leu Asp

Thr Thr Glu Asn Leu Leu Ala Ser Asn Pro Arg Ser Phe Glu Glu Ser 130 135 140

Ala Lys Phe Gly Cys Leu Gly Lys Lys Arg Gly Gln Asp Ser Asp Asp 145 150 155 160

Thr Arg Gly Asp Arg Arg Tyr Lys Arg Met Ile Lys Asn Arg Glu Ser 165 170 175

Ala Ala Arg Ser Arg Ala Arg Lys Gln Ala Tyr Thr Asn Glu Leu Glu 180 185 190

Leu Glu Ile Ala His Leu Gln Thr Glu Asn Ala Arg Leu Lys Ile Gln
195 200 205

Gln Glu Gln Leu Lys Ile Ala Glu Ala Thr Gln Asn Gln Val Lys Lys 210 215 220

Thr Leu Gln Arg Ser Ser Thr Ala Pro Phe 225 230

<210> 107 <211> 1292 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (102)..(1223) <223> G590

<400> 107

togacagaca ctotocotot otocatgoco ataaaatoto aaagactgtt taaaaaaaaa 60

aatgttttag ctttaactgc tttttttttt ttgttggtgt a atg ata tca cag aga 116

Met Ile Ser Gln Arg
1 5

gaa gaa aga gaa gag aag cag aga gtg atg gga gat aag aaa ttg 164

Glu Glu Arg Glu Glu Lys Lys Gln Arg Val Met Gly Asp Lys Leu 10 15 20

att toa tot tot tot toc tog gtt tac gat act ogt atc aat cat 212

Ile Ser Ser Ser Ser Ser Ser Val Tyr Asp Thr Arg Ile Asn His
25 30 35

cat ctt cat cat cct ccg tct tct tcc gac gaa atc tct cag ttt ctc 260

His Leu His His Pro Pro Ser Ser Ser Asp Glu Ile Ser Gln Phe Leu
40 45 50

cgg cat att ttc gac cgt tct tct cct tta cct tct tac tac tcc ccg 308

Arg His Ile Phe Asp Arg Ser Ser Pro Leu Pro Ser Tyr Tyr Ser Pro 55 60 65

gcg acg act aca acg acg gcg tct ttg att ggt gtg cac ggg agc ggt 356

Ala Thr Thr Thr Thr Ala Ser Leu Ile Gly Val His Gly Ser Gly 70 75 80 85

gac cca cat gca gat aac tcg aga agt ctc gtt tct cat cat cca ccg

Asp Pro His Ala Asp Asn Ser Arg Ser Leu Val Ser His His Pro Pro

WO 02/15675

tca gat tct gtg ctt atg tcg aaa cgt gtc gga gat ttc tct gag gtt Ser Asp Ser Val Leu Met Ser Lys Arg Val Gly Asp Phe Ser Glu Val 110 105 tta atc ggc gga gga tca ggc tca gcc gcc gcg tgt ttt ggt ttc tcc Leu Ile Gly Gly Gly Ser Gly Ser Ala Ala Ala Cys Phe Gly Phe Ser ggt ggt ggt aat aat aac aac gtt caa gga aat agc tct ggg act cga Gly Gly Gly Asn Asn Asn Val Gln Gly Asn Ser Ser Gly Thr Arg 140 135 gta tog tot tot too gtt gga got agt ggc aac gag aca gat gag tat Val Ser Ser Ser Val Gly Ala Ser Gly Asn Glu Thr Asp Glu Tyr gac tgt gaa agc gag gaa gga gga gaa gct gta gtt gat gaa gct ccc Asp Cys Glu Ser Glu Glu Gly Gly Glu Ala Val Val Asp Glu Ala Pro 170 tet tee aag tea ggt eet tet tet egt agt tea tet aaa aga tge aga Ser Ser Lys Ser Gly Pro Ser Ser Arg Ser Ser Ser Lys Arg Cys Arg 195 190 185 gct gct gaa gtt cat aat ctc tct gag aag agg aga agt aga att Ala Ala Glu Val His Asn Leu Ser Glu Lys Arg Arg Arg Ser Arg Ile 205 200 aat gaa aaa atg aaa gct tta caa agt ctc atc cct aat tca aat aag. Asn Glu Lys Met Lys Ala Leu Gln Ser Leu Ile Pro Asn Ser Asn Lys 220 acg gat aag gct tca atg ctt gat gaa gcc att gag tat ctg aaa cag Thr Asp Lys Ala Ser Met Leu Asp Glu Ala Ile Glu Tyr Leu Lys Gln . 240 235 230 ctt cag ctc caa gtt cag atg ttg act atg aga aat gga ata aac ttg Leu Gln Leu Gln Val Gln Met Leu Thr Met Arg Asn Gly Ile Asn Leu 255 250 cat cct ttg tgt tta cct gga act aca tta cac cca ttg caa ctc tct His Pro Leu Cys Leu Pro Gly Thr Thr Leu His Pro Leu Gln Leu Ser 265 cag att cga ccc cct gaa gca acc aat gat cct ctg ctt aat cat acc Gln Ile Arg Pro Pro Glu Ala Thr Asn Asp Pro Leu Leu Asn His Thr 285 280

aat cag ttt gct tcg act tct aat gca ccg gaa atg atc aat act gtg Asn Gln Phe Ala Ser Thr Ser Asn Ala Pro Glu Met Ile Asn Thr Val 295 300 get tet tea tac get ttg gaa eet tet att ege agt eac ttt gga eet Ala Ser Ser Tyr Ala Leu Glu Pro Ser Ile Arg Ser His Phe Gly Pro 310 315 320 325 ttc cct ctc ctt act tca ccc gtg gag atg agt cgg gaa ggt ggg tta 1124 Phe Pro Leu Leu Thr Ser Pro Val Glu Met Ser Arg Glu Gly Gly Leu 330 act cat cca agg ttg aac att ggt cat tcc aac gca aac ata acc qqq Thr'His Pro Arg Leu Asn Ile Gly His Ser Asn Ala Asn Ile Thr Gly gaa caa gct ctg ttt gat gga caa cct gac cta aaa gat cga att act 1220 day ing the 1960 day day day but the the same as the buy Glu Gln Ala Leu Phe Asp Gly Gln Pro Asp Leu Lys Asp Arg Ile Thr දුදුණ යාග 360 විය විය විය වර්ග කත් 365 වේ විය යන විය 370 විශ ලබා විය යනු දෙවැනුවේ සහ දෙවැනුවේ tga acagtgtccc aacttcggga tctctatgtg ttcttgtttc ttagaacgca agccataaag ctgtctgac 1292 <210> 108 <211> 373 <212> PRT <213> Arabidopsis thaliana <400> the control of the second of the second of the second Met Ile Ser Gln Arg Glu Glu Arg Glu Glu Lys Lys Gln Arg Val Met 1 - Francisco 5 Julius - Mercure - 110 - Francis Asimple 15 Gly Asp Lys Lys Leu Ile Ser Ser Ser Ser Ser Ser Ser Val Tyr Asp 20 25 30 lander (d. 1914). Market de la lander (d. 1914). Thr Arg Ile Asn His His Leu His His Pro Pro Ser Ser Ser Asp Glu 35... 40... 45... Ile Ser Gln Phe Leu Arq His Ile Phe Asp Arg Ser Ser Pro Leu Pro 50 60 Ser Tyr Tyr Ser Pro Ala Thr Thr Thr Thr Thr Ala Ser Leu Ile Gly 65 70 75 Val His Gly Ser Gly Asp Pro His Ala Asp Asn Ser Arg Ser Leu Val 85 90 95 Ser His His Pro Pro Ser Asp Ser Val Leu Met Ser Lys Arg Val Gly 100 .. 105

Asp Phe Ser Glu Val Leu Ile Gly Gly Gly Ser Gly Ser Ala Ala Ala 115 120 125

- Cys Phe Gly Phe Ser Gly Gly Gly Asn Asn Asn Asn Val Gln Gly Asn 130 135 140
- Ser Ser Gly Thr Arg Val Ser Ser Ser Ser Val Gly Ala Ser Gly Asn 155 150
- Glu Thr Asp Glu Tyr Asp Cys Glu Ser Glu Glu Gly Gly Glu Ala Val 165 170 175
- Val Asp Glu Ala Pro Ser Ser Lys Ser Gly Pro Ser Ser Arg Ser Ser 180 185 190
- Ser Lys Arg Cys Arg Ala Ala Glu Val His Asn Leu Ser Glu Lys Arg 195 200 205
- Arg Arg Ser Arg Ile Asn Glu Lys Met Lys Ala Leu Gln Ser Leu Ile 210 215 220
- Pro Asn Ser Asn Lys Thr Asp Lys Ala Ser Met Leu Asp Glu Ala Ile 225 230 235 240
- Glu Tyr Leu Lys Gln Leu Gln Leu Gln Val Gln Met Leu Thr Met Arg
  245 250 255
- Asn Gly Ile Asn Leu His Pro Leu Cys Leu Pro Gly Thr Thr Leu His 260 265 270
- Pro Leu Gln Leu Ser Gln Ile Arg Pro Pro Glu Ala Thr Asn Asp Pro 275 280 285
- Leu Leu Asn His Thr Asn Gln Phe Ala Ser Thr Ser Asn Ala Pro Glu 290 295 300
- Met Ile Asn Thr Val Ala Ser Ser Tyr Ala Leu Glu Pro Ser Ile Arg 305 - 310 - 320
- Ser His Phe Gly Pro Phe Pro Leu Leu Thr Ser Pro Val Glu Met Ser 325 330 335
- Arg Glu Gly Gly Leu Thr His Pro Arg Leu Asn Ile Gly His Ser Asn 340 345 350

Ala Asn Ile Thr Gly Glu Gln Ala Leu Phe Asp Gly Gln Pro Asp Leu
355 360 365

Lys Asp Arg Ile Thr 370

<210> 109 <211> 1292 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (46)..(960) <223> G594

<400> 109

agaaaagata agageetttt aaagtttttt ttttaeette tette atg gae ttg tet 57

Met Asp Leu Ser

gta ctt gat agg ctt aag tgg ctg caa cag caa caa atg gtt tca cct 105

Val Leu Asp Arg Leu Lys Trp Leu Gln Gln Gln Met Val Ser Pro 5 10 15 20

gag ttt ctt cag ata ctt ggc tca gat ggg aga gaa gag ctc aaa aga 153

Glu Phe Leu Gln Ile Leu Gly Ser Asp Gly Arg Glu Glu Leu Lys Arg
25 30 35

gtt gag agt tac ttg gga aac aac aat gat gag ctg cag agt ttc aga 201

Val Glu Ser Tyr Leu Gly Asn Asn Asn Glu Leu Gln Ser Phe Arg 40 45

cat ttt ccc gaa ttc gga ccg gat tat gat act act gat ggc tgc att 249

His Phe Pro Glu Phe Gly Pro Asp Tyr Asp Thr Thr Asp Gly Cys Ile 55 60 65

tct agg aca agt agc ttc cat atg gag cca gtg aag aat aat gga cac 297

Ser Arg Thr Ser Ser Phe His Met Glu Pro Val Lys Asn Asn Gly His 70 75 80

age aga gee att ace ttg cag aac aag aga aaa eea gag ggt aag aca

Ser Arg Ala Ile Thr Leu Gln Asn Lys Arg Lys Pro Glu Gly Lys Thr 85 90 95 100

gaa aag aga gag aag aag atc aaa gca gag gat gaa aca gag cca 393

Glu Lys Arg Glu Lys Lys Lys Ile Lys Ala Glu Asp Glu Thr Glu Pro 105 110 115

age atg aaa ggg aaa tea aac atg agt aac aca gag aca tet tea gaa

Ser Met Lys Gly Lys Ser Asn Met Ser Asn Thr Glu Thr Ser Ser Glu 120 125 130

att cag aaa cca gat tac att cat gtt agg gct aga cga ggt gaa gcc 489

Ile Gln Lys Pro Asp Tyr Ile His Val Arg Ala Arg Arg Gly Glu Ala

135 140 145

acc gac aga cat agc tta gca gag agg gca aga aga gaa aag ata agc 537

Thr Asp Arg His Ser Leu Ala Glu Arg Ala Arg Arg Glu Lys Ile Ser 150 155 160

aag aag atg aaa tgt cta caa gat att gtt cct gga tgc aac aaa gtt 585

Lys Lys Met Lys Cys Leu Gln Asp Ile Val Pro Gly Cys Asn Lys Val 165 170 175 180

act gga aaa gct ggt atg ctt gat gag atc atc aac tat gtc caa tct 633

Thr Gly Lys Ala Gly Met Leu Asp Glu Ile Ile Asn Tyr Val Gln Ser 185 190 195

ctg caa caa gtc gag ttc ttg tcg atg aaa ctc tct gtc ata aat 681

Leu Gln Gln Val Glu Phe Leu Ser Met Lys Leu Ser Val Ile Asn 200 205 210

cca gaa ctt gag tgt cat atc gat gat tta tcc gca aaa cag ttt cag

Pro Glu Leu Glu Cys His Ile Asp Asp Leu Ser Ala Lys Gln Phe Gln 215 220 225

gct tac ttc aca ggt cct cca gaa ggt gac tcg aag cag tca atc atg

Ala Tyr Phe Thr Gly Pro Pro Glu Gly Asp Ser Lys Gln Ser Ile Met 230 235 240

gcg gat ttt cgg tct ttt cca tta cat cag caa gga tct tta gat tac 825

Ala Asp Phe Arg Ser Phe Pro Leu His Gln Gln Gly Ser Leu Asp Tyr 245 250 255 260

tca gtc ata aac tca gac cac aca tct ctc ggc gct aaa gat cat 873

Ser Val Ile Asn Ser Asp His Thr Thr Ser Leu Gly Ala Lys Asp His 265 270 275

aca tca tca age tgg gaa act cae tca cag tgt ctt tae aac age ttg

Thr Ser Ser Ser Trp Glu Thr His Ser Gln Cys Leu Tyr Asn Ser Leu 280 285 290

aga acc gat tet gtt tee aat tte tte age ete aag taa aaaaattagg 970

Arg Thr Asp Ser Val Ser Asn Phe Phe Ser Leu Lys 295 300

gatagectea ttaaaaaaat egeggttttt tgttgttgte ttatecattt atetatetta 1030

tctgaaattt gaaccagaaa gacagaggaa accaatccaa agatctttct caatctatta 1090

tcttcataca aatatagtga tttacatata ttccagggga tatgtatatg tgtagaagaa 1150

agagaaaaa ctcttgtggt catagcaatt cctttttttg tacattgtag aatcaaactc 1210

ttgtggtcgt aacaattatt teetteacaa attacaacta caettgtatt aatggagatg 1270

ccttttggcc ctgggatcaa ca

<210> 110 <211> 304 <212> PRT <213> Arabidopsis thaliana <400> 110

Met Val Ser Pro Glu Phe Leu Gln Ile Leu Gly Ser Asp Gly Arg Glu 20 25 30

Glu Leu Lys Arg Val Glu Ser Tyr Leu Gly Asn Asn Asn Asp Glu Leu
35 40 45

Gln Ser Phe Arg His Phe Pro Glu Phe Gly Pro Asp Tyr Asp Thr Thr
50 55 60

Asp Gly Cys Ile Ser Arg Thr Ser Ser Phe His Met Glu Pro Val Lys
65 70 75 80

Asn Asn Gly His Ser Arg Ala Ile Thr Leu Gln Asn Lys Arg Lys Pro 85 90 95

Glu Gly Lys Thr Glu Lys Arg Glu Lys Lys Lys Ile Lys Ala Glu Asp

Glu Thr Glu Pro Ser Met Lys Gly Lys Ser Asn Met Ser Asn Thr Glu 115 120 125

Thr Ser Ser Glu Ile Gln Lys Pro Asp Tyr Ile His Val Arg Ala Arg 130 135 140

Arg Gly Glu Ala Thr Asp Arg His Ser Leu Ala Glu Arg Ala Arg Arg 145 150 155 160

Glu Lys Ile Ser Lys Lys Met Lys Cys Leu Gln Asp Ile Val Pro Gly 165 170 175

Cys Asn Lys Val Thr Gly Lys Ala Gly Met Leu Asp Glu Ile Ile Asn 180 185 190

Tyr Val Gln Ser Leu Gln Gln Gln Val Glu Phe Leu Ser Met Lys Leu 195 200 200 Leu 205

Ser Val Ile Asn Pro Glu Leu Glu Cys His Ile Asp Asp Leu Ser Ala 210 215 220

Lys Gln Phe Gln Ala Tyr Phe Thr Gly Pro Pro Glu Gly Asp Ser Lys 235 235

Gln Ser Ile Met Ala Asp Phe Arg Ser Phe Pro Leu His Gln Gly 255

Ser Leu Asp Tyr Ser Val Ile Asn Ser Asp His Thr Thr Ser Leu Gly 265 265

Ala Lys Asp His Thr Ser Ser Ser Trp Glu Thr His Ser Gln Cys Leu 275 280 285

Tyr Asn Ser Leu Arg Thr Asp Ser Val Ser Asn Phe Phe Ser Leu Lys
290 295 300

<210> 111 <211> 1857 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (152)..(1579) <223> G599

<400> 111

tegacagaac agettegttg teacttgtea ttetataaat egeateecea ttgacaacet

ctetetetet teaetetete tttettteaa a atg gaa aaa ete atg gtt eeg

Met Glu Lys Leu Met Val Pro 1 5

aca tgg aga ccc gac ccg gtt tac cgt cca ccg gaa aca cca ctc gaa

Thr Trp Arg Pro Asp Pro Val Tyr Arg Pro Pro Glu Thr Pro Leu Glu 10 15 20

ccg atg gag ttt tta gct cgt tca tgg agc gtc tct gct ctc gaa gtc 268

Pro Met Glu Phe Leu Ala Arg Ser Trp Ser Val Ser Ala Leu Glu Val 25 30 35

toc aag get cta aca cca ccc aac cct cag att ctc ctc tcc aaa acc 316

Ser Lys Ala Leu Thr Pro Pro Asn Pro Gln Ile Leu Leu Ser Lys Thr 40 45 50 55

gaa gaa gaa gaa gaa gaa gaa gaa coc atc toc tot gto gta gac ggc gac 364 Glu Glu Glu Glu Glu Glu Pro Ile Ser Ser Val Val Asp Gly Asp 60 65 70

ggc gac acg gaa gac acc gga ctt gtc acc gga aac cca ttc tcc ttc 412 Gly Asp Thr Glu Asp Thr Gly Leu Val Thr Gly Asn Pro Phe Ser Phe 75 80 gct tgt tca gaa act tct caa atg gtc atg gat cgt atc ttg tct cac 460 Ala Cys Ser Glu Thr Ser Gln Met Val Met Asp Arg Ile Leu Ser His 95 tct caa gaa gta tca cca aga aca tct ggt cgg cta tct cac agt agt Ser Gln Glu Val Ser Pro Arg Thr Ser Gly Arg Leu Ser His Ser Ser 105 ggt cca ctt aat ggt tet ttg acc gac agt cet cet gtg tet eet eec 556 Gly Pro Leu Asn Gly Ser Leu Thr Asp Ser Pro Pro Val Ser Pro Pro 120 gaa too gac gac att aag caa ttt tgc aga gcg aac aaa aat tca ttg Glu Ser Asp Asp Ile Lys Gln Phe Cys Arg Ala Asn Lys Asn Ser Leu 140 145 150 aac agt gta aat tot cag tto cgt toa acg gog goa act cog gga cot 652 Asn Ser Val Asn Ser Gln Phe Arg Ser Thr Ala Ala Thr Pro Gly Pro 160 ata acc gct aca gct aca cag tcc aag acg gtg gga cgg tgg ctt aag Ile Thr Ala Thr Ala Thr Gln Ser Lys Thr Val Gly Arg Trp Leu Lys gac cgg aga gag aaa aag aaa gag gag act cgg gct cat aac gct cag 748 Asp Arg Arg Glu Lys Lys Glu Glu Thr Arg Ala His Asn Ala Gln 185 190. att cac get get gte tet gte gee gge gtt get gea get gtt get get 796 Ile His Ala Ala Val Ser Val Ala Gly Val Ala Ala Ala Val Ala Ala 205 att gca gca gcc acc gct gcg tct tct agc tgt ggt aag gat gag cag Ile Ala Ala Ala Thr Ala Ala Ser Ser Ser Cys Gly Lys Asp Glu Gln 220 225 230 atg gct aaa act gac atg gcc gtt gct tct gct gcg acc ctt gtg gct Met Ala Lys Thr Asp Met Ala Val Ala Ser Ala Ala Thr Leu Val Ala 235 get cag tgt gtg gaa get get gaa gtt atg gga get gag aga gag tat Ala Gln Cys Val Glu Ala Ala Glu Val Met Gly Ala Glu Arg Glu Tyr

250

WO 02/15675

ttg gct tct gtt gtt agc tcc gcc gtc aat gtt cgt tct gcc gga gat Leu Ala Ser Val Val Ser Ser Ala Val Asn Val Arg Ser Ala Gly Asp 265 att atg act ctc acc gcc gga gca gct aca gct tta aga gga gtg caa Ile Met Thr Leu Thr Ala Gly Ala Ala Thr Ala Leu Arg Gly Val Gln 285 aca ttg aag gca agg gca atg aag gaa gtg tgg aac ata gca tca gtg Thr Leu Lys Ala Arg Ala Met Lys Glu Val Trp Asn Ile Ala Ser Val 305 ata cca atg gat aaa gga ctc act tct aca gga gga agc agc aat aat Ile Pro Met Asp Lys Gly Leu Thr Ser Thr Gly Gly Ser Ser Asn Asn 315 gtt aat ggt agc aat gga agc tca agc agt agt cac agt ggt gaa ctt Val Asn Gly Ser Asn Gly Ser Ser Ser Ser Ser His Ser Gly Glu Leu 340 335 gta caa cag gag aat ttc ttg gga act tgt agt aga gaa tgg ctc gct Val Gln Gln Glu Asn Phe Leu Gly Thr Cys Ser Arg Glu Trp Leu Ala 350 aga ggt tgt gaa ctc ctc aaa cgc act cgc aaa ggt gat ctc cac tgg Arg Gly Cys Glu Leu Leu Lys Arg Thr Arg Lys Gly Asp Leu His Trp 365 370 aag ata gta tot gtt tac atc aac aaa atg aat cag gtt atg ttg aag Lys Ile Val Ser Val Tyr Ile Asn Lys Met Asn Gln Val Met Leu Lys 385 😘 380 atg aag agc agg cat gtt gga gga acc ttc acc aag aag aaa aag aac Met Lys Ser Arg His Val Gly Gly Thr Phe Thr Lys Lys Lys Asn 400 395 att gtg ctt gat gtg atc aag aat gtc ccg gcc tgg cct gga cga cat Ile Val Leu Asp Val Ile Lys Asn Val Pro Ala Trp Pro Gly Arg His 420 410 ttg cta gag gga gga gat gat cta aga tac ttc ggt ttg aag acg gtt Leu Leu Glu Gly Gly Asp Asp Leu Arg Tyr Phe Gly Leu Lys Thr Val 430 atg cga ggt gat gtt gaa ttc gag gtc aag agc caa agg gaa tat gaa Met Arg Gly Asp Val Glu Phe Glu Val Lys Ser Gln Arg Glu Tyr Glu 445 440

atg tgg aca caa ggt gtc tca agg ctt ctt gtt ctt gct gct gag agg

Met Trp Thr Gln Gly Val Ser Arg Leu Leu Val Leu Ala Ala Glu Arg
460 465 470

aag ttt agg atg tga ataaacgttc aatggctgct tggtttaagt gtgagttttt 1619

: .

Lys Phe Arg Met 475

A street

ttttaactta tgtggtcaaa tttcattagt aggggttctt ttaaggtaat ggttttttgg 1679

gttgggtata ggataaaatg gacctaccag tcaaggtgag gaagcatttg ggtaaacaaa 1739

acttagtggg ggtgatctgt aatatctatg ttcttagttt ttttttggtt gttggtggtc 1799

tttttgtata aaaaaacaaa gttgaagtaa tagatatata gtatgtttta attttaaa 1857

<210> 0412 <211> 0475 <212> %PRT <213> Arabidopsis thaliana <400>
112

Met Glu Lys Leu Met Val Pro Thr Trp Arg Pro Asp Pro Val Tyr Arg

1 10 15

Pro Pro Glu Thr Pro Leu Glu Pro Met Glu Phe Leu Ala Arg Ser Trp

Ser Val Ser Ala Leu Glu Val Ser Lys Ala Leu Thr Pro Pro Asn Pro 35 40 45

Gln Ile Leu Leu Ser Lys Thr Glu Glu Glu Glu Glu Glu Glu Pro Ile
50 55

Ser Ser Val Val Asp Gly Asp Gly Asp Thr Glu Asp Thr Gly Leu Val 65 75 80

Thr Gly Asn Pro Phe Ser Phe Ala Cys Ser Glu Thr Ser Gln Met Val

Met Asp Arg Ile Leu Ser His Ser Gln Glu Val Ser Pro Arg Thr Ser 100 105 110

Gly Arg Leu Ser His Ser Ser Gly Pro Leu Asn Gly Ser Leu Thr Asp 115 120 125

Ser Pro Pro Val Ser Pro Pro Glu Ser Asp Asp Ile Lys Gln Phe Cys 130 135 140

rg A .45	la	Ası	ı L	ys :	Asn	Ser 150	Leu	Asn	Se	r Va	1 A	.55	Ser	Gln	Phe	Ar	g S 1	er 60
Thr A	la	Ala	а Т	hr	Pro 165	Gly	Pro	Ile	Th	r Al	a I	hr.	Ala	Thr	Gln	17	er I 15	ys
Thr \	/al	Gl	у А 1	rg .80	Trp	Leu	ГÀЗ	Asp	Ar 18	g Ai 5	cg (	Glu	Lys	Гуз	Lys 190	3 GI	Lu C	Slu
Thr i	Arg	Al 19		lis	Asn	Ala	Gln	11e	e Hi O	s A	la i	Āla	Val	Ser 205	Va.	1 A	la (	Gly
Val :	Ala 210		.a <i>1</i>	Ala	Val	Ala	Ala 215	ı Il	e Al	la A	la.	Ala	Thr 220	Ala	ÀÌ	a S	er :	Ser
Ser 225	Cys	G]	l <b>y</b> :	Lys	Asp	Glu 230	ı Glı	n Me	t A	la I	ys	Thr 235	Asp	Met	. Al	a V	al	Ala 240
Ser	Ala	<b>A</b> .	la	Thr	Let 245	ı Va	l Al	a Al	a G	ln (	ys 250	Val	. Glu	ı Ala	a Al	a 0	31u 255	Val
Met	Gl	γA	la	Glu 260	Ar	g Gl		r Le	eu A 2	la 8 65	Ser	Val	. Vai	L Se	r Se 2	er 1 70	Ala	Val
Asn	Va.	1 A 2	rg 75	Ser	- Al	a Gl	y As	p II 28	Le M 80	let '	Thr	Let	ı Th	r Al 28	a G. 5	ly i	Ala	Ala
Thr	Al 29		eu	Arg	g G1	y Va	1 GI 29	n T	hr I	ieu	Lys	Ala	a Ar 30	g Al 0	a M	et	ГÀз	Glu
Val 305		p F	lsn	Il	e Al	a Se 31	er Va LO	al I	le 1	Pro	Met	As; 31	р <b>L</b> y 5	s Gl	Ly L	eu	Thr	Ser 320
Thr	- Gl	.у (	Sly	Se	r Se 32	er As 25	sn A	sn V	al	Asn	Gly 330	, Se	r As	m G	Ly S	er	Ser 335	Ser
Sei	: Se	er 1	His	Se 34	r G:	Ly G	lu L	eu V	al	Gln 345	Glr	n Gl	.u As	sn P	he I	Leu 350	Gly	Thr
Сy	s S		Arg 355		u T	rp L	eu A	la A	Arg 360	Gly	Cys	s Gl	Lu <sub>.</sub> L	eu L 3	eu 1 65	Lys	Arg	J Thr
Ar		ys 70	Gly	y As	sp L	eu H	lis I	rp 3	Lys	Ile	۷a	1 S	er V 3	al T 80	yr	Ile	Ası	n Lys

Met Asn Gln Val Met Leu Lys Met Lys Ser Arg His Val Gly Gly Thr 385 390 395 400

Phe Thr Lys Lys Lys Lys Asn Ile Val Leu Asp Val Ile Lys Asn Val 405 410 415

Pro Ala Trp Pro Gly Arg His Leu Leu Glu Gly Gly Asp Asp Leu Arg
420 425 430

Tyr Phe Gly Leu Lys Thr Val Met Arg Gly Asp Val Glu Phe Glu Val 435 440 445

Lys Ser Gln Arg Glu Tyr Glu Met Trp Thr Gln Gly Val Ser Arg Leu 450 455 460

Leu Val Leu Ala Ala Glu Arg Lys Phe Arg Met 465 470 475

<210> 113 <211> 993 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(993) <223> G635

<400> 113

atg gag atc atg cgt cca ggg gtc tca gaa aac act ttg aaa gga aaa 48

Met Glu Ile Met Arg Pro Gly Val Ser Glu Asn Thr Leu Lys Gly Lys

10 15

ata aga atc aca acg cgg tgc atg tgg ctt gac aaa gga aga ctt tta 96

Ile Arg Ile Thr Thr Arg Cys Met Trp Leu Asp Lys Gly Arg Leu Leu 20 25 30

gat gca ctt cac aaa gca gct cat gct gct cta tca agt tgt cct gtg 144

Asp Ala Leu His Lys Ala Ala His Ala Ala Leu Ser Ser Cys Pro Val 35 40 45

aca tgt ccc ttg tct cac atg gaa aga aca gtc tcc gaa gtc ctg agg 192

Thr Cys Pro Leu Ser His Met Glu Arg Thr Val Ser Glu Val Leu Arg
50 55 60

aag att gta agg aag tac agt ggt aaa agg cct gaa gtc atc gct ata 240

Lys Ile Val Arg Lys Tyr Ser Gly Lys Arg Pro Glu Val Ile Ala Ile 65 70 75 80

gcc act gag aat cca atg gct gtc cga gct gat gag gtc agt gcg aga 288

Ala Thr Glu Asn Pro Met Ala Val Arg Ala Asp Glu Val Ser Ala Arg 85 90 95

ctg tct ggt gat cca agt gtt ggt tct gga gtt gca gct tta agg aaa 336 Leu Ser Gly Asp Pro Ser Val Gly Ser Gly Val Ala Ala Leu Arg Lys

			100					105					110		
jtt	gtt	gaa	gga	aat	gac	aaa	aga	agt	cgg	gcg	aag	aaa	gca	cct	tca
384 7al	Val	Glu 115	Gly	Asn	Asp	Lys	Arg 120	Ser	Arg	Ala	Lys	Lys 125	Ala	Pro	Ser
	gaa	gct.	tcc	ccc	aaa	gaa	gta	gat	çgc	act	ttg	gaa	gat	gat	atc
132 51n	Glu 130	Ala	Ser	Pro	Lys	Glu 135	Val	Asp	Arg	Thr	Leu 140	Glu	Asp	Asp	Ile
	gat	agt	gca	aga	cta	ctg	gct	gaa	gaa	gaa	act	gcg	gca	tca	aca
480 Ile 145	Asp	Ser	Ala	Arg	Leu 150	Leu	Ala	Glu	Glu	Glu 155	Thr	Ala	Ala	Ser	Thr 160
	acg	gaa	gaa	gtt	gat	acg	ccc	gtt	ggg	agt	tct	tca	gaa	gag	tca
528 Tyr	Thr	Glu	Glu	Val 165	Asp	Thr	Pro	Val	Gly 170		Ser	Ser	Glu	Glu 175	Ser
7	gat	ttt	tgg	aaa	tca	ttc	atc	aat	cca	tca	tcg	tca	cct	tca	ccg
576 Asp	Asp	Phe	Trp 180	Lys	Ser	Phe	Ile	Asn 185	Pro	Ser	Ser	Ser	Pro 190	Ser	Pro
agt 624	gaa	aca	gaa	aat	atg	aat	aag	gta	gct	gat	acg	gag	cct	aaa	gca
Ser	Glu	Thr 195		Asn	Met	Asn	Lys 200	Val	Ala	Asp	Thr	Glu 205	Pro	Lys	Ala
	ggt	aag	gaa	aac	agc	aga	gac	gac	gat	gaa	tta	gct	gat	gct	tca
672 Glu	Gly 210		Glu	Asn	Ser	Arg 215		Asp	Àsp	Glu	Leu 220	Ala	Asp	Ala	Ser
gat 720		gaa	acc	aag	tca	tca	сса	aaa	· cgt	gtg	agg	aag	aac	aaa	tgg
Asp 225	Ser	Glu	Thr	Lys	Ser 230		Pro	Lys	Arg	y Val 235	Arg	Lys	Asn	Lys	240
		gaç	g gaç	, ata	aag	aag	gta	ato	aga	a ato	g cga	gga	gag	cto	g cac
768 Lys	Pro	Glu	ı Gli	11e 245		Lys	Val	. Ile	250	y Met	Arg	Gl3	/ Glu	Let 255	His
		ttt	caa	a gto	ggt	g aaa	a ggt	aga	a atq	g gca	a ttg	tg:	ggaa	gaç	g ato
816 Ser	Arç	Phe	Gl: 260		L Val	L Lys	Gly	26		t Ala	a Let	ı Trş	9 Glu 270	ı Glu	ı Ile
		a aat	t cta	a tca	a gct	t gaa	a gga	ate	c aa	t cga	a ago	c cc	g gga	a caa	a tgo
864 Ser	Sei	27:		ı Se	r Ala	a Glu	ı Gly 280	, Il	e As	n Ar	g Se	28	o Gly 5	y Gl	n Cys
aaa 912		t ct	c tg	g gc	a tca	a cti	t att	ca ca	g aa	a ta	c ga	g ga	g ago	c aa	g gct
Lys	Ser 290		u Tr	p Ala	a Se	r Lei 29		e Gl	n Ly	s Ty	r Gl	u Gl 0	u Se	r Ly	s Ala

gat gag aga agc aag acg agt tgg cca cat ttt gag gat atg aac aac 960 Asp Glu Arg Ser Lys Thr Ser Trp Pro His Phe Glu Asp Met Asn Asn

305 310 315 320 att ttg tca gag cta ggc aca cct gcg tct taa Ile Leu Ser Glu Leu Gly Thr Pro Ala Ser 325 · <210> 114 <211> 330 <212> PRT <213> Arabidopsis thaliana <400> Met Glu Ile Met Arg Pro Gly Val Ser Glu Asn Thr Leu Lys Gly Lys 医直线 直接工具 Ile Arg Ile Thr Thr Arg Cys Met Trp Leu Asp Lys Gly Arg Leu Leu 25 20 30 Asp Ala Leu His Lys Ala Ala His Ala Ala Leu Ser Ser Cys Pro Val 40 45 45 Thr Cys Pro Leu Ser His Met Glu Arg Thr Val Ser Glu Val Leu Arg 60 55 Lys Ile Val Arg Lys Tyr Ser Gly Lys Arg Pro Glu Val Ile Ala Ile Ala Thr Glu Asn Pro Met Ala Val Arg Ala Asp Glu Val Ser Ala Arg See 1. 1. 1. 85.3.1. 1. 1. 1. 1. 90 The Wei Health 95.3 each Leu Ser Gly Asp Pro Ser Val Gly Ser Gly Val Ala Ala Leu Arg Lys 4. 105 (100 kg) 110 (100 kg) (100 kg) Val Val Glu Gly Asn Asp Lys Arg Ser Arg Ala Lys Lys Ala Pro Ser 115 - 120 - 120 - 125 - 125 - 125 - 126 - Gln Glu Ala Ser Pro Lys Glu Val Asp Arg Thr Leu Glu Asp Asp Ile 130 135 140 Ile Asp Ser Ala Arg Leu Leu Ala Glu Glu Glu Thr Ala Ala Ser Thr 145 150 155 Tyr Thr Glu Glu Val Asp Thr Pro Val Gly Ser Ser Ser Glu Glu Ser 165 170 175 Asp Asp Phe Trp Lys Ser Phe Ile Asn Pro Ser Ser Pro Ser Pro 185 180 . 190 194

Ser Glu Thr Glu Asn Met Asn Lys Val Ala Asp Thr Glu Pro Lys Ala 195 200 205

Glu Gly Lys Glu Asn Ser Arg Asp Asp Asp Glu Leu Ala Asp Ala Ser 210 225 220

Asp Ser Glu Thr Lys Ser Ser Pro Lys Arg Val Arg Lys Asn Lys Trp 230 235

Lys Pro Glu Glu Ile Lys Lys Val Ile Arg Met Arg Gly Glu Leu His 255

Ser Arg Phe Gln Val Val Lys Gly Arg Met Ala Leu Trp Glu Glu Ile 260 265 270

Ser Ser Asn Leu Ser Ala Glu Gly Ile Asn Arg Ser Pro Gly Gln Cys

Lys Ser Leu Trp Ala Ser Leu Ile Gln Lys Tyr Glu Glu Ser Lys Ala 290 295 300

Asp Glu Arg Ser Lys Thr Ser Trp Pro His Phe Glu Asp Met Asn Asn 315 320

Ile Leu Ser Glu Leu Gly Thr Pro Ala Ser 325 330

<210> 115 <211> 2136 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (86)..(1861) <223> G638

<400> 115

gaattaaaag gtttaacctt taccttttt tcccttcact atcgataatt gatcttctct

tteggetgaa tataaatetg aaaaa atg gat caa gat cag cat eet cag tac

Met Asp Gln Asp Gln His Pro Gln Tyr 1

ggt ata ccg gag ctc cgg cag ctc atg aaa ggc gga gga agg acg act

Gly Ile Pro Glu Leu Arg Gln Leu Met Lys Gly Gly Gly Arg Thr Thr 10 20 25

act aca aca ccg tct act tct tct cat ttt ccc tct gat ttc ttc ggt

Thr Thr Pro Ser Thr Ser Ser His Phe Pro Ser Asp Phe Phe Gly
30 35 40

ttt aac ctt gct ccg gtg cag cca ccg cca cac cgt ctt cat cag ttc Phe Asn Leu Ala Pro Val Gln Pro Pro Pro His Arg Leu His Gln Phe 45 act act gat caa gat atg ggt ttc ttg cca cgt ggc ata cat gga ttg Thr Thr Asp Gln Asp Met Gly Phe Leu Pro Arg Gly Ile His Gly Leu ggt gga ggt tct tca acg gct gga aat aac agt aac tta aac gcg agt 352 Gly Gly Gly Ser Ser Thr Ala Gly Asn Asn Ser Asn Leu Asn Ala Ser act agt ggt gga gga gtt ggg ttt agt ggg ttt ctt gac ggt ggt 400 Thr Ser Gly Gly Gly Val Gly Phe Ser Gly Phe Leu Asp Gly Gly Gly 95 ttc ggc agc gga gta gga gga gac ggt gga gga act gga agg tgg ccg Phe Gly Ser Gly Val Gly Gly Asp Gly Gly Gly Thr Gly Arg Trp Pro 110 115 . 120 aga caa gaa acc cta act ctg ttg gaa att aga tct cgt ctt gat cat 496 Arg Gln Glu Thr Leu Thr Leu Leu Glu Ile Arg Ser Arg Leu Asp His 125 130 aaa ttc aaa gaa gct aat cat aaa gga cct ctt tgg gat gaa gtt tct Lys Phe Lys Glu Ala Asn His Lys Gly Pro Leu Trp Asp Glu Val Ser agg att atg tcc gag gaa cat gga tac caa agg agt ggg aag aaa tgc 592 Arg Ile Met Ser Glu Glu His Gly Tyr Gln Arg Ser Gly Lys Lys Cys 155 160 aga gag aag ttt gag aat ctg tac aaa tac tat agt aag act aaa gaa Arg Glu Lys Phe Glu Asn Leu Tyr Lys Tyr Tyr Ser Lys Thr Lys Glu 175 180 ggc gaa gcc gga aga caa gac gga aaa cat cac aga ttt ttc cgc cag Gly Glu Ala Gly Arg Gln Asp Gly Lys His His Arg Phe Phe Arg Gln ctc caa gcg cta tac ggg gat tct aat aac ttg gtt tct tgt ccc aat Leu Gln Ala Leu Tyr Gly Asp Ser Asn Asn Leu Val Ser Cys Pro Asn 210 215 cat aac acg cag ttc atg agc agt gct ctt cat ggt ttc cat act caa His Asn Thr Gln Phe Met Ser Ser Ala Leu His Gly Phe His Thr Gln . . . 220 225

aac cet atg aac gtt get aca aca acg tee aac ate cat aac gtt gat Asn Pro Met Asn Val Ala Thr Thr Thr Ser Asn Ile His Asn Val Asp 245 240 235 agt gtt cat ggt ttt cat caa agc ctt agt ctt tct aac aac tac aac Ser Val His Gly Phe His Gln Ser Leu Ser Leu Ser Asn Asn Tyr Asn 260 255 tee tee gag ett gag etg atg act tee tet teg gaa ggg aat gat tet 928 Ser Ser Glu Leu Glu Leu Met Thr Ser Ser Ser Glu Gly Asn Asp Ser 275 agt agt aga agg aaa aag agg agt tgg aaa gcg aag ata aag gag ttc Ser Ser Arg Arg Lys Lys Arg Ser Trp Lys Ala Lys Ile Lys Glu Phe 290 285 att gat acg aac atg aaa agg ttg ata gag agg caa gat gtt tgg ctt 1877 3.3 1024 100 Ile Asp Thr Asn Met Lys Arg Leu Ile Glu Arg Gln Asp Val Trp Leu 310 300 305 gag aag ttg aca aag gtt att gaa gac aaa gag gaa caa cgg atg atg Glu Lys Leu Thr Lys Val Ile Glu Asp Lys Glu Glu Gln Arg Met Met 325 320 . 315 aaa gaa gag gaa tgg agg aag att gaa gct gca agg att gat aaa gag Lys Glu Glu Glu Trp Arg Lys Ile Glu Ala Ala Arg Ile Asp Lys Glu 340 335 330 cat ttg ttt tgg gct aaa gag agg gcg agg atg gaa gct agg gat gtt His Leu Phe Trp Ala Lys Glu Arg Ala Arg Met Glu Ala Arg Asp Val 355 350 gcg gtg att gag gca ttg caa tac ttg aca gga aag cca ttg ata aag Ala Val Ile Glu Ala Leu Gln Tyr Leu Thr Gly Lys Pro Leu Ile Lys ccg ctg tgt tca tcc ccg gaa gag agg aca aat ggt aat aat gag atc 1264 Pro Leu Cys Ser Ser Pro Glu Glu Arg Thr Asn Gly Asn Asn Glu Ile 390 385 380 cga aac aat agt gag aca cag aat gag aat gga agc gat caa acg atg Arg Asn Asn Ser Glu Thr Gln Asn Glu Asn Gly Ser Asp Gln Thr Met 405 400 act aac aat gtt tgt gtt aaa gga agt agt agc tgc tgg ggt gag caa Thr Asn Asn Val Cys Val Lys Gly Ser Ser Ser Cys Trp Gly Glu Gln 415 410

gag att tta aag ctt atg gag ata aga acg agc atg gac tcg acc ttt 1408
Glu Ile Leu Lys Leu Met Glu Ile Arg Thr Ser Met Asp Ser Thr Phe 430 435 440

caa gag ata tta gga ggg tgc tcg gat gag ttt cta tgg gag gaa atc 1456
Gln Glu Ile Leu Gly Gly Cys Ser Asp Glu Phe Leu Trp Glu Glu Ile

gca gcg aag ttg att cag tta ggg ttt gat cag aga agt gcc tta tta 1504

Ala Ala Lys Leu Ile Gln Leu Gly Phe Asp Gln Arg Ser Ala Leu Leu 460 465 470

tgc aag gaa aag tgg gaa tgg ata agc aat gga atg agg aaa gaa aag 1552

Cys Lys Glu Lys Trp Glu Trp Ile Ser Asn Gly Met Arg Lys Glu Lys 475 480 485

aag caa atc aac aag aaa aga aag gat aat tcg tcc agc tgc ggc gtg 1600

Lys Gln Ile Asn Lys Lys Arg Lys Asp Asn Ser Ser Ser Cys Gly Val 490 495 - 500 505

tac tac ccg aga aac gaa gaa aat cca atc tac aat aat cga gaa agt

Tyr Tyr Pro Arg Asn Glu Glu Asn Pro Ile Tyr Asn Asn Arg Glu Ser 510 515 520

gga tat aat gat aat gat cog cat caa atc aac gaa caa ggc aat gta 1696 mms was tee aas sa gara ges geer geer access to be atcessed at grant grant

Gly Tyr Asn Asp Asn Asp Pro His Gln Ile Asn Glu Gln Gly Asn Val

ggt tct tca aca tca aac gca aac gca aac gca aac gta acc act gga 1744

Gly Ser Ser Thr Ser Asn Ala Asn Ala Asn Ala Asn Val Thr Thr Gly
540 545 550

aat cog age ggt gea atg get get agt aca aac tge tte eeg tte tte 1792

Asn Pro Ser Gly Ala Met Ala Ala Ser Thr Asn Cys Phe Pro Phe Phe 555 560 565

atg gga gat gga gat cag aat ttg tgg gag agt tat ggt ttg agg ctc 1840

Met Gly Asp Gly Asp Gln Asn Leu Trp Glu Ser Tyr Gly Leu Arg Leu 570 585 585

agt aaa gaa gag aat cag taa gtaatttete ttaatgaaga agaagaaggt 1891

Ser Lys Glu Glu Asn Gln 590

aatcatgtgg ttaactaatt cttttgagtt agctatatat gagataaacc ttgacttagc 1951

tattatatgt cacatgctgc ttagaattaa gaaatatttg ttggggctta acgaattata 2011

tatcagcata tataagatga gagtctaaga attatatcaa attaggcttt aaccaacgta 2071

cgattatata ttatgttttc atgtatttat tctgtaagac tttttaatat caatctttct 2131

ctaaa 2136

<210> 116 <211> 591 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Gln Asp Gln His Pro Gln Tyr Gly Ile Pro Glu Leu Arg Gln 1 5 15

Leu Met Lys Gly Gly Gly Arg Thr Thr Thr Thr Thr Pro Ser Thr Ser 20 25 30

Ser His Phe Pro Ser Asp Phe Phe Gly Phe Asn Leu Ala Pro Val Gln: 35 40 45

Pro Pro Pro His Arg Leu His Gln Phe Thr Thr Asp Gln Asp Met Gly 50 55

Phe Leu Pro Arg Gly Ile His Gly Leu Gly Gly Gly Ser Ser Thr Ala 65 70 75

Gly Asn Asn Ser Asn Leu Asn Ala Ser Thr Ser Gly Gly Gly Val Gly 85 90 95

Phe Ser Gly Phe Leu Asp Gly Gly Gly Phe Gly Ser Gly Val Gly Gly 100 105 110

Asp Gly Gly Gly Thr Gly Arg Trp Pro Arg Gln Glu Thr Leu Thr Leu 115 120 125

Leu Glu Ile Arg Ser Arg Leu Asp His Lys Phe Lys Glu Ala Asn His 130 135 140

Lys Gly Pro Leu Trp Asp Glu Val Ser Arg Ile Met Ser Glu Glu His 145 150 155 160

Gly Tyr Gln Arg Ser Gly Lys Lys Cys Arg Glu Lys Phe Glu Asn Leu 165 170 175

Tyr Lys Tyr Tyr Ser Lys Thr Lys Glu Gly Glu Ala Gly Arg Gln Asp 180 185 190

Gly Lys His His Arg Phe Phe Arg Gln Leu Gln Ala Leu Tyr Gly Asp 195 200 205

Ser Asn Asn Leu Val Ser Cys Pro Asn His Asn Thr Gln Phe Met Ser 210 215 220

Ser Ala Leu His Gly Phe His Thr Gln Asn Pro Met Asn Val Ala Thr 225 230 235 240

Thr Thr Ser Asn Ile His Asn Val Asp Ser Val His Gly Phe His Gln 245 250 255

Ser Leu Ser Leu Ser Asn Asn Tyr Asn Ser Ser Glu Leu Glu Leu Met 260 265 270

Thr Ser Ser Ser Glu Gly Asn Asp Ser Ser Ser Arg Arg Lys Lys Arg 275 280 285

Ser Trp Lys Ala Lys Ile Lys Glu Phe Ile Asp Thr Asn Met Lys Arg 290 295 300

Leu Ile Glu Arg Gln Asp Val Trp Leu Glu Lys Leu Thr Lys Val Ile 305 310 315 320

Glu Asp Lys Glu Glu Gln Arg Met Met Lys Glu Glu Glu Trp Arg Lys 325 330 335

Ile Glu Ala Ala Arg Ile Asp Lys Glu His Leu Phe Trp Ala Lys Glu
340 345 350

Arg Ala Arg Met Glu Ala Arg Asp Val Ala Val Ile Glu Ala Leu Gln 355 360 365

Tyr Leu Thr Gly Lys Pro Leu Ile Lys Pro Leu Cys Ser Ser Pro Glu 370 380

Glu Arg Thr Asn Gly Asn Asn Glu Ile Arg Asn Asn Ser Glu Thr Gln 385 390 395 400

Asn Glu Asn Gly Ser Asp Gln Thr Met Thr Asn Asn Val Cys Val Lys 405 410 415

Gly Ser Ser Ser Cys Trp Gly Glu Gln Glu Ile Leu Lys Leu Met Glu
420 425 430

Ile Arg Thr Ser Met Asp Ser Thr Phe Gln Glu Ile Leu Gly Gly Cys

435

440

445

Ser Asp Glu Phe Leu Trp Glu Glu Ile Ala Ala Lys Leu Ile Gln Leu 450 455 460

Gly Phe Asp Gln Arg Ser Ala Leu Leu Cys Lys Glu Lys Trp Glu Trp 480

Ile Ser Asn Gly Met Arg Lys Glu Lys Lys Gln Ile Asn Lys Lys Arg 490 Lys 495

Lys Asp Asn Ser Ser Ser Cys Gly Val Tyr Tyr Pro Arg Asn Glu Glu 500 505 505

Asn Pro Ile Tyr Asn Asn Arg Glu Ser Gly Tyr Asn Asp Asn Asp Pro 515 520 525

His Gln Ile Asn Glu Gln Gly Asn Val Gly Ser Ser Thr Ser Asn Ala 530

Asn Ala Asn Ala Asn Val Thr Thr Gly Asn Pro Ser Gly Ala Met Ala 545 550 560

Ala Ser Thr Asn Cys Phe Pro Phe Phe Met Gly Asp Gly Asp Gln Asn 575

Leu Trp Glu Ser Tyr Gly Leu Arg Leu Ser Lys Glu Glu Asn Gln 580 585 585

<210> 117 <211> 1384 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (61)..(1119) <223> G671

<400> 117
ttcacttgag aacaacccc tttgaactcg atcaagaaag ctaagtttga agaatcaaga
60

atg gtg cgg aca ccg tgt tgc aaa gcc gaa cta ggg tta aag aaa gga 108 Met Val Arg Thr Pro Cys Cys Lys Ala Glu Leu Gly Leu Lys Lys Gly

get tgg act eec gag gaa gat eag aag ett ete tet tae ett aac ege

Ala Trp Thr Pro Glu Glu Asp Gln Lys Leu Leu Ser Tyr Leu Asn Arg 20 25 30

cac ggt gaa ggt gga tgg cga act ctc ccc gaa aaa gct gga ctc aag 204 His Gly Glu Gly Trp Arg Thr Leu Pro Glu Lys Ala Gly Leu Lys

aga tgc ggc aaa agc tgc aga ctg aga tgg gcc aat tat ctt aga cct Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Ala Asn Tyr Leu Arg Pro 55 60 gac atc aaa aga gga gag ttc act gaa gac gaa gaa cgt tca atc atc Asp Ile Lys Arg Gly Glu Phe Thr Glu Asp Glu Glu Arg Ser Ile Ile . 70 tet ett cae gee ett cae gge aac aaa tgg tet get ata get egt gga Ser Leu His Ala Leu His Gly Asn Lys Trp Ser Ala Ile Ala Arg Gly 85 ι cta cca gga aga acc gat aac gag atc aag aac tac tgg aac act cat 396 Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp Asn Thr His 100 105 atc aaa aaa cgt ttg atc aag aaa ggt att gat cca gtt aca cac aag 444 Ile Lys Lys Arg Leu Ile Lys Lys Gly Ile Asp Pro Val Thr His Lys 120 125 ggc ata acc tcc ggt acc gac aaa tca gaa aac ctc ccg gag aaa caa  $492^{\circ}$  . It is given that the first of the contract of the property of the (3, 5)Gly Ile Thr Ser Gly Thr Asp Lys Ser Glu Asn Leu Pro Glu Lys Gln 346 130 No. 1990 Mac text 135 の 4 Dec text 2 140 A 1 1 He 対し 14 aat gtt aat ctg aca act agt gac cat gat ctt gat aat gac aag gcg Asn Val Asn Leu Thr Thr Ser Asp His Asp Leu Asp Asn Asp Lys Ala 145 The street of the 150 the water and 155 where the 160 2 aag aag aac aac aag aat ttt gga tta tca tcg gct agt ttc ttg aac 588. The letter of my control of the particle of the particle of Lys Lys Asn Asn Lys Asn Phe Gly Leu Ser Ser Ala Ser Phe Leu Asn aaa gta gct aat agg ttc gga aag aga atc aat cag agt gtt ctg tct 636 Lys Val Ala Asn Arg Phe Gly Lys Arg Ile Asn Gln Ser Val Leu Ser 180 185 gag att atc gga agt gga ggc cca ctt gct tct act agt cac act act Glu Ile Ile Gly Ser Gly Gly Pro Leu Ala Ser Thr Ser His Thr Thr 195 200 205 aat act aca act aca agt gtt tcc gtt gac tct gaa tca gtt aag tca Asn Thr Thr Thr Ser Val Ser Val Asp Ser Glu Ser Val Lys Ser 210 215 220 acg agt tot too tto goa coa acc tog aat ott oto tgo cat ggg acc Thr Ser Ser Ser Phe Ala Pro Thr Ser Asn Leu Leu Cys His Gly Thr 235 230

PCT/US01/26189 WO 02/15675

gtt gca aca aca cca gtt tca tcg aac ttt gac gtt gat ggt aac gtt

Val Ala Thr Thr Pro Val Ser Ser Asn Phe Asp Val Asp Gly Asn Val 245

aat ctg acg tgt tct tcg tcc acg ttc tct gat tcc tcc gtt aac aat Asn Leu Thr Cys Ser Ser Ser Thr Phe Ser Asp Ser Ser Val Asn Asn

260

cct cta atg tac tgc gat aat ttc gtt ggt aat aac aac gtt gat gat Pro Leu Met Tyr Cys Asp Asn Phe Val Gly Asn Asn Asn Val Asp Asp 275

gag gat act atc ggg ttc tcc aca ttt ctg aat gat gaa gat ttc atg

Glu Asp Thr Ile Gly Phe Ser Thr Phe Leu Asn Asp Glu Asp Phe Met 290

atg ttg gag gag tct tgt gtt gaa aac act gcg ttc atg aaa gaa ctt Met Leu Glu Glu Ser Cys Val Glu Asn Thr Ala Phe Met Lys Glu Leu 315 305 134 345 144 310 144 144 144

acg agg ttt ctt cac gag gat gaa aac gac gtc gtt gat gtg acg ccg Thr Arg Phe Leu His Glu Asp Glu Asn Asp Val Val Asp Val Thr Pro 325

gtc tat gaa cgt caa gac ttg ttt gac gaa att gat aac tat ttt gga Val Tyr Glu Arg Gln Asp Leu Phe Asp Glu Ile Asp Asn Tyr Phe Gly

tga gtgaaactca taatcgatga atcccacgtg accatgtcaa tatgatgtct

atggatatgt taccttgatg atgttgatgg taataataat aaataataga tggtgatgat

gaccatgcat gaatcatgaa tgtagttcgt gttgtcacat atgcttgtgt ttttgtgttt 1289

tttttttttg gtctgaagtg tgttgtttcg ttgtaaatgg attataaatg gtgatgtaat

aattataatg ttaaaaaaaa aaaaaaaaaa aaaaa 1384

<210> 118 <211> 352 <212> PRT <213> Arabidopsis thaliana <400>

Met Val Arg Thr Pro Cys Cys Lys Ala Glu Leu Gly Leu Lys Lys Gly 5

Ala Trp Thr Pro Glu Glu Asp Gln Lys Leu Leu Ser Tyr Leu Asn Arg 25 20

His Gly Glu Gly Gly Trp Arg Thr Leu Pro Glu Lys Ala Gly Leu Lys 35 40 45

- Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Ala Asn Tyr Leu Arg Pro 50 55 60
- Asp Ile Lys Arg Gly Glu Phe Thr Glu Asp Glu Glu Arg Ser Ile Ile 65 70 75 80
- Ser Leu His Ala Leu His Gly Asn Lys Trp Ser Ala Ile Ala Arg Gly 85 90 95
- Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp Asn Thr His 100 105 110
- Ile Lys Lys Arg Leu Ile Lys Lys.Gly Ile Asp Pro Val Thr His Lys
  115 120 125
- Gly Ile Thr Ser Gly Thr Asp Lys Ser Glu Asn Leu Pro Glu Lys Gln 130 135 140
- Asn Val Asn Leu Thr Thr Ser Asp His Asp Leu Asp Asn Asp Lys Ala 145 150 155 160
- Lys Lys Asn Asn Lys Asn Phe Gly Leu Ser Ser Ala Ser Phe Leu Asn 165 170 175
- Lys Val Ala Asn Arg Phe Gly Lys Arg Ile Asn Gln Ser Val Leu Ser 180 185 190
- Glu Ile Ile Gly Ser Gly Gly Pro Leu Ala Ser Thr Ser His Thr Thr 195 200 205
- Asn Thr Thr Thr Ser Val Ser Val Asp Ser Glu Ser Val Lys Ser 210 215 220
- Thr Ser Ser Ser Phe Ala Pro Thr Ser Asn Leu Leu Cys His Gly Thr 225 230 235 240
- Val Ala Thr Thr Pro Val Ser Ser Asn Phe Asp Val Asp Gly Asn Val 245 250 255
- Asn Leu Thr Cys Ser Ser Ser Thr Phe Ser Asp Ser Ser Val Asn Asn 260 265 270

Pro Leu Met Tyr Cys Asp Asn Phe Val Gly Asn Asn Asn Val Asp Asp 275 280 285

Glu Asp Thr Ile Gly Phe Ser Thr Phe Leu Asn Asp Glu Asp Phe Met 290 295 300

Met Leu Glu Glu Ser Cys Val Glu Asn Thr Ala Phe Met Lys Glu Leu 305

Thr Arg Phe Leu His Glu Asp Glu Asn Asp Val Val Asp Val Thr Pro 325 330 335

Val Tyr Glu Arg Gln Asp Leu Phe Asp Glu Ile Asp Asn Tyr Phe Gly 340 345 350

<210> 119 <211> 2526 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (338)..(2275) <223> G680

<400> 119

cagttatett etteettett etetetgttt tttaaattta tttttagaga atttttttg

ttttgcttcc gatttgatta tttccgggaa cgatgacttc tccggggagt tcccggtgag

atgataagte agattgeata ettgteteet eeatggetae teteaagggt tttggetgeg

gtggattcgt ttggtttctc tagaatctaa agaggttatc acaacggctt tgcaatttga

aaactttcat gtttggggag atcaaagatg gtttctttt tatactttac ttgttagaga

ggatttgaag cagcgaatag ctgcaaccgg teetgtt atg gat act aat aca tet 355

Met Asp Thr Asn Thr Ser 1 5

gga gaa gaa tta tta gct aag gca aga aag cca tat aca ata aca aag

Gly Glu Glu Leu Leu Ala Lys Ala Arg Lys Pro Tyr Thr Ile Thr Lys
10 15 20

cag cga gag cga tgg act gag gat gag cat gag agg ttt cta gaa gcc

Gln Arg Glu Arg Trp Thr Glu Asp Glu His Glu Arg Phe Leu Glu Ala 25 30 35

ttg agg ctt tat gga aga gct tgg caa cga att gaa gaa cat att ggg

Leu Arg Leu Tyr Gly Arg Ala Trp Gln Arg Ile Glu Glu His Ile Gly 40 45 50

aca aag act gct gtt cag atc aga agt cat gca caa aag ttc ttc aca 547

Thr Lys Thr Ala Val Gln Ile Arg Ser His Ala Gln Lys Phe Phe Thr . 65 60 aag ttg gag aaa gag gct gaa gtt aaa ggc atc cct gtt tgc caa gct Lys Leu Glu Lys Glu Ala Glu Val Lys Gly Ile Pro Val Cys Gln Ala 75 80 ttg gac ata gaa att ccg cct cct cgt cct aaa cga aaa ccc aat act 643 Leu Asp Ile Glu Ile Pro Pro Pro Arg Pro Lys Arg Lys Pro Asn Thr 90 95 cet tat cet ega aaa cet ggg aac aac ggt aca tet tee tet caa gta 691 Pro Tyr Pro Arg Lys Pro Gly Asn Asn Gly Thr Ser Ser Ser Gln Val 105 110 tca tca gca aaa gat gca aaa ctt gtt tca tcg gcc tct tct tca cag Ser Ser Ala Lys Asp Ala Lys Leu Val Ser Ser Ala Ser Ser Ser Gln 125 130 ttg aat cag gcg ttc ttg gat ttg gaa aaa atg ccg ttc tct gag aaa Leu Asn Gln Ala Phe Leu Asp Leu Glu Lys Met Pro Phe Ser Glu Lys 135 140 140 150 aca toa act gga aaa gaa aat caa gat gag aat tgc tog ggt gtt tot Thr Ser Thr Gly Lys Glu Asn Gln Asp Glu Asn Cys Ser Gly Val Ser 155 act gtg aac aag tat ccc tta cca acg aaa cag gta agt ggc gac att 883 કિંદી મુજા કહે હાલ જેમાં ફેબ્ર્યુ જો જાહે છે છે. તે દેશન એસપેટ સંસ્થ Thr Val Asn Lys Tyr Pro Leu Pro Thr Lys Gln Val Ser Gly Asp Ile 170 175 gaa aca agt aag acc tca act gtg gac aac gcg gtt caa gat gtt ccc 931 Glu Thr Ser Lys Thr Ser Thr Val Asp Asn Ala Val Gln Asp Val Pro . .. 190 195 aag aag aac aaa gac aaa gat ggt aac gat ggt act act gtg cac agc Lys Lys Asn Lys Asp Lys Asp Gly Asn Asp Gly Thr Thr Val His Ser 200 205 210 atg caa aac tac cct tgg cat ttc cac gca gat att gtg aac ggg aat Met Gln Asn Tyr Pro Trp His Phe His Ala Asp Ile Val Asn Gly Asn 220 215 225 ata gca aaa tgc cct caa aat cat ccc tca ggt atg gta tct caa gac Ile Ala Lys Cys Pro Gln Asn His Pro Ser Gly Met Val Ser Gln Asp 235 240 ttc atg ttt cat cct atg aga gaa gaa act cac ggg cac gca aat ctt Phe Met Phe His Pro Met Arg Glu Glu Thr His Gly His Ala Asn Leu

PCT/US01/26189 WO 02/15675

250	255	26

caa gct aca aca gca tet gct act aca gct tet cat caa gcg ttt Gln Ala Thr Thr Ala Ser Ala Thr Thr Ala Ser His Gln Ala Phe

cca gct tgt cat tca cag gat gat tac cgt tcg ttt ctc cag ata tca

Pro Ala Cys His Ser Gln Asp Asp Tyr Arg Ser Phe Leu Gln Ile Ser 285 280

tot act tto too aat ott att atg toa act etc cta cag aat eet gea Ser Thr Phe Ser Asn Leu Ile Met Ser Thr Leu Leu Gln Asn Pro Ala 295

get cat get gea get aca tte get get teg gte tgg cet tat geg agt Ala His Ala Ala Ala Thr Phe Ala Ala Ser Val Trp Pro Tyr Ala Ser 315

gtc ggg aat tot ggt gat toa toa acc coa atg agc tot tot cot coa The first wife of the second Val Gly Asn Ser Gly Asp Ser Ser Thr Pro Met Ser Ser Pro Pro 335 330

agt ata act gcc att gcc gct gct aca gta gct gct gca act gct tgg Ser Ile Thr Ala Ile Ala Ala Ala Thr Val Ala Ala Ala Thr Ala Trp

350

tgg gct tct cat gga ctt ctt cct gta tgc gct cca gct cca ata aca Trp Ala Ser His Gly Leu Leu Pro Val Cys Ala Pro Ala Pro Ile Thr 365 360

tgt gtt cca ttc tca act gtt gca gtt cca act cca gca atg act gaa Cys Val Pro Phe Ser Thr Val Ala Val Pro Thr Pro Ala Met Thr Glu 380

atg gat acc gtt gaa aat act caa ccg ttt gag aaa caa aac aca gct Met Asp Thr Val Glu Asn Thr Gln Pro Phe Glu Lys Gln Asn Thr Ala 400 395

ctg caa gat caa acc ttg gct tcg aaa tct cca gct tca tca tct gat Leu Gln Asp Gln Thr Leu Ala Ser Lys Ser Pro Ala Ser Ser Ser Asp 1603 415 410

gat toa gat gag act gga gta acc aag cta aat gcc gac toa aaa acc Asp Ser Asp Glu Thr Gly Val Thr Lys Leu Asn Ala Asp Ser Lys Thr 430 425

Asn Asp Asp Lys Ile Glu Glu Val Val Val Thr Ala Ala Val His Asp 445 440

1747	7		gcc											_	
Ser 455	Asn	Thr	Ala	Gln	Lys 460	Lys	Asn	Leu	Val	Asp 465	Arg	Ser	Ser	Cys	Gly 470
tca 1795		aca	cct	tca	ggg	agt	gac	gca	gaa	act	gat	gca	tta	gat	aaa
Ser	Asn	Thr	Pro	Ser 475	Gly	Ser	Asp	Ala	Glu 480	Thr	Asp	Ala	Leu	Asp 485	ГÀЗ
atg 1843		aaa	gat	aaa	gag	gat	gtg	aag	gag	aca	gat	gag	aat	cag	cca
Met	Glu	Lys	Asp 490	Lys	Glu	Asp	Val	Lys 495	Glu	Thr	Asp	Glu	Asn 500	Gln	Pro
gat 1891		att	gag	tta	aat	aac	cgt	aag	att	aaa	atg	aga	gac	aac	aac
Asp	Val	11e 505	Glu	Leu	Asn	Asn	Arg 510	Lys	Ile	Lys	Met	Arg 515	Asp	Asn	Asn
agc 1939		aac	aat	gca	act	act	gat	tcg	tgg	aag	gaa	gtc	tcc	gaa	gag
Ser	Asn 520	Asn	Asn	Ala	Thr	Thr 525	Asp	Ser	Trp	Lys	Glu 530	Val	Ser	Glu	Glu
ggt 1987		ata	gcg	ttt	cag	gct	ctc	ttt	gca	aga	gaa	aga	ttg	cct	caa
Gly 535	Arg	Ile	Ala	Phe	Gln 540	Ala	Leu	Phe	Ala :	Arg 545	Glu	Arg	Leu	Pro	Gln 550
		tcg	cct	cct	caa	gtg	gca	gag	aat	gtg	aat	aga	aaa	caa	agt
2035			142			•			٠.	-					
		Ser	Pro	Pro 555	Gln	Val	Ala	Glu	Asn 560	Val	Asn	Arg	Lys	Gln 565	Ser
Ser gac 2083	Phe	tca	atg	555 cca	ttg	gct	cct	aat	560 ttc	aaa	agc	cag	gat	565 tct	tgt
Ser gac 2083	Phe	tca		555 cca	ttg	gct	cct	aat	560 ttc	aaa	agc	cag	gat	565 tct	tgt
gac 2083 Asp gct 2131	Phe acg Thr	tca Ser gac	atg Met 570	555 cca Pro gaa	ttg Leu gga	gct Ala gta	cct Pro gta	aat Asn 575 atg	560 ttc Phe	aaa Lys ggt	agc Ser gtt	cag Gln gga	gat Asp 580 aca	565 tct Ser tgc	tgt Cys aag
gac 2083 Asp gct 2131	Phe acg Thr	tca Ser gac	atg Met 570	555 cca Pro gaa	ttg Leu gga	gct Ala gta	cct Pro gta	aat Asn 575 atg	560 ttc Phe	aaa Lys ggt	agc Ser gtt	cag Gln gga	gat Asp 580 aca	565 tct Ser tgc	tgt Cys aag
gac 2083 Asp gct 2131 Ala agt 2179	Phe acg Thr gca Ala	tca Ser gac Asp 585	atg Met 570 caa Gln acg	555 cca Pro gaa Glu aga	ttg Leu gga Gly	gct Ala gta Val	cct Pro gta Val 590 gga	aat Asn 575 atg Met	560 ttc Phe atc Ile	aaa Lys ggt Gly cca	agc Ser gtt Val	cag Gln gga Gly 595 aag	gat Asp 580 aca Thr	565 tct Ser tgc Cys	tgt Cys aag Lys tca
gac 2083 Asp gct 2131 Ala agt 2179	Phe acg Thr gca Ala	tca Ser gac Asp 585	atg Met 570 caa Gln	555 cca Pro gaa Glu aga	ttg Leu gga Gly	gct Ala gta Val	cct Pro gta Val 590 gga	aat Asn 575 atg Met	560 ttc Phe atc Ile	aaa Lys ggt Gly cca	agc Ser gtt Val	cag Gln gga Gly 595 aag	gat Asp 580 aca Thr	565 tct Ser tgc Cys	tgt Cys aag Lys tca
gac 2083 Asp gct 2131 Ala agt 2179 Ser	Phe acg Thr gca Ala ctt Leu 600	tca Ser gac Asp 585 aaa Lys	atg Met 570 caa Gln acg Thr	555 cca Pro gaa Glu aga Arg	ttg Leu gga Gly cag Gln	gct Ala gta Val aca Thr 605	cct Pro gta Val 590 gga Gly	aat Asn 575 atg Met ttt Phe	ttc Phe atc Ile aag Lys	aaa Lys ggt Gly cca Pro	agc Ser gtt Val tac Tyr 610	cag Gln gga Gly 595 aag Lys	gat Asp 580 aca Thr aga Arg	565 tct Ser tgc Cys tgt Cys	tgt Cys aag Lys tca Ser
gac 2083 Asp gct 2131 Ala agt 2179 Ser	Phe acg Thr gca Ala ctt Leu 600	tca Ser gac Asp 585 aaa Lys	atg Met 570 caa Gln acg Thr	555 cca Pro gaa Glu aga Arg gag Glu	ttg Leu gga Gly cag Gln	gct Ala gta Val aca Thr 605	cct Pro gta Val 590 gga Gly	aat Asn 575 atg Met ttt Phe	ttc Phe atc Ile aag Lys	aaa Lys ggt Gly cca Pro	agc Ser gtt Val tac Tyr 610	cag Gln gga Gly 595 aag Lys	gat Asp 580 aca Thr aga Arg	565 tct Ser tgc Cys tgt Cys	tgt Cys aag Lys tca Ser
gac 2083 Asp gct 2131 Ala agt 2179 Ser atg 2227 Met 615	Phe acg Thr gca Ala ctt Leu 600 gaa Glu aaa	tca Ser gac Asp 585 aaa Lys gtg Val	atg Met 570 caa Gln acg Thr	555 cca Pro gaa Glu aga Arg gag Glu aaa	ttg Leu gga Gly cag Gln agc Ser 620	gct Ala gta Val aca Thr 605 caa Gln	cct Pro gta Val 590 gga Gly gtt Val	aat Asn 575 atg Met ttt Phe ggg Gly	560 ttc Phe atc Ile aag Lys aac Asn gaa	aaa Lys ggt Gly cca Pro ata Ile 625	agc Ser gtt Val tac Tyr 610 aac Asn	cag Gln gga Gly 595 aag Lys aat Asn	gat Asp 580 aca Thr aga Arg caa Gln	565 tct Ser tgc Cys tgt Cys agt Ser aca	tgt Cys aag Lys tca Ser gat Asp 630

cagacttgga ggtaaaaaaa aaacatccac atttttatca atatctttaa atctagtgtt 2335

agtagtttgc ttctccaatc tttatgaaag agacttttaa ttttccttcc gaacatttct 2395

ttggtcatgt caggttctgt accatattac cccatgtctt gtctcttgtc tctgtttgtg 2455

tatgctactt gtggtctata tgtcatctgc tactactgtt aattaaccat taagcaatgg 2515

atttgtcttt a 2526

<210> 120 <211> 645 <212> PRT <213> Arabidopsis thaliana <400> 120

Met Asp Thr Asn Thr Ser Gly Glu Glu Leu Leu Ala Lys Ala Arg Lys

1 5 10 15

Pro Tyr Thr Ile Thr Lys Gln Arg Glu Arg Trp Thr Glu Asp Glu His

Glu Arg Phe Leu Glu Ala Leu Arg Leu Tyr Gly Arg Ala Trp Gln Arg
35 40 45

Ile Glu Glu His Ile Gly Thr Lys Thr Ala Val Gln Ile Arg Ser His 50 55 60

Ala Gln Lys Phe Phe Thr Lys Leu Glu Lys Glu Ala Glu Val Lys Gly 65 70 . 75 80

Ile Pro Val Cys Gln Ala Leu Asp Ile Glu Ile Pro Pro Pro Arg Pro 85 90 95

Lys Arg Lys Pro Asn Thr Pro Tyr Pro Arg Lys Pro Gly Asn Asn Gly
100 105 110

Thr Ser Ser Ser Gln Val Ser Ser Ala Lys Asp Ala Lys Leu Val Ser 115 120 125

Ser Ala Ser Ser Ser Gln Leu Asn Gln Ala Phe Leu Asp Leu Glu Lys 130 135 140

Met Pro Phe Ser Glu Lys Thr Ser Thr Gly Lys Glu Asn Gln Asp Glu 145 150 . 155 160

Asn Cys Ser Gly Val Ser Thr Val Asn Lys Tyr Pro Leu Pro Thr Lys 165 170 175

Gln Val Ser Gly Asp Ile Glu Thr Ser Lys Thr Ser Thr Val Asp Asn 180 185 190 Ala Val Gln Asp Val Pro Lys Lys Asn Lys Asp Lys Asp Gly Asn Asp 195 200 205 Gly Thr Thr Val His Ser Met Gln Asn Tyr Pro Trp His Phe His Ala 210 215 220 Asp Ile Val Asn Gly Asn Ile Ala Lys Cys Pro Gln Asn His Pro Ser 225 230 235 Gly Met Val Ser Gln Asp Phe Met Phe His Pro Met Arg Glu Glu Thr 245 250 255 His Gly His Ala Asn Leu Gln Ala Thr Thr Ala Ser Ala Thr Thr Thr 265 - 270 Ala Ser His Gln Ala Phe Pro Ala Cys His Ser Gln Asp Asp Tyr Arg Ser Phe Leu Gln Ile Ser Ser Thr Phe Ser Asn Leu Ile Met Ser Thr 290 295 300 11.519 Leu Leu Gln Asn Pro Ala Ala His Ala Ala Ala Thr Phe Ala Ala Ser 305 Thirties that \$8 g 310 of the Manual than 15 of the first \$120. Val Trp Pro Tyr Ala Ser Val Gly Asn Ser Gly Asp Ser Ser Thr Pro 325 330 335 Met Ser Ser Pro Pro Ser Ile Thr Ala Ile Ala Ala Ala Thr Val Ala Ala Ala Thr Ala Trp Trp Ala Ser His Gly Leu Leu Pro Val Cys 355 360 365 Ala Pro Ala Pro Ile Thr Cys Val Pro Phe Ser Thr Val Ala Val Pro 370 375 380 Thr Pro Ala Met Thr Glu Met Asp Thr Val Glu Asn Thr Gln Pro Phe 385 (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) (1.34) Glu Lys Gln Asn Thr Ala Leu Gln Asp Gln Thr Leu Ala Ser Lys Ser 410 405

Pro Ala Ser Ser Ser Asp Asp Ser Asp Glu Thr Gly Val Thr Lys Leu
420 425 430

- Asn Ala Asp Ser Lys Thr Asn Asp Asp Lys Ile Glu Glu Val Val 435 440 445
- Thr Ala Ala Val His Asp Ser Asn Thr Ala Gln Lys Lys Asn Leu Val 450 460
- Asp Arg Ser Ser Cys Gly Ser Asn Thr Pro Ser Gly Ser Asp Ala Glu 465 470 475 475
- Thr Asp Ala Leu Asp Lys Met Glu Lys Asp Lys Glu Asp Val Lys Glu 485 490 495
- Thr Asp Glu Asn Gln Pro Asp Val Ile Glu Leu Asn Asn Arg Lys Ile
  500 505 510
- Lys Met Arg Asp Asn Asn Ser Asn Asn Asn Ala Thr Thr Asp Ser Trp 515 520 525

3

- Lys Glu Val Ser Glu Glu Gly Arg Ile Ala Phe Gln Ala Leu Phe Ala 530 540
- Arg Glu Arg Leu Pro Gln Ser Phe Ser Pro Pro Gln Val Ala Glu Asn 545 550 555 560
- Val Asn Arg Lys Gln Ser Asp Thr Ser Met Pro Leu Ala Pro Asn Phe 565 570 575
- Lys Ser Gln Asp Ser Cys Ala Ala Asp Gln Glu Gly Val Val Met Ile 580 585 590
- Gly Val Gly Thr Cys Lys Ser Leu Lys Thr Arg Gln Thr Gly Phe Lys 595 600 605
- Pro Tyr Lys Arg Cys Ser Met Glu Val Lys Glu Ser Gln Val Gly Asn 610 615 620
- Ile Asn Asn Gln Ser Asp Glu Lys Val Cys Lys Arg Leu Arg Leu Glu 625 630 635 640
- Gly Glu Ala Ser Thr

<210> 121 <211> 2299 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (271)..(2079) <223> G716

<400> 121

aaaaaaaaa gggagagatt tagttttatc caacagtgcc tgaattacgt tctgcaatca 60

atacggacat aaccgtccgt tgtgtcctgt ttataaagtt ttgcttttt tattttctcc 120

attgatgggt cttttctttc ttctctctct cgtgtttctt tcatggggtt aagactagtg 180

tttaccgcgt gaaggttttt ttttctttct atttctttc atttcctctc cttctacttc 240

ttcttctcca gttctcatct gggttcttca atg gcg agt gtt gaa ggt gat gat 294

Met Ala Ser Val Glu Gly Asp Asp 1 5

gat ttc gga agt tct tcg tca agg tct tat caa gat caa cta tac aca 342

Asp Phe Gly Ser Ser Ser Ser Arg Ser Tyr Gln Asp Gln Leu Tyr Thr 10 15 20

gag cta tgg aaa gtt tgt gca ggt cca tta gtg gaa gtt cct cgt gct 390

Glu Leu Trp Lys Val Cys Ala Gly Pro Leu Val Glu Val Pro Arg Ala 25 30 35 40

caa gag aga gtt ttc tac ttc cct cag ggt cac atg gaa caa ctt gtg 438

Gln Glu Arg Val Phe Tyr Phe Pro Gln Gly His Met Glu Gln Leu Val 45 50 55

gcg tca act aat caa gga atc aat tca gaa gaa ata cct gtt ttt gat 486

Ala Ser Thr Asn Gln Gly Ile Asn Ser Glu Glu Ile Pro Val Phe Asp
60 65 70

ctt cct cca aag ata ctt tgt cga gtt ctt gat gtc act tta aag gcg 534

Leu Pro Pro Lys Ile Leu Cys Arg Val Leu Asp Val Thr Leu Lys Ala 75 80 85

gag cat gaa aca gat gag gtt tac gct cag atc aca tta caa cca gag

Glu His Glu Thr Asp Glu Val Tyr Ala Gln Ile Thr Leu Gln Pro Glu 90 95 100

gaa gat caa agt gaa cca aca agt ctt gat cca cct att gtt gga cca 630

Glu Asp Gln Ser Glu Pro Thr Ser Leu Asp Pro Pro Ile Val Gly Pro 105 110 115 120

act aag caa gag ttt cat tcg ttt gtt aag att tta acg gct tca gat 678

Thr Lys Gln Glu Phe His Ser Phe Val Lys Ile Leu Thr Ala Ser Asp 125 130 135

aca age act cat ggt gga tte tet gtt ett egt aaa cae gee act gaa 726 Thr Ser Thr His Gly Gly Phe Ser Val Leu Arg Lys His Ala Thr Glu tgc ttg cct tct ttg gat atg aca caa gct act cct act caa gaa ctt Cys Leu Pro Ser Leu Asp Met Thr Gln Ala Thr Pro Thr Gln Glu Leu . 160 · 155 gtg act aga gat ctt cat ggc ttt gaa tgg agg ttt aag cat ata ttc Val Thr Arg Asp Leu His Gly Phe Glu Trp Arg Phe Lys His Ile Phe 170 aga gga caa cca cgg agg cat ttg ctt act acg ggt tgg agt aca ttt Arg Gly Gln Pro Arg Arg His Leu Leu Thr Thr Gly Trp Ser Thr Phe gta tcc tcg aaa aga ctt gta gct gga gat gct ttt gtg ttc ttg agg 918 Val Ser Ser Lys Arg Leu Val Ala Gly Asp Ala Phe Val Phe Leu Arg ggt gag aat ggg gat tta cgg gtt gga gtg aga cga tta gct cgg cat Gly Glu Asn Gly Asp Leu Arg Val Gly Val Arg Arg Leu Ala Arg His 220 225 caa age aca atg cet act teg gtt att tea agt cag age atg cat ttg 1014 Gln Ser Thr Met Pro Thr Ser Val Ile Ser Ser Gln Ser Met His Leu 235 240 gga gtt ctt gct aca gct tct cat gct gtg cgt aca aca aca atc ttt Gly Val Leu Ala Thr Ala Ser His Ala Val Arg Thr Thr Thr Ile Phe 260 250 255 gtt gtc ttt tac aag cct agg ata agc caa ttc ata gtt ggg gtg aac 1110 Val Val Phe Tyr Lys Pro Arg Ile Ser Gln Phe Ile Val Gly Val Asn 275 270 265 aag tat atg gaa get ata aag cat gga ttt tet ete ggt ace ega tte Lys Tyr Met Glu Ala Ile Lys His Gly Phe Ser Leu Gly Thr Arg Phe 285 aga atg agg ttt gaa gga gaa gag tct cct gag aga ata ttt act ggt 1206 Arg Met Arg Phe Glu Gly Glu Glu Ser Pro Glu Arg Ile Phe Thr Gly acg att gtg gga agt gga gat cta tct tca caa tgg cca gct tct aaa Thr Ile Val Gly Ser Gly Asp Leu Ser Ser Gln Trp Pro Ala Ser Lys 315 320 325

tgg agg tca ttg cag gta caa tgg gat gag cca aca aca gtt cag aga Trp Arg Ser Leu Gln Val Gln Trp Asp Glu Pro Thr Thr Val Gln Arg 335 cca gat aaa gtc tca cca tgg gag ata gag cct ttc ttg gca act tcc 1350 Pro Asp Lys Val Ser Pro Trp Glu Ile Glu Pro Phe Leu Ala Thr Ser 350 355 cca att tca act cct gct caa caa cca caa tcg aaa tgc aag cgg tca 1398 Pro Ile Ser Thr Pro Ala Gln Gln Pro Gln Ser Lys Cys Lys Arg Ser 365 370 aga ccc atc gag cca tca gtt aaa aca cca gcc cca cct agt ttc ttg Arg Pro Ile Glu Pro Ser Val Lys Thr Pro Ala Pro Pro Ser Phe Leu 380 . 385 390 tac age etc cet cag age caa gat tee att aat gea tee ett aaa etg 1494 to 100 seed to 50 years from 100 in the program with the fi Tyr Ser Leu Pro Gln Ser Gln Asp Ser Ile Asn Ala Ser Leu Lys Leu 395 400 405 ttt caa gat cca tca ctt gag aga att tca ggt gga tac tcc tca aac 1542 granted for the more than the second of the first of the early second Phe Gln Asp Pro Ser Leu Glu Arg Ile Ser Gly Gly Tyr Ser Ser Asn A 19 410 Spanished Science 415 Shell to the control of 420 November (1995) aac age tte aaa eee gag act eet eet eet eea aeg aat tgt age tat Asn Ser Phe Lys Pro Glu Thr Pro Pro Pro Pro Thr Asn Cys Ser Tyr 425 19 1 1 1 2 2 4 4 3 1 2 2 4 4 3 5 1 2 4 4 3 5 1 2 4 4 4 0 agg ttg ttt gga ttt gat ctc aca agc aat tct cct qct cca atc cct 1638 Million and Arma (2000) To the company of Arg Leu Phe Gly Phe Asp Leu Thr Ser Asn Ser Pro Ala Pro Ile Pro 445 450 455 caa gac aag caa ccg atg gat act tgt gga gct gcc aag tgt caa gaa 1686 a 25 From Electric March 1988 to the transfer of the first Gln Asp Lys Gln Pro Met Asp Thr Cys Gly Ala Ala Lys Cys Gln Glu 460 465 470 ccc atc act cca acc tca atg agt gag cag aag aag caa caa aca tca 1734 Pro Ile Thr Pro Thr Ser Met Ser Glu Gln Lys Lys Gln Gln Thr Ser 475 480 485 aga agt cga act aaa gtg caa atg caa ggc att gcg gtt ggt cgt gcg Arg Ser Arg Thr Lys Val Gln Met Gln Gly Ile Ala Val Gly Arg Ala 490 495 500 gtt gat tta aca ctg ttg aaa tct tac gat gaa ctg att gat gag ctt 1830 Val Asp Leu Thr Leu Leu Lys Ser Tyr Asp Glu Leu Ile Asp Glu Leu 505 510 515

gag gag atg ttt gag att caa gga cag ctt ctt gcc cga gac aaa tgg

Glu Glu Met Phe Glu Ile Gln Gly Gln Leu Leu Ala Arg Asp Lys Trp 525 530 535

atc gtt gtc ttc act gat gat gaa gga gat atg atg ctt gct ggt gat 1926

Ile Val Val Phe Thr Asp Asp Glu Gly Asp Met Met Leu Ala Gly Asp
540 545 550

gat ccg tgg aat gag ttt tgc aag atg gca aag aag ata ttt ata tat 1974

Asp Pro Trp Asn Glu Phe Cys Lys Met Ala Lys Lys Ile Phe Ile Tyr 555 560 565

tcg agc gat gag gtt aag aaa atg aca acg aaa ctg aag att tct tcg 2022

Ser Ser Asp Glu Val Lys Lys Met Thr Thr Lys Leu Lys Ile Ser Ser 570 575 580

tcg tta gag aat gag gaa tat ggt aat gaa tca ttc gaa aat cgt agt 2070

Ser Leu Glu Asn Glu Glu Tyr Gly Asn Glu Ser Phe Glu Asn Arg Ser 585 590 595 600

agg ggg tga gagttttagc tgttaattaa ggttaattcg gcgacgtcgt 2119 Arg Gly

tttagtgcgt aagtgtctaa agactttttt tttagtctgt gtatataaag tcttgtcctc 2179

tttttcatgt caatttttca agttggcgat ttaatatttc ggttttggga cagtggttga 2239

tggggcggtt ttacattttt tatgtgtatg tacttgttcc aaaaccattc aattttcaaa 2299

<210> 122 <211> 602 <212> PRT <213> Arabidopsis thaliana <400> 122

Met Ala Ser Val Glu Gly Asp Asp Asp Phe Gly Ser Ser Ser Ser Arg

1 5 10 15

Ser Tyr Gln Asp Gln Leu Tyr Thr Glu Leu Trp Lys Val Cys Ala Gly
20 25 30

Pro Leu Val Glu Val Pro Arg Ala Gln Glu Arg Val Phe Tyr Phe Pro 35 40 45

Gln Gly His Met Glu Gln Leu Val Ala Ser Thr Asn Gln Gly Ile Asn 50 55 60

Ser Glu Glu Ile Pro Val Phe Asp Leu Pro Pro Lys Ile Leu Cys Arg 65 70 75 80

Val Leu Asp Val Thr Leu Lys Ala Glu His Glu Thr Asp Glu Val Tyr 85 90 : 95 Ala Gln Ile Thr Leu Gln Pro Glu Glu Asp Gln Ser Glu Pro Thr Ser 105 Leu Asp Pro Pro Ile Val Gly Pro Thr Lys Gln Glu Phe His Ser Phe 115 120 125 Val Lys Ile Leu Thr Ala Ser Asp Thr Ser Thr His Gly Gly Phe Ser 130 135 140 Val Leu Arg Lys His Ala Thr Glu Cys Leu Pro Ser Leu Asp Met Thr 150 155 160 Gln Ala Thr Pro Thr Gln Glu Leu Val Thr Arg Asp Leu His Gly Phe 165 170 175 Glu Trp Arg Phe Lys His Ile Phe Arg Gly Gln Pro Arg Arg His Leu 180 185 190 Leu Thr Thr Gly Trp Ser Thr Phe Val Ser Ser Lys Arg Leu Val Ala 195 Gly Asp Ala Phe Val Phe Leu Arg Gly Glu Asn Gly Asp Leu Arg Val 210 215 220 Gly Val Arg Arg Leu Ala Arg His Gln Ser Thr Met Pro Thr Ser Val 230 235 240 Ile Ser Ser Gln Ser Met His Leu Gly Val Leu Ala Thr Ala Ser His 245 250 255 Ala Val Arg Thr Thr Thr Ile Phe Val Val Phe Tyr Lys Pro Arg Ile 260 265 Ser Gln Phe Ile Val Gly Val Asn Lys Tyr Met Glu Ala Ile Lys His 275 280 . 285 Gly Phe Ser Leu Gly Thr Arg Phe Arg Met Arg Phe Glu Gly Glu Glu 295 Ser Pro Glu Arg Ile Phe Thr Gly Thr Ile Val Gly Ser Gly Asp Leu 305 310 315

Ser Ser Gln Trp Pro Ala Ser Lys Trp Arg Ser Leu Gln Val Gln Trp 325 330 335

- Asp Glu Pro Thr Thr Val Gln Arg Pro Asp Lys Val Ser Pro Trp Glu 340 345 350
- Ile Glu Pro Phe Leu Ala Thr Ser Pro Ile Ser Thr Pro Ala Gln Gln 355
- Pro Gln Ser Lys Cys Lys Arg Ser Arg Pro Ile Glu Pro Ser Val Lys 370
- Thr Pro Ala Pro Pro Ser Phe Leu Tyr Ser Leu Pro Gln Ser Gln Asp 385
- Ser Ile Asn Ala Ser Leu Lys Leu Phe Gln Asp Pro Ser Leu Glu Arg
- Ile Ser Gly Gly Tyr Ser Ser Asn Asn Ser Phe Lys Pro Glu Thr Pro 420 425 430
- Pro Pro Pro Thr Asn Cys Ser Tyr Arg Leu Phe Gly Phe Asp Leu Thr 435 440 445
- Ser Asn Ser Pro Ala Pro Ille Pro Gln Asp Lys Gln Pro Met Asp Thr 450 455 460
- Cys Gly Ala Ala Lys Cys Gln Glu Pro Ile Thr Pro Thr Ser Met Ser 465
- Glu Gln Lys Lys Gln Gln Thr Ser Arg Ser Arg Thr Lys Val Gln Met 485
- Gln Gly Ile Ala Val Gly Arg Ala Val Asp Leu Thr Leu Leu Lys Ser 500 510
- Tyr Asp Glu Leu Ile Asp Glu Leu Glu Glu Met Phe Glu Ile Gln Gly 515
- Gln Leu Leu Ala Arg Asp Lys Trp Ile Val Val Phe Thr Asp Asp Glu 530 535 540
- Gly Asp Met Met Leu Ala Gly Asp Asp Pro Trp Asn Glu Phe Cys Lys 555 560

Met Ala Lys Lys Ile Phe Ile Tyr Ser Ser Asp Glu Val Lys Lys Met 565 570 575

Thr Thr Lys Leu Lys Ile Ser Ser Leu Glu Asn Glu Glu Tyr Gly 580 585 590

Asn Glu Ser Phe Glu Asn Arg Ser Arg Gly 595 600

<210> 123 <211> 513 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(513) <223> G736

<400> 123

atg gcg act caa gat tot caa ggg att aaa ctc ttt ggc aaa act att 48

Met Ala Thr Gln Asp Ser Gln Gly Ile Lys Leu Phe Gly Lys Thr Ile
1 5 10 15

gca ttt aac act cga aca ata aaa aat gaa gaa gag aca cac ccg ccg 96

Ala Phe Asn Thr Arg Thr Ile Lys Asn Glu Glu Glu Thr His Pro Pro 20 25 30

of a company and the control of the

Glu Gln Glu Ala Thr Ile Ala Val Arg Ser Ser Ser Ser Ser Asp Leu 35 40 45

acg gcc gag aag cgt ccg gat aag atc ata gca tgt cca aga tgc aag

Thr Ala Glu Lys Arg Pro Asp Lys Ile Ile Ala Cys Pro Arg Cys Lys
50 60

age atg gag aca aag tte tgt tae tte aac aac tae aac ggt aat cag

Ser Met Glu Thr Lys Phe Cys Tyr Phe Asn Asn Tyr Asn Gly Asn Gln 65 70 75 80

cct cga cac ttt tgt aaa ggc tgc cac cgt tac tgg acc gcc ggt ggt 288

Pro Arg His Phe Cys Lys Gly Cys His Arg Tyr Trp Thr Ala Gly Gly 85 90 95

gea etc egg aac gtt eec gte gge gee ggt egt egg aag tee aaa eea 336

Ala Leu Arg Asn Val Pro Val Gly Ala Gly Arg Arg Lys Ser Lys Pro 100 105 110

cct ggt cgt gtc gtg gtt ggt atg ctt gga gat gga aat ggt gtt cgc

Pro Gly Arg Val Val Gly Met Leu Gly Asp Gly Asn Gly Val Arg 115 120 125

caa gtc gag ctt ata aat ggc ttg ctc gtt gag gag tgg cag cat gcc 432

Gln Val Glu Leu Ile Asn Gly Leu Leu Val Glu Glu Trp Gln His Ala 130 140 WO 02/15675

gca gcc gca gct cac ggt agt ttc cgg cat gat ttt ccc atg aag cgg

Ala Ala Ala Ala His Gly Ser Phe Arg His Asp Phe Pro Met Lys Arg

ctc cgg tgt tac tcc gac ggt caa tcg tgc tga 513

Leu Arg Cys Tyr Ser Asp Gly Gln Ser Cys 165 170

<210> 124 <211> 170 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Thr Gln Asp Ser Gln Gly Ile Lys Leu Phe Gly Lys Thr Ile 1 5 10 15

Ala Phe Asn Thr Arg Thr Ile Lys Asn Glu Glu Glu Thr His Pro Pro 25 30

Glu Gln Glu Ala Thr Ile Ala Val Arg Ser Ser Ser Ser Ser Asp Leu
35 40 45

Thr Ala Glu Lys Arg Pro Asp Lys Ile Ile Ala Cys Pro Arg Cys Lys 50 60

Ser Met Glu Thr Lys Phe Cys Tyr Phe Asn Asn Tyr Asn Gly Asn Gln 65 70 75 80

Pro Arg His Phe Cys Lys Gly Cys His Arg Tyr Trp Thr Ala Gly Gly 85 90 95

Ala Leu Arg Asn Val Pro Val Gly Ala Gly Arg Arg Lys Ser Lys Pro 100 105 110

Pro Gly Arg Val Val Val Gly Met Leu Gly Asp Gly Asn Gly Val Arg 115 120 125

Gln Val Glu Leu Ile Asn Gly Leu Leu Val Glu Glu Trp Gln His Ala 130 135 140

Ala Ala Ala Ala His Gly Ser Phe Arg His Asp Phe Pro Met Lys Arg 145 150 150 160

Leu Arg Cys Tyr Ser Asp Gly Gln Ser Cys 165 170

<210> 125 <211> 1707 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (98)..(1444) <223> G748

<400> 125 ccaegegtee geacteteee aaatetetet tetttaacaa caaaaaaaa atcaeagaga catagagaga agaagacgga acagaggctc caaaaaa atg atg atg gag act aga Met Met Met Glu Thr Arg 5 gat cca gct att aag ctt ttc ggt atg aaa atc cct ttt ccg tcg gtt 163 Asp Pro Ala Ile Lys Leu Phe Gly Met Lys Ile Pro Phe Pro Ser Val 10 ttt gaa tcg gca gtt acg gtg gag gat gac gaa gaa gat gac tgg agc 211 Phe Glu Ser Ala Val Thr Val Glu Asp Asp Glu Glu Asp Asp Trp Ser 25 30 . 35 ggc gga gat gac aaa tca cca gag aag gta act cca gag tta tca gat 259 Gly Gly Asp Asp Lys Ser Pro Glu Lys Val Thr Pro Glu Leu Ser Asp 45 50 aag aac aac aac tgt aac gac aac agt ttt aac aat teg aaa ecc Lys Asn Asn Asn Asn Cys Asn Asp Asn Ser Phe Asn Asn Ser Lys Pro 60 65 gaa acc ttg gac aaa gag gaa gcg aca tca act gat cag ata gag agt 355 Glu Thr Leu Asp Lys Glu Glu Ala Thr Ser Thr Asp Gln Ile Glu Ser 75 80 agt gac acg cct gag gat aat cag cag acg aca cct gat ggt aaa acc 403 Ser Asp Thr Pro Glu Asp Asn Gln Gln Thr Thr Pro Asp Gly Lys Thr 90 95 -. 100 cta aag aaa ccg act aag att cta ccg tgt ccg aga tgc aaa agc atg 451 Leu Lys Lys Pro Thr Lys Ile Leu Pro Cys Pro Arg Cys Lys Ser Met 105 110 115 gag acc aag ttc tgt tat tac aac aac tac aac ata aac cag cct cgt 499. Glu Thr Lys Phe Cys Tyr Tyr Asn Asn Tyr Asn Ile Asn Gln Pro Arg 120 125 cat ttc tgc aag gct tgt cag aga tat tgg act gct gga ggg act atg 547 His Phe Cys Lys Ala Cys Gln Arg Tyr Trp Thr Ala Gly Gly Thr Met 140

agg aat gtt cct gtg ggg gca gga cgt cgt aag aac aaa agc tca tct 595 Arg Asn Val Pro Val Gly Ala Gly Arg Arg Lys Asn Lys Ser Ser Ser 155

tct cat tac cgt cac atc act att tcc gag gct ctt gag gct gcg agg 643

PCT/US01/26189 WO 02/15675

Ser His Tyr Arg His Ile Thr Ile Ser Glu Ala Leu Glu Ala Ala Arg 170 ctt gac eeg gge tta eag gea aac aca agg gte ttg agt ttt ggt ete

Leu Asp Pro Gly Leu Gln Ala Asn Thr Arg Val Leu Ser Phe Gly Leu 190

gaa gct cag cag cac gtt gct gct ccc atg aca cct gtt atg aag

Glu Ala Gln Gln His Val Ala Ala Pro Met Thr Pro Val Met Lys 210 200

cta caa gaa gat caa aag gtc tca aac ggt gct agg aac agg ttt cac Leu Gln Glu Asp Gln Lys Val Ser Asn Gly Ala Arg Asn Arg Phe His

220

ggg tta gcg gat caa cgg ctt gta gct cgg gta gag aat gga gat gat 835

Gly Leu Ala Asp Gln Arg Leu Val Ala Arg Val Glu Asn Gly Asp Asp 240 \*\*\*\* 1 January 1 - 235

tgc tca agc gga tcc tct gtg acc acc tct aac aat cac tca gtg gat Cys Ser Ser Gly Ser Ser Val Thr Thr Ser Asn Asn His Ser Val Asp 260 250 255

gaa toa aga goa caa ago ggo agt gtt gtt gaa goa caa atg aac aac 931 Glu Ser Arg Ala Gln Ser Gly Ser Val Val Glu Ala Gln Met Asn Asn

. 270 . 265 aac aac aac aat aac atg aat ggt tat gct tgc atc cca ggt gtt cca

Asn Asn Asn Asn Met Asn Gly Tyr Ala Cys Ile Pro Gly Val Pro . 290 285 280

tgg cct tac acg tgg aat cca gcg atg cct cca cca ggt ttt tac ccg 1027 Trp Pro Tyr Thr Trp Asn Pro Ala Met Pro Pro Pro Gly Phe Tyr Pro 300 1 - 3 - 3 - 3 305

cet cea ggg tat cea atg ceg ttt tac cet tac tgg acc atc cea atg Pro Pro Gly Tyr Pro Met Pro Phe Tyr Pro Tyr Trp Thr Ile Pro Met 320 . 315

cta cca ccg cat caa tcc tca tcg cct ata agc caa aag tgt tca aat 1123 Leu Pro Pro His Gln Ser Ser Ser Pro Ile Ser Gln Lys Cys Ser Asn 340 335 330

aca aac tot cog act ctc gga aag cat ccg aga gat gaa gga tca tcg 1171 Thr Asn Ser Pro Thr Leu Gly Lys His Pro Arg Asp Glu Gly Ser Ser

aaa aag gac aat gag aca gag cga aaa cag aag gcc ggg tgc gtt ctg Lys Lys Asp Asn Glu Thr Glu Arg Lys Gln Lys Ala Gly Cys Val Leu 1219

360

365

370

gtc ccg aaa acg ttg aga ata gat gat cct aac gaa gca gca aag agc 1267

Val Pro Lys Thr Leu Arg Ile Asp Asp Pro Asn Glu Ala Ala Lys Ser 375 380 385 390

tcg ata tgg aca aca ttg gga atc aag aac gag gcg atg tgc aaa gcc 1315

Ser Ile Trp Thr Thr Leu Gly Ile Lys Asn Glu Ala Met Cys Lys Ala 395 400 405

ggt ggt atg ttc aaa ggg ttt gat cat aag aca aag atg tat aac aac 1363

Gly Gly Met Phe Lys Gly Phe Asp His Lys Thr Lys Met Tyr Asn Asn 410 415 420

gac aaa gct gag aac tcc cct gtt ctt tct gct aac cct gct gct cta 1411

Asp Lys Ala Glu Asn Ser Pro Val Leu Ser Ala Asn Pro Ala Ala Leu 425 430 435

tca aga tca cac aat tto cat gaa cag att tag agttacatat gtatatgtat 1464 m. noo 1.40 m. noo

Ser Arg Ser His Asn Phe His Glu Gln Ile 440

atatgtatga ttgattgtat gtatagatga tactggagaa tgatgagttt ttgagaatca 1524

aactotttto ttotttotag stgattgoott stattoottta catgittitgg stlototgtac

actatttgat ttaccttttt tactttcttt cttcatttgt caggaaatgt tggaagataa 1644

cattaatggt aaaaagttgg tgtggaccgt tgttgcgttg gcatttcaaa aaaaaaaaa 1704

aaa 1707

<210> 126 <211> 448 <212> PRT <213> Arabidopsis thaliana <400> 126

Met Met Met Glu Thr Arg Asp Pro Ala Ile Lys Leu Phe Gly Met Lys

1 10 15

Ile Pro Phe Pro Ser Val Phe Glu Ser Ala Val Thr Val Glu Asp Asp 20 25 30

Glu Glu Asp Asp Trp Ser Gly Gly Asp Asp Lys Ser Pro Glu Lys Val 35 40 45

Thr Pro Glu Leu Ser Asp Lys Asn Asn Asn Asn Cys Asn Asp Asn Ser 50 55 60

Phe Asn Asn Ser Lys Pro Glu Thr Leu Asp Lys Glu Glu Ala Thr Ser 75

- Thr Asp Gln Ile Glu Ser Ser Asp Thr Pro Glu Asp Asn Gln Gln Thr 85 90 95
- Thr Pro Asp Gly Lys Thr Leu Lys Lys Pro Thr Lys Ile Leu Pro Cys 100 105 110
- Pro Arg Cys Lys Ser Met Glu Thr Lys Phe Cys Tyr Tyr Asn Asn Tyr 115 120 125
- Asn Ile Asn Gln Pro Arg His Phe Cys Lys Ala Cys Gln Arg Tyr Trp
  130 135 140
- Thr Ala Gly Gly Thr Met Arg Asn Val Pro Val Gly Ala Gly Arg Arg 145 150 155 160
- Lys Asn Lys Ser Ser Ser Ser His Tyr Arg His Ile Thr Ile Ser Glu 165 170 175
- Ala Leu Glu Ala Ala Arg Leu Asp Pro Gly Leu Gln Ala Asn Thr Arg 180 185 190
- Val Leu Ser Phe Gly Leu Glu Ala Gln Gln Gln His Val Ala Ala Pro 195 200 205
- Met Thr Pro Val Met Lys Leu Gln Glu Asp Gln Lys Val Ser Asn Gly 210 215 220
- Ala Arg Asn Arg Phe His Gly Leu Ala Asp Gln Arg Leu Val Ala Arg 225 230 235 240
- Asn Asn His Ser Val Asp Glu Ser Arg Ala Gln Ser Gly Ser Val Val 260 265 265
- Glu Ala Gln Met Asn Asn Asn Asn Asn Asn Asn Met Asn Gly Tyr Ala 275 280 285
- Cys Ile Pro Gly Val Pro Trp Pro Tyr Thr Trp Asn Pro Ala Met Pro 290 295 300

Pro Pro Gly Phe Tyr Pro Pro Pro Gly Tyr Pro Met Pro Phe Tyr Pro 305 310 315 320

Tyr Trp Thr Ile Pro Met Leu Pro Pro His Gln Ser Ser Ser Pro Ile 325 330 335

Ser Gln Lys Cys Ser Asn Thr Asn Ser Pro Thr Leu Gly Lys His Pro 340 345 350

Arg Asp Glu Gly Ser Ser Lys Lys Asp Asn Glu Thr Glu Arg Lys Gln
355 360 365

Lys Ala Gly Cys Val Leu Val Pro Lys Thr Leu Arg Ile Asp Asp Pro 370 375 380

Asn Glu Ala Ala Lys Ser Ser Ile Trp Thr Thr Leu Gly Ile Lys Asn 385 390 395

Glu Ala Met Cys Lys Ala Gly Gly Met Phe Lys Gly Phe Asp His Lys 405 410 415

Thr Lys Met Tyr Asn Asn Asp Lys Ala Glu Asn Ser Pro Val Leu Ser 420 425 430

Ala Asn Pro Ala Ala Leu Ser Arg Ser His Asn Phe His Glu Gln Ile 435 440 445

<210> 127 <211> 766 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (110)..(712) <223> G779

<400> 127

gacatgcatg taagcattcg gttaattaat cgagtcaaag atatatatca gtaaatacat 60

atgtgtatat ttctggaaaa agaatatata tattgagaaa taagaaaag atg aaa atg 118

Met Lys Met

gaa aat ggt atg tat aaa aag aaa gga gtg tgc gac tct tgt gtc tcg 166

Glu Asn Gly Met Tyr Lys Lys Lys Gly Val Cys Asp Ser Cys Val Ser 5 10 15

tcc aaa agc aga tcc aac cac agc ccc aaa aga agc atg atg gag cct 214

Ser Lys Ser Arg Ser Asn His Ser Pro Lys Arg Ser Met Met Glu Pro 20 25 30 35

cag cot cac cat oto oto atg gat tgg aac aaa got aat gat ott oto 262

Gln Pro His His Leu Leu Met Asp Trp Asn Lys Ala Asn Asp Leu Leu

45 50

aca caa gaa cac gca gct ttt ctc aat gat cct cac cat ctc atg tta 310
Thr Gln Glu His Ala Ala Phe Leu Asn Asp Pro His His Leu Met Leu

40

Thr Gln Glu His Ala Ala Phe Leu Asn Asp Pro His His Leu Met Leu
55 60 65

gat cca cct ccc gaa acc cta att cac ttg gac gaa gac gaa gag tac 358

Asp Pro Pro Pro Glu Thr Leu Ile His Leu Asp Glu Asp Glu Glu Tyr
70 75 80

gat gaa gac atg gat $\cdot$ gcg atg aag gag atg cag tac atg atc gcc gtc 406

Asp Glu Asp Met Asp Ala Met Lys Glu Met Gln Tyr Met Ile Ala Val 85 90 95

atg cag ccc gta gac atc gac cct gcc acg gtc cct aag ccg aac cgc 454

Met Gln Pro Val Asp Ile Asp Pro Ala Thr Val Pro Lys Pro Asn Arg 100 105 110 111

cgt aac gta agg ata agc gac gat cct cag acg gtg gtt gct cgt cgg 502

Arg Asn Val Arg Ile Ser Asp Asp Pro Gln Thr Val Val Ala Arg Arg 120 125 130

cgt cgg gaa agg atc agc gag aag atc cga att ctc aag agg atc gtg 550

Arg Arg Glu Arg Ile Ser Glu Lys Ile Arg Ile Leu Lys Arg Ile Val 135 140 145

cct ggt ggt gcg aag atg gac aca gct tcc atg ctc gac gaa gcc ata 598

Pro Gly Gly Ala Lys Met Asp Thr Ala Ser Met Leu Asp Glu Ala Ile 150 155 160

cgt tac acc aag ttc ttg aaa cgg cag gtg agg att ctt cag cct cac 646

Arg Tyr Thr Lys Phe Leu Lys Arg Gln Val Arg Ile Leu Gln Pro His 165 170 175

tet cag att gga get eet atg get aac eec tet tae ett tgt tat tae 694

Ser Gln Ile Gly Ala Pro Met Ala Asn Pro Ser Tyr Leu Cys Tyr Tyr 180 185 190 190

cac aac too caa ooc tga tgaactacac agaagctege tagetagaca 742

His Asn Ser Gln Pro

766

tttggtgtca tcctctcaac cttt

<210> 128 <211> 200 <212> PRT <213> Arabidopsis thaliana <400>

Met Lys Met Glu Asn Gly Met Tyr Lys Lys Lys Gly Val Cys Asp Ser 1 5 10 15

Cys Val Ser Ser Lys Ser Arg Ser Asn His Ser Pro Lys Arg Ser Met 20 25 30

Met Glu Pro Gln Pro His His Leu Leu Met Asp Trp Asn Lys Ala Asn 35 40 45

Asp Leu Leu Thr Gln Glu His Ala Ala Phe Leu Asn Asp Pro His His 50 55 60

Leu Met Leu Asp Pro Pro Pro Glu Thr Leu Ile His Leu Asp Glu Asp 65 70 75 80

Glu Glu Tyr Asp Glu Asp Met Asp Ala Met Lys Glu Met Gln Tyr Met 85 90 95

Ile Ala Val Met Gln Pro Val Asp Ile Asp Pro Ala Thr Val Pro Lys
100 105 110

Pro Asn Arg Arg Asn Val Arg Ile Ser Asp Asp Pro Gln Thr Val Val 115 120 125

Ala Arg Arg Arg Arg Glu Arg Ile Ser Glu Lys Ile Arg Ile Leu Lys

Arg Ile Val Pro Gly Gly Ala Lys Met Asp Thr Ala Ser Met Leu Asp 145 150 155 160

Glu Ala Ile Arg Tyr Thr Lys Phe Leu Lys Arg Gln Val Arg Ile Leu 165 170 175

Gln Pro His Ser Gln Ile Gly Ala Pro Met Ala Asn Pro Ser Tyr Leu 180 185 190

Cys Tyr Tyr His Asn Ser Gln Pro 195 200

<210> 129 <211> 1913 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (259)..(1593) <223> G789

<400> 129

ggcaagaaga accttagcct ctctttcttc tttctctctc tctctctctg tggtactgtt 60

ctgtttcaac tttactccct cagtttcaga acaattccct atctagaaga gagataaaac 120

cgagaaggtt ttggagatag aatcttttgt tcttcttttg tccctccttg ctcgattttt

gttacgtgtg aagcaataaa aaaaaactga tatagctaaa tcttccatcc attcagaggc 240

ttctaaatct gatctgac atg gaa caa gtg ttt gct gat tgg aat ttt gaa 291

Met Glu Gln Val Phe Ala Asp Trp Asn Phe Glu 1 5 10

gat aat ttt cac atg tcc act aat aaa aga tca atc aga cca gaa gat 339

Asp Asn Phe His Met Ser Thr Asn Lys Arg Ser Ile Arg Pro Glu Asp 15 20 25

gaa tta gtg gag cta ttg tgg aga gat ggt caa gtg gtt tta caa agc 387

Glu Leu Val Glu Leu Leu Trp Arg Asp Gly Gln Val Val Leu Gln Ser 30 35

caa get egt aga gaa eeg tea gte caa gee cac aaa caa gaa 435

Gln Ala Arg Arg Glu Pro Ser Val Gln Val Gln Thr His Lys Gln Glu 45 50 55

acc cta aga aaa ccc aac aat att ttt ctt gac aac caa gaa aca gta

Thr Leu Arg Lys Pro Asn Asn Ile Phe Leu Asp Asn Gln Glu Thr Val 60 65 70 75

caa aag oot aac tac got got cta gat gat caa gaa acc gtc too tgg

Gln Lys Pro Asn Tyr Ala Ala Leu Asp Asp Gln Glu Thr Val Ser Trp 80 85

ata caa tac cct ccg gat gac gtc atc gac cct ttc gaa tcc gag ttc 579

Ile Gln Tyr Pro Pro Asp Asp Val Ile Asp Pro Phe Glu Ser Glu Phe 95 100 105

tcc tct cat ttc tct tcg atc gat cac ctc gga ggt cct gag aag

Ser Ser His Phe Phe Ser Ser Ile Asp His Leu Gly Gly Pro Glu Lys
110 115 120

cca cga acg atc gaa gag aca gtt aag cat gag gct caa gcc atg gct 675

Pro Arg Thr Ile Glu Glu Thr Val Lys His Glu Ala Gln Ala Met Ala 125 130 135

cct cct aag ttt aga tcc tcg gtt ata aca gtc gga ccg agt cat tgc

723 Pro Pro Lys Phe Arg Ser Ser Val Ile Thr Val Gly Pro Ser His Cys 140 145 150 155

ggc agc aac cag toa aca aat att cat cag gcc act aca ctt ccg gtt
771

Gly Ser Asn Gln Ser Thr Asn Ile His Gln Ala Thr Thr Leu Pro Val 160 165 170

tot atg agt gat aga agc aag aac gtc gaa gaa aga ctt gac act tcg Ser Met Ser Asp Arg Ser Lys Asn Val Glu Glu Arg Leu Asp Thr Ser 175 tca ggt ggc tcc tcc ggt tgc agc tat gga agg aac aac aaa gaa acc Ser Gly Gly Ser Ser Gly Cys Ser Tyr Gly Arg Asn Asn Lys Glu Thr gtt agt gga aca agt gta acc att gac cgt aaa aga aaa cat gtt atg 915 Val Ser Gly Thr Ser Val Thr Ile Asp Arg Lys Arg Lys His Val Met 205 gat get gat caa gaa tet gtg tet caa tea gat ata ggt ttg ace tea 963 Asp Ala Asp Gln Glu Ser Val Ser Gln Ser Asp Ile Gly Leu Thr Ser 220 225 230 acc gat gat caa acc atg ggt aac aaa teg agc caa egg tea gga tet Thr Asp Asp Gln Thr Met Gly Asn Lys Ser Ser Gln Arg Ser Gly Ser 240 250 245 act cga aga agc cgt gca gct gaa gtt cat aat ctc tca gaa agg agg 1059 Thr Arg Arg Ser Arg Ala Ala Glu Val His Asn Leu Ser Glu Arg Arg 255 260 265 agg aga gat cgg atc aat gaa aga atg aaa gct ctt caa gaa ctc ata Arg Arg Asp Arg Ile Asn Glu Arg Met Lys Ala Leu Gln Glu Leu Ile 270 275 cct cac tgc agc aga aca gat aaa gct tcg ata ttg gat gaa gca att 1155 Pro His Cys Ser Arg Thr Asp Lys Ala Ser Ile Leu Asp Glu Ala Ile 285 290 295 gat tac tta aaa tca ctt caa atg caa ctc caa gtg atg tgg atg gga 1203: Asp Tyr Leu Lys Ser Leu Gln Met Gln Leu Gln Val Met Trp Met Gly 305 310 agt gga atg gcg gcg gca gca gca gca gca agt ccg atg atg ttt 1251 Ser Gly Met Ala Ala Ala Ala Ala Ala Ala Ser Pro Met Met Phe 320 325 330 ccc ggg gta caa tca tct cca tac att aat cag atg gct atg caa agt 1299 Pro Gly Val Gln Ser Ser Pro Tyr Ile Asn Gln Met Ala Met Gln Ser 340 cag atg caa ttg tct caa ttc ccg gtt atg aac cgg tcc gct ccg cag Gln Met Gln Leu Ser Gln Phe Pro Val Met Asn Arg Ser Ala Pro Gln 360 350 355

aac cat ccc ggt tta gta tgt caa aac ccg gta cag ttg cag ctc caa

Asn His Pro Gly Leu Val Cys Gln Asn Pro Val Gln Leu Gln Leu Gln 365 370 375

gca cag aac caa atc tta tcg gag cag ctc gct agg tac atg ggc ggg 1443

Ala Gln Asn Gln Ile Leu Ser Glu Gln Leu Ala Arg Tyr Met Gly Gly 380 385 390 395

att ccc cag atg ccg ccg gcg gga aat cag atg cag acc gtg caa caa 1491

Ile Pro Gln Met Pro Pro Ala Gly Asn Gln Met Gln Thr Val Gln Gln 400 405 410

caa cca gcg gac atg ttg gga ttt gga tct ccg gcg gga ccg caa agt 1539

Gln Pro Ala Asp Met Leu Gly Phe Gly Ser Pro Ala Gly Pro Gln Ser
415 420 425

caa ctg tcg gca ccg gcg acc acc gac agt ctt cat atg ggt aaa ata 1587

Gln Leu Ser Ala Pro Ala Thr Thr Asp Ser Leu His Met Gly Lys Ile
430
435
440

ggc tga cttggcatat agttttcctc cgaaattatt cttcttacag ttggtgattg 1643 Gly

ttatttattt ttggtcgcct aagcaagcat aaaagctaag tcaaatgtat tatagagatc 1703

taataagtta gtctcatact tataacttat ttttaaacag ttgaattata gtatcaatca 1763

agtgttggga acctaaagat catacatgtg tcaatacttt tatatttgtt ctcaaggttc 1823

atcagaaaaa caaaataaaa aggatagact aggcctgcat ttgacattat catgggcttt 1883

tttgggtcta tgaatatgaa cattaacccc 1913

80 g - 8 g - 2

<210> 130 <211> 444 <212> PRT <213> Arabidopsis thaliana <400> 130

Met Glu Gln Val Phe Ala Asp Trp Asn Phe Glu Asp Asn Phe His Met 1 5 10 15

Ser Thr Asn Lys Arg Ser Ile Arg Pro Glu Asp Glu Leu Val Glu Leu 20 25 30

Leu Trp Arg Asp Gly Gln Val Val Leu Gln Ser Gln Ala Arg Arg Glu
35 40 45

Pro Ser Val Gln Val Gln Thr His Lys Gln Glu Thr Leu Arg Lys Pro 50 55 60 Asn Asn Ile Phe Leu Asp Asn Gln Glu Thr Val Gln Lys Pro Asn Tyr 65 70 Ala Ala Leu Asp Asp Gln Glu Thr Val Ser Trp Ile Gln Tyr Pro Pro 85 . 90 Asp Asp Val Ile Asp Pro Phe Glu Ser Glu Phe Ser Ser His Phe Phe 105 Ser Ser Ile Asp His Leu Gly Gly Pro Glu Lys Pro Arg Thr Ile Glu 115 120 125 Glu Thr Val Lys His Glu Ala Gln Ala Met Ala Pro Pro Lys Phe Arg #8 - 130 Not what we have 135 have the Art 140 have been seen production of the second Ser Ser Val Ile Thr Val Gly Pro Ser His Cys Gly Ser Asn Gln Ser 145 150 155 160 Thr Asn Ile His Gln Ala Thr Thr Leu Pro Val Ser Met Ser Asp Arg 3 to come from 3 on 165 to the file from 11 170 to the file to the 17.5 feet Ser Lys Asn Val Glu Glu Arg Leu Asp Thr Ser Ser Gly Gly Ser Ser Gly Cys Ser Tyr Gly Arg Asn Asn Lys Glu Thr Val Ser Gly Thr Ser 200 205 Val Thr Ile Asp Arg Lys Arg Lys His Val Met Asp Ala Asp Gln Glu 210 220 1. 1. 1. Ser Val Ser Gln Ser Asp Ile Gly Leu Thr Ser Thr Asp Asp Gln Thr 225 230 235 ... 240 Met Gly Asn Lys Ser Ser Gln Arg Ser Gly Ser Thr Arg Arg Ser Arg 245 250 255 Ala Ala Glu Val His Asn Leu Ser Glu Arg Arg Arg Asp Asp Ile **260 265** Asn Glu Arg Met Lys Ala Leu Gln Glu Leu Ile Pro His Cys Ser Arg 280 285 Thr Asp Lys Ala Ser Ile Leu Asp Glu Ala Ile Asp Tyr Leu Lys Ser

290

295

300

Ala Ala Ala Ala Ala Ser Pro Met Met Phe Pro Gly Val Gln Ser 325 330 335

Ser Pro Tyr Ile Asn Gln Met Ala Met Gln Ser Gln Met Gln Leu Ser 340 345 350

Gln Phe Pro Val Met Asn Arg Ser Ala Pro Gln Asn His Pro Gly Leu 355 360 365

Val Cys Gln Asn Pro Val Gln Leu Gln Leu Gln Ala Gln Asn Gln Ile 370 375 380

Leu Ser Glu Gln Leu Ala Arg Tyr Met Gly Gly Ile Pro Gln Met Pro 385 390 395 400

Pro Ala Gly Asn Gln Met Gln Thr Val Gln Gln Gln Pro Ala Asp Met 415

Leu Gly Phe Gly Ser Pro Ala Gly Pro Gln Ser Gln Leu Ser Ala Pro 420 425 430

Ala Thr Thr Asp Ser Leu His Met Gly Lys Ile Gly 435 440

<210> 131 <211> 1107 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (173)..(877) <223> G791

<400> 131

tittettigg gigtieette eaceaaegge agaaategat teggettaaa teteeeete 60

ctttcgatct ctctgatcgc cgccgggaac attcaatttc ccgggagttc aacaaaaaaa 120

aaactctccg tttttattt tccccctttt tcaccggtgg aagtttccgg ag atg gtg

Met Val

tea eee gaa aac get aat tgg att tgt gae ttg ate gat get gat tac 226

Ser Pro Glu Asn Ala Asn Trp Ile Cys Asp Leu Ile Asp Ala Asp Tyr 5 10 15

gga agt ttc aca atc caa ggt cct ggt ttc tct tgg cct gtt cag caa 274

Gly	Ser 20	Phe	Thr	Ile	Gln	Gly 25	Pro	Gly	Phe	Ser	Trp 30	Pro	Val	Gln	Gln
cct 322	att	ggt	gtt	tct	tct	aac	tcc	agt	gct	gga	gtt	gat	ggc	tcg	gct
Pro 35	Ile	Gly	Val	Ser	Ser 40	Asn	Ser	Ser	Ala	Gly 45	Val	Asp	Gly	Ser	Ala 50
gga 370	aac	tca	gaa	gct	agc	aaa	gaa	cct	gga	tcc	aaa	aag	agg	ġgg	aga
	Asn	Ser		Ala 55	Ser	Lys	Glu	Pro	Gly 60	Ser	Lys	Lys	Arg	Gly 65	Àrg
tgt 418	gaa	tca	tcc	tct	gcc	act	agc	tcg	aaa	gca	tgt	aga	gag	aag	cag
Cys	Glu	Ser	Ser 70	Ser	Ala	Thr		Ser ·75	Lys	Ala	Суз	Arg	Glu 80	Lys	Gln
cga 466	cgg	gac	agg	ttg	aat	gac	aag	ttt	atg	gaa	ttg	ggt	gca	att	ttg
Arg	Arg	Asp 85	Arg	Leu	Asn	Asp	Lys 90	Phe	Met	Glu	Leu	Gly 95	Ala	Ile	Leu
gag 514	cct	gga	aat	cct	ccc	aaa	aca	gac	aag	gct	gct	atc	ttg	gtt	gat
Glu	Pro 100	Gly	Asn	Pro	Pro	Lys 105	Thr	Asp	ГÀЗ	Ala	Ala 110	Ile	Leu	Val	Asp
gct 562	gtc	cgc	atg	gtg	aca	cag	cta	cgg	ggc	gag	gcc	cag	aag	ctg	aag
Ala 115	Val	Arg	Met	Val	Thr 120	Gln	Leu	Arg	Gly	Glu 125	Ala	Gln	Lys	Leu	Lys 130
gac 610	tcc	aat	tca	agt	ctt	cag	gac	aaa	atc	aaa	gag	tta	aag	act	gag
Asp	Ser	Asn-	Ser	Ser 135	Leu	Gln	Asp	Lys	Ile 140	Lys	Glu	Leu	Lys	Thr 145	Glu
aaa 658	aac	gag	ctg	cga	gat	gag	aaa	cag	agg	ctg	aag	aca	gag	aaa	gaa
ГÀЗ	Asn	Glu	Leu 150	Arg	Asp	Glu	Lys	Gln 155	Arg	Leu	Lys	Thr	Glu 160	ГАЗ	Glu
aag 706	ctg	gag	cag	cag	ctg	aaa	gcc	atg	aat	gct	cct	caa	cca	agt	ttt
Lys	Leu	Glu 165	Gln	Gln	Leu	Lys	Ala 170		Asn	Ala	Pro	Gln 175		Ser	Phe
ttc 754	cca	gcc	cca	cct	atg	atg	cct	act	gct	ttt	gct	tca	gcg	caa	ggc
Phe	Pro 180	Ala	Pro	Pro	Met	Met 185	Pro	Thr	Ala	Phe	Ala 190	Ser	Ala	Gln	Gly
caa 802	gct	cct	gga	aac	aag	atg	gtg	сса	atc	atc	agt	tac	cca	gga	gtt
Gln 195	Ala	Pro	Gly	Asn	Lys 200	Met	Val	Pro	Ile	11e 205	Ser	Tyr	Pro	Gly	Val 210
gcc 850	atg	tgg	cag	ttc	atg	cct	cct	gct	tca	gtc	gat	act	tct	cag	gat
	Met	Trp	Gln	Phe	Met	Pro	Pro	Ala	Ser	Val	Asp	Thr	Ser	Gln	Asp

215 220 225

cat gtc ctt cgt cct cct gtt gct taa tcaagaaaaa tcatcaaccg 897 His Val Leu Arg Pro Pro Val Ala 230

gtttgcttct tgcttccgct taaaagaaaa gtctccattt gttttgctct cctctcttc 957

teggetttet tagtettate ettttgettt gtegtgttat eategtaaet gttatetgtt 1017

gaacaatgat atgacattgt aaactccaat tgcttcgcgc aatgttatct attcacatgt 1077

aaatttaagt agagtttggc aaaaaaaaa 1107

<210> 132 <211> 234 <212> PRT <213> Arabidopsis thaliana <400> 132

Met Val Ser Pro Glu Asn Ala Asn Trp Ile Cys Asp Leu Ile Asp Ala 1 5 10 15

Asp Tyr Gly Ser Phe Thr Ile Gln Gly Pro Gly Phe Ser Trp Pro Val 20 25 30

Gln Gln Pro Ile Gly Val Ser Ser Asn Ser Ser Ala Gly Val Asp Gly 35 40 45

Ser Ala Gly Asn Ser Glu Ala Ser Lys Glu Pro Gly Ser Lys Lys Arg 50 55 60

Gly Arg Cys Glu Ser Ser Ser Ala Thr Ser Ser Lys Ala Cys Arg Glu 65 70 75 80

Lys Gln Arg Arg Asp Arg Leu Asn Asp Lys Phe Met Glu Leu Gly Ala 85 90 95

Ile Leu Glu Pro Gly Asn Pro Pro Lys Thr Asp Lys Ala Ala Ile Leu 100 105 110

Val Asp Ala Val Arg Met Val Thr Gln Leu Arg Gly Glu Ala Gln Lys 115 120 125

Leu Lys Asp Ser Asn Ser Ser Leu Gln Asp Lys Ile Lys Glu Leu Lys
130
135
140

Thr Glu Lys Asn Glu Leu Arg Asp Glu Lys Gln Arg Leu Lys Thr Glu 145 150 155 160

Lys Glu Lys Leu Glu Gln Gln Leu Lys Ala Met Asn Ala Pro Gln Pro 165 170

Ser Phe Phe Pro Ala Pro Pro Met Met Pro Thr Ala Phe Ala Ser Ala 180

Gln Gly Gln Ala Pro Gly Asn Lys Met Val Pro Ile Ile Ser Tyr Pro 200 205

Gly Val Ala Met Trp Gln Phe Met Pro Pro Ala Ser Val Asp Thr Ser 210 215

Gln Asp His Val Leu Arg Pro Pro Val Ala 225 230

<210> 133 <211> 1009 <212> DNA <213> Arabidopsis thaliana <220> 

<400> 133

2...

gatagtgata acgaaatect aattee atg gee gac aac gac gga gea gtg agt 

Met Ala Asp Asn Asp Gly Ala Val Ser

aac ggc atc ata gtc gag cag acg tca aac aaa qga cct ctt aac gcc

Asn Gly Ile Ile Val Glu Gln Thr Ser Asn Lys Gly Pro Leu Asn Ala 15 

gtt aag aaa cca ccg tct aaa gat cga cac agc aaa gtt gac gga aga 149 Val Lys Lys Pro Pro Ser Lys Asp Arg His Ser Lys Val Asp Gly Arg 30

gga aga agg att cgt atg cca atc att tgc gca gct cga gtt ttt caa 197

Gly Arg Arg Ile Arg Met Pro Ile Ile Cys Ala Ala Arg Val Phe Gln 50 s 45. Table 1881 50 s 45.

ttg acc aga gag tta ggt cac aag tcc gat ggt caa acc ata gag tgg

Leu Thr Arg Glu Leu Gly His Lys Ser Asp Gly Gln Thr Ile Glu Trp 65 70

ctt ctc cgt caa gct gag cct tct atc ata gcc gcc act gga act ggc 293 grant et et al. (2006) April 1880 (1980) April 1880 (1980) April 1880 (1980)

Leu Leu Arg Gln Ala Glu Pro Ser Ile Ile Ala Ala Thr Gly Thr Gly 80

act act ccg gcg agt ttc tcc act gct tct ctc tcc act tct tct ccg

Thr Thr Pro Ala Ser Phe Ser Thr Ala Ser Leu Ser Thr Ser Ser Pro 90 95 . . .

ttt act ctc ggg aaa cgt gtc gtc aga gcg gag gaa gga gaa tcc ggc 389

Phe Thr Leu Gly Lys Arg Val Val Arg Ala Glu Glu Gly Glu Ser Gly
110 115 120

ggc gga gga gga ggg tta aca gtg gga cac aca atg ggg act tcg

Gly Gly Gly Gly Gly Leu Thr Val Gly His Thr Met Gly Thr Ser 125 130 135

tta atg ggt ggt ggt tct ggt ggg ttt tgg gct gtt ccg gcg agg

Leu Met Gly Gly Gly Gly Ser Gly Gly Phe Trp Ala Val Pro Ala Arg
140 145 150

ceg gat ttc gga caa gtc tgg agc ttt gca acc gga gct cca ccg gaa

Pro Asp Phe Gly Gln Val Trp Ser Phe Ala Thr Gly Ala Pro Pro Glu 155 160 165

atg gtt ttt gcg cag cag caa cca gct aca ctc ttc gtc cgc cac 581

Met Val Phe Ala Gln Gln Gln Gln Pro Ala Thr Leu Phe Val Arg His 170 185

cag cag caa cag caa gct tcc gcc gcc gca gca gct gca atg ggt gag 629

Gln Gln Gln Gln Ala Ser Ala Ala Ala Ala Ala Ala Met Gly Glu 190 195 200

gct tca gca gct aga gtt ggg aat tat ctt ccg ggt cat cat ctc aat 677

Ala Ser Ala Ala Arg Val Gly Asn Tyr Leu Pro Gly His His Leu Asn 205 210 215

ttg ctt gct tct ttg tct ggt gga gct aac ggg tcg ggt cgg agg gaa

Leu Leu Ala Ser Leu Ser Gly Gly Ala Asn Gly Ser Gly Arg Arg Glu 220 225 230

gac gac cac gaa cca cgt tga gaaatggtat tgtctttttg gtaatgtata

Asp Asp His Glu Pro Arg 235

gaaaaattcc tatgttttat gtcatcgaaa gtgtttagaa agtacctcta atttgcggtt

tettttgete etttttaet taatttaage ttattgettg tttgattagg gttttagggt

ttaagaatat ttggtctcgt taatttgttt cggagagtga tagaaagaga gagagattga

ttgattgttg tacctaaaac gctataaaag ctctgttttt actagcgaaa aaa

<210> 134 <211> 239 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Asp Asn Asp Gly Ala Val Ser Asn Gly Ile Ile Val Glu Gln
1 5 10 15

Thr Ser Asn Lys Gly Pro Leu Asn Ala Val Lys Lys Pro Pro Ser Lys 20 25 30

21 N 1 1

Asp Arg His Ser Lys Val Asp Gly Arg Gly Arg Arg Ile Arg Met Pro 35 40 45

Ile Ile Cys Ala Ala Arg Val Phe Gln Leu Thr Arg Glu Leu Gly His 50 55 60

Lys Ser Asp Gly Gln Thr Ile Glu Trp Leu Leu Arg Gln Ala Glu Pro 65 70 75 80

Ser Ile Ile Ala Ala Thr Gly Thr Gly Thr Thr Pro Ala Ser Phe Ser 85 90 95

Thr Ala Ser Leu Ser Thr Ser Ser Pro Phe Thr Leu Gly Lys Arg Val 100 105 110

Val Arg Ala Glu Glu Gly Glu Ser Gly Gly Gly Gly Gly Gly Leu 115 120 125

Thr Val Gly His Thr Met Gly Thr Ser Leu Met Gly Gly Gly Ser 130 135 140

Gly Gly Phe Trp Ala Val Pro Ala Arg Pro Asp Phe Gly Gln Val Trp 145 150 155 160

Ser Phe Ala Thr Gly Ala Pro Pro Glu Met Val Phe Ala Gln Gln 165 170 175

Gln Pro Ala Thr Leu Phe Val Arg His Gln Gln Gln Gln Gln Ala Ser 180 185 190

Ala Ala Ala Ala Ala Met Gly Glu Ala Ser Ala Ala Arg Val Gly
195 200 205

Asn Tyr Leu Pro Gly His His Leu Asn Leu Leu Ala Ser Leu Ser Gly 210 215 220

Gly Ala Asn Gly Ser Gly Arg Arg Glu Asp Asp His Glu Pro Arg 225 230 235

<210> 135 <211> 1263 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (114)..(1139) <223> G804

<400> 135
atactccaag aatttatagg ttataagtaa aaattcagta caagtttgtt tgtttgttta
60

ttccattttc ttgtgtgttt ttttccccat aatttataaa ttttataagc aat atg

Met

gag too cac aac aac aac cag age aac aac acc act ggt teg gcc 164

Glu Ser His Asn Asn Asn Gln Ser Asn Asn Asn Thr Thr Gly Ser Ala
5 10 15

cat ctg gtc cca tcc atg gga cca atc tcc ggt tca gtc tca tta acc 212

His Leu Val Pro Ser Met Gly Pro Ile Ser Gly Ser Val Ser Leu Thr
20 25 30

acc act get eca aac tee act acc acc get acc get get aaa aca 260

Thr Thr Ala Pro Asn Ser Thr Thr Thr Thr Val Thr Ala Ala Lys Thr
35
40
45

ccc gca aaa cga ccg tcc aag gac cgt cac atc aaa gta gac gga cgt 308

Pro Ala Lys Arg Pro Ser Lys Asp Arg His Ile Lys Val Asp Gly Arg 50 60 65

ggc cgg agg ata cgt atg ccg gct atc tgc gca gca cgt gtc ttc caa 356

Gly Arg Arg Ile Arg Met Pro Ala Ile Cys Ala Ala Arg Val Phe Gln
70 75 80

cta aca cgt gag tta caa cac aaa tcg gac ggc gag act ata gag tgg

Leu Thr Arg Glu Leu Gln His Lys Ser Asp Gly Glu Thr Ile Glu Trp 85 90 95

ctg ctc caa caa gcg gag cca gct atc atc gca gcc acc gga act gga

452
Leu Leu Gln Gln Ala Glu Pro Ala Ile Ile Ala Ala Thr Gly Thr Gly
100 105 110

acc ata ccg gcg aat atc tct act ttg aac atc tct ctt cga agc agt

Thr Ile Pro Ala Asn Ile Ser Thr Leu Asn Ile Ser Leu Arg Ser Ser 115 120 125

ggc tot act oft toa gct coa ctg tot aaa tot tto cac atg gga aga

548 Gly Ser Thr Leu Ser Ala Pro Leu Ser Lys Ser Phe His Met Gly Arg 130 135 140 145

gcg gct caa aac gct gcc gtt ttt ggg ttc cag caa cag ctt tat cat

Ala Ala Gln Asn Ala Ala Val Phe Gly Phe Gln Gln Gln Leu Tyr His
150 155 160

cct cat cat atc acg aca gat tot tot tot tot tot ctt ccc aaa aca Pro His His Ile Thr Thr Asp Ser Ser Ser Ser Ser Leu Pro Lys Thr 165 170 ttc cgt gaa gaa gat ctt ttt aaa gat cct aat ttt cta gat caa gaa Phe Arg Glu Glu Asp Leu Phe Lys Asp Pro Asn Phe Leu Asp Gln Glu 190 180 185 ccc ggt tca aga tca cct aaa ccg gga tcc gaa gct cct gat caa gat 740 Pro Gly Ser Arg Ser Pro Lys Pro Gly Ser Glu Ala Pro Asp Gln Asp ccg ggt tcg acc cgg tca aga aca caa aat atg ata ccg ccg atg tgg Pro Gly Ser Thr Arg Ser Arg Thr Gln Asn Met Ile Pro Pro Met Trp 210 215 220 gea eta geg eea aeg eea gee tee aca aac gga ggt agt get ttt tgg Education Co. Ala Leu Ala Pro Thr Pro Ala Ser Thr Asn Gly Gly Ser Ala Phe Trp Tall 1840 - 12 **230** - 14 | 1884 | 14 | 23**5** | 15 | 17 | 18 | atg tta cca gtc gga gga gga ggt ccg gct aac gtt cag gat cca Met Leu Pro Val Gly Gly Gly Gly Pro Ala Asn Val Gln Asp Pro 245 250 280 tca cag cac atg tgg gcg ttt aat ccg ggt cat tac ccg ggt cga atc in a Ser Gln His Met Trp Ala Phe Asn Pro Gly His Tyr Pro Gly Arg Ile 265 - 270 J. C. - 2 260 - ggg tcg gtt cag cta ggg tct atg tta gtg gga ggt caa cag tta ggg 980 Gly Ser Val Gln Leu Gly Ser Met Leu Val Gly Gln Gln Leu Gly 280 " tta ggt gtt gca gaa aat aac aat ttg ggg cta ttt tcc ggc gga gga Leu Gly Val Ala Glu Asn Asn Leu Gly Leu Phe Ser Gly Gly 290 295 295 300 305 gga gac ggt ggt cgg gtt ggt ctc gga atg agt ctt gag caa aag cct 1076: Gly Asp Gly Gly Arg Val Gly Leu Gly Met Ser Leu Glu Gln Lys Pro 315 caa cat caa gtg agt gat cat gct act aga gac caa aat cct act ata 1 11 A 15A Gln His Gln Val Ser Asp His Ala Thr Arg Asp Gln Asn Pro Thr Ile 330 325 gat ggt tot cot tga aagacttoat gatttotttg gtttttaaaa agtgtgaatg 1179 Asp Gly Ser Pro 340

tgtgatttat tgcaactttt gttgaggact ccaatgttaa tatgggtttt agggttggct 1239

tttcgggatt gccaaattgt tatt 1263

<210> 136 <211> 341 <212> PRT <213> Arabidopsis thaliana <400> 136

Met Glu Ser His Asn Asn Asn Gln Ser Asn Asn Asn Thr Thr Gly Ser 1 5 10 15

Ala His Leu Val Pro Ser Met Gly Pro Ile Ser Gly Ser Val Ser Leu 20 25 30

Thr Thr Thr Ala Pro Asn Ser Thr Thr Thr Thr Val Thr Ala Ala Lys
35 40 45

Thr Pro Ala Lys Arg Pro Ser Lys Asp Arg His Ile Lys Val Asp Gly 50 55 60

Arg Gly Arg Arg Ile Arg Met Pro Ala Ile Cys Ala Ala Arg Val Phe 65 70 75 80

Gln Leu Thr Arg Glu Leu Gln His Lys Ser Asp Gly Glu Thr Ile Glu 85 90 95

Trp Leu Leu Gln Gln Ala Glu Pro Ala Ile Ile Ala Ala Thr Gly Thr
100 105 110

Gly Thr Ile Pro Ala Asn Ile Ser Thr Leu Asn Ile Ser Leu Arg Ser 115 120 125

Ser Gly Ser Thr Leu Ser Ala Pro Leu Ser Lys Ser Phe His Met Gly 130 135 140

Arg Ala Ala Gln Asn Ala Ala Val Phe Gly Phe Gln Gln Gln Leu Tyr 145 150 155 160

His Pro His His Ile Thr Thr Asp Ser Ser Ser Ser Ser Leu Pro Lys 165 170 175

Thr Phe Arg Glu Glu Asp Leu Phe Lys Asp Pro Asn Phe Leu Asp Gln 180 185 190

Glu Pro Gly Ser Arg Ser Pro Lys Pro Gly Ser Glu Ala Pro Asp Gln 195 200 205

Asp Pro Gly Ser Thr Arg Ser Arg Thr Gln Asn Met Ile Pro Pro Met 210 220

Trp Ala Leu Ala Pro Thr Pro Ala Ser Thr Asn Gly Gly Ser Ala Phe 225 230 235 240

Trp Met Leu Pro Val Gly Gly Gly Gly Pro Ala Asn Val Gln Asp 245 250 255

Pro Ser Gln His Met Trp Ala Phe Asn Pro Gly His Tyr Pro Gly Arg 260 265 270

Ile Gly Ser Val Gln Leu Gly Ser Met Leu Val Gly Gly Gln Gln Leu 275 280 285

Gly Leu Gly Val Ala Glu Asn Asn Leu Gly Leu Phe Ser Gly Gly 290 295 300

Gly Gly Asp Gly Gly Arg Val Gly Leu Gly Met Ser Leu Glu Gln Lys 305 310 315 320

Pro Gln His Gln Val Ser Asp His Ala Thr Arg Asp Gln Asn Pro Thr 325 330 335

Ile Asp Gly Ser Pro 340

<210> 137 <211> 1231 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (107)..(1084) <223> G805

<400> 137

80 - 1.

tatagagaga ggaaaaaact atggctcaca taaagatcta acagagacag tagtatagtc 60

ccacttcccc cccaccaaag cttcgatcat catcatcatc atcatc atg gat ccg

Met Asp Pro

gat ccg gat cat aac cat cga ccc aac ttc cct ctc cag ctt ctt gat

Asp Pro Asp His Asn His Arg Pro Asn Phe Pro Leu Gln Leu Leu Asp 5 10 15

tot tot acc toc toc tot toc act toc tta god atc atc tot act act 211

Ser Ser Thr Ser Ser Ser Ser Thr Ser Leu Ala Ile Ile Ser Thr Thr 20 25 30 35

tcc gaa cct aac tcc gaa cct aag aag cct cct cct aaa cga acc tct 259

Ser Glu Pro Asn Ser Glu Pro Lys Lys Pro Pro Pro Lys Arg Thr Ser 45 act aaa gac cga cac acc aaa gtc gaa ggc cga ggc cgt cgg atc cgt Thr Lys Asp Arg His Thr Lys Val Glu Gly Arg Gly Arg Arg Ile Arg atg cct gcc atg tgt gct gca cgt gtc ttt cag ctc aca cgt gag ctt 355 Met Pro Ala Met Cys Ala Ala Arg Val Phe Gln Leu Thr Arg Glu Leu 70 ggt cac aaa tcc gac ggt gaa act att gag tgg cta ctc caa caa gca 403 Gly His Lys Ser Asp Gly Glu Thr Ile Glu Trp Leu Leu Gln Gln Ala gaa cca gcg gtt ata gcc gct aca ggg act gga acc att ccg gct aac 451 Glu Pro Ala Val Ile Ala Ala Thr Gly Thr Gly Thr Ile Pro Ala Asn 105 110 ttc act tct tta aac atc tca ctt cgt agc tca aga tct tct ctc tct Phe Thr Ser Leu Asn Ile Ser Leu Arg Ser Ser Arg Ser Ser Leu Ser 120 125 130 gct gct cat ctt cgt aca act cct agt agc tat tac ttt cat tca cca 547 Ala Ala His Leu Arg Thr Thr Pro Ser Ser Tyr Tyr Phe His Ser Pro 135 140 cat cag tcc atg act cat cat ctt caa cat cag cat cag gtt cgt ccc 595 His Gln Ser Met Thr His His Leu Gln His Gln His Gln Val Arg Pro 150 155 aag aac gag tca cat tct tcg tct tct tct tct tca cag ctt tta gat Lys Asn Glu Ser His Ser Ser Ser Ser Ser Ser Gln Leu Leu Asp 165 170 175 cac aac caa atg ggt aac tat cta gta caa tca act gct gga tct tta His Asn Gln Met Gly Asn Tyr Leu Val Gln Ser Thr Ala Gly Ser Leu 180 185 190 195 cet acg agt cag agt cet gea acg gea ceg ttt tgg agt agt ggt gac Pro Thr Ser Gln Ser Pro Ala Thr Ala Pro Phe Trp Ser Ser Gly Asp aac aca cag aat ctt tgg gct ttt aat att aat cct cat cat tcc ggt Asn Thr Gln Asn Leu Trp Ala Phe Asn Ile Asn Pro His His Ser Gly 215 220 gtt gtc gcc gga gat gtt tac aac ccc aac agt ggt ggt agt ggc ggc Val Val Ala Gly Asp Val Tyr Asn Pro Asn Ser Gly Gly Ser Gly Gly

230 235 240

ggt agt gga gtt cat ttg atg aat ttt gca gct cct att gct ttg ttt

Gly Ser Gly Val His Leu Met Asn Phe Ala Ala Pro Ile Ala Leu Phe 245 250 255

tct gga cag cct ttg gct tct ggt tat gga gga gga ggt ggc ggt 931

Ser Gly Gln Pro Leu Ala Ser Gly Tyr Gly Gly Gly Gly Gly Gly 260 270 275

gga gaa cat agc cat tat gga gtt tta gcg gcg ttg aat gct gct tac 979

Gly Glu His Ser His Tyr Gly Val Leu Ala Ala Leu Asn Ala Ala Tyr 280 285 290

cga ccg gtg gcg gag acg ggg aac cat aac aac aac cag caa aac cgt 1027

Arg Pro Val Ala Glu Thr Gly Asn His Asn Asn Asn Gln Gln Asn Arg
295 300 305

gac gga gat cat cat cac aac cat caa gaa gat gga agc acc agt cat 1075

Asp Gly Asp His His His Asn His Gln Glu Asp Gly Ser Thr Ser His 310 315 320

cat too tag gcaaacatac acaaacaaat atattotgtg agatttattt
1124/#fix to 6 2000 MCC again in 124/#fix Ser

nis ser Ber 325 - Tille Boom ber filt beginnt for beleviste blig die verlie der bei bet in der bestellt bestellt.

ttcttttttt gtcctttcgt ttgtttgttt gttcttaaca agcgtgtttt ttttgcattg

cttctttttc atatattttt atttatttct aaattctaat aaaaaaa 1231

<210> 138 <211> 325 <212> PRT <213> Arabidopsis thaliana <400> 138

Met Asp Pro Asp Pro Asp His Asn His Arg Pro Asn Phe Pro Leu Gln 1 10 2 2 2 2 15

Leu Leu Asp Ser Ser Thr Ser Ser Ser Ser Thr Ser Leu Ala Ile Ile
20 25 30

Ser Thr Thr Ser Glu Pro Asn Ser Glu Pro Lys Lys Pro Pro Lys
35 40 45

Arg Thr Ser Thr Lys Asp Arg His Thr Lys Val Glu Gly Arg Gly Arg 50 55 60

Arg Ile Arg Met Pro Ala Met Cys Ala Ala Arg Val Phe Gln Leu Thr 65 70 75 80

Arg Glu Leu Gly His Lys Ser Asp Gly Glu Thr Ile Glu Trp Leu Leu 85 90 95

- Gln Gln Ala Glu Pro Ala Val Ile Ala Ala Thr Gly Thr Gly Thr Ile 100 105 110
- Pro Ala Asn Phe Thr Ser Leu Asn Ile Ser Leu Arg Ser Ser Arg Ser 115 120 125
- Ser Leu Ser Ala Ala His Leu Arg Thr Thr Pro Ser Ser Tyr Tyr Phe 130 135 140
- His Ser Pro His Gln Ser Met Thr His His Leu Gln His Gln His Gln 145 150 155 160
- Val Arg Pro Lys Asn Glu Ser His Ser Ser Ser Ser Ser Ser Ser Gln
  165 170 175
- Leu Leu Asp His Asn Gln Met Gly Asn Tyr Leu Val Gln Ser Thr Ala 180 185 190
- Gly Ser Leu Pro Thr Ser Gln Ser Pro Ala Thr Ala Pro Phe Trp Ser
- Ser Gly Asp Asn Thr Gln Asn Leu Trp Ala Phe Asn Ile Asn Pro His 210 225 220
- His Ser Gly Val Val Ala Gly Asp Val Tyr Asn Pro Asn Ser Gly Gly 225 230 230 235
- Ser Gly Gly Gly Ser Gly Val His Leu Met Asn Phe Ala Ala Pro Ile 245 250 255
- Ala Leu Phe Ser Gly Gln Pro Leu Ala Ser Gly Tyr Gly Gly Gly Gly 260 265 270
- Gly Gly Gly Glu His Ser His Tyr Gly Val Leu Ala Ala Leu Asn. 275 280 285
- Ala Ala Tyr Arg Pro Val Ala Glu Thr Gly Asn His Asn Asn Gln 290 295 300
- Gln Asn Arg Asp Gly Asp His His His Asn His Gln Glu Asp Gly Ser 305 310 315 320

Thr Ser His His Ser 325

<210> 139 <211> 952 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (65)..(883) <223> G812

<400> 139

tcgaaatcat caagaatctt gtctttaatt tccaattggg tttttcaaaa cccgttacct 60

cagg atg atg aac ccg ttt etc ccg gaa ggc tgc gat cca cca cca cca 109

Met Met Asn Pro Phe Leu Pro Glu Gly Cys Asp Pro Pro Pro 1 5 10 15

cca caa cca atg gag ggt tta cac gaa aat gct cca cct cca ttt ctg 157

Pro Gln Pro Met Glu Gly Leu His Glu Asn Ala Pro Pro Pro Phe Leu 20 25 30

acc aag aca ttt gag atg g<br/>tg gat gat cca aac act gac cac atc gta 205

Thr Lys Thr Phe Glu Met Val Asp Asp Pro Asn Thr Asp His Ile Val 35 40 45

tct tgg aac aga gga gga aca agt ttt gtc gtc tgg gat ttg cat tct 253

Ser Trp Asn Arg Gly Gly Thr Ser Phe Val Val Trp Asp Leu His Ser 50 55 60

ttc tcc acg att ctc ctt cct cgt cat ttc aaa cac agc aat ttc tca 301

Phe Ser Thr Ile Leu Leu Pro Arg His Phe Lys His Ser Asn Phe Ser 65 70 75

agt ttc atc aga caa ctc aat act tat ggt ttc aga aag ata gaa gca

Ser Phe Ile Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Ile Glu Ala 80 85 90 95

gag aga tgg gaa ttt gca aac gaa gag ttt ttg tta gga caa aga cag

Glu Arg Trp Glu Phe Ala Asn Glu Glu Phe Leu Leu Gly Gln Arg Gln 100 105 110

ttg ttg aag aac atc aag agg aga aac cct ttt act cca tca tct tca 445

Leu Leu Lys Asn Ile Lys Arg Arg Asn Pro Phe Thr Pro Ser Ser Ser 115 120 125

cca age cat gae get tge aac gag ett ege aga gag aag caa gtg eta

Pro Ser His Asp Ala Cys Asn Glu Leu Arg Arg Glu Lys Gln Val Leu 130 135 140

atg atg gag ata gtg agt cta aga cag cag caa caa aca acg aaa agc 541

Met Met Glu Ile Val Ser Leu Arg Gln Gln Gln Gln Thr Thr Lys Ser 145 150 155

tac atc aaa gct atg gaa cag agg ata gaa gga aca gag agg aaa cag Tyr Ile Lys Ala Met Glu Gln Arg Ile Glu Gly Thr Glu Arg Lys Gln 160 aga caa atg atg tcg ttt ctg gct aga gca atg cag agt cct tcg ttt 637 Arg Gln Met Met Ser Phe Leu Ala Arg Ala Met Gln Ser Pro Ser Phe ttg cat cag ttg ttg aaa caa aga gat aaa aaa att aag gag ctt gag 685 Leu His Gln Leu Leu Lys Gln Arg Asp Lys Lys Ile Lys Glu Leu Glu 195 gat aat gag tca gca aag agg aaa aga ggt tct tct tcg atg tcg gaa Asp Asn Glu Ser Ala Lys Arg Lys Arg Gly Ser Ser Ser Met Ser Glu ttg gaa gtt ttg gct ttg gag atg caa ggg cat gga aaa cag agg aat 1. Carlot and the Control of the Leu Glu Val Leu Ala Leu Glu Met Gln Gly His Gly Lys Gln Arg Asn 235 230 225 atg ttg gaa gaa gag gat cat caa ctg gtg gta gag aga gag ttg gat Met Leu Glu Glu Glu Asp His Gln Leu Val Val Glu Arg Glu Leu Asp 250 245 gat ggt ttc tgg gaa gag ttg ctt agt gat gag agt ttg gct tcc acc Asp Gly Phe Trp Glu Glu Leu Leu Ser Asp Glu Ser Leu Ala Ser Thr 265 270 tice taa ctagatggat ttetttttgg ttttgttttt agtttettet acttteaage Ser tcattttctt ctgtcacaa 952 <210> 140 <211> 272 <212> PRT <213> Arabidopsis thaliana <400> Met Met Asn Pro Phe Leu Pro Glu Gly Cys Asp Pro Pro Pro Pro 5. 1 Gln Pro Met Glu Gly Leu His Glu Asn Ala Pro Pro Pro Phe Leu Thr 20 Lys Thr Phe Glu Met Val Asp Asp Pro Asn Thr Asp His Ile Val Ser 40 35

Ser Thr Ile Leu Leu Pro Arg His Phe Lys His Ser Asn Phe Ser Ser 75 Phe Ile Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Ile Glu Ala Glu 85 90 Arg Trp Glu Phe Ala Asn Glu Glu Phe Leu Leu Gly Gln Arg Gln Leu 100 105 Leu Lys Asn Ile Lys Arg Arg Asn Pro Phe Thr Pro Ser Ser Pro 120 Ser His Asp Ala Cys Asn Glu Leu Arg Arg Glu Lys Gln Val Leu Met 130 140 Met Glu Ile Val Ser Leu Arg Gln Gln Gln Gln Thr Thr Lys Ser Tyr 145 Ile Lys Ala Met Glu Gln Arg Ile Glu Gly Thr Glu Arg Lys Gln Arg 165 170 175 Gln Met Met Ser Phe Leu Ala Arg Ala Met Gln Ser Pro Ser Phe Leu 180 185 185 His Gln Leu Leu Lys Gln Arg Asp Lys Lys Ile Lys Glu Leu Glu Asp . 195 200 Asn Glu Ser Ala Lys Arg Lys Arg Gly Ser Ser Ser Met Ser Glu Leu Glu Val Leu Ala Leu Glu Met Gln Gly His Gly Lys Gln Arg Asn Met Leu Glu Glu Asp His Gln Leu Val Val Glu Arg Glu Leu Asp Asp Gly Phe Trp Glu Glu Leu Leu Ser Asp Glu Ser Leu Ala Ser Thr Ser 270 260 265 <210> 141 <211> 2214 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (218)..(2077) <223> G849 <400> 141 aactcgagaa ttcttcattt cttttaaatc ttagaatctc gagtttttgt ataaatcgat garage and the second in section in the section of the sec

PCT/US01/26189 WO 02/15675

tctaattttt cctttgtaca ttgttttata tatacataaa acacacaaat cgggtatggg

ggaatttggg ttttaagata gcgtgatctg taataataag tggttcgcga tcgtgatcaa

gaaactggtg gctgatagtg atatgcatat ttgagag atg gtg ttc aag aga aag 235 Met Val Phe Lys Arg Lys

tta gat tgc ctt tcc gtg gga ttt gat ttt ccc aac att ccc aga gct

Leu Asp Cys Leu Ser Val Gly Phe Asp Phe Pro Asn Ile Pro Arg Ala

cct cgt tca tgc agg agg aag gtt cta aac aag agg att gat cat gat

Pro Arg Ser Cys Arg Arg Lys Val Leu Asn Lys Arg Ile Asp His Asp 30

gat gat aac act cag atc tgt gca att gac tta cta gct ttg gct gga

Asp Asp Asn Thr Gln Ile Cys Ala Ile Asp Leu Leu Ala Leu Ala Gly

aag att cta cag gaa agc gag agt tee tet geg tet tet aat gea ttt

Lys Ile Leu Gln Glu Ser Glu Ser Ser Ser Ala Ser Ser Asn Ala Phe 60 55

gaa gaa att aag caa gag aaa gta gaa aat tgc aag act att aaa tct Glu Glu Ile Lys Ġln Glu Lys Val Glu Asn Cys Lys Thr Ile Lys Ser

80 gag tot tot gac caa gga aac tot gtg toa aag oot act tat gat atc

Glu Ser Ser Asp Gln Gly Asn Ser Val Ser Lys Pro Thr Tyr Asp Ile 95

tot act gag aag tgt gtg gtg aac agt tgt ttt tca ttt ccg gat agt

Ser Thr Glu Lys Cys Val Val Asn Ser Cys Phe Ser Phe Pro Asp Ser 110 105

gac ggc gtt ttg gag cgg act ccg atg tct gat tac aag aag att cat

Asp Gly Val Leu Glu Arg Thr Pro Met Ser Asp Tyr Lys Lys Ile His 130

ggt ttg atg gat gta ggg tgt gaa aac aag aat gta aat aat ggg ttc

Gly Leu Met Asp Val Gly Cys Glu Asn Lys Asn Val Asn Asn Gly Phe 140

gag caa gga gaa gca acc gat cgc gtg ggt gat gga ggc tta gtc act

Glu Gln Gly Glu Ala Thr Asp Arg Val Gly Asp Gly Gly Leu Val Thr 155

gat act tgc aac tta gag gat gca act gcg tta ggt ctg cag ttt ccg Asp Thr Cys Asn Leu Glu Asp Ala Thr Ala Leu Gly Leu Gln Phe Pro · 170 aaa tca gtc tgt gtg ggt ggt gat tta aaa tca cca tcc acc ttg gat Lys Ser Val Cys Val Gly Gly Asp Leu Lys Ser Pro Ser Thr Leu Asp 195 185 190 atg acc cct aat ggt tcc tat gct aga cat ggg aac cat act aac cta Met Thr Pro Asn Gly Ser Tyr Ala Arg His Gly Asn His Thr Asn Leu 200 ggt aga aaa gat gat gat gaa aaa ttc tat agt tac cat aaa ctt agc Gly Arg Lys Asp Asp Glu Lys Phe Tyr Ser Tyr His Lys Leu Ser 220 225 aat aaa ttt aag tcg tat agg tct cca aca att cga aga ata aga aag 955 Asn Lys Phe Lys Ser Tyr Arg Ser Pro Thr Ile Arg Arg Ile Arg Lys 235 240 tcc atg tcg tcc aaa tac tgg aaa caa gtt cca aaa gat ttt gga tac Ser Met Ser Ser Lys Tyr Trp Lys Gln Val Pro Lys Asp Phe Gly Tyr 255 250 agt aga gct gat gtg gtg gtg aag act ctt tat cgc aaa aga aaa tca 1051 Ser Arg Ala Asp Val Gly Val Lys Thr Leu Tyr Arg Lys Arg Lys Ser 270 . 275 tgt tat ggt tac aac gca tgg cag cgt gag atc att tat aag aga aga Cys Tyr Gly Tyr Asn Ala Trp Gln Arg Glu Ile Ile Tyr Lys Arg Arg aga toa cot gac aga ago tog gto gta act tot gat gga gga oto agt 1147 Arg Ser Pro Asp Arg Ser Ser Val Val Thr Ser Asp Gly Gly Leu Ser 295 300 305 agt gga agt gtt tcc aag tta ccc aag aag gga gat aca gta aag cta 1195 Ser Gly Ser Val Ser Lys Leu Pro Lys Lys Gly Asp Thr Val Lys Leu 315 325 ago att aag too ttt agg att coa gag ott ttt att gaa gtt coa gaa 1243 Ser Ile Lys Ser Phe Arg Ile Pro Glu Leu Phe Ile Glu Val Pro Glu act gca aca gta gga tca cta aag agg act gtg atg gag gct gtc agt 1291 Thr Ala Thr Val Gly Ser Leu Lys Arg Thr Val Met Glu Ala Val Ser 345 350

gtt tta ctc agc gga gga ata cgt gtt ggg gtg tta atg cat ggg aag 1339 Val Leu Leu Ser Gly Gly Ile Arg Val Gly Val Leu Met His Gly Lys 360 365 370

aag gtt aga gat gaa agg aaa act ctg tcc cag act ggg atc tca tgt1387Lys Val Arg Asp Glu Arg Lys Thr Leu Ser Gln Thr Gly Ile Ser Cys375380385

gat gaa aat cta gac aac ctt ggg ttc acc ttg gag cct agt ccc agc 1435

Asp Glu Asn Leu Asp Asn Leu Gly Phe Thr Leu Glu Pro Ser Pro Ser 395 400 405

aaa gtt eec eta eet ttg tgt tet gaa gat eet get gtg eea aec gae 1483

Lys Val Pro Leu Pro Leu Cys Ser Glu Asp Pro Ala Val Pro Thr Asp 410 415 420

cct aca agt ttg tct gaa cgg tct gcg gcg tct cct atg cta gat tct 1531

Pro Thr Ser Leu Ser Glu Arg Ser Ala Ala Ser Pro Met Leu Asp Ser 425 430 435

gga att cca cat gca gat gac gtg att gat tca aga aat att gtg gac 1579

Gly Ile Pro His Ala Asp Asp Val Ile Asp Ser Arg Asn Ile Val Asp
440 445 450

agt aac ctc gaa tta gtt cca tat cag ggt gac ata tct gtt gat gaa 1627
Ser Asn Leu Glu Leu Val Pro Tyr Gln Gly Asp Ile Ser Val Asp Glu 455

cct tca tca gat tca aaa gag ctt gtc cca ctt cca gag ttg gaa gtc

Pro Ser Ser Asp Ser Lys Glu Leu Val Pro Leu Pro Glu Leu Glu Val
475 480 485

aag gcg ctt gcc ata gtt ccg ttg aac cag aaa cct aag cgt act gag 1723

Lys Ala Leu Ala Ile Val Pro Leu Asn Gln Lys Pro Lys Arg Thr Glu 490 495 500

cta gcc cag agg aga act agg aga ccc ttc tct gtg aca gag gta gaa 1771 Leu Ala Gln Arg Arg Thr Arg Arg Pro Phe Ser Val Thr Glu Val Glu 505 510 515

gct ctt gta caa gca gtt gag gaa ctc ggg act gga aga tgg cgt gat 1819 Ala Leu Val Gln Ala Val Glu Glu Leu Gly Thr Gly Arg Trp Arg Asp 520 525 530

gta aaa ttg cgt gct ttc gag gat gca gat cat cgg act tac gtg gac 1867 Val Lys Leu Arg Ala Phe Glu Asp Ala Asp His Arg Thr Tyr Val Asp 535 540 545 550

ttg aag gac aaa tgg aag acg cta gtt cac aca gca agt ata tcc cca 1915

Leu Lys Asp Lys Trp Lys Thr Leu Val His Thr Ala Ser Ile Ser Pro 555 560 565

cag caa cga aga gga gag ccg gtg cca caa gaa ctg cta gac aga gtc 1963

Gin Gln Arg Arg Gly Glu Pro Val Pro Gln Glu Leu Leu Asp Arg Val 570 575 580

ttg agg gca tac ggg tat tgg tcg cag cac caa gga aaa cat cag gcg 2011

Leu Arg Ala Tyr Gly Tyr Trp Ser Gln His Gln Gly Lys His Gln Ala 585 590 595

aga gga gcg tcc aaa gat cca gac atg aac aga ggt gga gct ttt gaa 2059

Arg Gly Ala Ser Lys Asp Pro Asp Met Asn Arg Gly Gly Ala Phe Glu 600 605 610

Ser Gly Val Ser Val

**615** No. 190 About 100 at 15 to 400 About 100 Mar.

acagaagcaa acaacacaat aaatggacaa ctcaatttct gcaaagttta attgtcttta 2167

tttetegttt tttttttt tteteetaca tacaetttt tttttet 2214

<210> 142 <211> 619 <212> PRT <213> Arabidopsis thaliana <400> 142

Met Val Phe Lys Arg Lys Leu Asp Cys Leu Ser Val Gly Phe Asp Phe 1

Pro Asn Ile Pro Arg Ala Pro Arg Ser Cys Arg Arg Lys Val Leu Asn 20 25 30

Lys Arg Ile Asp His Asp Asp Asp Asn Thr Gln Ile Cys Ala Ile Asp 35 40 45

Leu Leu Ala Leu Ala Gly Lys Ile Leu Gln Glu Ser Glu Ser Ser Ser 50 55 60

Ala Ser Ser Asn Ala Phe Glu Glu Ile Lys Gln Glu Lys Val Glu Asn 65 70 75 80

Cys Lys Thr Ile Lys Ser Glu Ser Ser Asp Gln Gly Asn Ser Val Ser 85 90 95

Lys Pro Thr Tyr Asp Ile Ser Thr Glu Lys Cys Val Val Asn Ser Cys 100 105 110

WO 02/15675

Phe Ser Phe Pro Asp Ser Asp Gly Val Leu Glu Arg Thr Pro Met Ser 115

- Asp Tyr Lys Lys Ile His Gly Leu Met Asp Val Gly Cys Glu Asn Lys 130 135 140
- Asn Val Asn Asn Gly Phe Glu Gln Gly Glu Ala Thr Asp Arg Val Gly 145 150 150
- Asp Gly Gly Leu Val Thr Asp Thr Cys Asn Leu Glu Asp Ala Thr Ala 165
- Leu Gly Leu Gln Phe Pro Lys Ser Val Cys Val Gly Gly Asp Leu Lys
  180 185 190
- Ser Pro Ser Thr Leu Asp Met Thr Pro Asn Gly Ser Tyr Ala Arg His
  195 200 205
- Gly Asn His Thr Asn Leu Gly Arg Lys Asp Asp Glu Lys Phe Tyr 210 215
- Ser Tyr His Lys Leu Ser Asn Lys Phe Lys Ser Tyr Arg Ser Pro Thr 240
- Ile Arg Arg Ile Arg Lys Ser Met Ser Ser Lys Tyr Trp Lys Gln Val 245 250 255
- Pro Lys Asp Phe Gly Tyr Ser Arg Ala Asp Val Gly Val Lys Thr Leu 260
- Tyr Arg Lys Arg Lys Ser Cys Tyr Gly Tyr Asn Ala Trp Gln Arg Glu 275 280 285
- Ile Ile Tyr Lys Arg Arg Ser Pro Asp Arg Ser Ser Val Val Thr 290 295 300
- Ser Asp Gly Gly Leu Ser Ser Gly Ser Val Ser Lys Leu Pro Lys Lys 305
- Gly Asp Thr Val Lys Leu Ser Ile Lys Ser Phe Arg Ile Pro Glu Leu 325
- Phe Ile Glu Val Pro Glu Thr Ala Thr Val Gly Ser Leu Lys Arg Thr 340

Val Met Glu Ala Val Ser Val Leu Leu Ser Gly Gly Ile Arg Val Gly 355 360 365

- Val Leu Met His Gly Lys Lys Val Arg Asp Glu Arg Lys Thr Leu Ser 370 375 380
- Gln Thr Gly Ile Ser Cys Asp Glu Asn Leu Asp Asn Leu Gly Phe Thr 385 390 395 400
- Leu Glu Pro Ser Pro Ser Lys Val Pro Leu Pro Leu Cys Ser Glu Asp
  405
  410
  415
- Pro Ala Val Pro Thr Asp Pro Thr Ser Leu Ser Glu Arg Ser Ala Ala 420 425 430
- Ser Pro Met Leu Asp Ser Gly Ile Pro His Ala Asp Asp Val Ile Asp 435 440 445
- Ser Arg Asn Ile Val Asp Ser Asn Leu Glu Leu Val Pro Tyr Gln Gly
  450 455 460
- Asp Ile Ser Val Asp Glu Pro Ser Ser Asp Ser Lys Glu Leu Val Pro 465 470 475 480
- Leu Pro Glu Leu Glu Val Lys Ala Leu Ala Ile Val Pro Leu Asn Gln 485 490 495
- Lys Pro Lys Arg Thr Glu Leu Ala Gln Arg Arg Thr Arg Arg Pro Phe 500 505 510
- Ser Val Thr Glu Val Glu Ala Leu Val Gln Ala Val Glu Glu Leu Gly
  515 520 525
- Thr Gly Arg Trp Arg Asp Val Lys Leu Arg Ala Phe Glu Asp Ala Asp 530 535 540
- His Arg Thr Tyr Val Asp Leu Lys Asp Lys Trp Lys Thr Leu Val His 545 550 555 560
- Thr Ala Ser Ile Ser Pro Gln Gln Arg Arg Gly Glu Pro Val Pro Gln 565 570 575
- Glu Leu Leu Asp Arg Val Leu Arg Ala Tyr Gly Tyr Trp Ser Gln His 580 585 590

Gln Gly Lys His Gln Ala Arg Gly Ala Ser Lys Asp Pro Asp Met Asn 595 600 605

Arg Gly Gly Ala Phe Glu Ser Gly Val Ser Val 610 615

<210> 143 <211> 890 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (108)..(806) <223> G913

<400> 143

cattcaaaaa catcatatat atacacaaac acactttgat acaacaaaaa aaaacagaac 60

acaaacaaaa acacattgta acattagttt aagcattaag cttcttt atg tcg aat 116

Met Ser Asn

aat aat aat tot oog acc acc gtg aat caa gaa acg acg tot cgt 164

Asn Asn Asn Ser Pro Thr Thr Val Asn Gln Glu Thr Thr Thr Ser Arg
5 10 15

gaa gto toa ato aca ttg cot act gat caa tot cot caa acc toa coa

Glu Val Ser Ile Thr Leu Pro Thr Asp Gln Ser Pro Gln Thr Ser Pro 20 25 30 35

gga toa tot tot tot cot toa cog aga cot too ggt gga toa cog gcg 260

Gly Ser Ser Ser Pro Ser Pro Arg Pro Ser Gly Gly Ser Pro Ala
40 45 50

aga aga acg gcg act gga tta tcc ggc aag cac tct att ttc agg ggg 308 Arg Arg Thr Ala Thr Gly Leu Ser Gly Lys His Ser IIe Phe Arg Gly

att cga cta cgt aac gga aaa tgg gta tcg gag att aga gag cca cgt 356

60

Ile Arg Leu Arg Asn Gly Lys Trp Val Ser Glu Ile Arg Glu Pro Arg
70 75 80

aaa acg aca aga att tgg ctc ggg act tat ccg gta ccg gag atg gct

Lys Thr Thr Arg Ile Trp Leu Gly Thr Tyr Pro Val Pro Glu Met Ala 85 90 95

gcc gcc gct tac gac gtg gct gcg tta gct tta aaa gga ccc gac gcc

Ala Ala Ala Tyr Asp Val Ala Ala Leu Ala Leu Lys Gly Pro Asp Ala 100 105 110 115

gtt ttg aat ttt cct ggt tta gct ttg act tac gtg gct ccg gtt tca

Val Leu Asn Phe Pro Gly Leu Ala Leu Thr Tyr Val Ala Pro Val Ser 120 125 130

aac tet get geg gat ata aga geg get get agt aga gea geg gag atg 548

Asn Ser Ala Ala Asp Ile Arg Ala Ala Ala Ser Arg Ala Ala Glu Met 135 140 145

aag caa ccg gat cag ggt ggg gat gag aag gta ttg gaa ccg gtt caa 596

Lys Gln Pro Asp Gln Gly Gly Asp Glu Lys Val Leu Glu Pro Val Gln 150 155 160

ccc ggc aaa gag gaa gaa tta gaa gaa gtg tcg tgt aac tcg tgt tcg 644

Pro Gly Lys Glu Glu Glu Leu Glu Glu Val Ser Cys Asn Ser Cys Ser 165 170 175

ttg gag ttt atg gat gag gaa gcg atg ttg aat atg ccg act ttg ttg 692

Leu Glu Phe Met Asp Glu Glu Ala Met Leu Asn Met Pro Thr Leu Leu 180 185 190 195

acg gag atg gct gaa ggg atg ttg atg agt cca ccg aga atg atg ata 740

Thr Glu Met Ala Glu Gly Met Leu Met Ser Pro Pro Arg Met Met Ile 200 205 210

cat ccg acg atg gaa gat gat tcg ccg gag aat cat gaa gga gat aat 788

His Pro Thr Met Glu Asp Asp Ser Pro Glu Asn His Glu Gly Asp Asn 215

ctt tgg agt tat aaa tga atccattgaa gctgctctct tttttattgt 836

Leu Trp Ser Tyr Lys 230

tttccggtcg aatgagattt tccccctttt tttttttctt tttgggtcgc tgtt

<210> 144 <211> 232 <212> PRT <213> Arabidopsis thaliana <400>

Met Ser Asn Asn Asn Ser Pro Thr Thr Val Asn Gln Glu Thr Thr 1 5 10 15

Thr Ser Arg Glu Val Ser Ile Thr Leu Pro Thr Asp Gln Ser Pro Gln 20 25 30

Thr Ser Pro Gly Ser Ser Ser Ser Pro Ser Pro Arg Pro Ser Gly Gly
35 40 45

Ser Pro Ala Arg Arg Thr Ala Thr Gly Leu Ser Gly Lys His Ser Ile 50 55 60

Phe Arg Gly Ile Arg Leu Arg Asn Gly Lys Trp Val Ser Glu Ile Arg 65 70 75 80

Glu Pro Arg Lys Thr Thr Arg Ile Trp Leu Gly Thr Tyr Pro Val Pro 85 90 95

Glu Met Ala Ala Ala Ala Tyr Asp Val Ala Ala Leu Ala Leu Lys Gly
100 105 110

Pro Asp Ala Val Leu Asn Phe Pro Gly Leu Ala Leu Thr Tyr Val Ala 115 120 125

Pro Val Ser Asn Ser Ala Ala Asp Ile Arg Ala Ala Ala Ser Arg Ala 130 135 140

Ala Glu Met Lys Gln Pro Asp Gln Gly Gly Asp Glu Lys Val Leu Glu 145 150 155 160

Pro Val Gln Pro Gly Lys Glu Glu Glu Leu Glu Glu Val Ser Cys Asn 165 170 175

Ser Cys Ser Leu Glu Phe Met Asp Glu Glu Ala Met Leu Asn Met Pro 180 185 190

Thr Leu Leu Thr Glu Met Ala Glu Gly Met Leu Met Ser Pro Pro Arg 195 200 205

Met Met Ile His Pro Thr Met Glu Asp Asp Ser Pro Glu Asn His Glu 210 215 220

Gly Asp Asn Leu Trp Ser Tyr Lys 225 230

<210> 145 <211> 1130 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (116)..(1024) <223> G921

<400> 145
ccaagatcga ctcttacttc gaatctctct caactttctt cctcagctta cgggaacttc
60

cacacatata catccacaag aacccatate gaagatteat ectacatata tttac atg

Met 1

gat cag tac tca tcc tct ttg gtc gat act tca tta gat ctc act att 166
Asp Gln Tyr Ser Ser Ser Leu Val Asp Thr Ser Leu Asp Leu Thr Ile
5 10 15

ggc gtt act cgt atg cga gtt gaa gaa gat cca ccg aca agt gct ttg 214 Gly Val Thr Arg Met'Arg Val Glu Glu Asp Pro Pro Thr Ser Ala Leu

20 25 30

gtg gaa gaa tta aac cga gtt agt gct gag aac aag aag ctc tcg gag Val Glu Glu Leu Asn Arg Val Ser Ala Glu Asn Lys Lys Leu Ser Glu 35 40 atg cta act ttg atg tgt gac aac tac aac gtc ttg agg aag caa ctt Met Leu Thr Leu Met Cys Asp Asn Tyr Asn Val Leu Arg Lys Gln Leu 55 atg gaa tat gtt aac aag agc aac ata acc gag agg gat caa atc agc Met Glu Tyr Val Asn Lys Ser Asn Ile Thr Glu Arg Asp Gln Ile Ser 70 cet eec aag aaa ege aaa tee eeg geg aga gag gae gea tte age tge Pro Pro Lys Lys Arg Lys Ser Pro Ala Arg Glu Asp Ala Phe Ser Cys gcg gtt att ggc gga gtg tcg gag agt agc tca acg gat caa gat gag 454 Ala Val Ile Gly Gly Val Ser Glu Ser Ser Ser Thr Asp Gln Asp Glu 100 105 110 tat ttg tgt aag aag cag aga gaa gag act gtc gtg aag gag aaa gtc 502 Tyr Leu Cys Lys Lys Gln Arg Glu Glu Thr Val Val Lys Glu Lys Val 120 tca agg gtc tat tac aag acc gaa gct tct gac act acc ctc gtt gtg Ser Arg Val Tyr Tyr Lys Thr Glu Ala Ser Asp Thr Thr Leu Val Val 135 aaa gat ggg tat caa tgg agg aaa tat gga cag aaa gtg act aga gac Lys Asp Gly Tyr Gln Trp Arg Lys Tyr Gly Gln Lys Val Thr Arg Asp . 150 155 aat cca tct cca aga gct tac ttc aaa tgt gct tgt gct cca agc tgt 646 Asn Pro Ser Pro Arg Ala Tyr Phe Lys Cys Ala Cys Ala Pro Ser Cys 165 170 tot gto aaa aag aag gtt cag aga agt gtg gag gat cag too gtg tta 694 Ser Val Lys Lys Val Gln Arg Ser Val Glu Asp Gln Ser Val Leu 180 185 190 gtt gca act tat gag ggt gaa cac aac cat cca atg cca tcg cag atc Val Ala Thr Tyr Glu Gly Glu His Asn His Pro Met Pro Ser Gln Ile

gat toa aac aat ggc tta aac cgc cac atc tct cat ggt ggt tca gct 790

200

195

Asp Ser Asn Asn Gly Leu Asn Arg His Ile Ser His Gly Gly Ser Ala 210 215 220 225

tca aca ccc gtt gca gca aac aga aga agt agc ttg act gtg ccg gtg 838

Ser Thr Pro Val Ala Ala Asn Arg Arg Ser Ser Leu Thr Val Pro Val 230 235 240

act acc gta gat atg att gaa tcg aag aaa gtg acg agc cca acg tca 886

Thr Thr Val Asp Met Ile Glu Ser Lys Lys Val Thr Ser Pro Thr Ser 245 250 255

aga atc gat ttt ccc caa gtt cag aaa ctt ttg gtg gag caa atg gct 934

Arg Ile Asp Phe Pro Gln Val Gln Lys Leu Leu Val Glu Gln Met Ala 260 265 270

tct tcc tta acc aaa gat cct aac ttt aca gca gct tta gca gca gct 982

Ser Ser Leu Thr Lys Asp Pro Asn Phe Thr Ala Ala Leu Ala Ala Ala 275 280 285

gtt acc gga aaa ttg tat caa cag aat cat acc gag aaa tag 1024

tttagcttca aattccgtta gagtttttag atttgaattt gtcatgagta agagaaagag 1084

<210> 146 <211> 302 <212> PRT <213> Arabidopsis thaliana <400> 146

Control of the property of the second

Met Asp Gln Tyr Ser Ser Ser Leu Val Asp Thr Ser Leu Asp Leu Thr 1 5 10 15

Ile Gly Val Thr Arg Met Arg Val Glu Glu Asp Pro Pro Thr Ser Ala 20 25 30

Leu Val Glu Glu Leu Asn Arg Val Ser Ala Glu Asn Lys Lys Leu Ser 35 40 45

Glu Met Leu Thr Leu Met Cys Asp Asn Tyr Asn Val Leu Arg Lys Gln 50 55 60

Leu Met Glu Tyr Val Asn Lys Ser Asn Ile Thr Glu Arg Asp Gln Ile 65 70. 75 80

Ser Pro Pro Lys Lys Arg Lys Ser Pro Ala Arg Glu Asp Ala Phe Ser 85 90 95

Cys Ala Val Ile Gly Gly Val Ser Glu Ser Ser Ser Thr Asp Gln Asp

100 105 110

Glu Tyr Leu Cys Lys Lys Gln Arg Glu Glu Thr Val Val Lys Glu Lys 115 120 125

Val Ser Arg Val Tyr Tyr Lys Thr Glu Ala Ser Asp Thr Thr Leu Val 130 135 140

Val Lys Asp Gly Tyr Gln Trp Arg Lys Tyr Gly Gln Lys Val Thr Arg 145 150 155 160

Asp Asn Pro Ser Pro Arg Ala Tyr Phe Lys Cys Ala Cys Ala Pro Ser 165 170 175

Cys Ser Val Lys Lys Lys Val Gln Arg Ser Val Glu Asp Gln Ser Val 180 185 190

Leu Val Ala Thr Tyr Glu Gly Glu His Asn His Pro Met Pro Ser Gln
195 200 205

Ile Asp Ser Asn Asn Gly Leu Asn Arg His Ile Ser His Gly Gly Ser

Ala Ser Thr Pro Val Ala Ala Asn Arg Arg Ser Ser Leu Thr Val Pro 225 230 235 240

Val Thr Thr Val Asp Met Ile Glu Ser Lys Lys Val Thr Ser Pro Thr

Ser Arg Ile Asp Phe Pro Gln Val Gln Lys Leu Leu Val Glu Gln Met 260 265 270

4000

Ala Ser Ser Leu Thr Lys Asp Pro Asn Phe Thr Ala Ala Leu Ala Ala 275 280 285

Ala Val Thr Gly Lys Leu Tyr Gln Gln Asn His Thr Glu Lys 290 295 300

<210> 147 <211> 1722 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (9)..(1565) <223> G939

gtt tgt agc tcg gcg cct cca ttt aca gag gga cat atg tgt tct gat Val Cys Ser Ser Ala Pro Pro Phe Thr Glu Gly His Met Cys Ser Asp tcg cat acg gct ttg tgc gat gat ctg agt agt gat gag gaa atg gaa 146 Ser His Thr Ala Leu Cys Asp Asp Leu Ser Ser Asp Glu Glu Met Glu ata gag gag ctt gag aag aag atc tgg aga gac aag cag cgt tta aag 194 Ile Glu Glu Leu Glu Lys Lys Ile Trp Arg Asp Lys Gln Arg Leu Lys cgg ctc aag gaa atg gcg aag aac ggt cta gga aca aga ttg ttg ttg Arg Leu Lys Glu Met Ala Lys Asn Gly Leu Gly Thr Arg Leu Leu 65 aag cag caa cat gat gat ttt cca gag cac tct agt aag aga acc atg Lys Gln Gln His Asp Asp Phe Pro Glu His Ser Ser Lys Arg Thr Met 90 -85 80 tac aag gca caa gat ggg atc ttg aag tac atg tcg aag aca atg gag Tyr Lys Ala Gln Asp Gly Ile Leu Lys Tyr Met Ser Lys Thr Met Glu 105 100 95 cga tat aaa gct caa ggt ttt gtt tat ggg att gtg tta gag aat ggg Arg Tyr Lys Ala Gln Gly Phe Val Tyr Gly Ile Val Leu Glu Asn Gly 120 115 aaa acg gta gcg gga tct tct gat aat ctc cgt gaa tgg tgg aaa gac Lys Thr Val Ala Gly Ser Ser Asp Asn Leu Arg Glu Trp Trp Lys Asp 434 : 135 130 aaa gtg agg ttt gat agg aac ggc cca gct gct ata atc aag cac caa Lys Val Arg Phe Asp Arg Asn Gly Pro Ala Ala Ile Ile Lys His Gln 482 150 145 agg gat atc aat ctt tct gat gga agt gat tca ggg tct gag gtt ggg Arg Asp Ile Asn Leu Ser Asp Gly Ser Asp Ser Gly Ser Glu Val Gly 165 160 gat tot acc gca cag aag ttg ctt gag ctt caa gat act act ctt gga Asp Ser Thr Ala Gln Lys Leu Leu Glu Leu Gln Asp Thr Thr Leu Gly 185 180 gct ctg tta tcg gct ctg ttt cct cac tgc aac cct cct cag agg cgg Ala Leu Leu Ser Ala Leu Phe Pro His Cys Asn Pro Pro Gln Arg Arg 205 200 195

ttt ccg ttg gag aaa ggc gtg aca ccg cca tgg tgg cca acg ggg aaa Phe Pro Leu Glu Lys Gly Val Thr Pro Pro Trp Pro Thr Gly Lys 210 215 gaa gat tgg tgg gat caa ctg tct tta ccc gtt gat ttt cga ggt gtt Glu Asp Trp Trp Asp Gln Leu Ser Leu Pro Val Asp Phe Arg Gly Val 230 ccg cca cct tac aag aag cct cat gat ctc aag aag ctg tgg aaa att Pro Pro Pro Tyr Lys Lys Pro His Asp Leu Lys Lys Leu Trp Lys Ile 240 ggt gtt ttg att ggt gta atc aga cat atg gct tct gac att agc aac 818 Gly Val Leu Ile Gly Val Ile Arg His Met Ala Ser Asp Ile Ser Asn 255 260 265 ata ccc aat ctc gtg aga cgg tct aga agt ttg cag gag aaa atg acg 866 Ile Pro Asn Leu Val Arg Arg Ser Arg Ser Leu Gln Glu Lys Met Thr 275 tca aga gaa ggc gct tta tgg ctc gct gct ctt tac cga gaa aag gct Ser Arg Glu Gly Ala Leu Trp Leu Ala Ala Leu Tyr Arg Glu Lys Ala att gtt gat caa ata gcc atg tct aga gaa aac aac aac act tct aac Ile Val Asp Gln Ile Ala Met Ser Arg Glu Asn Asn Asn Thr Ser Asn ttt ctt gtt cct gca acc ggt gga gac cca gat gtt ttg ttt cct gaa Phe Leu Val Pro Ala Thr Gly Gly Asp Pro Asp Val Leu Phe Pro Glu 330 325 tot aca gac tat gat gtt gaa ctg att ggt ggc act cat cgg acc aat 1058 Ser Thr Asp Tyr Asp Val Glu Leu Ile Gly Gly Thr His Arg Thr Asn 345 340 cag cag tat cct gaa ttt gaa aac aac tac aac tgt gtt tac aag aga Gln Gln Tyr Pro Glu Phe Glu Asn Asn Tyr Asn Cys Val Tyr Lys Arg 360 365 355 aag ttt gaa gaa gat ttt ggg atg cca atg cat cca aca ctc cta aca Lys Phe Glu Glu Asp Phe Gly Met Pro Met His Pro Thr Leu Leu Thr 375 tgt gag aac agt ctc tgt cct tat agc caa cca cat atg gga ttt ctt Cys Glu Asn Ser Leu Cys Pro Tyr Ser Gln Pro His Met Gly Phe Leu 385 390

PCT/US01/26189 WO 02/15675

gac agg aac tta aga gag aat cac caa atg act tgt cct tat aaa gtc 1250

Asp Arg Asn Leu Arg Glu Asn His Gln Met Thr Cys Pro Tyr Lys Val

act tcc ttc tac caa cca act aaa ccc tat ggt atg acg ggt tta atg

Thr Ser Phe Tyr Gln Pro Thr Lys Pro Tyr Gly Met Thr Gly Leu Met 420 415

gtt cct tgt ccg gat tat aac ggg atg cag cag cag gtt cag agc ttt

Val Pro Cys Pro Asp Tyr Asn Gly Met Gln Gln Val Gln Ser Phe 435

caa gac cag ttt aat cat ccc aac gat ctc tac aga cca aaa gct cca

Gln Asp Gln Phe Asn His Pro Asn Asp Leu Tyr Arg Pro Lys Ala Pro 450

caa aga ggc aac gat gac ttg gtt gag gat ttg aat cet tet eet teg

Gln Arg Gly Asn Asp Asp Leu Val Glu Asp Leu Asn Pro Ser Pro Ser 470 . 17 at 4-44 465

acg ctg aat cag aat ctt ggt tta gtc tta cct act gac ttc aat gga ι... ξ. Thr Leu Asn Gln Asn Leu Gly Leu Val Leu Pro Thr Asp Phe Asn Gly 490 485

ggt gag gaa aca gta gga aca gag aac aat ctg cat aat caa ggg caa Gly Glu Glu Thr Val Gly Thr Glu Asn Asn Leu His Asn Gln Gly Gln

500

gag ttg ccc aca tct tgg att cag taa agaaagcttc agagttttct 1585 Glu Leu Pro Thr Ser Trp Ile Gln 515

ttttatgttt tctagtcttt atagctttgt ctcttgctta ttctctcatt aaacacagtt 1645

tttgatctct ccatttcata gcccatgtag caatggagaa gattaggttt cataataagt

taataaccaa attcaaa

<210> 148.<211> 518 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Met Tyr Asn Asn Asn Ile Gly Met Phe Arg Ser Leu Val Cys

Ser Ser Ala Pro Pro Phe Thr Glu Gly His Met Cys Ser Asp Ser His 25

Thr Ala Leu Cys Asp Asp Leu Ser Ser Asp Glu Glu Met Glu Ile Glu 40 Glu Leu Glu Lys Lys Ile Trp Arg Asp Lys Gln Arg Leu Lys Arg Leu 55 Lys Glu Met Ala Lys Asn Gly Leu Gly Thr Arg Leu Leu Leu Lys Gln Gln His Asp Asp Phe Pro Glu His Ser Ser Lys Arg Thr Met Tyr Lys Ala Gln Asp Gly Ile Leu Lys Tyr Met Ser Lys Thr Met Glu Arg Tyr 100 105 110 Lys Ala Gln Gly Phe Val Tyr Gly Ile Val Leu Glu Asn Gly Lys Thr Signey 115 graf a super 120 described the 125 peix feature Val Ala Gly Ser Ser Asp Asn Leu Arg Glu Trp Trp Lys Asp Lys Val 130 130 131 135 4 A P P 140 140 14 A P 141 Arg Phe Asp Arg Asn Gly Pro Ala Ala Ile Ile Lys His Gln Arg Asp 145 145 150 4 150 4 160 155 1 16d 1 160 Ile Asn Leu Ser Asp Gly Ser Asp Ser Gly Ser Glu Val Gly Asp Ser Thr Ala Gln Lys Leu Glu Leu Gln Asp Thr Thr Leu Gly Ala Leu 180 Leu Ser Ala Leu Phe Pro His Cys Asn Pro Pro Gln Arg Arg Phe Pro 200 Leu Glu Lys Gly Val Thr Pro Pro Trp Trp Pro Thr Gly Lys Glu Asp 210 215 Trp Trp Asp Gln Leu Ser Leu Pro Val Asp Phe Arg Gly Val Pro Pro 235 240 230 Pro Tyr Lys Lys Pro His Asp Leu Lys Lys Leu Trp Lys Ile Gly Val 250 255 245 Leu Ile Gly Val Ile Arg His Met Ala Ser Asp Ile Ser Asn Ile Pro 260 265 270 Asn Leu Val Arg Arg Ser Arg Ser Leu Gln Glu Lys Met Thr Ser Arg 275 ; 280 285

Glu Gly Ala Leu Trp Leu Ala Ala Leu Tyr Arg Glu Lys Ala Ile Val 290 295 300

Asp Gln Ile Ala Met Ser Arg Glu Asn Asn Asn Thr Ser Asn Phe Leu 305 310 315 320

Val Pro Ala Thr Gly Gly Asp Pro Asp Val Leu Phe Pro Glu Ser Thr 325 330 335

Asp Tyr Asp Val Glu Leu Ile Gly Gly Thr His Arg Thr Asn Gln Gln 340 345 350

Tyr Pro Glu Phe Glu Asn Asn Tyr Asn Cys Val Tyr Lys Arg Lys Phe 355 360 365

Glu Glu Asp Phe Gly Met Pro Met His Pro Thr Leu Leu Thr Cys Glu 370 375 380

Asn Ser Leu Cys Pro Tyr Ser Gln Pro His Met Gly Phe Leu Asp Arg 385 390 395 400

Asn Leu Arg Glu Asn His Gln Met Thr Cys Pro Tyr Lys Val Thr Ser 405 410 415

Phe Tyr Gln Pro Thr Lys Pro Tyr Gly Met Thr Gly Leu Met Val Pro 420 425 430

Cys Pro Asp Tyr Asn Gly Met Gln Gln Gln Val Gln Ser Phe Gln Asp 435 440 445

Gln Phe Asn His Pro Asn Asp Leu Tyr Arg Pro Lys Ala Pro Gln Arg 450 455 460

Gly Asn Asp Asp Leu Val Glu Asp Leu Asn Pro Ser Pro Ser Thr Leu 465 470 475 480

Asn Gln Asn Leu Gly Leu Val Leu Pro Thr Asp Phe Asn Gly Glu 485 490 495

Glu Thr Val Gly Thr Glu Asn Asn Leu His Asn Gln Gly Gln Glu Leu 500 505 510

Pro Thr Ser Trp Ile Gln 515

<210> 149 <211> 2057 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (102)..(1805) <223> G940

<400> 149

- 1

ttcccctgag aacgacagga gaaagaataa aaaccctaaa tttctttaat ttcggcgctt 60

cagattatcg ttgttaaagg tttttgattg attttgttta a atg ggc gat ctt gct 116

Met Gly Asp Leu Ala

atg tcc gta gca gac atc agg atg gag aat gag cct gat gat tta gct 164

Met Ser Val Ala Asp Ile Arg Met Glu Asn Glu Pro Asp Asp Leu Ala 10 15 20

agt gat aat gtt gct gag att gat gtg agt gat gaa gag att gat gct 212 Ser Asp Asn Val Ala Glu Ile Asp Val Ser Asp Glu Glu Ile Asp Ala 25 30 35

gac gac ctt gag aga cgg atg tgg aaa gat cgt gtc agg ctt aaa aga 260  $\,$ 

Asp Asp Leu Glu Arg Arg Met Trp Lys Asp Arg Val Arg Leu Lys Arg
40 45 50

atc aaa gag ega caa aaa get gge tet caa gga get caa aeg aag gag 308

Ile Lys Glu Arg Gln Lys Ala Gly Ser Gln Gly Ala Gln Thr Lys Glu
55 60 65

aca cct aag aaa atc tct gat caa gct cag agg aag aaa atg tct aga 356

Thr Pro Lys Lys Ile Ser Asp Gln Ala Gln Arg Lys Lys Met Ser Arg 70 75 80 85

gct caa gat ggt atc ctt aag tac atg ttg aag ctt atg gaa gtc tgc 404

Ala Gln Asp Gly Ile Leu Lys Tyr Met Leu Lys Leu Met Glu Val Cys 90 95 100

aaa gtt cgc ggg ttt gtc tat ggt ata ata ccg gaa aag ggc aag cct  $452\,$ 

Lys Val Arg Gly Phe Val Tyr Gly Ile Ile Pro Glu Lys Gly Lys Pro 105 110 115

gtg agt ggt tcc tct gac aat ata aga gct tgg tgg aaa gag aaa gtg

Val Ser Gly Ser Ser Asp Asn Ile Arg Ala Trp Trp Lys Glu Lys Val 120 125 130

aag ttt gat aag aac ggt cct gct gct att gct aaa tac gaa gag gag

Lys Phe Asp Lys Asn Gly Pro Ala Ala Ile Ala Lys Tyr Glu Glu Glu 135 140 145

tgt tta geg ttt ggg aa<br/>a tct gat ggg aat agg aat tca cag ttt gtt 596

Cys Leu Ala Phe Gly Lys Ser Asp Gly Asn Arg Asn Ser Gln Phe Val 150 ctc cag gat ttg caa gat gct act tta ggg tct ttg tta tct tct ttg Leu Gln Asp Leu Gln Asp Ala Thr Leu Gly Ser Leu Leu Ser Ser Leu 170 175 atg caa cat tgt gat cct cct caa agg aag tat ccg ttg gag aaa ggg 692 Met Gln His Cys Asp Pro Pro Gln Arg Lys Tyr Pro Leu Glu Lys Gly 185 acg cet ceg cet tgg tgg cea acg ggg aat gaa gaa tgg tgg gtg aaa 740 Thr Pro Pro Pro Trp Trp Pro Thr Gly Asn Glu Glu Trp Trp Val Lys 200 205 ctc ggt ctg cct aaa agc cag agt cct cct tac cga aaa cct cat gat Leu Gly Leu Pro Lys Ser Gln Ser Pro Pro Tyr Arg Lys Pro His Asp 215 220 ctc aag aag atg tgg aag gtt gga gtt tta acg gca gtg atc aat cat Leu Lys Lys Met Trp Lys Val Gly Val Leu Thr Ala Val Ile Asn His 235 240 atg tta cct gat att gca aag att aag agg cat gtt cgt cag tcg aaa Met Leu Pro Asp Ile Ala Lys Ile Lys Arg His Val Arg Gln Ser Lys 255 tgt tta cag gac aag atg aca gct aaa gag agt gcg att tgg ttg gcg 932 Cys Leu Gln Asp Lys Met Thr Ala Lys Glu Ser Ala Ile Trp Leu Ala 265 270 gtt ttg aac caa gag gaa tct ttg att cag cag cct agc agt gac aat 980 Val Leu Asn Gln Glu Glu Ser Leu Ile Gln Gln Pro Ser Ser Asp Asn 285 gga aac tcc aat gtg act gag aca cat cgt agg ggt aat aac gct gac Gly Asn Ser Asn Val Thr Glu Thr His Arg Arg Gly Asn Asn Ala Asp 300 305 agg agg aaa cct gtg gtc aac agt gac agt gac tat gat gtt gat ggg Arg Arg Lys Pro Val Val Asn Ser Asp Ser Asp Tyr Asp Val Asp Gly 320 aca gag gaa gct tca ggt tca gtt tca tct aaa gac agt aga aga aat Thr Glu Glu Ala Ser Gly Ser Val Ser Ser Lys Asp Ser Arg Arg Asn cag att caa aaa gaa caa cca aca gcc atc tca cat tca gta aga gat 1172 Gln Ile Gln Lys Glu Gln Pro Thr Ala Ile Ser His Ser Val Arg Asp

345 350 355

caa gat aaa gca gag aaa cat cgc aga agg aaa aga cct cga att aga 1220 Gln Asp Lys Ala Glu Lys His Arg Arg Arg Lys Arg Pro Arg Ile Arg 360 365 370

tcc gga act gtc aat cga caa gag gaa gaa caa cct gaa gct caa caa 1268

Ser Gly Thr Val Asn Arg Gln Glu Glu Glu Gln Pro Glu Ala Gln Gln 375 380 385

aga aac atc tta cct gat atg aat cat gtt gat gcc cct ctg cta gaa 1316

Arg Asn Ile Leu Pro Asp Met Asn His Val Asp Ala Pro Leu Leu Glu 390 395 400 405

tat aac atc aac ggt act cat caa gag gac gat gtt gtc gac cca aat 1364 (act car)

Tyr Asn Ile Asn Gly Thr His Gln Glu Asp Asp Val Val Asp Pro Asn 410 415 420

att gcc tta gga cca gag gat aat ggt ctg gaa cta gtg gtt cct gag 1412

Ile Ala Leu Gly Pro Glu Asp Asn Gly Leu Glu Leu Val Val Pro Glu
425 430 435

ttc aat aac aac tat act tat ctt cca ctt gtt aat gaa caa act atg 1460

Phe Asn Asn Asn Tyr Thr Tyr Leu Pro Leu Val Asn Glu Gln Thr Met
440
450

atg cct gta gac gaa agg cca atg ctt tat gga cca aac cct aac caa 1508

Met Pro Val Asp Glu Arg Pro Met Leu Tyr Gly Pro Asn Pro Asn Gln Ass 455 for a few and a 460 decreases for the 465 decreases for the

gag ctt caa ttt ggg tca ggg tac aac ttc tac aat ccc tct gca gtg

Glu Leu Gln Phe Gly Ser Gly Tyr Asn Phe Tyr Asn Pro Ser Ala Val 475 480 485

ttt gta cat aac cag gaa gac gac att ctc cat aca cag ata gaa atg 1604

Phe Val His Asn Gln Glu Asp Asp Ile Leu His Thr Gln Ile Glu Met
490 495 500

aat aca caa gca cca cct cac aac agt ggg ttc gag gag gcc cca gga 1652

Asn Thr Gln Ala Pro Pro His Asn Ser Gly Phe Glu Glu Ala Pro Gly
505 510 515

gga gta ctt caa ccc ctt ggt tta ctc gga aat gaa gac ggt gta aca 1700

Gly Val Leu Gln Pro Leu Gly Leu Leu Gly Asn Glu Asp Gly Val Thr
520 525 530

ggg agt gag ttg cct cag tat cag agt ggc att ctg tct cca ttg act 1748

Gly Ser Glu Leu Pro Gln Tyr Gln Ser Gly Ile Leu Ser Pro Leu Thr 535 540 545

gac ttg gac ttt gac tat ggt ggt ttt ggt gat gat ttc tca tgg ttt 1796 Asp Ley Asp Phe Asp Tyr Gly Gly Phe Gly Asp Asp Phe Ser Trp Phe

Asp Leu Asp Phe Asp Tyr Gly Gly Phe Gly Asp Asp Phe Ser Trp Phe 550 555 560 565

gga gct tag tgtcttgcca ttttttttgg gagattacat agttcaaaag 1845 Gly Ala

gacatggcaa tagtetgget agtacagtta etttetette tteatttett etgatettat 1905

attetteete tittitett ataatatiit ettagattig tiaagagaaa caattiteet 1965

tttgaataag ttgccagaag aactgctttg cccgttgtaa tggtctctag ggaaagcagt 2025

tagcgtatca tcatttgtaa atttactgtg ag 2057

<210> 150 <211> 567 <212> PRT <213> Arabidopsis thaliana <400> 150

Met Gly Asp Leu Ala Met Ser Val Ala Asp Ile Arg Met Glu Asn Glu 1 5 10 15

Pro Asp Asp Leu Ala Ser Asp Asn Val Ala Glu Ile Asp Val Ser Asp 20 25 30

Glu Glu Ile Asp Ala Asp Asp Leu Glu Arg Arg Met Trp Lys Asp Arg
35 40 45

Val Arg Leu Lys Arg Ile Lys Glu Arg Gln Lys Ala Gly Ser Gln Gly 50 55 60

Ala Gln Thr Lys Glu Thr Pro Lys Lys Ile Ser Asp Gln Ala Gln Arg 65 70 75 80

Lys Lys Met Ser Arg Ala Gln Asp Gly Ile Leu Lys Tyr Met Leu Lys 85 90 95'

Leu Met Glu Val Cys Lys Val Arg Gly Phe Val Tyr Gly Ile Ile Pro 100 105 110

Glu Lys Gly Lys Pro Val Ser Gly Ser Ser Asp Asn Ile Arg Ala Trp 115 120 125

Trp Lys Glu Lys Val Lys Phe Asp Lys Asn Gly Pro Ala Ala Ile Ala 130 135 140

Lys 145	Tyr	Glu	Glu	Glu	Cys 150	Leu	Ala	Phe	Gly	Lys 155	Ser	Asp	Gly	Asn	Arg 160
Asn	Ser	Gln	Phe	Val 165	Leu	Gln	Asp	Leu	Gln 170	Asp	Ala	Thr	Leu	Gly 175	Ser
		٠.		~							lai.	•			
Leu	Leu	Ser	Ser 180	Leu	Met	Gln	His	Cys 185	Asp	Pro	Pro	Gln	Arg 190	Lys	Tyr
Pro	Leu	Glu 195	Lys	Gly	Thr	Pro	Pro 200	Pro	Trp	Trp	Pro	Thr 205	Gly	Asn	Glu
Glu	Trp 210	Trp	Val	Lys	Leu	Gly 215	Leu	Pro	Lys	Ser	Gln 220	Ser	Pro	Pro	Tyr
Arg 225	Lys	Pro	His	Asp	Leu 230	Lys	Lys	Met	Trp	Lys 235	Val	Gly	Val	Leu	Thr 240
Ala	Val	Ile	Asn	His 245	Met	Leu	Pro	Asp	Ile 250	Ala	Lys	Ile	Lys	Arg 255	His
Val	Arg	Gln	Ser 260	Lys	Cys	Leu	Gln	Asp 265	Lys	Met	Thr	Ala	Lys 270		Ser
Ala	Ile	Trp 275	Leu	Ala	Val	Leu	Asn 280	Gln	Glu	Glu	Ser	Leu 285	Ile	Gln	Gln
Pro	Ser 290	Ser	Asp	Asn	Gly	Asn 295	Ser	Asn	Val	Thr	Glu 300	Thr	His	Arg	Arg
Gly 305	Asn	Asn	Ala	Asp	Arg 310	Arg	Lys	Pro	Val	Val 315	Asn	Ser	Asp	Ser	Asp 320
Tyr	Asp	Val	Asp	Gly 325	Thr	Glu	Glu	Ala	Ser 330	Gly	Ser	Val	Ser	Ser 335	
Asp	Ser	Arg	Arg 340	Asn	Gln	Ile	Gln	Lys 345		Gln	Pro	Thr	Ala 350	Ile	Ser
His	Ser	Val 355	Arg	Asp	Gln	Asp	Lys 360	Ala	Glu	Lys	His	Arg 365	_	Arg	Lys
Arg	Pro 370	Arg	Ile	Arg	Ser	Gly 375	Thr	Val	Asn	Arg	Gln 380		Glu	Glu	Gln

Pro Glu Ala Gln Gln Arg Asn Ile Leu Pro Asp Met Asn His Val Asp 385 390 395 400

Ala Pro Leu Leu Glu Tyr Asn Ile Asn Gly Thr His Gln Glu Asp Asp 405 410 415

Val Val Asp Pro Asn Ile Ala Leu Gly Pro Glu Asp Asn Gly Leu Glu
420 425 430

Leu Val Val Pro Glu Phe Asn Asn Asn Tyr Thr Tyr Leu Pro Leu Val
435 440 445

Asn Glu Gln Thr Met Met Pro Val Asp Glu Arg Pro Met Leu Tyr Gly 450 460

Pro Asn Pro Asn Gln Glu Leu Gln Phe Gly Ser Gly Tyr Asn Phe Tyr 465 470 475 480

Asn Pro Ser Ala Val Phe Val His Asn Gln Glu Asp Asp Ile Leu His
485
490
495

Thr Gln Ile Glu Met Asn Thr Gln Ala Pro Pro His Asn Ser Gly Phe 500 505 510

Glu Glu Ala Pro Gly Gly Val Leu Gln Pro Leu Gly Leu Leu Gly Asn 515 520 525

Glu Asp Gly Val Thr Gly Ser Glu Leu Pro Gln Tyr Gln Ser Gly Ile 530 535 540

Leu Ser Pro Leu Thr Asp Leu Asp Phe Asp Tyr Gly Gly Phe Gly Asp 545 550 555 560

Asp Phe Ser Trp Phe Gly Ala 565

<210> 151 <211> 833 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (46)..(591) <223> G977

<400> 151

caccaaactc acctgaaacc ctatttccat ttaccattca cacta atg gca cga cca 57

Met Ala Arg Pro

caa caa cgc ttt cga ggc gtt aga cag agg cat tgg ggc tct tgg gtc 105 Gln Gln Arg Phe Arg Gly Val Arg Gln Arg His Trp Gly Ser Trp Val

. .

10 20 tee gaa att egt cac eet ete ttg aaa aca aga ate tgg eta ggg acg Ser Glu Ile Arg His Pro Leu Leu Lys Thr Arg Ile Trp Leu Gly Thr ttt gag aca gcg gag gat gca gca agg gcc tac gac gag gcg gct agg Phe Glu Thr Ala Glu Asp Ala Ala Arg Ala Tyr Asp Glu Ala Ala Arg 45 cta atg tgt ggc ccg aga gct cgt act aat ttc cca tac aac cct aat Leu Met Cys Gly Pro Arg Ala Arg Thr Asn Phe Pro Tyr Asn Pro Asn 55 60 gee att cet act tee tet tee aag ett eta tea gea act ett ace get 297 April 1995 white (which is to Ala Ile Pro Thr Ser Ser Ser Lys Leu Leu Ser Ala Thr Leu Thr Ala 70 75 . 80 aaa ctc cac aaa tgc tac atg gct tct ctt caa atg acc aag caa acg 345 . The contribution  $x_{ij}$  is a  $x_{ij}$  -contribution  $x_{ij}$  is  $x_{ij}$  and  $x_{ij}$  -contribution  $x_{ij}$  . Also, Lys Leu His Lys Cys Tyr Met Ala Ser Leu Gln Met Thr Lys Gln Thr 1. 1.2 90 95 95 95 95 96 90 caa aca caa acg caa acg cag acc gca aga tca caa tcc gcg gac agt Gln Thr Gln Thr Gln Thr Ala Arg Ser Gln Ser Ala Asp Ser 34- 37 (105 105 105 106 37 110 110 110 110 115 115 115 116 gac ggt gtg acg gct aac gaa agt cat ttg aac aga gga gta acg gag Asp Gly Val Thr Ala Asn Glu Ser His Leu Asn Arg Gly Val Thr Glu 125 acg aca gag atc aag tgg gaa gat gga aat gcg aat atg caa cag aat 489 Amilian of the matches Dearlows orall and \$1.5 Amilians Association Access Thr Thr Glu Ile Lys Trp Glu Asp Gly Asn Ala Asn Met Gln Gln Asn - 1. m (x k : 135) [1] : 看歌の声のから [2 k k 140] - 声音をおいて (4 k ) 2 k k | 145, (5 k ) (5 k k ) (4 k ttt agg cca ttg gag gaa gat cat atc gag caa atg att gag gag ctg **537** The second severe of the second Phe Arg Pro Leu Glu Glu Asp His Ile Glu Gln Met Ile Glu Glu Leu 155 ctt cac tac ggt tcc att gag ctt tgc tct gtt tta cca act cag acg Leu His Tyr Gly Ser Ile Glu Leu Cys Ser Val Leu Pro Thr Gln Thr 170 175 ctg tga gaaatggcct tgtcgtttta gcgtattctt ttcattttta tttttgtttc 641 The second of the second o Leu

cacaaaaacg gcgtcgtaag tgatgagagt agtagtgaga gaaggctaat ttcaagacat 701

Charles to Carlo Albanday 1978 And A

tttgatctga attggcctct tttgaaacac tgattctagt ttctataaga gcaatcgatc 761

aaaaaaaaaa aa 833

<210> 152 <211> 181 <212> PRT <213> Arabidopsis thaliana <400> 152

Met Ala Arg Pro Gln Gln Arg Phe Arg Gly Val Arg Gln Arg His Trp 1 5 10 15

Gly Ser Trp Val Ser Glu Ile Arg His Pro Leu Leu Lys Thr Arg Ile 20 25 30

Trp Leu Gly Thr Phe Glu Thr Ala Glu Asp Ala Ala Arg Ala Tyr Asp 35 40 45

Glu Ala Ala Arg Leu Met Cys Gly Pro Arg Ala Arg Thr Asn Phe Pro 50 55 60

Tyr Asn Pro Asn Ala Ile Pro Thr Ser Ser Ser Lys Leu Leu Ser Ala 65 70 75 80

Thr Leu Thr Ala Lys Leu His Lys Cys Tyr Met Ala Ser Leu Gln Met 85 90 95

Thr Lys Gln Thr Gln Thr Gln Thr Gln Thr Gln Thr Ala Arg Ser Gln
100 105 110

Ser Ala Asp Ser Asp Gly Val Thr Ala Asn Glu Ser His Leu Asn Arg 115 120 125

Gly Val Thr Glu Thr Thr Glu Ile Lys Trp Glu Asp Gly Asn Ala Asn 130 135 140

Met Gln Gln Asn Phe Arg Pro Leu Glu Glu Asp His Ile Glu Gln Met 145 150 155 160

Ile Glu Glu Leu Leu His Tyr Gly Ser Ile Glu Leu Cys Ser Val Leu 165 170 175

Pro Thr Gln Thr Leu 180

<210> 153 <211> 1530 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (60)..(1352) <223> G979

<400> 153

cctctgagga atcaaatcac tcacactcca aaaaaaaatc taaactttct cagagttta 59

atg aag aag ege tta ace act tee act tgt tet tet eea tet tee 107

Met Lys Lys Arg Leu Thr Thr Ser Thr Cys Ser Ser Ser Pro Ser Ser 1 5 10 15

tct gtt tct tct act act act tcc tct cct att cag tcg gag gct 155

Ser Val Ser Ser Ser Thr Thr Thr Ser Ser Pro Ile Gln Ser Glu Ala 20 25 30

cca agg cct aaa cga gcc aaa agg gct aag aaa tct tct cct tct ggt 203

Pro Arg Pro Lys Arg Ala Lys Arg Ala Lys Lys Ser Ser Pro Ser Gly 35. 40

gat aaa tot oat aac oog aca ago oot got tot aco oga ogo ago tot 251

Asp Lys Ser His Asn Pro Thr Ser Pro Ala Ser Thr Arg Arg Ser Ser 50 55 60

atc tac aga gga gtc act aga cat aga tgg act ggg aga ttc gag gct 299

Ile Tyr Arg Gly Val Thr Arg His Arg Trp Thr Gly Arg Phe Glu Ala 65 70 75 80

cat ctt tgg gac aaa agc tct tgg aat tcg att cag aac aag aaa ggc 347

His Leu Trp Asp Lys Ser Ser Trp Asn Ser Ile Gln Asn Lys Lys Gly 85 90 95

aaa caa gtt tat ctg gga gca tat gac agt gaa gaa gca gca gca cat 395

Lys Gln Val Tyr Leu Gly Ala Tyr Asp Ser Glu Glu Ala Ala Ala His 100 105 110

acg tac gat ctg gct gct ctc aag tac tgg gga ccc gac acc atc ttg

Thr Tyr Asp Leu Ala Ala Leu Lys Tyr Trp Gly Pro Asp Thr Ile Leu 115 120 125

aat ttt ccg gca gag acg tac aca aag gaa ttg gaa gaa atg cag aga

Asn Phe Pro Ala Glu Thr Tyr Thr Lys Glu Leu Glu Glu Met Gln Arg

gtg aca aag gaa gaa tat ttg get tet ete ege ege eag age agt ggt 539

Val Thr Lys Glu Glu Tyr Leu Ala Ser Leu Arg Arg Gln Ser Ser Gly
145 150 155 160

tte tee aga gge gte tet aaa tat ege gge gte get agg eat eac eac 587

Phe Ser Arg Gly Val Ser Lys Tyr Arg Gly Val Ala Arg His His His 165 170 175

aac gga aga tgg gag gct cgg atc gga aga gtg ttt ggg aac aag tac Asn Gly Arg Trp Glu Ala Arg Ile Gly Arg Val Phe Gly Asn Lys Tyr ttg tac ctc. ggc acc tat aat acg cag gag gaa gct gct gca gca tat 683 Leu Tyr Leu Gly Thr Tyr Asn Thr Gln Glu Glu Ala Ala Ala Ala Tyr gac atg gct gcg att gag tat cga ggc gca aac gcg gtt act aat ttc 731 Asp Met Ala Ala Ile Glu Tyr Arg Gly Ala Asn Ala Val Thr Asn Phe 210 gac att agt aat tac att gac cgg tta aag aag aaa ggt gtt ttc ccg Asp Ile Ser Asn Tyr Ile Asp Arg Leu Lys Lys Lys Gly Val Phe Pro 235 240 ttc cct gtg aac caa gct aac cat caa gag ggt att ctt gtt gaa gcc Phe Pro Val Asn Gln Ala Asn His Gln Glu Gly Ile Leu Val Glu Ala 245 250 aaa caa gaa gtt gaa acg aga gaa gcg aag gaa gag cct aga gaa gaa Lys Gln Glu Val Glu Thr Arg Glu Ala Lys Glu Glu Pro Arg Glu Glu 260 ... 265 gtg aaa caa cag tac gtg gaa gaa cca ccg caa gaa gaa gaa gag aag Val Lys Gln Gln Tyr Val Glu Glu Pro Pro Gln Glu Glu Glu Lys 275 280 gaa gaa gag aaa gca gag caa caa gaa gca gag att gta gga tat tca Glu Glu Glu Lys Ala Glu Gln Gln Glu Ala Glu Ile Val Gly Tyr Ser 295 300 gaa gaa gca gcg gtc aat tgc tgc ata gac tct tca acc ata atg Glu Glu Ala Ala Val Val Asn Cys Cys Ile Asp Ser Ser Thr Ile Met 305 gaa atg gat cgt tgt ggg gac aac aat gag ctg gct tgg aac ttc tgt Glu Met Asp Arg Cys Gly Asp Asn Asn Glu Leu Ala Trp Asn Phe Cys 330 atg atg gat aca ggg ttt tct ccg ttt ttg act gat cag aat ctc gcg Met Met Asp Thr Gly Phe Ser Pro Phe Leu Thr Asp Gln Asn Leu Ala 345 aat gag aat ccc ata gag tat ccg gag cta ttc aat gag tta gca ttt 1163 Asn Glu Asn Pro Ile Glu Tyr Pro Glu Leu Phe Asn Glu Leu Ala Phe 355 360

gag gac aac atc gac ttc atg ttc gat gat ggg aag cac gag tgc ttg

And April Advantage in the first of the April 1995 and the

Glu Asp Asn Ile Asp Phe Met Phe Asp Asp Gly Lys His Glu Cys Leu

aac ttg gaa aat ctg gat tgt tgc gtg gtg gga aga gag agc cca ccc

Asn Leu Glu Asn Leu Asp Cys Cys Val Val Gly Arg Glu Ser Pro Pro 390 395

tet tet tet tea eea ttg tet tge tta tet act gae tet get tea tea

Ser Ser Ser Pro Leu Ser Cys Leu Ser Thr Asp Ser Ala Ser Ser 405

aca aca aca aca acc tcg gtt tct tgt aac tat ttg gtc tga

Thr Thr Thr Thr Thr Ser Val Ser Cys Asn Tyr Leu Val .... 420 425

gagagagage titgeettet agtitgaatt tetatitett eegettette tiettittit 

tottttgttg ggttctgctt agggtttgta tttcagtttc agggcttgtt cgttggttct

<210> 154 <211> 430 <212> PRT <213> Arabidopsis thaliana <400> and the first of the state of the first of the state of t

Met Lys Lys Arg Leu Thr Thr Ser Thr Cys Ser Ser Ser Pro Ser Ser 10

and the same of a different process of the green of Ser Val Ser Ser Ser Thr Thr Thr Ser Ser Pro Ile Gln Ser Glu Ala 30.

Plant Land at

Pro Arg Pro Lys Arg Ala Lys Arg Ala Lys Lys Ser Ser Pro Ser Gly 35 40 45

and the second of the second of the second of the second Asp Lys Ser His Asn Pro Thr Ser Pro Ala Ser Thr Arg Arg Ser Ser 50 55

Ile Tyr Arg Gly Val Thr Arg His Arg Trp Thr Gly Arg Phe Glu Ala 70 75 80

His Leu Trp Asp Lys Ser Ser Trp Asn Ser Ile Gln Asn Lys Lys Gly

Lys Gln Val Tyr Leu Gly Ala Tyr Asp Ser Glu Glu Ala Ala Ala His 100 110 

Thr Tyr Asp Leu Ala Ala Leu Lys Tyr Trp Gly Pro Asp Thr Ile Leu 115 120 125

- Asn Phe Pro Ala Glu Thr Tyr Thr Lys Glu Leu Glu Glu Met Gln Arg
  130 135 140
- Val Thr Lys Glu Glu Tyr Leu Ala Ser Leu Arg Arg Gln Ser Ser Gly
  150 155 160
- Phe Ser Arg Gly Val Ser Lys Tyr Arg Gly Val Ala Arg His His His 165
- Asn Gly Arg Trp Glu Ala Arg Ile Gly Arg Val Phe Gly Asn Lys Tyr 180 185 190
- Leu Tyr Leu Gly Thr Tyr Asn Thr Gln Glu Glu Ala Ala Ala Ala Tyr 195 200 205
- Asp Met Ala Ala Ile Glu Tyr Arg Gly Ala Asn Ala Val Thr Asn Phe 210 220
- Asp Ile Ser Asn Tyr Ile Asp Arg Leu Lys Lys Cly Val Phe Pro 225 230 235 240
- Phe Pro Val Asn Gln Ala Asn His Gln Glu Gly Ile Leu Val Glu Ala 245 250 255
- Lys Gln Glu Val Glu Thr Arg Glu Ala Lys Glu Glu Pro Arg Glu Glu 260 265 270
- Val Lys Gln Gln Tyr Val Glu Glu Pro Pro Gln Glu Glu Glu Glu Lys 275 280 285
- Glu Glu Lys Ala Glu Gln Gln Glu Ala Glu Ile Val Gly Tyr Ser 290 295 300
- Glu Glu Ala Ala Val Val Asn Cys Cys Ile Asp Ser Ser Thr Ile Met 310 320
- Glu Met Asp Arg Cys Gly Asp Asn Asn Glu Leu Ala Trp Asn Phe Cys 325 330 335
- Met Met Asp Thr Gly Phe Ser Pro Phe Leu Thr Asp Gln Asn Leu Ala 340 345 350
- Asn Glu Asn Pro Ile Glu Tyr Pro Glu Leu Phe Asn Glu Leu Ala Phe

355 360 365

Glu Asp Asn Ile Asp Phe Met Phe Asp Asp Gly Lys His Glu Cys Leu 370 380

Asn Leu Glu Asn Leu Asp Cys Cys Val Val Gly Arg Glu Ser Pro Pro 385 390 395 400

Ser Ser Ser Ser Pro Leu Ser Cys Leu Ser Thr Asp Ser Ala Ser Ser 405 410 415

Thr Thr Thr Thr Thr Ser Val Ser Cys Asn Tyr Leu Val
420 425 430

<210> 155 <211> 954 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(954) <223> G1000

<400> 155

ŧ

atg gga aga cct cct tgt tgt gac aag tec aat gtc aag aaa ggt ctc 48 Met Gly Arg Pro Pro Cys Cys Asp Lys Ser Asn Val Lys Lys Gly Leu

1 5 10 15

tgg acc gag gaa gaa gac get aag atc ett get tat get atc eat 96 Trp Thr Glu Glu Asp Ala Lys Ile Leu Ala Tyr Val Ala Ile His

Trp Thr Glu Glu Asp Ala Lys Ile Leu Ala Tyr Val Ala Ile His
20 25 30

ggt gta gga'aac tgg agc ttg atc ccc aaa aaa gca ggt ctg aat cga 144

Gly Val Gly Asn Trp Ser Leu Ile Pro Lys Lys Ala Gly Leu Asn Arg

tgt gga aag agc tgt aga cta aga tgg act aat tac tta aga cct gac 192

Cys Gly Lys Ser Cys Arg Leu Arg Trp Thr Asn Tyr Leu Arg Pro Asp 50 55 60

ctt aaa cat gac agc ttc tct acc caa gaa gaa gag ctt atc att gag 240

Leu Lys His Asp Ser Phe Ser Thr Gln Glu Glu Glu Leu Ile Ile Glu 65 70 75 80

tgt cat aga gcc att ggc agc agg tgg tct tcc att gca cga aag ctt

Cys His Arg Ala Ile Gly Ser Arg Trp Ser Ser Ile Ala Arg Lys Leu 85 90 95

cca gga aga acg gat aat gat gtg aag aat cac tgg aac aca aag ctg 336

Pro Gly Arg Thr Asp Asn Asp Val Lys Asn His Trp Asn Thr Lys Leu
100 105 110

aag aag aag ctg atg aaa atg ggg ata gac ccg gtg act cat aaa ccg 384 Lys Lys Leu Met Lys Met Gly Ile Asp Pro Val Thr His Lys Pro 115 120 125

gtt tct caa ctc ctt gca gaa ttc aga aac att agc ggc cat gga aat 432

Val Ser Gln Leu Leu Ala Glu Phe Arg Asn Ile Ser Gly His Gly Asn 130 135 140

gca tcc ttc aaa aca gaa cca tct aac aac tct ata ctc aca caa tcc 480

Ala Ser Phe Lys Thr Glu Pro Ser Asn Asn Ser Ile Leu Thr Gln Ser 145 150 155 160

aac toa got tgg gaa atg atg aga aac aca aca aac cat gag agt 528

Asn Ser Ala Trp Glu Met Met Arg Asn Thr Thr Thr Asn His Glu Ser 165 170 175

tat tac acc aac tot cca atg atg ttt aca aat too tot gag tac caa 576

Tyr Tyr Thr Asn Ser Pro Met Met Phe Thr Asn Ser Ser Glu Tyr Gln
180 185 190

act act cca ttt cat ttc tat agc cat cca aat cat ctg ctc aat gga

Thr Thr Pro Phe His Phe Tyr Ser His Pro Asn His Leu Leu Asn Gly 195 200 205

acc aca tot toa tgc tot toc toa toa tot tot act agt atc act cag

Thr Thr Ser Ser Cys Ser Ser Ser Ser Ser Ser Thr Ser Ile Thr Gln 210

cca aac caa gta cct caa aca ccg gtt act aac ttc tac tgg agc gat 720

Pro Asn Gln Val Pro Gln Thr Pro Val Thr Asn Phe Tyr Trp Ser Asp 225 230 235 240

ttc ctt ctc tcg gac ccg gtt cct caa gta gtg gga tcc tca gct act

Phe Leu Leu Ser Asp Pro Val Pro Gln Val Val Gly Ser Ser Ala Thr 245 250 255

age gae etc act ttt acg cag aac gaa cat cat tte aac ate gaa gee

Ser Asp Leu Thr Phe Thr Gln Asn Glu His His Phe Asn Ile Glu Ala 260 265 270

gaa tac atc tct caa aac atc gat tca aag gcc tcg gga aca tgt cat

Glu Tyr Ile Ser Gln Asn Ile Asp Ser Lys Ala Ser Gly Thr Cys His 275 280 285

tcc gcg agt tcc ttc gtt gac gaa ata cta gat aaa gac caa gag atg 912

Ser Ala Ser Ser Phe Val Asp Glu Ile Leu Asp Lys Asp Gln Glu Met 290 295 300

ttg tca cag ttt cct caa ctc ttg aat gat ttc gat tat tag 954

Leu Ser Gln Phe Pro Gln Leu Leu Asn Asp Phe Asp Tyr 305 310 315

<210> 156 <211> 317 <212> PRT <213> Arabidopsis thaliana <400> 156

Met Gly Arg Pro Pro Cys Cys Asp Lys Ser Asn Val Lys Lys Gly Leu 1 5 10 15

Trp Thr Glu Glu Asp Ala Lys Ile Leu Ala Tyr Val Ala Ile His 20 25 30

Gly Val Gly Asn Trp Ser Leu Ile Pro Lys Lys Ala Gly Leu Asn Arg 35 40 45

Cys Gly Lys Ser Cys Arg Leu Arg Trp Thr Asn Tyr Leu Arg Pro Asp 50 55 60

Leu Lys His Asp Ser Phe Ser Thr Gln Glu Glu Leu Ile Ile Glu
65 70 75 80

Cys His Arg Ala Ile Gly Ser Arg Trp Ser Ser Ile Ala Arg Lys Leu 85 90 . 95

Pro Gly Arg Thr Asp Asn Asp Val Lys Asn His Trp Asn Thr Lys Leu
100 105 110

Lys Lys Leu Met Lys Met Gly Ile Asp Pro Val Thr His Lys Pro 115 120 125

Val Ser Gln Leu Leu Ala Glu Phe Arg Asn Ile Ser Gly His Gly Asn 130 135 140

Ala Ser Phe Lys Thr Glu Pro Ser Asn Asn Ser Ile Leu Thr Gln Ser 145 150 155 160

Asn Ser Ala Trp Glu Met Met Arg Asn Thr Thr Thr Asn His Glu Ser 165 170 175

Tyr Tyr Thr Asn Ser Pro Met Met Phe Thr Asn Ser Ser Glu Tyr Gln 180 185 190

Thr Thr Pro Phe His Phe Tyr Ser His Pro Asn His Leu Leu Asn Gly 195 200 205

Thr Thr Ser Ser Cys Ser Ser Ser Ser Ser Ser Thr Ser Ile Thr Gln
210 215 220

Pro Asn Gln Val Pro Gln Thr Pro Val Thr Asn Phe Tyr Trp Ser Asp 225 230 235 240

Phe Leu Leu Ser Asp Pro Val Pro Gln Val Val Gly Ser Ser Ala Thr 245 250 255

Ser Asp Leu Thr Phe Thr Gln Asn Glu His His Phe Asn Ile Glu Ala 260 265 270

Glu Tyr Ile Ser Gln Asn Ile Asp Ser Lys Ala Ser Gly Thr Cys His 275 280 285

Ser Ala Ser Ser Phe Val Asp Glu Ile Leu Asp Lys Asp Gln Glu Met 290 295 300

Leu Ser Gln Phe Pro Gln Leu Leu Asn Asp Phe Asp Tyr 305 310

<210> 157 <211> 476 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (41)..(370) <223> G1012

<400> 157

aacacacaat togttgatto atcatatoto otottoatta atg aat ggo oto gto 55

Met Asn Gly Leu Val

gac tct tct cga gat aag aag atg aaa aat ccg cga ttt tcg ttt cgc 103

Asp Ser Ser Arg Asp Lys Lys Met Lys Asn Pro Arg Phe Ser Phe Arg 10 15 20

aca aag agt gat gca gat att ctc gat gat ggt tat cga tgg aga aag 151

Thr Lys Ser Asp Ala Asp Ile Leu Asp Asp Gly Tyr Arg Trp Arg Lys
25 30 35

tac ggt cag aaa too gto aag aac ago ttg tat coo agg ago tat tat

Tyr Gly Gln Lys Ser Val Lys Asn Ser Leu Tyr Pro Arg Ser Tyr Tyr
40 45 50

aga tgc aca caa cac atg tgt aac gtg aag aag caa gtt cag agg ctg 247

Arg Cys Thr Gln His Met Cys Asn Val Lys Lys Gln Val Gln Arg Leu 55 60 65

tcg aag gag acg agc att gtg gag aca act tat gaa gga atc cat aac 295

Ser Lys Glu Thr Ser Ile Val Glu Thr Thr Tyr Glu Gly Ile His Asn 70 75 80 85

cat cct tgt gag gag ctc atg caa acc cta act cct ctt ctt cat caa 343

His Pro Cys Glu Glu Leu Met Gln Thr Leu Thr Pro Leu Leu His Gln

90

95

100

ttg cag ttc ctc tct aag ttc acc taa ttatgtttgt atatatata
390
Leu Gln Phe Leu Ser Lys Phe Thr
105

acgttctaag agcatctcca atggaagtat ctcaatgaga tacctaacaa aagaaaaaaa 450

atttaaaaaa aaaaaaaaa aaaaaa 476

<210> 158 <211> 109 <212> PRT <213> Arabidopsis thaliana <400>
158

Met Asn Gly Leu Val Asp Ser Ser Arg Asp Lys Lys Met Lys Asn Pro 1 5 10 15

Arg Phe Ser Phe Arg Thr Lys Ser Asp Ala Asp Ile Leu Asp Asp Gly 20 25 30

Tyr Arg Trp Arg Lys Tyr Gly Gln Lys Ser Val Lys Asn Ser Leu Tyr 35 40

Pro Arg Ser Tyr Tyr Arg Cys Thr Gln His Met Cys Asn Val Lys Lys 50 55 60

 $\mathcal{F} = \{ x_1, \dots, x_n \}^2 \in \mathbb{R}^3$ 

Gln Val Gln Arg Leu Ser Lys Glu Thr Ser Ile Val Glu Thr Thr Tyr 65 70 75 80

Glu Gly Ile His Asn His Pro Cys Glu Glu Leu Met Gln Thr Leu Thr 85. 90 95

Pro Leu Leu His Gln Leu Gln Phe Leu Ser Lys Phe Thr 100 105

<210> 159 <211> 1257 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (174)..(1112) <223> G1014

<400> 159

cacaaaccac agtetetett teteteteta tetatettet ettetetet etatetetat 60

cactgaaacc caaagagatc caccatttgt tcttttttcc ttcacacaga gaactgtttt 120

cttccacact tcctttttac taggcagtgt taaccaattg agagagaaaa atg atg 176

Met

associated as a section of

gtt gat gaa aat gtg gaa acc aag gcc tct act tta gtg gca agt gtt Val Asp Glu Asn Val Glu Thr Lys Ala Ser Thr Leu Val Ala Ser Val gat cat ggg ttt gga tcc ggg tcg ggt cat gat cat cat ggg tta tcg 272 Asp His Gly Phe Gly Ser Gly Ser Gly His Asp His His Gly Leu Ser 25 gcg tct gtg cct ctt ctt ggt gtt aac tgg aag aag aga agg atg cct 320 Ala Ser Val Pro Leu Leu Gly Val Asn Trp Lys Lys Arg Arg Met Pro 35 aga cag aga cga tet tet tet tee ttt aac ett ete tet tte eet eet Arg Gln Arg Arg Ser Ser Ser Phe Asn Leu Leu Ser Phe Pro Pro 50 cet atg cet cet att tee cae gtg cea act cet etc eec gea egt aaa Pro Met Pro Pro Ile Ser His Val Pro Thr Pro Leu Pro Ala Arg Lys 75 70 att gac cca aga aag cta aga ttc ctc ttc caa aag gaa ctc aag aac Ile Asp Pro Arq Lys Leu Arq Phe Leu Phe Gln Lys Glu Leu Lys Asn 85 90 agt gac gtc agc tct ctc cga cgt atg ata ctc ccg aag aaa gcc gcg Ser Asp Val Ser Ser Leu Arq Arq Met Ile Leu Pro Lys Lys Ala Ala 105 gag gct cac ttg ccg gca ctt gaa tgc aag gaa ggg att cct ata aga 560 Glu Ala His Leu Pro Ala Leu Glu Cys Lys Glu Gly Ile Pro Ile Arg 120 125 115 atg gaa gat ttg gac ggt ttt cac gtt tgg acc ttc aag tat agg tac 608 Met Glu Asp Leu Asp Gly Phe His Val Trp Thr Phe Lys Tyr Arg Tyr tgg cca aac aac aat agc aga atg tac gtg cta gaa aac aca ggc gat 656 Trp Pro Asn Asn Asn Ser Arg Met Tyr Val Leu Glu Asn Thr Gly Asp 150 155 ttt gtg aat gct cat ggt ctg cag cta ggt gac ttc atc atg gtt tac Phe Val Asn Ala His Gly Leu Gln Leu Gly Asp Phe Ile Met Val Tyr 170 caa gat ctc tac tca aac aat tac gtt ata caa gca aga aaa gca tcg Gln Asp Leu Tyr Ser Asn Asn Tyr Val Ile Gln Ala Arg Lys Ala Ser 190 180 185

gaa gaa gaa gaa gta gac gta atc aat ctt gaa gaa gac gac gtt tac Glu Glu Glu Glu Val Asp Val Ile Asn Leu Glu Glu Asp Asp Val Tyr aca aac tta aca agg atc gaa aac act gtg gtt aac gat ctt ctc ctc Thr Asn Leu Thr Arg Ile Glu Asn Thr Val Val Asn Asp Leu Leu Leu Gln Asp Phe Asn His His Asn Asn Asn Asn Asn Asn Asn Ser Asn Ser aac agc aac aaa tgt tct tac tat tat cca gtc ata gat gat gtc acc Asn Ser Asn Lys Cys Ser Tyr Tyr Tyr Pro Val Ile Asp Asp Val Thr 250 aca aac aca gag tot ttt gto tac gac acg gct ctt acc toc aac 992. The profit of the section as AN Theory of the Side of the section of the Thr Asn Thr Glu Ser Phe Val Tyr Asp Thr Thr Ala Leu Thr Ser Asn 260 260 265 265 265 270 270 270 gat act cct ctc gat ttt ttg ggt gga cat acg acg act act aat aat 1040 Asp Thr Pro Leu Asp Phe Leu Gly Gly His Thr Thr Thr Asn Asn Talan **275** (ng 4 ng 4 ng 1 ang 1 <mark>- 280</mark>). Panghalan ng 1 ng 1 a**285**, ng panghalan ng Panghalan tat tac tcc aag ttc gga aca ttc gat ggt ttg ggc tcc gtt gag aat Tyr Tyr Ser Lys Phe Gly Thr Phe Asp Gly Leu Gly Ser Val Glu Asn 295 300 atc tot oto gat gac tto tac tag ataatcaatc gatgggetca tggtattott 1142 for the control of the control of the particle of the control Ile Ser Leu Asp Asp Phe Tyr 310 gatggtgatc agctatttaa tatccttata atatatataa gaattaaatg caatttgcat <210> 160 <211> 312 <212> PRT <213> Arabidopsis thaliana <400> Met Val Asp Glu Asn Val Glu Thr Lys Ala Ser Thr Leu Val Ala Ser 10 5 : . . . Val Asp His Gly Phe Gly Ser Gly Ser Gly His Asp His His Gly Leu 25 20

Ser Ala Ser Val Pro Leu Leu Gly Val Asn Trp Lys Lys Arg Arg Met
35 40 45

Pro Arg Gln Arg Arg Ser Ser Ser Ser Phe Asn Leu Leu Ser Phe Pro 50 55 60

- Pro Pro Met Pro Pro Ile Ser His Val Pro Thr Pro Leu Pro Ala Arg 70 75 80
- Lys Ile Asp Pro Arg Lys Leu Arg Phe Leu Phe Gln Lys Glu Leu Lys 85 90 95
- Asn Ser Asp Val Ser Ser Leu Arg Arg Met Ile Leu Pro Lys Lys Ala
- Ala Glu Ala His Leu Pro Ala Leu Glu Cys Lys Glu Gly Ile Pro Ile 115 120 125
- Arg Met Glu Asp Leu Asp Gly Phe His Val Trp Thr Phe Lys Tyr Arg 130 135 140
- Tyr Trp Pro Asn Asn Asn Ser Arg Met Tyr Val Leu Glu Asn Thr Gly
  145 150 155 160
- Asp Phe Val Asn Ala His Gly Leu Gln Leu Gly Asp Phe Ile Met Val 165 170 175
- Tyr Gln Asp Leu Tyr Ser Asn Asn Tyr Val Ile Gln Ala Arg Lys Ala 180 185 190
- Ser Glu Glu Glu Val Asp Val Ile Asn Leu Glu Glu Asp Asp Val 195 200 205
- Tyr Thr Asn Leu Thr Arg Ile Glu Asn Thr Val Val Asn Asp Leu Leu 210 215 220
- Leu Gln Asp Phe Asn His His Asn Asn Asn Asn Asn Asn Asn Ser Asn 225 230 235 240
- Ser Asn Ser Asn Lys Cys Ser Tyr Tyr Tyr Pro Val Ile Asp Asp Val 245 250 255
- Thr Thr Asn Thr Glu Ser Phe Val Tyr Asp Thr Thr Ala Leu Thr Ser 260 265 270
- Asn Asp Thr Pro Leu Asp Phe Leu Gly Gly His Thr Thr Thr Asn 275 280 285

Asn Tyr Tyr Ser Lys Phe Gly Thr Phe Asp Gly Leu Gly Ser Val Glu 290 295 300

Asn Ile Ser Leu Asp Asp Phe Tyr 305 310

<210> 161 <211> 1057 <212> DNA <213> Arabidopsis thaliana <220><221> CDS <222> (51)..(863) <223> G1040

<400> 161

ctttgatctc cactatttaa gtagacaaga atcataaaga aaatagtgag atg atg 56

Met Met

atg tta gag tca aga aac agt atg aga gct tca aac tca gtc cca gat 104

Met Leu Glu Ser Arg Asn Ser Met Arg Ala Ser Asn Ser Val Pro Asp
5 10 15

ctg tot ctt cag atc agt ott cct aac tat cac gcc gga aaa cct ctt 152

Leu Ser Leu Gln Ile Ser Leu Pro Asn Tyr His Ala Gly Lys Pro Leu 20 30

cac ggc ggt gac cgg agc tcc aca agc agt gat tct gga agc agc ctc 200

His Gly Gly Asp Arg Ser Ser Thr Ser Ser Asp Ser Gly Ser Ser Leu
35 40 45 50

agt gac ctg agc cat gag aac aac ttc ttc aac aaa cct ctc ttg agc 248

Ser Asp Leu Ser His Glu Asn Asn Phe Phe Asn Lys Pro Leu Leu Ser
55 60 65

tta gga ttt gac cat cat cat caa agg cgc tca aac atg ttc caa cct 296

Leu Gly Phe Asp His His Gln Arg Arg Ser Asn Met Phe Gln Pro 70 75 80

caa atc tac ggt cga gat ttc aag aga agc tca tca tca atg gtt ggt 344

Gln Ile Tyr Gly Arg Asp Phe Lys Arg Ser Ser Ser Ser Met Val Gly 85 90 95

ctt aaa cga agc att cgt gct cca aga atg aga tgg act tct act ctt 392

Leu Lys Arg Ser Ile Arg Ala Pro Arg Met Arg Trp Thr Ser Thr Leu 100 105 110

cat gct cac ttc gtc cat gct gtt caa ctt ctt ggc ggc cat gaa aga 440

His Ala His Phe Val His Ala Val Gln Leu Leu Gly Gly His Glu Arg 115 120 125 130

gca acg cct aaa tca gtg ttg gag ctc atg aat gtg aag gat cta acc 488

Ala Thr Pro Lys Ser Val Leu Glu Leu Met Asn Val Lys Asp Leu Thr 135 140 145

cta get cat gtc aag agt cac ttg cag atg tat aga aca gtg aaa tgc 536 Leu Ala His Val Lys Ser His Leu Gln Met Tyr Arg Thr Val Lys Cys 150 155 act gat aaa gga tca cca gga gaa gga aag gta gag aaa gag gca gag 584 Thr Asp Lys Gly Ser Pro Gly Glu Gly Lys Val Glu Lys Glu Ala Glu cag agg ata gag gac aat aat aat gaa gaa gct gat gaa gga act 632 Gln Arg Ile Glu Asp Asn Asn Asn Glu Glu Ala Asp Glu Gly Thr 180 gac aca aat tog coa aac toa toa tot gtg caa aag acc caa aga got Asp Thr Asn Ser Pro Asn Ser Ser Ser Val Gln Lys Thr Gln Arg Ala 195 200 205 tca tgg tca tcg aca aag gaa gta tct agg agc ata tct aca caa gca Ser Trp Ser Ser Thr Lys Glu Val Ser Arg Ser Ile Ser Thr Gln Ala 215 220 225 tat tct cac ttg gga aca act cat cac act aag gcc aat gaa gag aaa Tyr Ser His Leu Gly Thr Thr His His Thr Lys Ala Asn Glu Glu Lys 235 gag gat acc aac att cat ctc aat ttg gat ttc aca ttg ggc ggc cta 824 Glu Asp Thr Asn Ile His Leu Asn Leu Asp Phe Thr Leu Gly Gly Leu 245 250 gtt ggg gga tgg aat atg cgg aac cct cca gtg att taa cccttctcaa Val Gly Gly Trp Asn Met Arg Asn Pro Pro Val Ile gtgctaattg ccttaagcta caacaaataa gtcagcttag gttaccagtt ttaacataat tttaacttgt tttgatcata tgagcttcgg aagaatcata ttatcatcat atatgaactt ctttccaaga atgttctatg agttttttga tatgtataat caagagaatc gtttgaagta 1053 aaaa 1057 162 <211> 270 <212> PRT <213> Arabidopsis thaliana <400> <210> 162

Met Met Met Leu Glu Ser Arg Asn Ser Met Arg Ala Ser Asn Ser Val

5 10

Pro Asp Leu Ser Leu Gln Ile Ser Leu Pro Asn Tyr His Ala Gly Lys 20 25 30

- Pro Leu His Gly Gly Asp Arg Ser Ser Thr Ser Ser Asp Ser Gly Ser 35 40 45
- Ser Leu Ser Asp Leu Ser His Glu Asn Asn Phe Phe Asn Lys Pro Leu 50 55 60
- Leu Ser Leu Gly Phe Asp His His Gln Arg Arg Ser Asn Met Phe 65 70 75 80
- Gln Pro Gln Ile Tyr Gly Arg Asp Phe Lys Arg Ser Ser Ser Met 85 90 95
- Val Gly Leu Lys Arg Ser Ile Arg Ala Pro Arg Met Arg Trp Thr Ser 100 105 110
- Thr Leu His Ala His Phe Val His Ala Val Gln Leu Leu Gly Gly His
  115 120 125
- Glu Arg Ala Thr Pro Lys Ser Val Leu Glu Leu Met Asn Val Lys Asp 130 135 140
- Lys Cys Thr Asp Lys Gly Ser Pro Gly Glu Gly Lys Val Glu Lys Glu 165 170 175
- Ala Glu Gln Arg Ile Glu Asp Asn Asn Asn Glu Glu Ala Asp Glu 180 185 190
- Gly Thr Asp Thr Asn Ser Pro Asn Ser Ser Ser Val Gln Lys Thr Gln
  195 200 205
- Arg Ala Ser Trp Ser Ser Thr Lys Glu Val Ser Arg Ser Ile Ser Thr 210 220
- Gln Ala Tyr Ser His Leu Gly Thr Thr His His Thr Lys Ala Asn Glu 225 230 235 240
- Glu Lys Glu Asp Thr Asn Ile His Leu Asn Leu Asp Phe Thr Leu Gly 245 250 255
- Gly Leu Val Gly Gly Trp Asn Met Arg Asn Pro Pro Val Ile

260

PCT/US01/26189

<210> 163 <211> 1766 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (23)..(1582) <223> G1050

265

<400> 163

ttccccattt cagaaaatca aa atg ggt ggt ggt ggt gat aca aca gat acc

Met Gly Gly Gly Asp Thr Thr Asp Thr

270

aat atg atg cag aga gtt aat tot tot tot ggt aca tog tot tot tog 100

Asn Met Met Gln Arg Val Asn Ser Ser Ser Gly Thr Ser Ser Ser Ser 15

atc cct aaa cac aat ctt cac ttg aat cct gct ctt atc cgc tct cac 148

Ile Pro Lys His Asn Leu His Leu Asn Pro Ala Leu Ile Arg Ser His

cat cac ttc cgt cac cct ttc acc gga gct cct cca ccg ccg att cca 196

His His Phe Arg His Pro Phe Thr Gly Ala Pro Pro Pro Pro Ile Pro 50 55

ccc att tct cct tac tct cag atc ccg gcg act tta caa cct aga cat

Pro Ile Ser Pro Tyr Ser Gln Ile Pro Ala Thr Leu Gln Pro Arg His

tet ege tet atg teg caa eeg tet tet tte tee tte gat tea ttg

Ser Arg Ser Met Ser Gln Pro Ser Ser Phe Phe Ser Phe Asp Ser Leu

ccg ccg tta aat cct tct gct ccg tcg gtt tcg gtg tcg gtg gag gag 340

Pro Pro Leu Asn Pro Ser Ala Pro Ser Val Ser Val Ser Val Glu Glu 95 105

aaa acc ggt gcc gga ttt agt cct tcg ttg cct ccg tca ccg ttt acg

Lys Thr Gly Ala Gly Phe Ser Pro Ser Leu Pro Pro Ser Pro Phe Thr 110

atg tgt cat tct tct agc tct agg aac gcc gga gat gga gag aat cta 436

Met Cys His Ser Ser Ser Ser Arg Asn Ala Gly Asp Gly Glu Asn Leu

cct ccg aga aag tcg cat agg cgt tcg aat agt gat gtt act ttt ggg

Pro Pro Arg Lys Ser His Arg Arg Ser Asn Ser Asp Val Thr Phe Gly 140 145

ttt agt tca atg atg tct cag aat caa aag tct cct ttg agt tct 532

Phe Ser Ser Met Met Ser Gln Asn Gln Lys Ser Pro Pro Leu Ser Ser 155 160 170

ttg gag aga tcg atc tct ggt gaa gat aca tca gat tgg tct aat ttg Leu Glu Arg Ser Ile Ser Gly Glu Asp Thr Ser Asp Trp Ser Asn Leu gtg aag aaa gaa ccg aga gaa ggc ttc tac aag gga aga aaa cca gag 628 -Val Lys Lys Glu Pro Arg Glu Gly Phe Tyr Lys Gly Arg Lys Pro Glu gtt gaa gca gct atg gac gat gtt ttc acg gct tat atg aat ctt gat 676 Val Glu Ala Ala Met Asp Asp Val Phe Thr Ala Tyr Met Asn Leu Asp aac att gat gtc ttg aat tct ttt gga ggt gaa gat ggc aag aat ggg Asn Ile Asp Val Leu Asn Ser Phe Gly Gly Glu Asp Gly Lys Asn Gly 220 Asn Glu Asn Val Glu Glu Met Glu Ser Ser Arg Gly Ser Gly Thr Lys 240 245 aag acg aat ggt gga agt agt agt gat tot gaa gga gat agc agt gcg 820 Personal Parameters and Control State of the Control of the Co Lys Thr Asn Gly Gly Ser Ser Ser Asp Ser Glu Gly Asp Ser Ser Ala 255 260 agt ggg aat gtg aag gtt gcg ttg agt tct tct tct tca ggc gtg aag Ser Gly Asn Val Lys Val Ala Leu Ser Ser Ser Ser Gly Val Lys - Page 17 - Pa 280 aga aga gca ggt gga gat att gct cct act ggt aga cat tac agg agt Arg Arg Ala Gly Gly Asp Ile Ala Pro Thr Gly Arg His Tyr Arg Ser 290 285 qtt tct atg gac agt tgt ttc atg ggg aag ttg aat ttc ggc gac gaa 964 Val Ser Met Asp Ser Cys Phe Met Gly Lys Leu Asn Phe Gly Asp Glu 305 300 310 tca tcg cta aag ctt ccg cct tct tca tca gct aaa gtt tcc cca acc Ser Ser Leu Lys Leu Pro Pro Ser Ser Ser Ala Lys Val Ser Pro Thr 320 325 aat toa ggt gaa ggg aat toa agt gct tat agt gtt gaa ttt gga aac Asn Ser Gly Glu Gly Asn Ser Ser Ala Tyr Ser Val Glu Phe Gly Asn 340 335 agt gag ttt act gca gct gaa atg aag aat gca gct gat gag aaa Ser Glu Phe Thr Ala Ala Glu Met Lys Lys Ile Ala Ala Asp Glu Lys 355

ctc gct gag att gta atg gct gac cct aag cgt gtt aaa aga atc ttg

Leu Ala Glu Ile Val Met Ala Asp Pro Lys Arg Val Lys Arg Ile Leu 365 370 375

gcg aac cgc gta tot gct gca cgt tca aag gag cgg aag acg cga tac 1204

Ala Asn Arg Val Ser Ala Ala Arg Ser Lys Glu Arg Lys Thr Arg Tyr 380 385 390

atg gca gag ttg gaa cac aag gtg cag aca ctt cag act gaa gct act 1252

Met Ala Glu Leu Glu His Lys Val Gln Thr Leu Gln Thr Glu Ala Thr 395 400 405 410

aca tta tcg gct cag ctc aca cat ttg cag aga gat tct atg ggg ttg

Thr Leu Ser Ala Gln Leu Thr His Leu Gln Arg Asp Ser Met Gly Leu 415 420 425

aca aac cag aac agt gag ctg aag ttt cgt ctt caa gct atg gag cag 1348

Thr Asn Gln Asn Ser Glu Leu Lys Phe Arg Leu Gln Ala Met Glu Gln
430
435
440

caa gca caa ctc cgc gat gct ctg tca gag aaa ctg aat gaa gtc 1396

Gln Ala Gln Leu Arg Asp Ala Leu Ser Glu Lys Leu Asn Glu Glu Val 450 455

cag cgg ttg aaa ctg gtg ata ggg gag ccg aac cgc agg caa agt ggg 1444

Gln Arg Leu Lys Leu Val Ile Gly Glu Pro Asn Arg Arg Gln Ser Gly
460 470

age age age gaa tea aag atg tea eta aac eeg gag atg ttt eag 1492

Ser Ser Ser Glu Ser Lys Met Ser Leu Asn Pro Glu Met Phe Gln 475 480 485 490

cag ctt agc ata agt cag tta caa cac caa cag atg cag cat tcc aat 1540

Gln Leu Ser Ile Ser Gln Leu Gln His Gln Gln Met Gln His Ser Asn 495 500 505

cag tgt agc aca atg aaa gca aag cac act tca aac gac tag 1582

Gln Cys Ser Thr Met Lys Ala Lys His Thr Ser Asn Asp 510 515

ggtaagtaaa actgcgatcc gcagttgtct agttacatat atgataagaa tcttttgtgc 1642

agagttotgt ttttggaagt tttaaagaaa catatataaa gattatgtoo gggaaatttg 1702

atcatatttc ctgaaacata cacacatata tatagtggta atggaggact ttctttctgg 1762  $\cdot$ 

acca 1766

<210> 164 <211> 519 <212> PRT <213> Arabidopsis thaliana <400> 164

- Met Gly Gly Gly Asp Thr Thr Asp Thr Asn Met Met Gln Arg Val 1 5 10 15
- Asn Ser Ser Ser Gly Thr Ser Ser Ser Ser Ile Pro Lys His Asn Leu 20 25 30
- His Leu Asn Pro Ala Leu Ile Arg Ser His His His Phe Arg His Pro 35 40 45
- Phe Thr Gly Ala Pro Pro Pro Pro Ile Pro Pro Ile Ser Pro Tyr Ser 50 55 60
- Gln Ile Pro Ala Thr Leu Gln Pro Arg His Ser Arg Ser Met Ser Gln 65 70 75 80
- Pro Ser Ser Phe Phe Ser Phe Asp Ser Leu Pro Pro Leu Asn Pro Ser 85 90 95
- Ala Pro Ser Val Ser Val Ser Val Glu Glu Lys Thr Gly Ala Gly Phe
  100 105 110
- Ser Pro Ser Leu Pro Pro Ser Pro Phe Thr Met Cys Ris Ser Ser Ser 115 120 125
- Ser Arg Asn Ala Gly Asp Gly Glu Asn Leu Pro Pro Arg Lys Ser His 130 135 140
- Arg Arg Ser Asn Ser Asp Val Thr Phe Gly Phe Ser Ser Met Met Ser 145 150 155
- Gln Asn Gln Lys Ser Pro Pro Leu Ser Ser Leu Glu Arg Ser Ile Ser 165 170 175
- Gly Glu Asp Thr Ser Asp Trp Ser Asn Leu Val Lys Lys Glu Pro Arg 180 185 190
- Glu Gly Phe Tyr Lys Gly Arg Lys Pro Glu Val Glu Ala Ala Met Asp 195 200 205
- Asp Val Phe Thr Ala Tyr Met Asn Leu Asp Asn Ile Asp Val Leu Asn 210 215 220

Ser Phe Gly Gly Glu Asp Gly Lys Asn Gly Asn Glu Asn Val Glu Glu 225 230 235 240

- Met Glu Ser Ser Arg Gly Ser Gly Thr Lys Lys Thr Asn Gly Gly Ser 245 250 255
- Ser Ser Asp Ser Glu Gly Asp Ser Ser Ala Ser Gly Asn Val Lys Val 260 265 270
- Ala Leu Ser Ser Ser Ser Gly Val Lys Arg Arg Ala Gly Gly Asp 275 280 285
- Ile Ala Pro Thr Gly Arg His Tyr Arg Ser Val Ser Met Asp Ser Cys 290 295 300
- Phe Met Gly Lys Leu Asn Phe Gly Asp Glu Ser Ser Leu Lys Leu Pro 305 310 315 320
- Pro Ser Ser Ser Ala Lys Val Ser Pro Thr Asn Ser Gly Glu Gly Asn 325 330 335
- Ser Ser Ala Tyr Ser Val Glu Phe Gly Asn Ser Glu Phe Thr Ala Ala 340 345 350
- Glu Met Lys Lys Ile Ala Ala Asp Glu Lys Leu Ala Glu Ile Val Met 355 360 365
- Ala Asp Pro Lys Arg Val Lys Arg Ile Leu Ala Asn Arg Val Ser Ala 370 380
- Ala Arg Ser Lys Glu Arg Lys Thr Arg Tyr Met Ala Glu Leu Glu His 385 390 395 400
- Lys Val Gln Thr Leu Gln Thr Glu Ala Thr Thr Leu Ser Ala Gln Leu 405 410 415
- Thr His Leu Gln Arg Asp Ser Met Gly Leu Thr Asn Gln Asn Ser Glu 420 425 430
- Leu Lys Phe Arg Leu Gln Ala Met Glu Gln Gln Ala Gln Leu Arg Asp 435 440 445
- Ala Leu Ser Glu Lys Leu Asn Glu Glu Val Gln Arg Leu Lys Leu Val 450 455 460
- Ile Gly Glu Pro Asn Arg Arg Gln Ser Gly Ser Ser Ser Ser Glu Ser

465 470 475 480

Lys Met Ser Leu Asn Pro Glu Met Phe Gln Gln Leu Ser Ile Ser Gln 485 490 495

Leu Gln His Gln Gln Met Gln His Ser Asn Gln Cys Ser Thr Met Lys 500 505 510

Ala Lys His Thr Ser Asn Asp 515

The State of the State of the

<210> 165 <211> 1304 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (138)..(1127) <223> G1052

<400> 165

tgatcatcta aaactttcaa tttctctctt gatcctcact tgaatttttt gttgtttctc

tcaaatcttt gatcctttcc tttgtttttc atttgacctc ttacaaaaaa atctggtgtg 120

ccattaaatc tttatta atg gca caa ctt cct ccg aaa atc cca acc atg

acg acg cca aat tgg cct gac ttc tcc tcc cag aaa ctc cct tcc ata 218

Thr Thr Pro Asn Trp Pro Asp Phe Ser Ser Gln Lys Leu Pro Ser Ile 15 20 25

gcc gca acg gcg gca gcc gca gcc gct gga cct caa caa caa aac 266

Ala Ala Thr Ala Ala Ala Ala Thr Ala Gly Pro Gln Gln Gln Asn 30 35 40

cet tea tgg atg gat gag ttt etc gae tte tea geg act ege egt ggg  $\sim$  314

Pro Ser Trp Met Asp Glu Phe Leu Asp Phe Ser Ala Thr Arg Arg Gly 45 50 55

act cac cgt cgt tct ata agc gac tcc att gct ttc ctt gaa cca cct

Thr His Arg Arg Ser Ile Ser Asp Ser Ile Ala Phe Leu Glu Pro Pro 60 65 70 75

tcc tcc ggc gtc gga aac cac cac ttc gat agg ttt gac gac gag caa 410

Ser Ser Gly Val Gly Asn His His Phe Asp Arg Phe Asp Asp Glu Gln 80 85 90

ttc atg tcc atg ttc aac gac gta cac aac aat aac cac aat cat 458

Phe Met Ser Met Phe Asn Asp Asp Val His Asn Asn Asn His Asn His 95 100 105

cat cat cat cac age atc aac ggc aat gtg ggt ccc acg cgt tca tcc 506 His His His Ser Ile Asn Gly Asn Val Gly Pro Thr Arg Ser Ser tee aac acc tee acg eeg tee gat cat aat age ett age gae gae gae Ser Asn Thr Ser Thr Pro Ser Asp His Asn Ser Leu Ser Asp Asp Asp 125 aac aac aaa gaa gca cca ccg tcc gat cat gat cat cac atg gac aat Asn Asn Lys Glu Ala Pro Pro Ser Asp His Asp His His Met Asp Asn aat gta gcc aat caa aac aac gcc gcc ggt aac aat tac aac gaa tca Asn Val Ala Asn Gln Asn Asn Ala Ala Gly Asn Asn Tyr Asn Glu Ser gac gag gtc caa agc cag tgc aag acg gag cca caa gat ggt ccg tcg 698 Asp Glu Val Gln Ser Gln Cys Lys Thr Glu Pro Gln Asp Gly Pro Ser 175 gcg aat caa aac tcc ggt gga agc tcc ggt aat cgt att cac gac cct 746 Ala Asn Gln Asn Ser Gly Gly Ser Ser Gly Asn Arg Ile His Asp Pro 195 aaa agg gta aaa aga att tta gca aat agg caa tca gca cag aga tca Lys Arg Val Lys Arg Ile Leu Ala Asn Arg Gln Ser Ala Gln Arg Ser 205 agg gtg agg aaa ttg caa tac ata tca gag ctt gaa agg agc gtt act Arg Val Arg Lys Leu Gln Tyr Ile Ser Glu Leu Glu Arg Ser Val Thr 235 230 225 220 tca ttg cag act gaa gtg tca gtg tta tcg cca aga gtt gcg ttt ttg 8.90 Ser Leu Gln Thr Glu Val Ser Val Leu Ser Pro Arg Val Ala Phe Leu 240 gat cat cag cga ttg ctt ctc aac gtc gac aat agt gct atc aag caa Asp His Gln Arg Leu Leu Leu Asn Val Asp Asn Ser Ala Ile Lys Gln 255 265 cga atc gca gct tta gca caa gat aag att ttc aaa gac gct cat caa , 986 Arg Ile Ala Ala Leu Ala Gln Asp Lys Ile Phe Lys Asp Ala His Gln gaa gca ttg aag aga gaa ata gag aga ctt cga caa gta tat cat caa Glu Ala Leu Lys Arg Glu Ile Glu Arg Leu Arg Gln Val Tyr His Gln 290 295 285

caa agc ctc aag aag atg gag aat aat gtc tcc gat caa tct ccg gcc 1082

Gln Ser Leu Lys Lys Met Glu Asn Asn Val Ser Asp Gln Ser Pro Ala 300 305 310 315

gat atc aaa ccg tcc gtt gag aag gaa cag ctc ctc aat gtc taa 1127

Asp Ile Lys Pro Ser Val Glu Lys Glu Gln Leu Leu Asn Val

agetgttegt teactaagat etttetttte atggegaaaa gattettgae tataaaacet 1187

ctttgtgtca agaaattaat ttatcaaaga agatggcctt ttttatttga tctaatcaca 1247

tttttttaag ttgtgatgaa tttgcttttg atgtatctgt ttttttttt tttttt 1304

<210> 166 <211> 329 <212> PRT <213> Arabidopsis thaliana <400> 166

The state of the s

Met Ala Gln Leu Pro Pro Lys Ile Pro Thr Met Thr Thr Pro Asn Trp

1 10 15

Pro Asp Phe Ser Ser Gln Lys Leu Pro Ser Ile Ala Ala Thr Ala Ala 20 25 30

Ala Ala Ala Thr Ala Gly Pro Gln Gln Gln Asn Pro Ser Trp Met Asp 35 40

Glu Phe Leu Asp Phe Ser Ala Thr Arg Arg Gly Thr His Arg Arg Ser 50 55 60

Ile Ser Asp Ser Ile Ala Phe Leu Glu Pro Pro Ser Ser Gly Val Gly 65 70 75 80

Asn His His Phe Asp Arg Phe Asp Asp Glu Gln Phe Met Ser Met Phe 85 90 95.

Asn Asp Asp Val His Asn Asn Asn His Asn His His His Ser 100 105 110

Ile Asn Gly Asn Val Gly Pro Thr Arg Ser Ser Ser Asn Thr Ser Thr 115 120 125

Pro Ser Asp His Asn Ser Leu Ser Asp Asp Asp Asn Asn Lys Glu Ala 130 135 140

Pro Pro Ser Asp His Asp His His Met Asp Asn Asn Val Ala Asn Gln 145 150 155 160

Asn Asn Ala Ala Gly Asn Asn Tyr Asn Glu Ser Asp Glu Val Gln Ser 165 170 175

- Gln Cys Lys Thr Glu Pro Gln Asp Gly Pro Ser Ala Asn Gln Asn Ser 180 185 190
- Gly Gly Ser Ser Gly Asn Arg Ile His Asp Pro Lys Arg Val Lys Arg 195 200 205
- Ile Leu Ala Asn Arg Gln Ser Ala Gln Arg Ser Arg Val Arg Lys Leu 210 215 220
- Gln Tyr Ile Ser Glu Leu Glu Arg Ser Val Thr Ser Leu Gln Thr Glu 225 230 235 240
- Val Ser Val Leu Ser Pro Arg Val Ala Phe Leu Asp His Gln Arg Leu 245 250 255
- Leu Leu Asn Val Asp Asn Ser Ala Ile Lys Gln Arg Ile Ala Ala Leu 260 265 270
- Ala Gln Asp Lys Ile Phe Lys Asp Ala His Gln Glu Ala Leu Lys Arg 275 280 280
- Glu Ile Glu Arg Leu Arg Gln Val Tyr His Gln Gln Ser Leu Lys Lys 290 295 , 300
- Met Glu Asn Asn Val Ser Asp Gln Ser Pro Ala Asp Ile Lys Pro Ser 305 310 315 320
- Val Glu Lys Glu Gln Leu Leu Asn Val 325
- <210> 167 <211> 1148 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (241)..(966) <223> G1063
  - <400> 167
    gttaaagaag atggatgggc cacaagttgc tatataaatc cttccacttc ttgttgtata
    60
  - ctattgcttg agttctgatt gggcacagta gtaccattgc catttctctc acacataccg
  - tctctttctc tcatcatca tcatcaatca tccaaaagaa aaaaccctaa aatttcactt
  - gtaagetttt caccagttte tetecatace cattttatea getteteeat atetttetet 240

atg gat tot gac ata atg aac atg atg atg cat cag atg gag aag ott Met Asp Ser Asp Ile Met Asn Met Met His Gln Met Glu Lys Leu cot gag the tgt aac cot aat too tot the tot coe gae cac aac . Pro Glu Phe Cys Asn Pro Asn Ser Ser Phe Phe Ser Pro Asp His Asn 20 aac act tac cct ttt ctc ttt aac tcc act cat tac cag tcc gat cac Asn Thr Tyr Pro Phe Leu Phe Asn Ser Thr His Tyr Gln Ser Asp His tca atg acc aac gaa cca ggt ttc cgc tac ggt tcc ggt tta ctc act 432 Ser Met Thr Asn Glu Pro Gly Phe Arg Tyr Gly Ser Gly Leu Leu Thr 55 aac cct tct tct atc tct ccc aac aca gct tac tct tcc gtt ttt ctt 480 Asn Pro Ser Ser Ile Ser Pro Asn Thr Ala Tyr Ser Ser Val Phe Leu **70 ₹**2 . . . . gac aaa aga aac aac agt aac aac aac aat aat ggc acg aac atg gca The first the state of the stat Asp Lys Arg Asn Asn Ser Asn Asn Asn Asn Gly Thr Asn Met Ala 85 90 95 gct atg cga gag atg atc ttc cgt atc gcc gtg atg caa ccg atc cat 576 Ala Met Arg Glu Met Ile Phe Arg Ile Ala Val Met Gln Pro Ile His 100 105 Teachers **110** ate gat eee gag geg gtt aag eea eeg aag agg agg aac gte agg ate Ile Asp Pro Glu Ala Val Lys Pro Pro Lys Arg Arg Asn Val Arg Ile 120 tet aaa gat eet caa age gtg geg get agg cat aga agg gag aga ata Ser Lys Asp Pro Gln Ser Val Ala Ala Arg His Arg Arg Glu Arg Ile 130 200 135 140 age gag agg att egg att ttg caa egg ett gtt eet ggt ggg aeg aag Ser Glu Arg Ile Arg Ile Leu Gln Arg Leu Val Pro Gly Gly Thr Lys 150 atg gat aca get teg atg ete gat gaa gea att eat tat gtg aag ttt Met Asp Thr Ala Ser Met Leu Asp Glu Ala Ile His Tyr Val Lys Phe 165 170 175 tta aag aaa cag gtg cag tct ctg gag gag cag gcg gtg gtt act ggc Leu Lys Lys Gln Val Gln Ser Leu Glu Glu Gln Ala Val Val Thr Gly · 185

gga ggg gga gga gga gga agg gtt ttg atc ggt gga ggt gga atg 864 Gly Gly Gly Gly Gly Gly Arg Val Leu Ile Gly Gly Gly Gly Met

acg gcg gcg agt ggt ggt ggc ggc ggg gga gtg gtt atg aaa ggg

Thr Ala Ala Ser Gly Gly Gly Gly Gly Gly Gly Val Val Met Lys Gly 210 215

tgt gga aca gtg ggg act cat cag atg gtg ggc aat gca cag att ctt

Cys Gly Thr Val Gly Thr His Gln Met Val Gly Asn Ala Gln Ile Leu 225 : 230 240

aga tga tgatgatttt taattttatt attattatat taatgttgga gaaaaagaga 1016 Arg

aaaatgattc tggagaggga agccaagtaa tttatgtgag agtctttaat ttaactttat 1076

tttcttgttt agataatgtg taatgatggt ttttaaagcc aaagactctc catggttgtt 1136

ggagcgagtt tg. 1148

<210> 168 <211> 241 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Ser Asp Ile Met Asn Met Met His Gln Met Glu Lys Leu 1 5 10 15

Pro Glu Phe Cys Asn Pro Asn Ser Ser Phe Phe Ser Pro Asp His Asn 20 25 30

Asn Thr Tyr Pro Phe Leu Phe Asn Ser Thr His Tyr Gln Ser Asp His 35 40

Ser Met Thr Asn Glu Pro Gly Phe Arg Tyr Gly Ser Gly Leu Leu Thr 50 55 60

Asn Pro Ser Ser Ile Ser Pro Asn Thr Ala Tyr Ser Ser Val Phe Leu 65 70 75 80

Asp Lys Arg Asn Asn Ser Asn Asn Asn Asn Gly Thr Asn Met Ala 85 90 95

Ala Met Arg Glu Met Ile Phe Arg Ile Ala Val Met Gln Pro Ile His 100 105 110

Ile Asp Pro Glu Ala Val Lys Pro Pro Lys Arg Arg Asn Val Arg Ile 115 120 125

Ser Lys Asp Pro Gln Ser Val Ala Ala Arg His Arg Arg Glu Arg Ile 130 135 140

Ser Glu Arg Ile Arg Ile Leu Gln Arg Leu Val Pro Gly Gly Thr Lys 145 150 155 160

Met Asp Thr Ala Ser Met Leu Asp Glu Ala Ile His Tyr Val Lys Phe 165 170 175

Leu Lys Lys Gln Val Gln Ser Leu Glu Glu Gln Ala Val Val Thr Gly
180 185 190

Gly Gly Gly Gly Gly Gly Arg Val Leu Ile Gly Gly Gly Met 195 200 205

Thr Ala Ala Ser Gly Gly Gly Gly Gly Gly Val Val Met Lys Gly 210 210 215 215 225 226 220 220 221 222 223

Cys Gly Thr Val Gly Thr His Gln Met Val Gly Asn Ala Gln Ile Leu 225 230 235 240

Arg

<210> 169 <211> 1728 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (106)..(1575) <223> G1064

<400> 169

ctttatttt tttcccctct tgtcgaaaac atcacatata aataaaaaac caaaaaccct

aatttataaa atatataaa aatagttata geteeccaet tatat atg caa aag eea 117

Met Gln Lys Pro

aca tca agt atc tta aat gtc ata atg gac ggt gga gac agc gtc gga 165 Thr Ser Ser Ile Leu Asn Val Ile Met Asp Gly Gly Asp Ser Val Gly

gga gga gga gat gat cac cac cgt cac ctc cac cat cac cac cgc 213

Gly Gly Gly Asp Asp His His Arg His Leu His His His Arg
25 30 35

cct act ttc cct ttt caa cta ctc gga aaa cac gac ccc gac gac aac 261

Pro Thr Phe Pro Phe Gln Leu Leu Gly Lys His Asp Pro Asp Asp Asn

45 40 His Gln Gln Gln Pro Ser Pro Ser Ser Ser Ser Leu Phe Ser Leu cat caa cac caa caa tta tct caa tcg caa cct caa tcg caa tcg caa His Gln His Gln Gln Leu Ser Gln Ser Gln Pro Gln Ser Gln Ser Gln 75 70 aag toa caa cog cag aca acg caa aaa gag tta tta caa acg caa gag Lys Ser Gln Pro Gln Thr Thr Gln Lys Glu Leu Leu Gln Thr Gln Glu 85 gaa tot geg gtg gtg gca gct aaa aag cca ccg ttg aaa cga gcg tcg 453 Glu Ser Ala Val Val Ala Ala Lys Lys Pro Pro Leu Lys Arg Ala Ser acg aaa gac cga cac acg aaa gta gac gga aga ggg agg aga ata agg Thr Lys Asp Arg His Thr Lys Val Asp Gly Arg Gly Arg Ile Arg 125 120 atg ccg gcg tta tgt gca gct agg gtt ttt cag cta acg cga gag cta 549 Met Pro Ala Leu Cys Ala Ala Arg Val Phe Gln Leu Thr Arg Glu Leu ggt cat aaa too gac ggt gag aca ata gag tgg ctt ctt caa caa gct Gly His Lys Ser Asp Gly Glu Thr Ile Glu Trp Leu Leu Gln Gln Ala 597 155 gaa cca tct gta atc gcc gcc acc gga acc gga aca atc ccg gcg aat 645 Glu Pro Ser Val Ile Ala Ala Thr Gly Thr Gly Thr Ile Pro Ala Asn 175 tte act tet tta aac ate tet ete egt tet tea gge tet tee atg tet 693 Phe Thr Ser Leu Asn Ile Ser Leu Arg Ser Ser Gly Ser Ser Met Ser 190 185 ctt cct tct cat ttc cgc tcc gcc gct tcc act ttt agc cct aat aac 741 Leu Pro Ser His Phe Arg Ser Ala Ala Ser Thr Phe Ser Pro Asn Asn 205 200 ata ttt tet eeg geg atg ett caa caa caa caa caa caa caa egt ggt Ile Phe Ser Pro Ala Met Leu Gln Gln Gln Gln Gln Gln Arg Gly

ggt ggt gtt ggg ttt cat cat ccc cat cta cag gga cgt gca cct acg 837 Gly Gly Val Gly Phe His His Pro His Leu Gln Gly Arg Ala Pro Thr 230

3

tog tot ttg ttt cot ggt att gat aac ttc aca cca acg acg tcg ttt Ser Ser Leu Phe Pro Gly Ile Asp Asn Phe Thr Pro Thr Thr Ser Phe 245 250 255 ttg aac ttt cat aat cca aca aag caa gaa gga gat caa gat tct gaa Leu Asn Phe His Asn Pro Thr Lys Gln Glu Gly Asp Gln Asp Ser Glu gag tta aac tcg gag aag aaa aga atc caa acg acg tcg gat ttg 981 Glu Leu Asn Ser Glu Lys Lys Arg Arg Ile Gln Thr Thr Ser Asp Leu cat caa caa caa caa cac caa cat gat caa atc gga gga tat aca 1029 His Gln Gln Gln Gln His Gln His Asp Gln Ile Gly Gly Tyr Thr 300 305 ctt caa tot age aac agt gga tot acg gec acc gea gec gec geg caa 1077 Leu Gln Ser Ser Asn Ser Gly Ser Thr Ala Thr Ala Ala Ala Ala Gln 315 320 caa ata ccg gga aat ttc tgg atg gtt gcg gct gcg gct gca ggt Gln Ile Pro Gly Asn Phe Trp Met Val Ala Ala Ala Ala Ala Gly 335 340 330 ggt ggt ggt aat aac aac caa aca ggt ggt ctt atg aca gct tct Gly Gly Gly Asn Asn Gln Thr Gly Gly Leu Met Thr Ala Ser 19 July 19 19 19 345 July 4 July 350 July 19 19 19 19 355 AA att ggt act ggt ggc ggt gga gag cct gtt tgg acg ttt cct tcc Ile Gly Thr Gly Gly Gly Gly Glu Pro Val Trp Thr Phe Pro Ser 360 365 37.0 att aac acg gca gcg gca gcg tta tat aga agt ggc gtt tcg ggc gtt Ile Asn Thr Ala Ala Ala Leu Tyr Arg Ser Gly Val Ser Gly Val 385 375 380 cca age ggc geg gtt tet age ggt tta cat ttt atg aat tte gea geg Pro Ser Gly Ala Val Ser Ser Gly Leu His Phe Met Asn Phe Ala Ala 400 395 cca atg gca ttt ctt act gga caa caa cag cta gca aca act agt aat Pro Met Ala Phe Leu Thr Gly Gln Gln Gln Leu Ala Thr Thr Ser Asn 410 415 1413 His Glu Ile Asn Glu Asp Ser Asn Asn Glu Gly Gly Arg Ser Asp 425 430

PCT/US01/26189 WO 02/15675

ggt ggt ggt gat cat cat aat aca cag aga cat cat cat cat caa caa 1461

Gly Gly Gly Asp His His Asn Thr Gln Arg His His His Gln Gln

caa cat cat cat aat att ctc tcc ggc ttg aac cag tac gga cgg caa 1509

Gln His His His Asn Ile Leu Ser Gly Leu Asn Gln Tyr Gly Arg Gln 455

gtt tee gge gae tet caa get agt gga tea ett gga ggt ggt gat gag 1557 Val Ser Gly Asp Ser Gln Ala Ser Gly Ser Leu Gly Gly Gly Asp Glu

gag gat cag caa gat tag acacacacaa aaacatttta atggtgggat 1605 Glu Asp Gln Gln Asp 485

tttctgccga cggcggtagc ggtgacggcg ttcggcggct gtgtaaaact tttgttttca

aaa 1728

<210> 170 <211> 489 <212> PRT <213> Arabidopsis thaliana <400>

Met Gln Lys Pro Thr Ser Ser Ile Leu Asn Val Ile Met Asp Gly Gly 15 10

Asp Ser Val Gly Gly Gly Gly Asp Asp His His Arg His Leu His 25 20

His His His Arg Pro Thr Phe Pro Phe Gln Leu Leu Gly Lys His Asp 35

Pro Asp Asp Asn His Gln Gln Pro Ser Pro Ser Ser Ser Ser 50

Leu Phe Ser Leu His Gln His Gln Gln Leu Ser Gln Ser Gln Pro Gln 70

Ser Gln Ser Gln Lys Ser Gln Pro Gln Thr Thr Gln Lys Glu Leu Leu 90 85

Gln Thr Gln Glu Glu Ser Ala Val Val Ala Ala Lys Lys Pro Pro Leu 105 100

Lys Arg Ala Ser Thr Lys Asp Arg His Thr Lys Val Asp Gly Arg Gly 115 120 125

- Arg Arg Ile Arg Met Pro Ala Leu Cys Ala Ala Arg Val Phe Gln Leu 130 135 140
- Thr Arg Glu Leu Gly His Lys Ser Asp Gly Glu Thr Ile Glu Trp Leu 145 150 155 160
- Leu Gl<br/>n Gl<br/>n Ala Glu Pro Ser Val Ile Ala Ala Thr Gly Thr Gly Thr<br/> 165 170 175
- Ile Pro Ala Asn Phe Thr Ser Leu Asn Ile Ser Leu Arg Ser Ser Gly 180 185 190
- Ser Ser Met Ser Leu Pro Ser His Phe Arg Ser Ala Ala Ser Thr Phe 195 200 205
- Ser Pro Asn Asn Ile Phe Ser Pro Ala Met Leu Gln Gln Gln Gln Gln 210 220 220
- Gln Gln Arg Gly Gly Val Gly Phe His His Pro His Leu Gln Gly 225 230 235 240
- Arg Ala Pro Thr Ser Ser Leu Phe Pro Gly Ile Asp Asn Phe Thr Pro 245 250 255
- Thr Thr Ser Phe Leu Asn Phe His Asn Pro Thr Lys Gln Glu Gly Asp 260 265 270
- Gln Asp Ser Glu Glu Leu Asn Ser Glu Lys Lys Arg Arg Ile Gln Thr 275 280 285
- Thr Ser Asp Leu His Gln Gln Gln Gln His Gln His Asp Gln Ile 290 295 300
- Gly Gly Tyr Thr Leu Gln Ser Ser Asn Ser Gly Ser Thr Ala Thr Ala 305 310 315 320
- Ala Ala Ala Gln Gln Ile Pro Gly Asn Phe Trp Met Val Ala Ala Ala 325 330 335
- Ala Ala Ala Gly Gly Gly Gly Asn Asn Asn Gln Thr Gly Gly Leu 340 345 350
- Met Thr Ala Ser Ile Gly Thr Gly Gly Gly Gly Glu Pro Val Trp

355 360 365

Thr Phe Pro Ser Ile Asn Thr Ala Ala Ala Leu Tyr Arg Ser Gly 370 · 375 380

Val Ser Gly Val Pro Ser Gly Ala Val Ser Ser Gly Leu His Phe Met 385 390 395 400

Asn Phe Ala Ala Pro Met Ala Phe Leu Thr. Gly Gln Gln Gln Leu Ala 405 415

Thr Thr Ser Asn His Glu Ile Asn Glu Asp Ser Asn Asn Asn Glu Gly
420 425 430

Gly Arg Ser Asp Gly Gly Gly Asp His His Asn Thr Gln Arg His His 435 440 445

His His Gln Gln Gln His His His Asn Ile Leu Ser Gly Leu Asn Gln 450 455 460

Tyr Gly Arg Gln Val Ser Gly Asp Ser Gln Ala Ser Gly Ser Leu Gly 465 470 475 480

Gly Gly Asp Glu Glu Asp Gln Gln Asp
-485

<210> 171 <211> 1473 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (436)..(1371) <223> G1067

<400> 171

tetcaagett eteteteett ttttteeeat ageacateag aategetaaa tacgaeteet 60

atgcaaagaa gaagctactt etttetettg eectaattaa tetaeetaae tagggtttee

tcttaccttt catgagagag atcatttaac ataagtcacc ttttttatat cttttgcttc 180  $\dot{}$ 

gtctttaatt tagttctgtt cttggtctgt ttctatattt tgtcggcttg cgtaaccgat 240

cacaccttaa tgctttagct attgtttcct caaaatcatg agttttgact tctcgatctg

agtitictti tictctctti acgcictict tcacctagci accaatatat gaacgagcag 360

gatcaagaat cgagaaattg atttgagctg gcgaataagc agtggtggga tagggaatta 420

gtagatgegg eggeg atg gaa gge ggt tae gag caa gge ggt gga get tet 471 Met Glu Gly Gly Tyr Glu Gln Gly Gly Gly Ala Ser aga tac ttc cat aac ctc ttt aga ccg gag att cac cac caa cag ctt 519 Arg Tyr Phe His Asn Leu Phe Arg Pro Glu Ile His His Gln Gln Leu 15 caa ccg cag ggc ggg atc aat ctt atc gac cag cat cat cat cag cac Gln Pro Gln Gly Gly Ile Asn Leu Ile Asp Gln His His His Gln His 35 40 . cag caa cat caa caa caa caa ccg tcg gat gat tca aga gaa tct Gln Gln His Gln Gln Gln Gln Pro Ser Asp Asp Ser Arg Glu Ser 50 gac cat toa aac aaa gat cat cat caa cag ggt cga ccc gat toa gac Asp His Ser Asn Lys Asp His His Gln Gln Gly Arg Pro Asp Ser Asp 65 70 ccg aat aca tca agc tca gca ccg gga aaa cgt cca cgt gga cgt cca 711 Pro Asn Thr Ser Ser Ser Ala Pro Gly Lys Arg Pro Arg Gly Arg Pro 80 85 cca gga tct aag aac aaa gcc aag cca ccg atc ata gta act cgt gat Pro Gly Ser Lys Asn Lys Ala Lys Pro Pro Ile Ile Val Thr Arg Asp 105 age ece aac geg ett aga tet eac gtt ett gaa gta tet eet gga get Ser Pro Asn Ala Leu Arg Ser His Val Leu Glu Val Ser Pro Gly Ala 115 gac ata gtt gag agt gtt tcc acg tac gct agg agg aga ggg aga ggc Asp Ile Val Glu Ser Val Ser Thr Tyr Ala Arg Arg Arg Gly Arg Gly 125 130 135 gtc tcc gtt tta gga gga aac ggc acc gta tct aac gtc act ctc cgt Val Ser Val Leu Gly Gly Asn Gly Thr Val Ser Asn Val Thr Leu Arg 145 150 cag cca gtc act cct gga aat ggc ggt ggt gtg tcc gga gga gga gga 951 Gln Pro Val Thr Pro Gly Asn Gly Gly Gly Val Ser Gly Gly Gly 165 gtt gtg act tta cat gga agg ttt gag att ctt tcg cta acg ggg act Val Val Thr Leu His Gly Arg Phe Glu Ile Leu Ser Leu Thr Gly Thr 175 180 185

gtt ttg cca cct cct gca ccg cct ggt gcc ggt ggt ttg tct ata ttt 1047

Val Leu Pro Pro Pro Ala Pro Pro Gly Ala Gly Gly Leu Ser Ile Phe 190 195 200

tťa gcc gga ggg caa ggt cag gtg gtc gga gga agc gtt gtg gct ccc 1095

Leu Ala Gly Gly Gln Gly Gln Val Val Gly Gly Ser Val Val Ala Pro 205 210 215 220

ctt att gca tca gct ccg gtt ata cta atg gcg gct tcg ttc tca aat 1143

Leu Ile Ala Ser Ala Pro Val Ile Leu Met Ala Ala Ser Phe Ser Asn 225 230 235

gcg gtt ttc gag aga cta ccg att gag gag gag gaa gaa gaa ggt ggt 1191

Ala Val Phe Glu Arg Leu Pro Ile Glu Glu Glu Glu Glu Glu Gly Gly 240 245 250

ggt ggc gga gga gga gga ggg cca ccg cag atg caa caa gct 1239

Gly Gly Gly Gly Gly Gly Gly Gly Pro Pro Gln Met Gln Gln Ala 255 260 265

cca tca gca tct ccg ccg tct gga gtg acc ggt cag gga cag tta gga 1287

Pro Ser Ala Ser Pro Pro Ser Gly Val Thr Gly Gln Gly Gln Leu Gly 270 275 280

ggt aat gtg ggt ggt tat ggg ttt tct ggt gat cct cat ttg ctt gga 1335

Gly Asn Val Gly Gly Tyr Gly Phe Ser Gly Asp Pro His Leu Leu Gly 285 290 295 300

tgg gga gct gga aca cct tca aga cca cct ttt taa ttgaatttta 1381

Trp Gly Ala Gly Thr Pro Ser Arg Pro Pro Phe 305

atgtccggaa atttatgtgt ttttatcatc ttgaggagtc gtctttcctt tgggatattt 1441

ggtgtttaat gtttagttga tatgcatatt tt 1473

<210> 172 <211> 311 <212> PRT <213> Arabidopsis thaliana <400> 172

Met Glu Gly Gly Tyr Glu Gln Gly Gly Gly Ala Ser Arg Tyr Phe His 1 5 10 15

Asn Leu Phe Arg Pro Glu Ile His His Gln Gln Leu Gln Pro Gln Gly
20 25 30

Gly Ile Asn Leu Ile Asp Gln His His His Gln His Gln Gln His Gln 35 40

Gln Gln Gln Gln Pro Ser Asp Asp Ser Arg Glu Ser Asp His Ser Asn 50 55 60

- Lys Asp His His Gln Gln Gly Arg Pro Asp Ser Asp Pro Asn Thr Ser 65 70 75 80
- Ser Ser Ala Pro Gly Lys Arg Pro Arg Gly Arg Pro Pro Gly Ser Lys 85 90 95
- Asn Lys Ala Lys Pro Pro Ile Ile Val Thr Arg Asp Ser Pro Asn Ala 100 105 110
- Leu Arg Ser His Val Leu Glu Val Ser Pro Gly Ala Asp Ile Val Glu 115 120 125
- Ser Val Ser Thr Tyr Ala Arg Arg Gly Arg Gly Val Ser Val Leu 130 135 140
- Gly Gly Asn Gly Thr Val Ser Asn Val Thr Leu Arg Gln Pro Val Thr 145
- Pro Gly Asn Gly Gly Gly Val Ser Gly Gly Gly Gly Val Val Thr Leu 165 170 175
- His Gly Arg Phe Glu Ile Leu Ser Leu Thr Gly Thr Val Leu Pro Pro 180 185 190
- Pro Ala'Pro Pro Gly Ala Gly Gly Leu Ser Ile Phe Leu Ala Gly Gly 195 200 205
- Gln Gly Gln Val Val Gly Gly Ser Val Val Ala Pro Leu Ile Ala Ser 210 215 220
- Ala Pro Val Ile Leu Met Ala Ala Ser Phe Ser Asn Ala Val Phe Glu 225 230 235 240
- Arg Leu Pro Ile Glu Glu Glu Glu Glu Gly Gly Gly Gly Gly Gly 245 250 255
- Gly Gly Gly Gly Pro Pro Gln Met Gln Gln Ala Pro Ser Ala Ser 260 265 270
- Pro Pro Ser Gly Val Thr Gly Gln Gly Gln Leu Gly Gly Asn Val Gly 275 280 285

PCT/US01/26189 WO 02/15675

Gly Tyr Gly Phe Ser Gly Asp Pro His Leu Leu Gly Trp Gly Ala Gly 295 290

Thr Pro Ser Arg Pro Pro Phe 310

<210> 173 <211> 1295 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (170)..(1144) <223> G1070

togaccaget tggatttegt tgttcatcat tactactete tttettette tagetageta

gttttgacag caaaataaga agcaaaaaaa aggtcaacta aaaaagatct gttcttagat 120

cactetette ttettttttt gatecaatte caccattgaa teatagate atg. gat eca 178 Met Asp Pro

gta caa tot cat gga toa caa ago tot ota cot cot too cac gca

. Val Gln Ser His Gly Ser Gln Ser Ser Leu Pro Pro Pro Phe His Ala

aga gac ttt caa tta cat ctt caa caa cag caa caa gag ttc ttc ctc

Arg Asp Phe Gln Leu His Leu Gln Gln Gln Gln Gln Glu Phe Phe Leu 25 20

cac cat cac cag caa caa aga aac caa acc gat ggt gac caa caa gga

His His His Gln Gln Gln Arg Asn Gln Thr Asp Gly Asp Gln Gln Gly 45

gga tca gga gga aac cga caa atc aag atg gat cgt gaa gag aca agc

Gly Ser Gly Gly Asn Arg Gln Ile Lys Met Asp Arg Glu Glu Thr Ser

gac aac ata gac aac ata gct aac aac agc ggt agt gaa ggt aaa gac

Asp Asn Ile Asp Asn Ile Ala Asn Asn Ser Gly Ser Glu Gly Lys Asp 75 70

ata gat ata cac ggt ggt tca gga gaa gga ggt ggt ggc tcc gga gga

Ile Asp Ile His Gly Gly Ser Gly Glu Gly Gly Gly Ser Gly Gly 95 90

gat cat cag atg aca aga aga cca aga gga aga cca gcg gga tcc aag

Asp His Gln Met Thr Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys 105

aac aaa cca aaa cca ccg att atc atc aca cgg gac agc gca aac gcg

Asn Lys Pro Lys Pro Pro Ile Ile Ile Thr Arg Asp Ser Ala Asn Ala

120 125 130

ctt aga acc cac gtg atg gag atc gga gat ggc tgc gac tta gtc gaa 610 Leu Arg Thr His Val Met Glu Ile Glv Asp Glv Cvs Asp Leu Val Glu

Leu Arg Thr His Val Met Glu Ile Gly Asp Gly Cys Asp Leu Val Glu 135 140 145

age gtt gcc act ttt gca cga aga cgc caa cgc ggc gtt tgc gtt atg 658

Ser Val Ala Thr Phe Ala Arg Arg Gln Arg Gly Val Cys Val Met 150 155 160

age ggt act gga aat gtt act aac gtc act ata egt cag eet gga tet 706

Ser Gly Thr Gly Asn Val Thr Asn Val Thr Ile Arg Gln Pro Gly Ser 165 170 175

cat cot tot cot ggc tog gta gtt agt ott cac gga agg tto gag att 754

His Pro Ser Pro Gly Ser Val Val Ser Leu His Gly Arg Phe Glu Ile 180 185 190 195

cta tet etc tea gga tet ttt etc eet eet eeg get eet eet aca gee 802

Leu Ser Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro Pro Thr Ala 200 205

acc gga ttg agt gtt tac ctc gct gga gga caa gga cag gtg gtt gga 850

Thr Gly Leu Ser Val Tyr Leu Ala Gly Gly Gln Gly Gln Val Val Gly 215 220 225

gga age gta gtt ggt eeg ttg tta tgt get ggt eet gte gtt gte atg

Gly Ser Val Val Gly Pro Leu Leu Cys Ala Gly Pro Val Val Met 230 235 240

get geg tet tit age aat geg geg tae gaa agg tig eet tita gag gaa 946

Ala Ala Ser Phe Ser Asn Ala Ala Tyr Glu Arg Leu Pro Leu Glu Glu 245 250 255

gat gag atg cag acg ccg gtt cat ggc gga gga gga gga tca ttg

Asp Glu Met Gln Thr Pro Val His Gly Gly Gly Gly Gly Gly Ser Leu 260 265 270 275

gag teg eeg eea atg gga caa caa etg caa cat cag caa caa get 1042

Glu Ser Pro Pro Met Met Gly Gln Gln Leu Gln His Gln Gln Gln Ala 280 285 290

atg tca ggt cat caa ggg tta cca cct aat ctt ctt ggt tcg gtt cag 1090

Met Ser Gly His Gln Gly Leu Pro Pro Asn Leu Leu Gly Ser Val Gln 295 300 305

ttg cag cag caa cat gat cag tct tat tgg tca acg gga cga cca ccg 1138

Leu Gln Gln His Asp Gln Ser Tyr Trp Ser Thr Gly Arg Pro Pro 310 315 320 WO 02/15675

tat tga tcaaatatac acacacactc ataatcgttg ctagctagct aacgatgaat 1194 Tyr

catgagttta gtggatatat atatgattaa aagaggttag cttatgaaca ttaataagag 1254

tttggattct atcgagcttc attatgtttg ggtcatcgtt c 1295

<210> 174 <211> 324 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Pro Val Gln Ser His Gly Ser Gln Ser Ser Leu Pro Pro 15

Phe His Ala Arg Asp Phe Gln Leu His Leu Gln Gln Gln Gln Glu 20 25 30

Phe Phe Leu His His His Gln Gln Gln Arg Asn Gln Thr Asp Gly Asp 35 40

Gln Gln Gly Gly Ser Gly Gly Asn Arg Gln Ile Lys Met Asp Arg Glu
50 60

Glu Thr Ser Asp Asn Ile Asp Asn Ile Ala Asn Asn Ser Gly Ser Glu 80

Gly Lys Asp Ile Asp Ile His Gly Gly Ser Gly Glu Gly Gly Gly 95 85.

Ser Gly Gly Asp His Gln Met Thr Arg Arg Pro Arg Gly Arg Pro Ala 100 105 110

Gly Ser Lys Asn Lys Pro Lys Pro Pro Ile Ile Ile Thr Arg Asp Ser 115 120 125

Ala Asn Ala Leu Arg Thr His Val Met Glu Ile Gly Asp Gly Cys Asp 130 135 140

Leu Val Glu Ser Val Ala Thr Phe Ala Arg Arg Arg Gln Arg Gly Val 145 150 155 160

Cys Val Met Ser Gly Thr Gly Asn Val Thr Asn Val Thr Ile Arg Gln 165

Pro Gly Ser His Pro Ser Pro Gly Ser Val Val Ser Leu His Gly Arg

190

205

180 185

Phe Glu Ile Leu Ser Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro 195 200

Pro Thr Ala Thr Gly Leu Ser Val Tyr Leu Ala Gly Gly Gln Gly Gln 215

Val Val Gly Gly Ser Val Val Gly Pro Leu Leu Cys Ala Gly Pro Val

Val Val Met Ala Ala Ser Phe Ser Asn Ala Ala Tyr Glu Arg Leu Pro 245 250

Leu Glu Glu Asp Glu Met Gln Thr Pro Val His Gly Gly Gly Gly 260 265

Gly Ser Leu Glu Ser Pro Pro Met Met Gly Gln Gln Leu Gln His Gln 275 280 285

Gln Gln Ala Met Ser Gly His Gln Gly Leu Pro Pro Asn Leu Leu Gly 295 300

Ser Val Gln Leu Gln Gln Gln His Asp Gln Ser Tyr Trp Ser Thr Gly 305 310 310 315 320

Arg Pro Pro Tyr

<210> 175 <211> 1084 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (19)..(876) <223> G1075

<400> 175

tttgtgtttg gtgctggc atg gct ggt ctc gat cta ggc aca act tct cgc

Met Ala Gly Leu Asp Leu Gly Thr Thr Ser Arg 5

tac gtc cac aac gtc gat ggt ggc ggc ggc gga cag ttc acc acc gac

Tyr Val His Asn Val Asp Gly Gly Gly Gly Gln Phe Thr Thr Asp

aac cac cac gaa gat gac ggt ggc gct gga gga aac cac cat cat cac

Asn His His Glu Asp Asp Gly Gly Ala Gly Gly Asn His His His

cat cat aat cat aat cac cat caa ggt tta gat tta ata gct tct aat

His His Asn His Asn His His Gln Gly Leu Asp Leu Ile Ala Ser Asn

45 50 55

 gat aac tct gga cta ggc ggc ggt gga gga gga ggg agc ggt gac ctc

 243

 Asp Asn Ser Gly Leu Gly Gly Gly Gly Gly Gly Gly Gly Ser Gly Asp Leu 60

 65

gtc atg cgt cgg cca cgt ggc cgt cca gct gga tcg aag aac aaa ccg 291 Val Met Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys Asn Lys Pro

Val Met Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys Asn Lys Pro 80 85 . 90

aag ccg ccg gtg att gtc acg cgc gag agc gca aac act ctt agg gct 339 Lys Pro Pro Val Ile Val Thr Arg Glu Ser Ala Asn Thr Leu Arg Ala

cac att ctt gaa gtt gga agt ggc tgc gac gtt ttc gaa tgt atc tcc

387
His Ile Leu Glu Val Gly Ser Gly Cys Asp Val Phe Glu Cys Ile Ser
110 115 120

act tac gct cgt cgg aga cag cgc ggg att tgc gtt tta tcc ggg acg

Thr Tyr Ala Arg Arg Gln Arg Gly Ile Cys Val Leu Ser Gly Thr 125 130 135

gga acc gtc act aac gtc agc atc cgt cag cct acg gcg gcc gga gct

Gly Thr Val Thr Asn Val Ser Ile Arg Gln Pro Thr Ala Ala Gly Ala 140 145 150 155

gtt gtg act ctg cgg ggt act ttt gag att ctt tcc ctc tcc gga tct 531

Val Val Thr Leu Arg Gly Thr Phe Glu Ile Leu Ser Leu Ser Gly Ser 160 165 170

ttt ctt ccg cca cct gct cct cca ggg gcg act agc ttg acg ata ttc 579

Phe Leu Pro Pro Pro Ala Pro Pro Gly Ala Thr Ser Leu Thr Ile Phe 175 180 185

ctc gct gga gct caa gga cag gtc gtc gga ggt aac gta gtt ggt gag 627

Leu Ala Gly Ala Gln Gly Gln Val Val Gly Gly Asn Val Val Gly Glu
190 195 200

tta atg gcg gcg ggg ccg gta atg gtc atg gca gcg tct ttt aca aac

Leu Met Ala Ala Gly Pro Val Met Val Met Ala Ala Ser Phe Thr Asn 205 210 215

gtg gct tac gaa agg ttg cct ttg gac gag cat gag gag cac ttg caa 723

Val Ala Tyr Glu Arg Leu Pro Leu Asp Glu His Glu Glu His Leu Gln 220 225 230 235

agt ggc ggc gga ggt gga ggg aat atg tac tcg gaa gcc act ggc 771

Ser Gly Gly Gly Gly Gly Gly Asn Met Tyr Ser Glu Ala Thr Gly 240 245 250

ggt ggc gga ggg ttg cct ttc ttt aat ttg ccg atg agt atg cct cag

Gly Gly Gly Leu Pro Phe Phe Asn Leu Pro Met Ser Met Pro Gln 255 260 265

att gga gtt gaa agt tgg cag ggg aat cac gcc ggc gcc ggt agg gct 867

: Ile Gly Val Glu Ser Trp Gln Gly Asn His Ala Gly Ala Gly Arg Ala 270 275 280

ccg ttt tag caatttaaga aactttaatt gttttttcca cttttttgtt 916

Pro Phe 285

tttctccgaa ttttatgaaa ttatgattta agaaaaaaaa cgatattgtt catgtattga 976

ccctcttact gcatggtttc ttctattggg ttaattggct agctcataag aattgtttaa 1036

tttggttatt gtcatcaaat ttgcccacat ataaagcttc tagcaaat 1084

The second of th

<210> 176 <211> 285 <212> PRT <213> Arabidopsis thaliana <400> 176

Met Ala Gly Leu Asp Leu Gly Thr Thr Ser Arg Tyr Val His Asn Val 1 5 10 15

Asp Gly Gly Gly Gln Phe Thr Thr Asp Asn His His Glu Asp 20 25 30

Asp Gly Gly Ala Gly Gly Asn His His His His His Asn His Asn 35 40 45

His His Gln Gly Leu Asp Leu Ile Ala Ser Asn Asp Asn Ser Gly Leu 50 55 60

Gly Gly Gly Gly Gly Ser Gly Asp Leu Val Met Arg Arg Pro 65 70 75 80

Arg Gly Arg Pro Ala Gly Ser Lys Asn Lys Pro Lys Pro Pro Val Ile 85 90 95

Val Thr Arg Glu Ser Ala Asn Thr Leu Arg Ala His Ile Leu Glu Val 100 105 110

Gly Ser Gly Cys Asp Val Phe Glu Cys Ile Ser Thr Tyr Ala Arg Arg 115 120 125

Arg Gln Arg Gly Ile Cys Val Leu Ser Gly Thr Gly Thr Val Thr Asn 130 135 140

Val Ser Ile Arg Gln Pro Thr Ala Ala Gly Ala Val Val Thr Leu Arg 145 150 155 160

Gly Thr Phe Glu Ile Leu Ser Leu Ser Gly Ser Phe Leu Pro Pro 165 170 175

Ala Pro Pro Gly Ala Thr Ser Leu Thr Ile Phe Leu Ala Gly Ala Gln 180 185 190

Gly Gln Val Val Gly Gly Asn Val Val Gly Glu Leu Met Ala Ala Gly 195 200 205

Pro Val Met Val Met Ala Ala Ser Phe Thr Asn Val Ala Tyr Glu Arg 210 215 220

Leu Pro Leu Asp Glu His Glu Glu His Leu Gln Ser Gly Gly Gly 225 230 235 240

Gly Gly Gly Asn Met Tyr Ser Glu Ala Thr Gly Gly Gly Gly Gly Leu 245 250 255

Pro Phe Phe Asn Leu Pro Met Ser Met Pro Gln Ile Gly Val Glu Ser 260 265 270

Trp Gln Gly Asn His Ala Gly Ala Gly Arg Ala Pro Phe 275 280 285

<210> 177 <211> 2663 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (31)..(2427) <223> G1089

<400> 177
aagtaagaga gcttcttaag gaagaagaag atg ggt tgt gct caa tca aag atc
54
Met Gly Cys Ala Gln Ser Lys Ile

gag aac gaa gaa gca gtt act cgt tgc aaa gaa cga aaa caa ttg atg 102 Glu Asn Glu Glu Ala Val Thr Arg Cys Lys Glu Arg Lys Gln Leu Met

aaa gac gcc gtc act gct cgt aac gct ttc gcc gcc gct cac tca gct 150 Lys Asp Ala Val Thr Ala Arg Asn Ala Phe Ala Ala Ala His Ser Ala 25 30 35

tac gct atg gct ctt aaa aac acc gga gct gct ctt tcc gat tac tct 198

Tyr Ala Met Ala Leu Lys Asn Thr Gly Ala Ala Leu Ser Asp Tyr Ser 45 50 cac ggc gag ttt tta gtc tct aat cac tcg tct tcc tcc gca gct gca His Gly Glu Phe Leu Val Ser Asn His Ser Ser Ser Ser Ala Ala Ala gca atc gct tct act tct tct ctt ccc act gct ata tct cct ctt 294 Ala Ile Ala Ser Thr Ser Ser Leu Pro Thr Ala Ile Ser Pro Pro Leu cet tet tee ace get eeg gtt tet aat tea ace get tet tet tee tee 342 Pro Ser Ser Thr Ala Pro Val Ser Asn Ser Thr Ala Ser Ser Ser get geg gtt eet cag eeg att eet gat act ett eet eet eet eet. 390 Ala Ala Val Pro Gln Pro Ile Pro Asp Thr Leu Pro Pro Pro Pro Pro 105 110 115 cca cca ccg ctt cct ctt caa cgt gct gct act atg ccg gag atg aac Pro Pro Pro Leu Pro Leu Gln Arg Ala Ala Thr Met Pro Glu Met Asn 130 ggt aga tcc ggt ggt ggt cat gct ggt agt gga ctc aac gga att gaa Gly Arg Ser Gly Gly Gly His Ala Gly Ser Gly Leu Asn Gly Ile Glu 140 145 150 gaa gat gga gcc cta gat aac gat gat gat gac gat gat gat gat gat Glu Asp Gly Ala Leu Asp Asn Asp Asp Asp Asp Asp Asp Asp Asp 155 160 gac tet gaa atg gag aat egt gat egt ttg att agg aaa teg aga age 582 arrest to the second Asp Ser Glu Met Glu Asn Arg Asp Arg Leu Ile Arg Lys Ser Arg Ser 170 · 175 180 \*\*\* cgt gga ggt agt act aga gga aat agg acg acg att gaa gat cat cat Arg Gly Gly Ser Thr Arg Gly Asn Arg Thr Thr Ile Glu Asp His His 190 ctt cag gag gag aaa gct ccg cca cct ccc cct ttg gcg aat tcg cgg Leu Gln Glu Glu Lys Ala Pro Pro Pro Pro Pro Leu Ala Asn Ser Arg cca att ccg ccg cca cgt cag cat cag cat caa cat cag caa cag caa Pro Ile Pro Pro Pro Arg Gln His Gln His Gln His Gln Gln Gln Gln 220 ... 225 230 caa caa cct ttc tac gat tac ttc ttc cct aat gtt gag aat atg cct 774 Gln Gln Pro Phe Tyr Asp Tyr Phe Phe Pro Asn Val Glu Asn Met Pro

235 240 245

gga act act tta gaa gat act cct cca caa cca caa cca caa cca aca 822

Gly Thr Thr Leu Glu Asp Thr Pro Pro Gln Pro Gln Pro Gln Pro Thr 250 255 260

agg cct gtg cct cct caa cca cat tca cca gtc gtt act gag gat gac 870

Arg Pro Val Pro Pro Gln Pro His Ser Pro Val Val Thr Glu Asp Asp 265 270 275 280

gtg att gaa cgg aaa cca ctg gtg gag gaa aga ccg aag aga gta gag 966

Val Ile Glu Arg Lys Pro Leu Val Glu Glu Arg Pro Lys Arg Val Glu 300 305 310

gaa gtg acg att gaa ttg gaa aaa gtt act aat ttg aga ggg atg aag 1014

Glu Val Thr Ile Glu Leu Glu Lys Val Thr Asn Leu Arg Gly Met Lys 315 320 325

aag agt aaa ggg ata ggg att coc gga gag agg aga gga atg cga atg 1062

Lys Ser Lys Gly Ile Gly Ile Pro Gly Glu Arg Arg Gly Met Arg Met 330 340

 $\operatorname{ccg}$  gtg act  $\operatorname{gcg}$  acg cat ttg  $\operatorname{gcg}$  aat gta ttc att  $\operatorname{gag}$  ctt gat  $\operatorname{gat}$  1110

Pro Val Thr Ala Thr His Leu Ala Asn Val Phe Ile Glu Leu Asp Asp 345 350 355 360

aat ttc ttg aaa gct tct gaa agt gct cat gat gtt tct aag atg ctt 1158

Asn Phe Leu Lys Ala Ser Glu Ser Ala His Asp Val Ser Lys Met Leu 365 370 375

gaa gct act agg ctc cat tac cat tct aat ttt gca gat aac cga gga 1206 Glu Ala Thr Arg Leu His Tyr His Ser Asn Phe Ala Asp Asn Arg Gly

380 385 390 cat att gat cac tot got aga gtg atg cgt gta att aca tgg aat aga

1254
His Ile Asp His Ser Ala Arg Val Met Arg Val Ile Thr Trp Asn Arg
395
400
405

tca ttt aga gga ata cca aat gct gat ggg aaa gat gat gtt gat 1302

Ser Phe Arg Gly Ile Pro Asn Ala Asp Asp Gly Lys Asp Asp Val Asp 410 415 420

ttg gaa gag aat gaa act cat gct act gtt ctt gac aaa ttg cta gca 1350

Leu Glu Glu Asn Glu Thr His Ala Thr Val Leu Asp Lys Leu Leu Ala 425 430 435 440

tgg gaa aag aag ctc tat gac gaa gtc aag gct ggc gaa ctc atg aaa Trp Glu Lys Lys Leu Tyr Asp Glu Val Lys Ala Gly Glu Leu Met Lys 445 450 atc gag tac cag aaa aag gtt gct cat tta aat cgg gtg aag aaa cga 1446 Ile Glu Tyr Gln Lys Lys Val Ala His Leu Asn Arg Val Lys Lys Arg 460 465 ggt ggc cac tcg gat tca tta gag aga gct aaa gca gca gta agt cat Gly Gly His Ser Asp Ser Leu Glu Arg Ala Lys Ala Ala Val Ser His ttg cat aca aga tat ata gtt gat atg caa tcc atg gac tcc aca gtt 1542 Leu His Thr Arg Tyr Ile Val Asp Met Gln Ser Met Asp Ser Thr Val 490 . 495 500 tca gaa atc aat cgt ctt agg gat gaa caa cta tac cta aag ctc gtt Ser Glu Ile Asn Arg Leu Arg Asp Glu Gln Leu Tyr Leu Lys Leu Val cac ctt gtt gag gcg atg ggg aag atg tgg gaa atg atg caa ata cat His Leu Val Glu Ala Met Gly Lys Met Trp Glu Met Met Gln Ile His 530 525 cat caa aga caa gct gag atc tca aag gtg ttg aga tct cta gat gtt His Gln Arg Gln Ala Glu Ile Ser Lys Val Leu Arg Ser Leu Asp Val tca caa gcg gtg aaa gaa aca aat gat cat cat cac gaa cgc acc atc Ser Gln Ala Val Lys Glu Thr Asn Asp His His Glu Arg Thr Ile 560 cag ctc ttg gca gtg gtt caa gaa tgg cac acg cag ttt tgc agg atg 1782 Gln Leu Leu Ala Val Val Gln Glu Trp His Thr Gln Phe Cys Arg Met 575 580 ata gat cat cag aaa gaa tac ata aaa gca ctt ggc gga tgg cta aag Ile Asp His Gln Lys Glu Tyr Ile Lys Ala Leu Gly Gly Trp Leu Lys 590 595 cta aat ctc atc cct atc gaa agc aca ctc aag gag aaa gta tct tcg Leu Asn Leu Ile Pro Ile Glu Ser Thr Leu Lys Glu Lys Val Ser Ser · 605 610 cct cct cqa qtt ccc aat ccc gca atc caa aaa ctc ctc cac gct tgg Pro Pro Arg Val Pro Asn Pro Ala Ile Gln Lys Leu Leu His Ala Trp 620 625

tat gac cgt tta gac aaa atc ccc gac gaa atg gct aaa agt gcc ata 1974

Tyr Asp Arg Leu Asp Lys Ile Pro Asp Glu Met Ala Lys Ser Ala Ile 635 640 645

atc aat ttc gca gcg gtt gta agc acg ata atg cag cag caa gac 2022

Ile Asn Phe Ala Ala Val Val Ser Thr Ile Met Gln Gln Gln Glu Asp 650 655 660

gag ata agt ctc aga aac aaa tgc gaa gag aca aga aaa gaa ttg gga 2070

Glu Ile Ser Leu Arg Asn Lys Cys Glu Glu Thr Arg Lys Glu Leu Gly 665 670 675 680

aga aaa att aga cag ttt gag gat tgg tac cac aaa tac atc cag aag 2118

Arg Lys Ile Arg Gln Phe Glu Asp Trp Tyr His Lys Tyr Ile Gln Lys , 685 690 695

aga gga ccg gag ggg atg aat ccg gat gaa gcg gat aac gat cat aat 2166

Arg Gly Pro Glu Gly Met Asn Pro Asp Glu Ala Asp Asn Asp His Asn 700 705 710

gat gag gtc gct gtg agg caa ttc aat gta gaa caa att aag aag 2214

Asp Glu Val Ala Val Arg Gln Phe Asn Val Glu Gln Ile Lys Lys Arg 715 720 725

ttg gaa gaa gaa gaa gct tac cat aga caa agc cat caa gtt aga 2262

Leu Glu Glu Glu Glu Glu Ala Tyr His Arg Gln Ser His Gln Val Arg 730 735 740

gag aag toa ctg gct agt ctt cga act cgc ctc ccc gag ctt ttt cag 2310

Glu Lys Ser Leu Ala Ser Leu Arg Thr Arg Leu Pro Glu Leu Phe Gln 745 750 755 760

gca atg tcc gag gtt gcg tat tca tgt tcg gat atg tat aga gct ata 2358

Ala Met Ser Glu Val Ala Tyr Ser Cys Ser Asp Met Tyr Arg Ala Ile 765 770 775

acg tat gcg agt aag cgg caa agc caa agc gaa cgg cat cag aaa cct 2406

Thr Tyr Ala Ser Lys Arg Gln Ser Gln Ser Glu Arg His Gln Lys Pro
780 785 790

agc cag gga cag agt tcg taa gaactaatgt aagatcagag taatgtcttc 2457

Ser Gln Gly Gln Ser Ser

ttcttctttg atcttgaata tttaagcaca cacatacata caacgtatag ctaaatcttt 2517

atcattgctt tcttatatta aggttttggc ttttgtaaga aggtttctta catatgagat 2577

tcatatagtg tttgattctt aaggaactgt tctgttgagt aataagaaag ttgtgtattg 2637

aaatagagtt gcatttgtta attttg 2663

<210> 178 <211> 798 <212> PRT <213> Arabidopsis thaliana <400> 178

Met Gly Cys Ala Gln Ser Lys Ile Glu Asn Glu Glu Ala Val Thr Arg
1 5 10 15

Cys Lys Glu Arg Lys Gln Leu Met Lys Asp Ala Val Thr Ala Arg Asn 20 25 30

Ala Phe Ala Ala Ala His Ser Ala Tyr Ala Met Ala Leu Lys Asn Thr 35 40 45

Gly Ala Ala Leu Ser Asp Tyr Ser His Gly Glu Phe Leu Val Ser Asn 50 55 - 60

His Ser Ser Ser Ser Ala Ala Ala Ile Ala Ser Thr Ser Ser Leu 65 70 75 80

Pro Thr Ala Ile Ser Pro Pro Leu Pro Ser Ser Thr Ala Pro Val Ser 85 90 95

Asn Ser Thr Ala Ser Ser Ser Ser Ala Ala Val Pro Gln Pro Ile Pro 100 105 110

Asp Thr Leu Pro Pro Pro Pro Pro Pro Pro Pro Leu Pro Leu Gln Arg
115 120 125

Ala Ala Thr Met Pro Glu Met Asn Gly Arg Ser Gly Gly Gly His Ala 130 135 140

Gly Ser Gly Leu Asn Gly Ile Glu Glu Asp Gly Ala Leu Asp Asn Asp 145 150 155 160

Asp Asp Asp Asp Asp Asp Asp Asp Ser Glu Met Glu Asn Arg Asp 165 170 175

Arg Leu Ile Arg Lys Ser Arg Ser Arg Gly Gly Ser Thr Arg Gly Asn 180 185 190

Arg Thr Thr Ile Glu Asp His His Leu Gln Glu Glu Lys Ala Pro Pro 195 200 205

and the second of the

Pro Pro Pro Leu Ala Asn Ser Arg Pro Ile Pro Pro Pro Arg Gln His 210 225 220

- Gln His Gln His Gln Gln Gln Gln Gln Gln Pro Phe Tyr Asp Tyr Phe 225 230 235 240
- Phe Pro Asn Val Glu Asn Met Pro Gly Thr Thr Leu Glu Asp Thr Pro 245 250 255
- Pro Gln Pro Gln Pro Gln Pro Thr Arg Pro Val Pro Pro Gln Pro His 260 265 270
- Ser Pro Val Val Thr Glu Asp Asp Glu Asp Glu Glu Glu Glu Glu Glu Glu 275 280 285
- Glu Glu Glu Glu Glu Glu Thr Val Ile Glu Arg Lys Pro Leu Val 290 295 300
- Glu Glu Arg Pro Lys Arg Val Glu Glu Val Thr Ile Glu Leu Glu Lys 305 310 315 320
- Val Thr Asn Leu Arg Gly Met Lys Lys Ser Lys Gly Ile Gly Ile Pro 325 330 335
- Gly Glu Arg Arg Gly Met Arg Met Pro Val Thr Ala Thr His Leu Ala 340 345 350
- Asn Val Phe Ile Glu Leu Asp Asp Asn Phe Leu Lys Ala Ser Glu Ser 355 360  $\cdot 365$
- Ala His Asp Val Ser Lys Met Leu Glu Ala Thr Arg Leu His Tyr His 370 380
- Ser Asn Phe Ala Asp Asn Arg Gly His Ile Asp His Ser Ala Arg Val 385 390 395 400
- Met Arg Val Ile Thr Trp Asn Arg Ser Phe Arg Gly Ile Pro Asn Ala 405 410 415
- Asp Asp Gly Lys Asp Asp Val Asp Leu Glu Glu Asn Glu Thr His Ala 420 425 430
- Thr Val Leu Asp Lys Leu Leu Ala Trp Glu Lys Lys Leu Tyr Asp Glu
  435 440 445

Val Lys Ala Gly Glu Leu Met Lys Ile Glu Tyr Gln Lys Lys Val Ala 450 455 460

His Leu Asn Arg Val Lys Lys Arg Gly Gly His Ser Asp Ser Leu Glu 465 470 475 480

Arg Ala Lys Ala Ala Val Ser His Leu His Thr Arg Tyr Ile Val Asp 485 490 495

Met Gln Ser Met Asp Ser Thr Val Ser Glu Ile Asn Arg Leu Arg Asp 500 505 510

Glu Gln Leu Tyr Leu Lys Leu Val His Leu Val Glu Ala Met Gly Lys 515 520 525

Met Trp Glu Met Met Gln Ile His His Gln Arg Gln Ala Glu Ile Ser 530 535 540

Lys Val Leu Arg Ser Leu Asp Val Ser Gln Ala Val Lys Glu Thr Asn 545 550 550 555 550 560.

Asp His His Glu Arg Thr Ile Gln Leu Leu Ala Val Val Gln Glu 565 570 575

Trp His Thr Gln Phe Cys Arg Met Ile Asp His Gln Lys Glu Tyr Ile

Lys Ala Leu Gly Gly Trp Leu Lys Leu Asn Leu Ile Pro Ile Glu Ser 595 600 605

Thr Leu Lys Glu Lys Val Ser Ser Pro Pro Arg Val Pro Asn Pro Ala 610 615 620

Ile Gln Lys Leu Leu His Ala Trp Tyr Asp Arg Leu Asp Lys Ile Pro 625 630 635 640

Asp Glu Met Ala Lys Ser Ala Ile Ile Asn Phe Ala Ala Val Val Ser 645 650 655

Thr Ile Met Gln Gln Gln Glu Asp Glu Ile Ser Leu Arg Asn Lys Cys 660 665 670

Glu Glu Thr Arg Lys Glu Leu Gly Arg Lys Ile Arg Gln Phe Glu Asp 675 680 685

Trp Tyr His Lys Tyr Ile Gln Lys Arg Gly Pro Glu Gly Met Asn Pro

690 695 700

Asp Glu Ala Asp Asn Asp His Asn Asp Glu Val Ala Val Arg Gln Phe 705 710 715 720

Asn Val Glu Gln Ile Lys Lys Arg Leu Glu Glu Glu Glu Glu Glu Ala Tyr 725 730 735

His Arg Gln Ser His Gln Val Arg Glu Lys Ser Leu Ala Ser Leu Arg 740 745 750

Thr Arg Leu Pro Glu Leu Phe Gln Ala Met Ser Glu Val Ala Tyr Ser 755 760 765

Cys Ser Asp Met Tyr Arg Ala Ile Thr Tyr Ala Ser Lys Arg Gln Ser 770 775 780

Gln Ser Glu Arg His Gln Lys Pro Ser Gln Gly Gln Ser Ser 785 790 795

<210> 179 <211> 1146 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1146) <223> G1095

<400> 179
atg gat cta aca gac cgt cgt aac cct ttt aac aat ctt gtt ttt ccg
48
Met Asp Leu Thr Asp Arg Arg Asn Pro Phe Asn Asn Leu Val Phe Pro

ceg ceg cet ceg ceg cea tec acg ace tte aca age cet ata tte cea 96

Pro Pro Pro Pro Pro Pro Ser Thr Thr Phe Thr Ser Pro Ile Phe Pro 20 25 30

cga aca agc tct tcc ggc acc aat ttc ccc att ctg gcc atc gca gtg
144
Arg Thr Ser Ser Ser Gly Thr Asn Phe Pro Ile Leu Ala Ile Ala Val
35

att gga atc tta gcc act gcg ttc tta ctt gta agt tac tac atc ttc

Ile Gly Ile Leu Ala Thr Ala Phe Leu Leu Val Ser Tyr Tyr Ile Phe 50 55 . 60

gtg atc aaa tgc tgt ctt aat tgg cac caa atc gac atc ttt cgc cgc 240

Val Ile Lys Cys Cys Leu Asn Trp His Gln Ile Asp Ile Phe Arg Arg 65 70 75 80

cgc aga cga agc agt gac caa aac cct cta atg att tac tct cct cat 288 Arg Arg Ser Ser Asp Gln Asn Pro Leu Met Ile Tyr Ser Pro His 85 90 95

gag gta aac aga gga cta gac gaa tcc gcc att aga gct atc cca gtc Glu Val Asn Arg Gly Leu Asp Glu Ser Ala Ile Arg Ala Ile Pro Val ttc aaa ttc aag aag aga gac gtt gtt gca gga gaa gaa gat cag agt Phe Lys Phe Lys Lys Arg Asp Val Val Ala Gly Glu Glu Asp Gln Ser 115 120 aag aac tot caa gaa tgo tot gtt tgt tta aac gag ttt caa gaa gac Lys Asn Ser Gln Glu Cys Ser Val Cys Leu Asn Glu Phe Gln Glu Asp 130 gag aag cta agg att att cct aac tgc tgc cac gtg ttt cac att gat 480 Glu Lys Leu Arg Ile Ile Pro Asn Cys Cys His Val Phe His Ile Asp tgc att gat atc tgg ctt cag ggc aac gca aat tgt ccc ttg tgc aga 528 Cys Ile Asp Ile Trp Leu Gln Gly Asn Ala Asn Cys Pro Leu Cys Arg 165 170 175 acc agc gtt tot tgc gaa gca agt ttc act ctt gac cta atc tot gca Conference of All Angeles and the Conference of the State of the Conference of the C Thr Ser Val Ser Cys Glu Ala Ser Phe Thr Leu Asp Leu Ile Ser Ala 180 . 185 ccg age tet eet egg gag aat age eet eat tet egg aac agg aat ete 624 Pro Ser Ser Pro Arg Glu Asn Ser Pro His Ser Arg Asn Arg Asn Leu gaa ccc ggc ctg gtt cta gga ggc gat gat gac ttc gtc gtc ata gag Glu Pro Gly Leu Val Leu Gly Gly Asp Asp Phe Val Val Ile Glu 215 210 ctt ggg gcc agt aat ggt aac aac aga gaa agc gtg aga aac ata gac Leu Gly Ala Ser Asn Gly Asn Asn Arg Glu Ser Val Arg Asn Ile Asp 230 235 225 ttc ctt acg gag caa gaa agg gtt acc tcg aat gag gtc tcg acc gga Phe Leu Thr Glu Glu Glu Arg Val Thr Ser Asn Glu Val Ser Thr Gly 245 aac agc ccg aaa tcg gtg agt cct ttg cct ata aag ttt ggt aat cgg 816 Asn Ser Pro Lys Ser Val Ser Pro Leu Pro Ile Lys Phe Gly Asn Arg 260 **265** gga atg tat aag aaa gaa agg aaa ttt cac aaa gtg acg agt atg gga Gly Met Tyr Lys Lys Glu Arg Lys Phe His Lys Val Thr Ser Met Gly 280 285

gac gaa tgt atc gat act aga ggc aaa gat ggt cat ttt ggt gaa att 912

Asp Glu Cys Ile Asp Thr Arg Gly Lys Asp Gly His Phe Gly Glu Ile 290 295 300

cag ecc ata aga aga teg ate teg atg gat tea tea gtg gat egt eag 960

Gln Pro Ile Arg Arg Ser Ile Ser Met Asp Ser Ser Val Asp Arg Gln 305 310 315 320

ctg tac ttg gcg gtc caa gag gaa atc agc cgg aga aac agg cag att 1008

Leu Tyr Leu Ala Val Gln Glu Glu Ile Ser Arg Arg Asn Arg Gln Ile 325 330 335

ccg gta gct gga gac ggt gaa gat agt agt agt agt ggt ggt aat 1056

Pro Val Ala Gly Asp Gly Glu Asp Ser Ser Ser Ser Gly Gly Asn 340 345 350

agc aga gtc atg aag aga tgt ttc ttc tct ttt gga agt agt aga act 1104 Ser Arg Val Met Lys Arg Cys Phe Phe Ser Phe Gly Ser Ser Arg Thr 355

tca aaa agt tct tca ata tta cct gtt tat ttg gaa ccc taa 1146 Ser Lys Ser Ser Ser Ile Leu Pro Val Tyr Leu Glu Pro 370 375

<210> 180 <211> 381 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Leu Thr Asp Arg Arg Asn Pro Phe Asn Asn Leu Val Phe Pro 10 5

Pro Pro Pro Pro Pro Pro Ser Thr Thr Phe Thr Ser Pro Ile Phe Pro 20 30

Arg Thr Ser Ser Ser Gly Thr Asn Phe Pro Ile Leu Ala Ile Ala Val 35 40 45

Ile Gly Ile Leu Ala Thr Ala Phe Leu Leu Val Ser Tyr Tyr Ile Phe
50 55 60

Val Ile Lys Cys Cys Leu Asn Trp His Gln Ile Asp Ile Phe Arg Arg 65 70 75 80

Arg Arg Arg Ser Ser Asp Gln Asn Pro Leu Met Ile Tyr Ser Pro His 85 90 95

Glu Val Asn Arg Gly Leu Asp Glu Ser Ala Ile Arg Ala Ile Pro Val 100 105 110

Phe Lys Phe Lys Lys Arg Asp Val Val Ala Gly Glu Glu Asp Gln Ser 115 120 125

- Lys Asn Ser Gln Glu Cys Ser Val Cys Leu Asn Glu Phe Gln Glu Asp 130 135 140
- Glu Lys Leu Arg Ile Ile Pro Asn Cys Cys His Val Phe His Ile Asp 145 150 155 160
- Cys Ile Asp Ile Trp Leu Gln Gly Asn Ala Asn Cys Pro Leu Cys Arg 165 170 175
- Thr Ser Val Ser Cys Glu Ala Ser Phe Thr Leu Asp Leu Ile Ser Ala 180 185 190
- Pro Ser Ser Pro Arg Glu Asn Ser Pro His Ser Arg Asn Arg Asn Leu 195 200 205
- Leu Gly Ala Ser Asn Gly Asn Asn Arg Glu Ser Val Arg Asn Ile Asp 225 230 235 240
- Phe Leu Thr Glu Glu Arg Val Thr Ser Asn Glu Val Ser Thr Gly 245 255
- Asn Ser Pro Lys Ser Val Ser Pro Leu Pro Ile Lys Phe Gly Asn Arg 260 265 270
- Gly Met Tyr Lys Lys Glu Arg Lys Phe His Lys Val Thr Ser Met Gly 275 280 285
- Asp Glu Cys Ile Asp Thr Arg Gly Lys Asp Gly His Phe Gly Glu Ile 290 295 300
- Gln Pro Ile Arg Arg Ser Ile Ser Met Asp Ser Ser Val Asp Arg Gln 305 310 315 320
- Leu Tyr Leu Ala Val Gln Glu Glu Ile Ser Arg Arg Asn Arg Gln Ile 325 330 335
- Pro Val Ala Gly Asp Gly Glu Asp Ser Ser Ser Ser Gly Gly Asn 340 345 350

Ser Arg Val Met Lys Arg Cys Phe Phe Ser Phe Gly Ser Ser Arg Thr 355 360 365

Ser Lys Ser Ser Ser Ile Leu Pro Val Tyr Leu Glu Pro 370 375 380

<210> 181 <211> 1064 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (61)..(849) <223> G1134

<400> 181

taaagaaaga gaaaaaaagc tttcgtagtg tctattgaaa ccagagaaaa gccaaagggg

atg caa cca aca tcc gtc ggt agt agc ggc ggt ggt gac gac gga gga

Met Gln Pro Thr Ser Val Gly Ser Ser Gly Gly Gly Asp Asp Gly Gly 1 5 10 15

ggc aga gga gga gga ggg cta agt aga agt gga cta tct cgg atc

Gly Arg Gly Gly Gly Gly Leu Ser Arg Ser Gly Leu Ser Arg Ile 20 25 30

cgt tca gct cca gcg act tgg ctt gaa gct tta ctt gag gaa gat gaa 204

Arg Ser Ala Pro Ala Thr Trp Leu Glu Ala Leu Leu Glu Glu Asp Glu
35 40 45

gaa gag tot ttg aaa cot aat ott ggt ot<br/>o acc gat ttg ott acc ggg 252

Glu Glu Ser Leu Lys Pro Asn Leu Gly Leu Thr Asp Leu Leu Thr Gly 50 55 60

aac tog aac gat tta cog aca agt ogc ggc tog tto gag tto cog att

Asn Ser Asn Asp Leu Pro Thr Ser Arg Gly Ser Phe Glu Phe Pro Ile
70 75 80

cct gtt gag caa ggg ttg tat caa caa ggt ggg ttt cac cga cag aat 348

Pro Val Glu Gln Gly Leu Tyr Gln Gln Gly Gly Phe His Arg Gln Asn 85 90 95

agt act ccg gcg gat ttt ctt agt ggt tct gat gga ttt atc caa agc 396

Ser Thr Pro Ala Asp Phe Leu Ser Gly Ser Asp Gly Phe Ile Gln Ser

ttt ggg att cag gcg aat tac gat tac tta tcg ggg aat atc gat gtt

Phe Gly Ile Gln Ala Asn Tyr Asp Tyr Leu Ser Gly Asn Ile Asp Val 115 120 125

tet eeg gga agt aag egg tet aga gaa atg gaa gea ete tet tet 492

Ser Pro Gly Ser Lys Arg Ser Arg Glu Met Glu Ala Leu Phe Ser Ser 130 135 140

cct gag ttt act tct caa atg aaa gga gag caa agc agc ggt caa gtt Pro Glu Phe Thr Ser Gln Met Lys Gly Glu Gln Ser Ser Gly Gln Val 145 cct acc gga gta tca agc atg tcg gat atg aac atg gag aac ctt atg Pro Thr Gly Val Ser Ser Met Ser Asp Met Asn Met Glu Asn Leu Met 165 170 gag gac tot gtt gct ttt agg gtt cgg gct aaa cgt ggt tgc gca act 636 Glu Asp Ser Val Ala Phe Arg Vål Arg Ala Lys Arg Gly Cys Ala Thr 180 cat ccc cgc agc att gcc gag agg gta cga agg acg cgg att agt gat 684 His Pro Arg Ser Ile Ala Glu Arg Val Arg Arg Thr Arg Ile Ser Asp 200 205 cgg ata agg aag cta caa gag ctt gta cct aac atg gac aag caa acc 1.5 Arg Ile Arg Lys Leu Gln Glu Leu Val Pro Asn Met Asp Lys Gln Thr 210 215 aac act gca gac atg tta gaa gaa gca gta gaa tac gtg aaa gtt ctt Salar Service Control Asn Thr Ala Asp Met Leu Glu Glu Ala Val Glu Tyr Val Lys Val Leu 225 230 235 caa agg cag atc cag gag tta aca gaa gaa cag aag agg tgc aca tgc Gln Arg Gln Ile Gln Glu Leu Thr Glu Glu Gln Lys Arg Cys Thr Cys 3 800 14.4. 245 250 100 to 615 At 255 ata cct aag gaa gaa caa taa ggtttgctcc tgatttgttt tatatttgct 879 Ile Pro Lys Glu Glu Gln 260

taacggcaat gatctgatcg aaaaattcga aagatgatct tagcttgaat ttagatggat 939

gtcatgttga aaagtatatt atttgataaa tggatgtagg tgtaatataa aatttttgta 999

caataatgaa gaaagttaaa aagaattaat gaaaacatat attotttatg atataaaaaa 1059

aaaaa 1064

<210> 182 <211> 262 <212> PRT <213> Arabidopsis thaliana <400> 182

Met Gln Pro Thr Ser Val Gly Ser Ser Gly Gly Gly Asp Asp Gly Gly 1 5 10 15

Gly Arg Gly Gly Gly Gly Leu Ser Arg Ser Gly Leu Ser Arg Ile

25 30

Arg Ser Ala Pro Ala Thr Trp Leu Glu Ala Leu Leu Glu Glu Asp Glu 35 40 45

20

Glu Glu Ser Leu Lys Pro Asn Leu Gly Leu Thr Asp Leu Leu Thr Gly 50 55 60

Asn Ser Asn Asp Leu Pro Thr Ser Arg Gly Ser Phe Glu Phe Pro Ile
65 70 75 80

Pro Val Glu Gln Gly Leu Tyr Gln Gln Gly Gly Phe His Arg Gln Asn 85 90 90 95

Ser Thr Pro Ala Asp Phe Leu Ser Gly Ser Asp Gly Phe Ile Gln Ser 100 105 110

Phe Gly Ile Gln Ala Asn Tyr Asp Tyr Leu Ser Gly Asn Ile Asp Val 115 120 125

Ser Pro Gly Ser Lys Arg Ser Arg Glu Met Glu Ala Leu Phe Ser Ser 130 135 140

Pro Glu Phe Thr Ser Gln Met Lys Gly Glu Gln Ser Ser Gly Gln Val 145 150 150 160

Pro Thr Gly Val Ser Ser Met Ser Asp Met Asn Met Glu Asn Leu Met 165 170 175

Glu Asp Ser Val Ala Phe Arg Val Arg Ala Lys Arg Gly Cys Ala Thr 180 185 190

His Pro Arg Ser Ile Ala Glu Arg Val Arg Arg Thr Arg Ile Ser Asp 195 200 205

Arg Ile Arg Lys Leu Gln Glu Leu Val Pro Asn Met Asp Lys Gln Thr 210 215 220

Asn Thr Ala Asp Met Leu Glu Glu Ala Val Glu Tyr Val Lys Val Leu 225 230 235 235

Gln Arg Gln Ile Gln Glu Leu Thr Glu Glu Gln Lys Arg Cys Thr Cys 245 250 255

Ile Pro Lys Glu Glu Gln 260

<210> 183 <211> 1037 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (46)..(807) <223> G1142

<400> 183

attaattaac aaaaaaccaa aagaaggcgg cgcaaacaaa agata atg caa cca gag 57

Met Gln Pro Glu

acc tca gat cag atg ttg tac tcg ttt ctt gcc gga aac gaa gtc ggc 105

Thr Ser Asp Gln Met Leu Tyr Ser Phe Leu Ala Gly Asn Glu Val Gly 5 10 15 20

ggt gga ggg tac tgc gtc tcc ggc gac tac atg acg act atg cag agc 153

Gly Gly Gly Tyr Cys Val Ser Gly Asp Tyr Met Thr Thr Met Gln Ser 25 30 35

tta tgt ggg tct tcg tcg tcg acg tca tcg tat tac cca ctg gcg atc 201

Leu Cys Gly Ser Ser Ser Ser Thr Ser Ser Tyr Tyr Pro Leu Ala Ile 45 50

tcc ggc atc gga gaa acg atg gct caa gac aga gct tta gct gct ttg 249

Ser Gly Ile Gly Glu Thr Met Ala Gln Asp Arg Ala Leu Ala Ala Leu 55 60 65

agg aac cac aaa gaa gct gag aga aga agg aga gag agg atc aat tct 297

Arg Asn His Lys Glu Ala Glu Arg Arg Arg Glu Arg Ile Asn Ser 70 75 80

cat ctc aac aag ctt cgt aac gta ctc tct tgt aat tct aag acc gat

His Leu Asn Lys Leu Arg Asn Val Leu Ser Cys Asn Ser Lys Thr Asp 85 90 95 100

aaa gcc aca ctg ctc gcc aaa gta gtt caa cga gtc aga gaa ctt aaa 393

Lys Ala Thr Leu Leu Ala Lys Val Val Gln Arg Val Arg Glu Leu Lys
105 110 115

cag caa acc cta gag acc tcc gac tcc gac caa aca tta tta cca tca

Gln Gln Thr Leu Glu Thr Ser Asp Ser Asp Gln Thr Leu Leu Pro Ser 120 125 130

gag acc gac gaa att agt gtt cta cac ttt gga gac tat tca aac gac 489

Glu Thr Asp Glu Ile Ser Val Leu His Phe Gly Asp Tyr Ser Asn Asp 135 140 145

ggt cat ata atc ttc aaa gcc tct cta tgt tgt gaa gat aga tca gat 537

Gly His Ile Ile Phe Lys Ala Ser Leu Cys Cys Glu Asp Arg Ser Asp 150 155 160

ctc ttg ccg gac ctt atg gag att ctc aag tct ctt aac atg aag act 585

Leu Leu Pro Asp Leu Met Glu Ile Leu Lys Ser Leu Asn Met Lys Thr 165 170 175 180

ctc cga gct gag atg gta acc att ggt ggt cgg aca aga agt gtt ctt

Leu Arg Ala Glu Met Val Thr Ile Gly Gly Arg Thr Arg Ser Val Leu 185 190 195

gtc gta gct gct gac aaa gag atg cac ggc gtc gag tct gtg cat ttt

Val Val Ala Ala Asp Lys Glu Met His Gly Val Glu Ser Val His Phe 200 205 210

ttg caa aat gct ctc aag tcg ctg ctt gag cgg tca agc aag tcg ttg

Leu Gln Asn Ala Leu Lys Ser Leu Leu Glu Arg Ser Ser Lys Ser Leu 215 220 225

atg gaa cgt agt tct ggt ggt gga gga gga cgg tca aag cgg cgt

Met Glu Arg Ser Ser Gly Gly Gly Gly Glu Arg Ser Lys Arg Arg 230 235 240

cgt gcg ctg gat cac atc ata atg gtg tga aatgatgaga attgagcaca

Arg Ala Leu Asp His Ile Ile Met Val 245

ctaaaaagtc tataattgat taatatatat agggtatgat cataattaac ttggttataa 887

ttttttctt tttcaaaaaa aaaaaaaaaa 1037

<210> 184 <211> 253 <212> PRT <213> Arabidopsis thaliana <400>

Met Gln Pro Glu Thr Ser Asp Gln Met Leu Tyr Ser Phe Leu Ala Gly 1 5 15

Asn Glu Val Gly Gly Gly Gly Tyr Cys Val Ser Gly Asp Tyr Met Thr 20 25 30

Thr Met Gln Ser Leu Cys Gly Ser Ser Ser Ser Thr Ser Ser Tyr Tyr 35 40 45

Pro Leu Ala Ile Ser Gly Ile Gly Glu Thr Met Ala Gln Asp Arg Ala 50 55 60

Leu Ala Ala Leu Arg Asn His Lys Glu Ala Glu Arg Arg Arg Glu 65 70 75 Arg Ile Asn Ser His Leu Asn Lys Leu Arg Asn Val Leu Ser Cys Asn 85 90 Ser Lys Thr Asp Lys Ala Thr Leu Leu Ala Lys Val Val Gln Arg Val 105 Arg Glu Leu Lys Gln Gln Thr Leu Glu Thr Ser Asp Ser Asp Gln Thr 115 120 125 Leu Leu Pro Ser Glu Thr Asp Glu Ile Ser Val Leu His Phe Gly Asp Tyr Ser Asn Asp Gly His Ile Ile Phe Lys Ala Ser Leu Cys Cys Glu 145 May 177 Feb. 200, 150 Mills and Joseph 155 Heat, 200, 120 He. 160 Asp Arg Ser Asp Leu Leu Pro Asp Leu Met Glu Ile Leu Lys Ser Leu 165 170 Asn Met Lys Thr Leu Arg Ala Glu Met Val Thr Ile Gly Gly Arg Thr 18. A. A. 180 A. A. 185 A. A. 190 A. 190 A. A. A. 190 A. Arg Ser Val Leu Val Val Ala Ala Asp Lys Glu Met His Gly Val Glu . 195 205 200 Ser Val His Phe Leu Gln Asn Ala Leu Lys Ser Leu Leu Glu Arg Ser 210 215 220 Ser Lys Ser Leu Met Glu Arg Ser Ser Gly Gly Gly Gly Glu Arg 225 230 235 240 Ser Lys Arg Arg Ala Leu Asp His Ile Ile Met Val 245 250 <210> 185 <211> 2127 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (56)..(1957) <223> G1202 <400> 185 caaatcacat attttgtgaa atcccaaaga aagtttttgc tttcaccggc cagtc atg gga aac tat cgg tgg ccg tca aag cta tca aag tta tca ctc aga gca

Gly Asn Tyr Arg Trp Pro Ser Lys Leu Ser Lys Leu Ser Leu Arg Ala

			5					10					15		
aaa 154	caa	acg	aat	ctg	tac	cgc	gtc	att	cta	atc	gcg	atc	ctc	tgc	gtc
	Gln	Thr 20	Asn	Leu	Tyr	Arg	Val 25	Ile	Leu	Ile	Ala	Ile 30	Leu	Cys	Val
acc 202	ttt	tac	ttc	gtc	gga	gta	tgg	caa	cac	tcc	ggc	aga	gga	atc	tca
	Phe 35	Tyr	Phe	Val	Gly	Val 40	Trp	Gln	His	Ser	Gly 45	Arg	Gly	Ile	Ser
сдс 250	tct	tcc	att	tct	aac	cac	gag	ctc	acg	tcc	gtg	ccc	tgc	acg	ttt
	Ser	Ser	Ile	Ser	Asn 55	His	Glu	Leu	Thr	Ser 60	Val	Pro	Суз	Thr	Phe 65
cct 298	cac	caa	acc	aca	ccg	att	ctc	aac	ttc	gcc	tcc	cgt	cac	aca	gcc
	His	Gln	Thr	Thr 70	Pro	Ile	Leu	Asn	Phe 75	Ala	Ser	Arg	His	Thr 80	Ala
cct 346	gac	ctt	cct	ccg	acg	ata	acg	gac	gcg	cgt	gtt	gtt	caa	atc	ccg
	Asp	Leu	Pro 85	Pro	Thr	Ile	Thr	Asp 90	Ala	Arg	Val	Val	Gln 95	Ile	Pro
tcg 394	tgc	ggc	gtt	gaa	ttc	tcg	gag	tac	acg	ccc	tgc	gag	ttc	gtg	aat
	Суз	Gly 100	Val	Glu	Phe	Ser	Glu 105	Tyr	Thr	Pro	Cys	Glu 110	Phe	Val	Asn
cgg 442	tct	ttg	aat	ttc	cca	aga	gag	agg	ctt	ata	tac	aga	gag	aga	cac
	Ser 115	Leu	Asn	Phe	Pro	Arg 120	Glu	Arg	Leu	Ile	Tyr 125	Arg	Glu	Arg	His
tgt 490	ccg	gaa	aaa	cac	gag	ata	gtc	agg	tgt	cgg	att	cca	gcg	ccg	tac
	Pro	Glu	Lys	His	Glu 135	Ile	Val	Arg	Cys	Arg 140	Ile	Pro	Ala	Pro	Tyr 145
ggt 538	tac	agt	tta	cct	ttt	cgg	tgg	ccg	gag	agc	cgt	gac	gtg	gcg	tgg
	Tyr	Ser	Leu	Pro 150		Arg	Trp	Pro	Glu 155		Arg	Asp	Val	Ala 160	Trp
ttt 586	_	aac	gtg	ccg	cat	acg	gaa	cta	acg	gtg	gag	aag	aag	aat	cag
		Asn	Val 165		His	Thr	Glu	Leu 170		Val	Glu	Lys	Lys 175	Asn	Gln
aac 634		gta	agg	tat	gag	aag	gat	agg	ttt	tta	ttt	cct	ggt	ggt	ggt
		Val 180		Tyr	Glu	Lys	Asp 185		Phe	Leu	Phe	Pro 190		Gly	Gly
acg 682		ttt	cca	cgt	gga	gct	gat	gct	tac	atc	gac	gag	atc	gga	cgg
			Pro	Arg	Gly	Ala 200		Ala	Tyr	Ile	Asp 205		Ile	Gly	Arg

ttg ata aat ctc aaa gat gga tca att cgg aca gcc att gat act gga Leu Ile Asn Leu Lys Asp Gly Ser Ile Arg Thr Ala Ile Asp Thr Gly 215 tgt ggg gta gcg agc ttt ggg gcg tat cta atg tcg agg aac ata gta Cys Gly Val Ala Ser Phe Gly Ala Tyr Leu Met Ser Arg Asn Ile Val acg atg tcg ttt gca cca aga gac aca cac gaa qct cag gtt cag ttc 826 Thr Met Ser Phe Ala Pro Arg Asp Thr His Glu Ala Gln Val Gln Phe 245 250 gea ett gag aga gga gte eet gee ate ata gga gtg tta gee tet att 874 Ala Leu Glu Arg Gly Val Pro Ala Ile Ile Gly Val Leu Ala Ser Ile 260 agg ctc cca ttt ccg gcc aga gcc ttc gac att gct cat tgc tct cga in the second 922 化二氯 医肾髓 医血管管 医克勒氏病 Charles a Barrio Mina Mil Arg Leu Pro Phe Pro Ala Arg Ala Phe Asp Ile Ala His Cys Ser Arg 275 280 285 tgt ctc att cct tgg ggc caa tac aac ggg acg tat ctc ata gaa gtg Cys Leu Ile Pro Trp Gly Gln Tyr Asn Gly Thr Tyr Leu Ile Glu Val 290 - 3 141 111 114 197 295 - 44 4 1 296 - 300 114 49, 971 448 305 gat agg gta ctg aga ccg ggg ggg tat tgg att ttg tcg gga ccg ccg 1018 Asp Arg Val Leu Arg Pro Gly Gly Tyr Trp Ile Leu Ser Gly Pro Pro 310 315 att aac tgg cag aga cac tgg aag ggt tgg gaa aga act aga gac gat Ile Asn Trp Gln Arg His Trp Lys Gly Trp Glu Arg Thr Arg Asp Asp 325 330 ctc aac tcg gag cag tct cag atc gag agg gtg gct agg agc ttg tgt 1114 Leu Asn Ser Glu Gln Ser Gln Ile Glu Arg Val Ala Arg Ser Leu Cys 340 345 350 tgg agg aaa ttg gtg cag aga gag gat ctt geg gtt tgg cag aaa cct Trp Arg Lys Leu Val Gln Arg Glu Asp Leu Ala Val Trp Gln Lys Pro 360 acc aac cat gtt cac tgt aag cgc aat cgg ata gct tta gga cgc cct Thr Asn His Val His Cys Lys Arg Asn Arg Ile Ala Leu Gly Arg Pro 375 380 385 ccg ttc tgc cac cgg aca cta ccc aac cag ggc tgg tac act aag ctt Pro Phe Cys His Arg Thr Leu Pro Asn Gln Gly Trp Tyr Thr Lys Leu

gaa acc tgt ttg acg ccg ttg ccg gaa gta aca gga tct gag atc aaa 1306

Glu Thr Cys Leu Thr Pro Leu Pro Glu Val Thr Gly Ser Glu Ile Lys 405 410 415

gaa gta gcg ggt gga cag ttg gcg aga tgg cct gag aga ttg aat gct 1354

Glu Val Ala Gly Gly Gln Leu Ala Arg Trp Pro Glu Arg Leu Asn Ala 420 425 430

ctt cct ccg agg atc aaa agt gga agc ttg gaa ggg atc act gag gat 1402

Leu Pro Pro Arg Ile Lys Ser Gly Ser Leu Glu Gly Ile Thr Glu Asp 435 440 445

gaa ttt gtc agc aac aca gag aaa tgg cag aga aga gtg tct tac tac 1450

Glu Phe Val Ser Asn Thr Glu Lys Trp Gln Arg Arg Val Ser Tyr Tyr 450 455 460 465

aag aaa tat gac caa cag cta gcg gag acg gga aga tac aga aac ttt 1498

Lys Lys Tyr Asp Gln Gln Leu Ala Glu Thr Gly Arg Tyr Arg Asn Phe
470 475 480

ctc gac atg aac gct cat ctt gga ggt ttc gcc tca gcc tta gtc gat 1546 Leu Asp Met Asn Ala His Leu Gly Gly Phe Ala Ser Ala Leu Val Asp

Leu Asp Met Asn Ala His Leu Gly Gly Phe Ala Ser Ala Leu Val Asp 485 , 490 495

gat cct gta tgg gtc atg aat gtt gtc ccc gtg gag gcc agt gtt aac 1594

Asp Pro Val Trp Val Met Asn Val Val Pro Val Glu Ala Ser Val Asn 500 505 510

acc ctt gga gtt atc tat gag cga gga ttg att gga acg tat caa aac 1642

Thr Leu Gly Val Ile Tyr Glu Arg Gly Leu Ile Gly Thr Tyr Gln Asn 515 520 525

tgg tgt gaa gca atg tca act tac cca agg aca tac gat ttc atc cat 1690

Trp Cys Glu Ala Met Ser Thr Tyr Pro Arg Thr Tyr Asp Phe Ile His 530 545

gcc gat tcg gtg ttc agt ctg tac aaa gac aga tgt gac atg gaa gat 1738

Ala Asp Ser Val Phe Ser Leu Tyr Lys Asp Arg Cys Asp Met Glu Asp 550 555 560

atc ttg cta gaa atg gac agg att cta aga cca aag gga agc gtg atc 1786

Ile Leu Leu Glu Met Asp Arg Ile Leu Arg Pro Lys Gly Ser Val Ile
565 570 575

atc aga gac gac att gat gtg cta acc aaa gtg aag aag att aca gat 1834

Ile Arg Asp Asp Ile Asp Val Leu Thr Lys Val Lys Lys Ile Thr Asp
580 585 590

gcg atg caa tgg gaa ggg agg ata gga gat cat gaa aac gga cct ctt 1882

Ala Met Gln Trp Glu Gly Arg Ile Gly Asp His Glu Asn Gly Pro Leu 595 600 605

gaa aga gag aag att ttg ttt ctt gtg aag gag tac tgg acc gca cct 1930

Glu Arg Glu Lys Ile Leu Phe Leu Val Lys Glu Tyr Trp Thr Ala Pro 610 625

gcg cct gat cag tca tca gat cct tga tcaagcttgg aataattcat 1977

Ala Pro Asp Gln Ser Ser Asp Pro 630

aaaatttgta gctccattct tttttcttca aatgttttgt acacactaat cgactttggg 2037

ggaaagaaga aacaaacacc cgctaaattg tttcaaaccg gagattcatt gcgactttgt 2097

gagaaaatga actagagagt ttactacaaa 2127

la sa sa sa la companya di bangan da kababatan kababatan kababatan kababatan kababatan kababatan kababatan kab

<210> 186 <211> 633 <212> PRT <213> Arabidopsis thaliana <400> 186

THE PHYSIAM COMMAND OF THE STREET, THE DISTRICT

Met Gly Asn Tyr Arg Trp Pro Ser Lys Leu Ser Lys Leu Ser Leu Arg

1 10 15

Ala Lys Gln Thr Asn Leu Tyr Arg Val Ile Leu Ile Ala Ile Leu Cys 20 25 30

Val Thr Phe Tyr Phe Val Gly Val Trp Gln His Ser Gly Arg Gly Ile 35 40 45

Ser Arg Ser Ser Ile Ser Asn His Glu Leu Thr Ser Val Pro Cys Thr 50 55 60

Phe Pro His Gln Thr Thr Pro Ile Leu Asn Phe Ala Ser Arg His Thr 65 70 75 80

Ala Pro Asp Leu Pro Pro Thr Ile Thr Asp Ala Arg Val Val Gln Ile 85 90 95

Pro Ser Cys Gly Val Glu Phe Ser Glu Tyr Thr Pro Cys Glu Phe Val

Asn Arg Ser Leu Asn Phe Pro Arg Glu Arg Leu Ile Tyr Arg Glu Arg 115 120 125

His Cys Pro Glu Lys His Glu Ile Val Arg Cys Arg Ile Pro Ala Pro

130 135 140

Tyr Gly Tyr Ser Leu Pro Phe Arg Trp Pro Glu Ser Arg Asp Val Ala 145 150 155 160

Trp Phe Ala Asn Val Pro His Thr Glu Leu Thr Val Glu Lys Lys Asn 165 170 175

Gln Asn Trp Val Arg Tyr Glu Lys Asp Arg. Phe Leu Phe Pro Gly Gly 180 185 190

Gly Thr Met Phe Pro Arg Gly Ala Asp Ala Tyr Ile Asp Glu Ile Gly 195 ; 200 205

Arg Leu Ile Asn Leu Lys Asp Gly Ser Ile Arg Thr Ala Ile Asp Thr 210 215 220

Gly Cys Gly Val Ala Ser Phe Gly Ala Tyr Leu Met Ser Arg Asn Ile 225 230 235 240

Val Thr Met Ser Phe Ala Pro Arg Asp Thr His Glu Ala Gln Val Gln 245 255

Phe Ala Leu Glu Arg Gly Val Pro Ala Ile Ile Gly Val Leu Ala Ser 260 265 270

Ile Arg Leu Pro Phe Pro Ala Arg Ala Phe Asp Ile Ala His Cys Ser 275 280 285

Arg Cys Leu Ile Pro Trp Gly Gln Tyr Asn Gly Thr Tyr Leu Ile Glu 290 295 300

Val Asp Arg Val Leu Arg Pro Gly Gly Tyr Trp Ile Leu Ser Gly Pro 305 310 320

Pro Ile Asn Trp Gln Arg His Trp Lys Gly Trp Glu Arg Thr Arg Asp 325 330 330

Asp Leu Asn Ser Glu Gln Ser Gln Ile Glu Arg Val Ala Arg Ser Leu 340 345 350

Cys Trp Arg Lys Leu Val Gln Arg Glu Asp Leu Ala Val Trp Gln Lys 355 360 365

Pro Thr Asn His Val His Cys Lys Arg Asn Arg Ile Ala Leu Gly Arg 370 375 380

Pro Pro Phe Cys His Arg Thr Leu Pro Asn Gln Gly Trp Tyr Thr Lys 390 Leu Glu Thr Cys Leu Thr Pro Leu Pro Glu Val Thr Gly Ser Glu Ile 405 410 415 Lys Glu Val Ala Gly Gly Gln Leu Ala Arg Trp Pro Glu Arg Leu Asn 420 425 430 Ala Leu Pro Pro Arg Ile Lys Ser Gly Ser Leu Glu Gly Ile Thr Glu 440 435 Asp Glu Phe Val Ser Asn Thr Glu Lys Trp Gln Arg Arg Val Ser Tyr 450 455 460 Tyr Lys Lys Tyr Asp Gln Gln Leu Ala Glu Thr Gly Arg Tyr Arg Asn 465 88 470 788 788 888 98 475 788 888 888 480 Phe Leu Asp Met Asn Ala His Leu Gly Gly Phe Ala Ser Ala Leu Val 485 490 495 Asp Asp Pro Val Trp Val Met Asn Val Val Pro Val Glu Ala Ser Val Light 1 500 February 1 505 February 510 Members 1 505 Asn Thr Leu Gly Val Ile Tyr Glu Arg Gly Leu Ile Gly Thr Tyr Gln 520 Asn Trp Cys Glu Ala Met Ser Thr Tyr Pro Arg Thr Tyr Asp Phe Ile 530 535 540 His Ala Asp Ser Val Phe Ser Leu Tyr Lys Asp Arg Cys Asp Met Glu 555 560 545 550 And the second of the second Asp Ile Leu Leu Glu Met Asp Arg Ile Leu Arg Pro Lys Gly Ser Val 565 570 Ile Ile Arg Asp Asp Ile Asp Val Leu Thr Lys Val Lys Lys Ile Thr 580 585 Asp Ala Met Gln Trp Glu Gly Arg Ile Gly Asp His Glu Asn Gly Pro 600 Leu Glu Arg Glu Lys Ile Leu Phe Leu Val Lys Glu Tyr Trp Thr Ala 615

Pro Ala Pro Asp Gln Ser Ser Asp Pro 625 630

<210> 187 <211> 1604 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (123)..(1217) <223> G1229

<400> 187

tttgggeggg tetttette ectaaatett tetttattt tgetgtttaa aaaaaaate 60

caaccataag acaaaacaac gaacgaggaa gagagagag gaaggatata tctctaatca 120

cg atg cag gag ata ata ccg gat ttt ctt gaa gag tgt gaa ttt gtc 167

Met Gln Glu Ile Ile Pro Asp Phe Leu Glu Glu Cys Glu Phe Val 1 5 10 15

gac act tca cta gcc gga gat gat cta ttt gcc atc tta gag agt ctt 215

Asp Thr Ser Leu Ala Gly Asp Asp Leu Phe Ala Ile Leu Glu Ser Leu 20 25 30

gaa ggt gcc gga gag ata tct ccg aca gct gca tct aca cct aaa gat 263

Glu Gly Ala Gly Glu Ile Ser Pro Thr Ala Ala Ser Thr Pro Lys Asp 35 40 45

gga acc aca agt tcc aag gag tta gtt aag gat caa gat tat gaa aac 311

Gly Thr Thr Ser Ser Lys Glu Leu Val Lys Asp Gln Asp Tyr Glu Asn 50 60

tca tct cct aag agg aaa aag caa aga cta gaa acc agg aaa gaa gag 359

Ser Ser Pro Lys Arg Lys Lys Gln Arg Leu Glu Thr Arg Lys Glu Glu 65 70 75

Asp Glu Glu Glu Glu Asp Gly Asp Gly Glu Ala Glu Glu Asp Asn Lys 80 90 95

caa gat ggg caa caa aag atg tct cat gta acc gtg gaa cgt aac cgg  $455\,$ 

Gln Asp Gly Gln Gln Lys Met Ser His Val Thr Val Glu Arg Asn Arg 100 105 110.

aga aag caa atg aac gag cac tta acc gtt ttg cgt tct ctt atg cct 503

Arg Lys Gln Met Asn Glu His Leu Thr Val Leu Arg Ser Leu Met Pro 115 120 125

tgt ttc tac gtc aaa cgg ggg gac caa gca tcg atc ata gga gga gtt 551

Cys Phe Tyr Val Lys Arg Gly Asp Gln Ala Ser Ile Ile Gly Gly Val

599												tct			
Val	G1u 145	Tyr	Ile	Ser	Glu	Leu 150	Gln	Gln	Val	Leu	Gln 155	Ser	Leu	Glu	Ala
aag 647	aaa	caa	cgt	aaa	acc	tac	gcc	gaa	gtc	cta	agc	ccg	aga	gtt	gtc
Lys 160	ГÀЗ	Gln	Arg	Lys	Thr 165	Tyr	Ala	Glu	Val	Leu 170	Ser	Pro	Arg	Val	Val 175
ccg 695	agc	cct	cgt	cct	tca	ccg	cct	gtt	cta	agc	cca	aga	aaa	ccg	cct
Pro	Ser	Pro	Arg	Pro 180	Ser	Pro	Pro	Val	Leu 185	Ser	Pro	Arg	Lys	Pro 190	Pro
743	agc	ccg	cgc	atc	aac	cac	cac	cag	att	cac	cac	cac	cta	ctt	ctc
Leu	Ser	Pro	Arg 195	Ile	Asn	His	His	Gln 200	Ile	His	His	His	Leu 205	Leu	Leu
cct 791	ccc	ata	agt	cct	cga	aca	cct	cag	cca	aca	agc	cca	tac	cgg	gcc
Pro	Pro	Ile	Ser	Pro	Arg	Thr	Pro	Gln	Pro	Thr	Ser	Pro	Tyr	Arg	Ala
. •	*					•						220		·; ·	
839					٠.						•	ctt			
Ile	Pro 225	Pro	Gln	Leu	Pro		Ile				Pro 235	Leu	Arg	Ser	Tyr
344			٠,		5.			-							· . ·
887	• :		4,44.5	27.7		٠,٠		.*	****			cct		* -	
Ser 240	Ser	Leu	Ala	Ser	Cys 245	Ser	Ser	Leu		Asp 250	Pro	Pro	Pro	Tyr	Ser 255
cct	gct	tca	tct	tct	tca	tct	cct	tca	gtt	agt	agt	aac	cat	gag	agt
935	٠.			٠.			1.				_	aac		٠.	_
935	٠.			٠.			1.				_	aac Asn		٠.	_
935 Pro	Ala	Ser	Ser	Ser 260	Ser	Ser	Pro	Ser	Val 265	Ser	Ser		His	Glu 270	Ser
935 Pro agt 983	Ala gtg	Ser atc	Ser aat Asn	Ser 260 gag	Ser ctt Leu	Ser gtt Val	Pro gct	Ser aac	Val 265 tca	Ser	Ser tcg	Asn	His ttg	Glu 270 gct	Ser gat
935 Pro agt 983 Ser	Ala gtg Val	Ser atc Ile	Ser aat Asn 275	Ser 260 gag Glu	Ser ctt Leu	Ser gtt Val	Pro gct Ala	Ser aac Asn 280	Val 265 tca Ser	Ser aaa Lys	Ser tcg Ser	Asn gct Ala	His ttg Leu 285	Glu 270 gct Ala	Ser gat Asp
935 Pro agt 983 Ser gtg 1031	Ala gtg Val gaa	Ser atc Ile gtg	Ser aat Asn 275 aag	Ser 260 gag Glu ttt	Ser ctt Leu tca	Ser gtt Val gga	Pro gct Ala gct	Ser aac Asn 280 aac	Val 265 tca Ser	Ser aaa Lys ctg	Ser tcg Ser	Asn gct Ala aaa	His ttg Leu 285 acg	Glu 270 gct Ala gtg	Ser gat Asp
935 Pro agt 983 Ser gtg 1031	Ala gtg Val gaa	Ser atc Ile gtg	Ser aat Asn 275 aag	Ser 260 gag Glu ttt	Ser ctt Leu tca	Ser gtt Val gga	Pro gct Ala gct	Ser aac Asn 280 aac	Val 265 tca Ser	Ser aaa Lys ctg	Ser tcg Ser	Asn gct Ala	His ttg Leu 285 acg	Glu 270 gct Ala gtg	Ser gat Asp
935 Pro agt 983 Ser gtg 1031 Val	Ala gtg Val gaa Glu	Ser atc Ile gtg Val 290 atc	Ser aat Asn 275 aag Lys	Ser 260 gag Glu ttt Phe	Ser ctt Leu tca Ser	Ser gtt Val gga Gly gtt	Pro gct Ala gct Ala 295 atg	Ser aac Asn 280 aac Asn	Val 265 tca Ser gtg Val	Ser aaa Lys ctg Leu	Ser tcg Ser ctc Leu	Asn gct Ala aaa Lys	His ttg Leu 285 acg Thr	Glu 270 gct Ala gtg Val	Ser gat Asp tcg Ser
935 Pro agt 983 Ser gtg 1031 Val	Ala gtg Val gaa Glu aag	Ser atc Ile gtg Val 290 atc	Ser aat Asn 275 aag Lys ccg	Ser 260 gag Glu ttt Phe	Ser  ctt  Leu  tca  Ser  caa Gln	Ser gtt Val gga Gly	Pro gct Ala gct Ala 295 atg	Ser aac Asn 280 aac Asn aag	Val 265 tca Ser gtg Val	Ser aaa Lys ctg Leu att	Ser tcg Ser ctc Leu	Asn gct Ala aaa Lys 300	His ttg Leu 285 acg Thr	Glu 270 gct Ala gtg Val	Ser gat Asp tcg Ser
935 Pro agt 983 Ser gtg 1031 Val cat 1079 His	Ala gtg Val gaa Glu aag Lys 305 gct	ser atc Ile gtg Val 290 atc Ile	Ser aat Asn 275 aag Lys ccg Pro	Ser 260 gag Glu ttt Phe gga Gly	Ser ctt Leu tca Ser caa Gln	Ser gtt Val gga Gly gtt Val 310	Pro gct Ala gct Ala 295 atg	Ser aac Asn 280 aac Asn aag	Val 265 tca Ser gtg Val ata Ile	Ser aaa Lys ctg Leu att	Ser tcg Ser ctc Leu gct Ala 315	Asn gct Ala aaa Lys 300 gct	His ttg Leu 285 acg Thr ctt Leu	Glu 270 gct Ala gtg Val gaa Glu	Ser gat Asp tcg Ser gat Asp

atg ctt aat tct ttc acc atc aag att gga att gag tgc caa cta agt 1175

Met Leu Asn Ser Phe Thr Ile Lys Ile Gly Ile Glu Cys Gln Leu Ser 340 345 350

gca gaa gaa ctg gct caa caa att cag caa aca ttc tgc tag 1217

Ala Glu Glu Leu Ala Gln Gln Ile Gln Gln Thr Phe Cys 355 360

taaagaagga tttaatatag cttcgtataa accttaacga gagagcagta cgtactcact 1277

ttctctcctt agtatccctt taattatctt ttcagttttc tgcaaagata tggagtttaa 1337

aaaaataaaa ttgttatcta aagttttaat caaatattga ttaattataa ctaatatagg 1397

tataagtgag ttttaaagat tatcagcttc ataacagcca tcgtcatgtt tactttcttt 1457

taaattttag aatttagacg tactcctacc atgtaatttt atttctgtca ttacatcaag 1517

cattgtagct gtaattgcat atgaatgaac aatagtgtat gagtgatctc atgaataata 1577

ttcttcttgc aacacaaaaa aaaaaaa 1604

<210> 188 <211> 364 <212> PRT <213> Arabidopsis thaliana <400> 188

Met Gln Glu Ile Ile Pro Asp Phe Leu Glu Glu Cys Glu Phe Val Asp 1 5 10 15

Thr Ser Leu Ala Gly Asp Asp Leu Phe Ala Ile Leu Glu Ser Leu Glu 20 25 30

Gly Ala Gly Glu Ile Ser Pro Thr Ala Ala Ser Thr Pro Lys Asp Gly 35 40 45

Thr Thr Ser Ser Lys Glu Leu Val Lys Asp Gln Asp Tyr Glu Asn Ser 50 55 60

Ser Pro Lys Arg Lys Lys Gln Arg Leu Glu Thr Arg Lys Glu Glu Asp 65 70 75 80

Glu Glu Glu Glu Asp Gly Asp Gly Glu Ala Glu Glu Asp Asn Lys Gln
85 90 95

.Asp Gly Gln Gln Lys Met Ser His Val Thr Val Glu Arg Asn Arg Arg 100 105 110

Lys Gln Met Asn Glu His Leu Thr Val Leu Arg Ser Leu Met Pro Cys 120 Phe Tyr Val Lys Arg Gly Asp Gln Ala Ser Ile Ile Gly Gly Val Val 140 130 135 Glu Tyr Ile Ser Glu Leu Gln Gln Val Leu Gln Ser Leu Glu Ala Lys 150 . 155 160 Lys Gln Arg Lys Thr Tyr Ala Glu Val Leu Ser Pro Arg Val Val Pro 165 170 Ser Pro Arg Pro Ser Pro Pro Val Leu Ser Pro Arg Lys Pro Pro Leu 180 185 Ser Pro Arg Ile Asn His His Gln Ile His His Leu Leu Leu Pro 4.49 July 195 (1997) 1997 (1997) 200 (1997) 1997 (1997) 205 (1997) 1997 Pro Ile Ser Pro Arg Thr Pro Gln Pro Thr Ser Pro Tyr Arg Ala Ile 210 215 220 Pro Pro Gln Leu Pro Leu Ile Pro Gln Pro Pro Leu Arg Ser Tyr Ser 225 230 235 240 Ser Leu Ala Ser Cys Ser Ser Leu Gly Asp Pro Pro Pro Tyr Ser Pro 245 250 255 Ala Ser Ser Ser Ser Pro Ser Val Ser Ser Asn His Glu Ser Ser 265 Val Ile Asn Glu Leu Val Ala Asn Ser Lys Ser Ala Leu Ala Asp Val 275 280 285 Glu Val Lys Phe Ser Gly Ala Asn Val Leu Leu Lys Thr Val Ser His 295 Lys Ile Pro Gly Gln Val Met Lys Ile Ile Ala Ala Leu Glu Asp Leu 305 310 315 Ala Leu Glu Ile Leu Gln Val Asn Ile Asn Thr Val Asp Glu Thr Met 325 330 Leu Asn Ser Phe Thr Ile Lys Ile Gly Ile Glu Cys Gln Leu Ser Ala . 345

Glu Glu Leu Ala Gln Gln Ile Gln Gln Thr Phe Cys 355 360

<210> 189 <211> 2481 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (280)..(2202) <223> G1242

<400> 189

gegecgagae t<br/>ttteageae caactategg ettettatea egggaaeeee eetteagaat <br/>  $60\,$ 

aatctccatg aattgtgggc cettetcaat tttettetee etgaggtttt tagttcagea

gaaacttttg acgagtggtt tcaaatttct ggtgaaaacg accagcaaga agttgttcaa 180

caacttcaca aggttctgcg accatttctt cttcggaggt taaaatcaga tgtagagaaa

ggcttacctc caaaaagga gacaatactc aaagttggc atg tct caa atg caa 294

Met Ser Gln Met Gln

aaa cag tac tac aag gct tta ctg cag aag gat ctt gaa gtg gtt aat

Lys Gln Tyr Tyr Lys Ala Leu Leu Gln Lys Asp Leu Glu Val Val Asn 10 15 20

ggt ggt gga gaa cgc aaa cgt ctg ttg aac ata gca atg caa ttg cgg

Gly Gly Glu Arg Lys Arg Leu Leu Asn Ile Ala Met Gln Leu Arg 30 35

aaa tgc tgc aat cac cct tat ctc ttc cag ggt gcg gag cct ggt ccc 438

Lys Cys Cys Asn His Pro Tyr Leu Phe Gln Gly Ala Glu Pro Gly Pro 40 45 50

cca tat act aca gga gat cac ctt gta aca aac gca ggt aag atg gtt 486

Pro Tyr Thr Thr Gly Asp His Leu Val Thr Asn Ala Gly Lys Met Val 55 60 65

ctc tta gat aaa ttg cta cct aag ttg aag gat cga gat tca agg gtt

Leu Leu Asp Lys Leu Leu Pro Lys Leu Lys Asp Arg Asp Ser Arg Val 70 80 80

ctg ata ttt tct cag atg aca agg ctt ttg gat att ctc gag gat tac 582

Leu Ile Phe Ser Gln Met Thr Arg Leu Leu Asp Ile Leu Glu Asp Tyr
90 95 100

cta atg tat cgt ggt tac cag tac tgc cgt att gat gga aat act ggt 630

Leu Met Tyr Arg Gly Tyr Gln Tyr Cys Arg Ile Asp Gly Asn Thr Gly
105 110 115

ggt gac gaa cga gat gct tec ata gaa gcc tat aac aag cca gga agt 678 Gly Asp Glu Arg Asp Ala Ser Ile Glu Ala Tyr Asn Lys Pro Gly Ser gag aaa ttc gtt ttc ttg tta tcc act aga gct gga gga ctt ggt atc Glu Lys Phe Val Phe Leu Leu Ser Thr Arg Ala Gly Gly Leu Gly Ile 140 135 145 aat ctt gct act gca gat gtt gtg atc ctc tat gat agt gac tgg aac Asn Leu Ala Thr Ala Asp Val Val Ile Leu Tyr Asp Ser Asp Trp Asn cct caa gtt gac ttg caa gct cag gat cgt gca cat agg att ggt caa Pro Gln Val Asp Leu Gln Ala Gln Asp Arg Ala His Arg Ile Gly Gln 175 aaa aaa gaa gtt caa gtg ttc cgg ttc tgc acc gag aat gct att gag 870 Lys Lys Glu Val Gln Val Phe Arg Phe Cys Thr Glu Asn Ala Ile Glu 185 190 get aaa gte att gag aga get tac aag aag ttg gea ett gat get etg Ala Lys Val Ile Glu Arg Ala Tyr Lys Lys Leu Ala Leu Asp Ala Leu 18 200 F. C. Wei Links and 205 of problems 314 (E.A. 210) and gtt att cag caa ggg aga ttg gca gaa cag aaa act gtt aat aag gat 966 Val Ile Gln Gln Gly Arg Leu Ala Glu Gln Lys Thr Val Asn Lys Asp 215 gag ttg ctt caa atg gtg aga tat ggt gct gaa atg gtg ttt agt tct 1014 Glu Leu Leu Gln Met Val Arg Tyr Gly Ala Glu Met Val Phe Ser Ser 230 235 aaa gat agc aca att acg gat gag gat att gac aga atc att gcc aaa 1 31 F 4 F 2 BOM Lys Asp Ser Thr Ile Thr Asp Glu Asp Ile Asp Arg Ile Ile Ala Lys . 255 250 gga gaa gag gca acg gct gaa ctt gat gcc aag atg aag aaa ttt act 1110 Gly Glu Glu Ala Thr Ala Glu Leu Asp Ala Lys Met Lys Lys Phe Thr 275 265. 270 gaa gat gca ata cag ttt aaa atg gat gac agt gct gac ttt tat gat 1158 Glu Asp Ala Ile Gln Phe Lys Met Asp Asp Ser Ala Asp Phe Tyr Asp . 285 ttt gac gat gac aac aag gat gag agc aag gtg gat ttt aaa aag att Phe Asp Asp Asp Asn Lys Asp Glu Ser Lys Val Asp Phe Lys Lys Ile 295 300 305

PCT/US01/26189 WO 02/15675

gtg agt gaa aat tgg aat gat cca cca aaa aga gag aga aag cgc aac Val Ser Glu Asn Trp Asn Asp Pro Pro Lys Arg Glu Arg Lys Arg Asn 320 315 310

tac tot gaa gtt gaa tac ttc aag caa acg ttg cga caa ggt gct cca Tyr Ser Glu Val Glu Tyr Phe Lys Gln Thr Leu Arg Gln Gly Ala Pro 330

get aaa eet aaa gag eet aga att eea ege atg eee caa ttg eat gat

Ala Lys Pro Lys Glu Pro Arg Ile Pro Arg Met Pro Gln Leu His Asp 345

ttt cag ttc ttt aac att cag agg ctg act gag ctg tat gaa aaa gaa

Phe Gln Phe Phe Asn Ile Gln Arg Leu Thr Glu Leu Tyr Glu Lys Glu 370 365 360

gtg cga tac ctt atg caa gca cat cag aaa act caa atg aaa gac aca

Val Arg Tyr Leu Met Gln Ala His Gln Lys Thr Gln Met Lys Asp Thr 385 380 375

att gag gtt gat gaa cct gaa gaa gtt gga gat ccc tta act gct gaa Ile Glu Val Asp Glu Pro Glu Glu Val Gly Asp Pro Leu Thr Ala Glu 1494 395 390

gaa gtg gaa gaa aag gag cta ttg ctg gaa gag ggt ttc tca aca tgg Glu Val Glu Glu Lys Glu Leu Leu Glu Glu Gly Phe Ser Thr Trp 410

age aga aga gae tte aat gee tte att agg get tgt gag aag tat gge Ser Arg Arg Asp Phe Asn Ala Phe Ile Arg Ala Cys Glu Lys Tyr Gly 425

cgg aac gac ata aag agt att gcc tct gag atg gaa ggg aaa act gag Arg Asn Asp Ile Lys Ser Ile Ala Ser Glu Met Glu Gly Lys Thr Glu

gaa gag gtt gaa cga tat gct caa gtt ttc caa gtg cga tat aaa gag Glu Glu Val Glu Arg Tyr Ala Gln Val Phe Gln Val Arg Tyr Lys Glu 460 455

ctg aat gat tac gac aga atc atc aag aat att gag aga ggg gaa gca Leu Asn Asp Tyr Asp Arg Ile Ile Lys Asn Ile Glu Arg Gly Glu Ala 475

aga atc tct agg aaa gat gaa atc atg aaa gct att ggg aag aaa ctg Arg Ile Ser Arg Lys Asp Glu Ile Met Lys Ala Ile Gly Lys Lys Leu

495 490

gat cgc tac aga aac ccg tgg ctg gaa ctg aag att caa tat ggt cag 1830

Asp Arg Tyr Arg Asn Pro Trp Leu Glu Leu Lys Ile Gln Tyr Gly Gln 505 510 515

aac aaa ggg aag ctg tac aat gaa gag tgc gac cgt ttc atg ata tgc 1878

Asn Lys Gly Lys Leu Tyr Asn Glu Glu Cys Asp Arg Phe Met Ile Cys 520 525 530

atg gtc cat aaa ctt ggg tat gga aac tgg gat gag cta aag gca gcg 1926

Met Val His Lys Leu Gly Tyr Gly Asn Trp Asp Glu Leu Lys Ala Ala 535 540 545

ttt egg aca tee eec ttg ttt agg ttt gac tgg ttt gta aaa tee ege 1974

Phe Arg Thr Ser Pro Leu Phe Arg Phe Asp Trp Phe Val Lys Ser Arg 550 565 565

aca act cag gaa ett gca agg aga tgt gac aca eta ate agg ttg att 2022 on the common services and services and accommon services.

Thr Thr Gln Glu Leu Ala Arg Arg Cys Asp Thr Leu Ile Arg Leu Ile 570 575 580

gag aaa gag aat caa gaa ttt gat gag aga gag agg caa gcc cga aaa 2070

Glu Lys Glu Asn Gln Glu Phe Asp Glu Arg Glu Arg Gln Ala Arg Lys
585 590 595

gag aag aag ctt tca aag agt gca acg cca tca aaa cga cct tcg ggt 2118

Glu Lys Lys Leu Ser Lys Ser Ala Thr Pro Ser Lys Arg Pro Ser Gly
600 605 610

agg caa gca aat gag agc cct tca tct ctt ctg aag aaa cga aag cag 2166

Arg Gln Ala Asn Glu Ser Pro Ser Ser Leu Leu Lys Lys Arg Lys Gln 615 620 625

ctg tca atg gat gat tat gga aag cgt agg aaa taa gaaggcttgt 2212

Leu Ser Met Asp Asp Tyr Gly Lys Arg Arg Lys 630 635 640

gttgaatcca tcactaagta atcagaaaga tttatgatca cttctaggtt tgattccgaa 2272

tcggagaatt agttagaaga agctccttag agacaaggat ctaatatttt gtacccgcaa 2332

gcatcactgc attgtctccg acttctctta tttcttcaac gtgtatttta ctctattttg 2392

tttgtagaaa tattcaccac attcctagta gtgcgttttt agtaaatctc aaatgaactt 2452

ttgtggtcgg atttgaacaa aaaaaaaaa 2481

<210> 190 <211> 640 <212> PRT <213> Arabidopsis thaliana <400>

- Met Ser Gln Met Gln Lys Gln Tyr Tyr Lys Ala Leu Leu Gln Lys Asp 1 5 10 10 15
- Leu Glu Val Val Asn Gly Gly Gly Glu Arg Lys Arg Leu Leu Asn Ile 20 25 30
- Ala Met Gln Leu Arg Lys Cys Cys Asn His Pro Tyr Leu Phe Gln Gly 35
- Ala Glu Pro Gly Pro Pro Tyr Thr Thr Gly Asp His Leu Val Thr Asn 50 55 60
- Ala Gly Lys Met Val Leu Leu Asp Lys Leu Leu Pro Lys Leu Lys Asp 70 75 80
- Arg Asp Ser Arg Val Leu Ile Phe Ser Gln Met Thr Arg Leu Leu Asp 85 90 95
- Ile Leu Glu Asp Tyr Leu Met Tyr Arg Gly Tyr Gln Tyr Cys Arg Ile
  100 105 110
- Asp Gly Asn Thr Gly Gly Asp Glu Arg Asp Ala Ser Ile Glu Ala Tyr 115 120 125
- Asn Lys Pro Gly Ser Glu Lys Phe Val Phe Leu Leu Ser Thr Arg Ala
- Gly Gly Leu Gly Ile Asn Leu Ala Thr Ala Asp Val Val Ile Leu Tyr 145 150 155 160
- Asp Ser Asp Trp Asn Pro Gln Val Asp Leu Gln Ala Gln Asp Arg Ala 165 170 175
- His Arg Ile Gly Gln Lys Lys Glu Val Gln Val Phe Arg Phe Cys Thr 180 185 190
- Glu Asn Ala Ile Glu Ala Lys Val Ile Glu Arg Ala Tyr Lys Lys Leu 195 . 200 205
- Ala Leu Asp Ala Leu Val Ile Gln Gln Gly Arg Leu Ala Glu Gln Lys 210 215 220
- Thr Val Asn Lys Asp Glu Leu Leu Gln Met Val Arg Tyr Gly Ala Glu 225 235 235 240

Met Val Phe Ser Ser Lys Asp Ser Thr Ile Thr Asp Glu Asp Ile Asp 245 250 255

- Arg Ile Ile Ala Lys Gly Glu Glu Ala Thr Ala Glu Leu Asp Ala Lys 260 265 270
- Met Lys Lys Phe Thr Glu Asp Ala Ile Gln Phe Lys Met Asp Asp Ser . 275 280 285
- Ala Asp Phe Tyr Asp Phe Asp Asp Asp Asn Lys Asp Glu Ser Lys Val 290 295 300
- Asp Phe Lys Lys Ile Val Ser Glu Asn Trp Asn Asp Pro Pro Lys Arg 305 310 315 320
- Glu Arg Lys Arg Asn Tyr Ser Glu Val Glu Tyr Phe Lys Gln Thr Leu 325 330 335
- Arg Gln Gly Ala Pro Ala Lys Pro Lys Glu Pro Arg Ile Pro Arg Met 340 345
- Pro Gln Leu His Asp Phe Gln Phe Phe Asn Ile Gln Arg Leu Thr Glu 355 360 365
- Leu Tyr Glu Lys Glu Val Arg Tyr Leu Met Gln Ala His Gln Lys Thr 370 380
- Gln Met Lys Asp Thr Ile Glu Val Asp Glu Pro Glu Glu Val Gly Asp 385 390 395 400
- Pro Leu Thr Ala Glu Glu Val Glu Glu Lys Glu Leu Leu Glu Glu 405 410 415
- Gly Phe Ser Thr Trp Ser Arg Arg Asp Phe Asn Ala Phe Ile Arg Ala 420 425 430
- Cys Glu Lys Tyr Gly Arg Asn Asp Ile Lys Ser Ile Ala Ser Glu Met 435 440 445
- Glu Gly Lys Thr Glu Glu Glu Val Glu Arg Tyr Ala Gln Val Phe Gln 450 460
- Val Arg Tyr Lys Glu Leu Asn Asp Tyr Asp Arg Ile Ile Lys Asn Ile 465 470 475 480

Glu Arg Gly Glu Ala Arg Ile Ser Arg Lys Asp Glu Ile Met Lys Ala
485 490 495

- Ile Gly Lys Leu Asp Arg Tyr Arg Asn Pro Trp Leu Glu Leu Lys 500 505 510
- Ile Gln Tyr Gly Gln Asn Lys Gly Lys Leu Tyr Asn Glu Glu Cys Asp 515 520 525
- Arg Phe Met Ile Cys Met Val His Lys Leu Gly Tyr Gly Asn Trp Asp 530 535 540
- Glu Leu Lys Ala Ala Phe Arg Thr Ser Pro Leu Phe Arg Phe Asp Trp 545 550 555 560
- Phe Val Lys Ser Arg Thr Thr Gln Glu Leu Ala Arg Arg Cys Asp Thr 565 570 575
- Leu Ile Arg Leu Ile Glu Lys Glu Asn Gln Glu Phe Asp Glu Arg Glu 580 585 590
- Arg Gln Ala Arg Lys Glu Lys Lys Leu Ser Lys Ser Ala Thr Pro Ser 595 600 605
- Lys Arg Pro Ser Gly Arg Gln Ala Asn Glu Ser Pro Ser Ser Leu Leu 610 615 620
- Lys Lys Arg Lys Gln Leu Ser Met Asp Asp Tyr Gly Lys Arg Arg Lys 625 630 635 640
- <210> 191 <211> 859 <212> DNA <213> Arabidopsis thaliana <220>
  <221> CDS <222> (62)..(718) <223> G1266
- <400> 191
  caatccacta acgatcccta accgaaaaca gagtagtcaa gaaacagagt atttttcta
  60
- c atg gat cca ttt tta att cag tcc cca ttc tcc ggc ttc tca ccg gaa 109
- Met Asp Pro Phe Leu Ile Gln Ser Pro Phe Ser Gly Phe Ser Pro Glu
  1 15
- tat tot atc gga tot tot coa gat tot toc toa toc tot tot tot aac 157
- Tyr Ser Ile Gly Ser Ser Pro Asp Ser Phe Ser Ser Ser Ser Ser Asn 20 25 30
- aat tac tot ott occ tto aac gag aac gac toa gag gaa atg ttt otc 205
- Asn Tyr Ser Leu Pro Phe Asn Glu Asn Asp Ser Glu Glu Met Phe Leu

35 40 45

tac ggt cta atc gag cag tcc acg caa caa acc tat att gac tcg gat 253
Tyr Gly Leu Ile Glu Gln Ser Thr Gln Gln Thr Tyr Ile Asp Ser Asp

Tyr Gly Leu Ile Glu Gln Ser Thr Gln Gln Thr Tyr Ile Asp Ser Asp 50 55 60

agt caa gac ctt ccg atc aaa tcc gta agc tca aga aag tca gag aag 301

Ser Gln Asp Leu Pro Ile Lys Ser Val Ser Ser Arg Lys Ser Glu Lys 65 70 75 80

tot tac aga ggc gta aga cga cgg cca tgg ggg aaa tte geg gcg gag 349

Ser Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Lys Phe Ala Ala Glu 85 90 95

ata aga gat tog act aga aac ggt att agg gtt tgg ctc ggg acg ttc 397

Ile Arg Asp Ser Thr Arg Asn Gly Ile Arg Val Trp Leu Gly Thr Phe
100 105 110

gaa agc gcg gaa gag gcg gct tta gcc tac gat caa gct gct ttc tcg

Glu Ser Ala Glu Glu Ala Ala Leu Ala Tyr Asp Gln Ala Ala Phe Ser 115 120 125

atg aga ggg tcc tcg gcg att ctc aat ttt tcg gcg gag aga gtt caa

Met Arg Gly Ser Ser Ala Ile Leu Asn Phe Ser Ala Glu Arg Val Gln 130 135 140

gag tcg ctt tcg gag att aaa tat acc tac gag gat ggt tgt tct ccg 541

Glu Ser Leu Ser Glu Ile Lys Tyr Thr Tyr Glu Asp Gly Cys Ser Pro 145 150 155 160

gtt gtg gcg ttg aag agg aaa cac tcg atg aga cgg aga atg acc aat 589

Val Val Ala Leu Lys Arg Lys His Ser Met Arg Arg Arg Met Thr Asn 165 170 175

aag aag acg aaa gat agt gac ttt gat cac cgc tcc gtg aag tta gat 637

Lys Lys Thr Lys Asp Ser Asp Phe Asp His Arg Ser Val Lys Leu Asp 180 185 190

aat gta gtt gtc ttt gag gat ttg gga gaa cag tac ctt gag gag ctt 685

Asn Val Val Val Phe Glu Asp Leu Gly Glu Gln Tyr Leu Glu Glu Leu 195 200 205

ttg ggg tct tct gaa aat agt ggg act tgg tga aagattagga tttgtattag 738

Leu Gly Ser Ser Glu Asn Ser Gly Thr Trp 210 215

ggaccttaag titgaagtgg tigattaatt titaaccctaa tatgittitt gittgettaa 798

atatttgatt ctattgagaa acatcgaaaa cagtttgtat gtacttttgt gatacttggc 858

g 859

<210> 192 <211> 218 <212> PRT <213> Arabidopsis thaliana <400> 192

Met Asp Pro Phe Leu Ile Gln Ser Pro Phe Ser Gly Phe Ser Pro Glu 1 5 15

Tyr Ser Ile Gly Ser Ser Pro Asp Ser Phe Ser Ser Ser Ser Asn 20 25

Asn Tyr Ser Leu Pro Phe Asn Glu Asn Asp Ser Glu Glu Met Phe Leu 35

Tyr Gly Leu Ile Glu Gln Ser Thr Gln Gln Thr Tyr Ile Asp Ser Asp 50 55 60

Ser Gln Asp Leu Pro Ile Lys Ser Val Ser Ser Arg Lys Ser Glu Lys 65 70 75 80

Ser Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Lys Phe Ala Ala Glu 85 90 95

Ile Arg Asp Ser Thr Arg Asn Gly Ile Arg Val Trp Leu Gly Thr Phe 100 105 110

Glu Ser Ala Glu Glu Ala Ala Leu Ala Tyr Asp Gln Ala Ala Phe Ser 115 120 125

Met Arg Gly Ser Ser Ala Ile Leu Asn Phe Ser Ala Glu Arg Val Gln 130 135 140

Glu Ser Leu Ser Glu Ile Lys Tyr Thr Tyr Glu Asp Gly Cys Ser Pro 145 150 155 160

Val Val Ala Leu Lys Arg Lys His Ser Met Arg Arg Arg Met Thr Asn 165 170 175

Lys Lys Thr Lys Asp Ser Asp Phe Asp His Arg Ser Val Lys Leu Asp 180 . 185 . 190

Asn Val Val Val Phe Glu Asp Leu Gly Glu Gln Tyr Leu Glu Glu Leu 195 200 205

Leu Gly Ser Ser Glu Asn Ser Gly Thr Trp 210 215

<210> 193 <211> 1072 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (152)..(967) <223> G1267

<400> 193

aagtagagaa taataatcac atcaagattg attataaccc teteactaat cacettetta 60

atcaccaccc teteeggete teaacagaac aacaacaaaa aaacagette egttgteetg 120

ttccggcgaa atcggacggt cgagatcaat c atg cat cgt aga gca gca att 172

Met His Arg Arg Ala Ala Ile

caa gaa tog gat gac gaa gaa gat gag act tac aac gac gtc gtt cct 220

Gln Glu Ser Asp Asp Glu Glu Asp Glu Thr Tyr Asn Asp Val Val Pro 10 15 20

Glu Ser Pro Ser Ser Cys Glu Asp Ser Lys Ile Ser Lys Pro Thr Pro 25 30 35

aag aaa agg agg aac gta gag aag aga gtt gtc tca gtt ccg ata gct 316

Lys Lys Arg Arg Asn Val Glu Lys Arg Val Val Ser Val Pro Ile Ala
40 55 55

gac gtg gaa gga tet aag age aga gge gaa gta tat eea eeg tee gat 364

Asp Val Glu Gly Ser Lys Ser Arg Gly Glu Val Tyr Pro Pro Ser Asp
60 65 70

tca tgg gcc tgg aga aag tac gga caa aaa ccg atc aaa ggc tcg cct 412

Ser Trp Ala Trp Arg Lys Tyr Gly Gln Lys Pro Ile Lys Gly Ser Pro
75 80 85

tat ccc agg gga tat tac aga tgt agt agc tca aaa gga tgt ccg gcg

Tyr Pro Arg Gly Tyr Tyr Arg Cys Ser Ser Ser Lys Gly Cys Pro Ala 90 95 100

agg aag cag gtg gag aga agc cgt gtg gac cct tct aag ctt atg att 508

Arg Lys Gln Val Glu Arg Ser Arg Val Asp Pro Ser Lys Leu Met Ile 105 110

act tac gcc tgc gac cac aat cac cct ttc cct tcc tcc tcc gct aac

Thr Tyr Ala Cys Asp His Asn His Pro Phe Pro Ser Ser Ser Ala Asn 120 125 130 135

ace ama tee cae cae ege tee tee gte gte ete ama ace gem ama ama 604

Thr Lys Ser His His Arg Ser Ser Val Val Leu Lys Thr Ala Lys Lys 140 145 150

gag gaa gaa tac gaa gag gag gaa gaa gaa cta acc gtc acc gcc gca 652

Glu Glu Glu Tyr Glu Glu Glu Glu Glu Glu Leu Thr Val Thr Ala Ala 155 160 165

gag gaa cca ccg gcg gga ctt gat cta agc cac gta gac tca ccg ttg

Glu Glu Pro Pro Ala Gly Leu Asp Leu Ser His Val Asp Ser Pro Leu 170 175 180

cta tta ggc ggc tgc tac agc gaa atc gga gag ttc ggg tgg ttc tac 748

Leu Leu Gly Gly Cys Tyr Ser Glu Ile Gly Glu Phe Gly Trp Phe Tyr 185 190 195

gac gcg tcg atc tca tca tct tct tcg aat ttc ctc gac gta

Asp Ala Ser Ile Ser Ser Ser Ser Gly Ser Ser Asn Phe Leu Asp Val 200 205 210 215

act cta gag aga ggt ttt tca gta ggc caa gag gaa gat gag tct ttg

Thr Leu Glu Arg Gly Phe Ser Val Gly Gln Glu Glu Asp Glu Ser Leu 220 225 230

tte ggt gat ete ggt gat tta eet gat tge gee tee gtg tte ege egt

Phe Gly Asp Leu Gly Asp Leu Pro Asp Cys Ala Ser Val Phe Arg Arg 235 240 245

ggg act gtt gcg acg gag gag caa cat cga aga tgt gat ttt ggc gcc 940

Gly Thr Val Ala Thr Glu Glu Gln His Arg Arg Cys Asp Phe Gly Ala 250 255 260

att cct ttc tgt gat agt tct aga tga gtttgtgtgt gtagccaaaa 987

Ile Pro Phe Cys Asp Ser Ser Arg 265 270

ccaaaagaaa aaaacacaat ttttttattt tccactgtaa aggtgtatca atggtggatt 1047

catttttta aaaaaaaaa aaaaa 1072

<210> 194 <211> 271 <212> PRT <213> Arabidopsis thaliana <400> 194

Met His Arg Arg Ala Ala Ile Gln Glu Ser Asp Asp Glu Glu Asp Glu
1 10 15

Thr Tyr Asn Asp Val Val Pro Glu Ser Pro Ser Ser Cys Glu Asp Ser 20 25 30

Lys Ile Ser Lys Pro Thr Pro Lys Lys Arg Arg Asn Val Glu Lys Arg 35 40 45

- Val Val Ser Val Pro Ile Ala Asp Val Glu Gly Ser Lys Ser Arg Gly 50 55 60
- Glu Val Tyr Pro Pro Ser Asp Ser Trp Ala Trp Arg Lys Tyr Gly Gln 65 70 75 80
- Lys Pro Ile Lys Gly Ser Pro Tyr Pro Arg Gly Tyr Tyr Arg Cys Ser 85 90 95
- Ser Ser Lys Gly Cys Pro Ala Arg Lys Gln Val Glu Arg Ser Arg Val 100 105 110
- Asp Pro Ser Lys Leu Met Ile Thr Tyr Ala Cys Asp His Asn His Pro 115 120 125
- Phe Pro Ser Ser Ser Ala Asn Thr Lys Ser His His Arg Ser Ser Val 130 135 140
- Val Leu Lys Thr Ala Lys Lys Glu Glu Glu Tyr Glu Glu Glu Glu Glu 145 150 155 160
- Glu Leu Thr Val Thr Ala Ala Glu Glu Pro Pro Ala Gly Leu Asp Leu 165 170 175
- Ser His Val Asp Ser Pro Leu Leu Gly Gly Cys Tyr Ser Glu Ile 180 185 190
- Gly Glu Phe Gly Trp Phe Tyr Asp Ala Ser Ile Ser Ser Ser Ser Gly
  195 200 205
- Ser Ser Asn Phe Leu Asp Val Thr Leu Glu Arg Gly Phe Ser Val Gly 210 215 220
- Gln Glu Glu Asp Glu Ser Leu Phe Gly Asp Leu Gly Asp Leu Pro Asp 225 230 235 240
- Cys Ala Ser Val Phe Arg Arg Gly Thr Val Ala Thr Glu Glu Gln His 245 250 255
- Arg Arg Cys Asp Phe Gly Ala Ile Pro Phe Cys Asp Ser Ser Arg 260 265 270

<210> 195 <211> 748 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (58)..(579) <223> G1275

<400> 195

ccaagaaaag ggaagatcac gcattcttat aggcgtaatt cgtaaatagt ggtgagt

atg aat gat gca gac aca aac ttg ggg agt agt ttc agc gat gat act
105
Met Asn Asp Ala Asp Thr Asp Low Classes as a second

Met Asn Asp Ala Asp Thr Asn Leu Gly Ser Ser Phe Ser Asp Asp Thr 1 5 15

cac tct gtg ttc gag ttt ccg gag cta gac ttg tca gat gaa tgg atg

His Ser Val Phe Glu Phe Pro Glu Leu Asp Leu Ser Asp Glu Trp Met
20 25 30

gat gat gat ctt gtg tct gcg gtt tcc ggg atg aat cag tct tat ggt

Asp Asp Asp Leu Val Ser Ala Val Ser Gly Met Asn Gln Ser Tyr Gly
35 40 45

tat cag act agt gat gtt gct ggt gct tta ttc tca ggt tct tct agc 249

Tyr Gln Thr Ser Asp Val Ala Gly Ala Leu Phe Ser Gly Ser Ser Ser 50 55 60

tgt ttc agt cat cct gaa tct cca agt acc aaa act tat gtt gct gct 297

Cys Phe Ser His Pro Glu Ser Pro Ser Thr Lys Thr Tyr Val Ala Ala
70 75 80

Thr Ala Thr Ala Ser Ala Asp Asn Gln Asn Lys Lys Glu Lys Lys Lys 85 90 95

att aaa ggg aga gtt gcg ttc aag aca cgg tcc gag gtg gaa gtg ctt

Ile Lys Gly Arg Val Ala Phe Lys Thr Arg Ser Glu Val Glu Val Leu 100 105 110

Asp Asp Gly Phe Lys Trp Arg Lys Tyr Gly Lys Lys Met Val Lys Asn 115 120 125

agc cca cat cca aga aac tac tac aaa tgt tca gtt gat ggc tgt ccc 489

Ser Pro His Pro Arg Asn Tyr Tyr Lys Cys Ser Val Asp Gly Cys Pro 130 135 140

gtg aag aaa agg gtt gaa cga gac aga gat gat ccg agc ttt gtg ata

Val Lys Lys Arg Val Glu Arg Asp Arg Asp Pro Ser Phe Val Ile
150 155

aca act tac gag ggt tee cae aat cae tea age atg aac taa

Thr Thr Tyr Glu Gly Ser His Asn His Ser Ser Met Asn'

" + j.

165

170

gactcgaact aaggetcaag gcgaccatge tatattcage acatettatt ttetatggtt 639

acgaacgata cttaaaactg cttctagttc tttatatcca ttgtaaactg gttgcaggtt

cacaaatttt gagaggttta tgacattcta aatctgtagt acttatata 748

<210> 196 <211> 173 <212> PRT <213> Arabidopsis thaliana <400> 196

Met Asn Asp Ala Asp Thr Asn Leu Gly Ser Ser Phe Ser Asp Asp Thr 1 5 10 15

His Ser Val Phe Glu Phe Pro Glu Leu Asp Leu Ser Asp Glu Trp Met 20 25 30

Asp Asp Leu Val Ser Ala Val Ser Gly Met Asn Gln Ser Tyr Gly
35 40 45

Tyr Gln Thr Ser Asp Val Ala Gly Ala Leu Phe Ser Gly Ser Ser Ser 50 55 60

Cys Phe Ser His Pro Glu Ser Pro Ser Thr Lys Thr Tyr Val Ala Ala 65 70 75 80

Thr Ala Thr Ala Ser Ala Asp Asn Gln Asn Lys Lys Glu Lys Lys 85 90 95

Ile Lys Gly Arg Val Ala Phe Lys Thr Arg Ser Glu Val Glu Val Leu
100 105 110

Asp Asp Gly Phe Lys Trp Arg Lys Tyr Gly Lys Lys Met Val Lys Asn 115 120 125

Ser Pro His Pro Arg Asn Tyr Tyr Lys Cys Ser Val Asp Gly Cys Pro 130 135 140

Val Lys Lys Arg Val Glu Arg Asp Arg Asp Pro Ser Phe Val Ile 145 150 155 160

Thr Thr Tyr Glu Gly Ser His Asn His Ser Ser Met Asn 165 170

<210> 197 <211> 800 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (41)..(757) <223> G1311

<400> 197 aagtataata acacaaagaa acagagtaaa agaaagaaaa atg gat ttt aag aag Met Asp Phe Lys Lys gaa gaa aca ctt cgt aga ggg cca tgg ctc gaa gaa gaa gac gaa cgg Glu Glu Thr Leu Arg Arg Gly Pro Trp Leu Glu Glu Glu Asp Glu Arg cta gtg aag gtc att agt ctt ttg gga gaa cgt cgt tgg gat tct tta Leu Val Lys Val Ile Ser Leu Leu Gly Glu Arg Arg Trp Asp Ser Leu gca ata gtt tcc ggt ttg aag agg agt ggt aag agt tgc agg cta agg Ala Ile Val Ser Gly Leu Lys Arg Ser Gly Lys Ser Cys Arg Leu Arg tgg atg aac tat ctg aat ccg act ctg aag cgt gga ccg atg agt caa Trp Met Asn Tyr Leu Asn Pro Thr Leu Lys Arg Gly Pro Met Ser Gln gaa gaa gag aga atc atc ttt cag ctc cat gct cta tgg ggt aac aag Glu Glu Glu Arg Ile Ile Phe Gln Leu His Ala Leu Trp Gly Asn Lys 295 tgg tcg aag att gcg aga aga tta ccc ggt agg act gat aac gag ata Trp Ser Lys Ile Ala Arg Arg Leu Pro Gly Arg Thr Asp Asn Glu Ile 90 aag aac tat tgg aga act cat tat aga aag aaa cag gaa gct caa aac Lys Asn Tyr Trp Arg Thr His Tyr Arg Lys Lys Gln Glu Ala Gln Asn 391 105 tat gga aag ctc ttt gag tgg aga gga aat aca gga gaa gaa ttg ttg Tyr Gly Lys Leu Phe Glu Trp Arg Gly Asn Thr Gly Glu Glu Leu Leu 130 cac aag tat aag gaa aca gag atc act agg aca aag acg acg tct caa His Lys Tyr Lys Glu Thr Glu Ile Thr Arg Thr Lys Thr Thr Ser Gln 487 140 gaa cat ggt ttt gtt gaa gtt gtg agc atg gaa agt ggt aaa gaa gcc Glu His Gly Phe Val Glu Val Val Ser Met Glu Ser Gly Lys Glu Ala 535 160 155 150 aac ggt ggt gtt ggt gga aga gaa agc ttc ggt gtt atg aaa tca ccg Asn Gly Gly Val Gly Gly Arg Glu Ser Phe Gly Val Met Lys Ser Pro 175 170

tat gaa aat cgg att tcg gat tgg ata tca gag att tct act gac cag 631

Tyr Glu Asn Arg Ile Ser Asp Trp Ile Ser Glu Ile Ser Thr Asp Gln
185 190 195

agt gaa gca aat ctt tca gaa gat cac agc age aat agc tgc agt gag 679

Ser Glu Ala Asn Leu Ser Glu Asp His Ser Ser Asn Ser Cys Ser Glu 200 205 210

aac aat att aac att ggt act tgg tgg ttt caa gag act agg gac ttt 727

Asn Asn Ile Asn Ile Gly Thr Trp Trp Phe Gln Glu Thr Arg Asp Phe 215 220 225

gag gag ttt tca tgt tct cta tgg tca taa ttctaaagtt ggtttattta 777

Glu Glu Phe Ser Cys Ser Leu Trp Ser 230 235

ctttttaaaa aaaaaaaaa aaa 800

<210> 198 <211> 238 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Phe Lys Lys Glu Glu Thr Leu Arg Arg Gly Pro Trp Leu Glu

1 10 15

The second second second

Glu Glu Asp Glu Arg Leu Val Lys Val Ile Ser Leu Leu Gly Glu Arg 20 25 30

Arg Trp Asp Ser Leu Ala Ile Val Ser Gly Leu Lys Arg Ser Gly Lys 35 40 45

Ser Cys Arg Leu Arg Trp Met Asn Tyr Leu Asn Pro Thr Leu Lys Arg 50 55 60

Gly Pro Met Ser Gln Glu Glu Glu Arg Ile Ile Phe Gln Leu His Ala 65 70 75 80

Leu Trp Gly Asn Lys Trp Ser Lys Ile Ala Arg Arg Leu Pro Gly Arg 85 90 95

Thr Asp Asn Glu Ile Lys Asn Tyr Trp Arg Thr His Tyr Arg Lys Lys 100 105 110

Gln Glu Ala Gln Asn Tyr Gly Lys Leu Phe Glu Trp Arg Gly Asn Thr 115 120 125

Gly Glu Glu Leu Leu His Lys Tyr Lys Glu Thr Glu Ile Thr Arg Thr

130 135 140

Lys Thr Thr Ser Gln Glu His Gly Phe Val Glu Val Val Ser Met Glu 145 150 155 160

Ser Gly Lys Glu Ala Asn Gly Gly Val Gly Gly Arg Glu Ser Phe Gly 165 170 175

Val Met Lys Ser Pro Tyr Glu Asn Arg Ile Ser Asp Trp Ile Ser Glu 180 185 190

Ile Ser Thr Asp Gln Ser Glu Ala Asn Leu Ser Glu Asp His Ser Ser 195 200 205

Asn Ser Cys Ser Glu Asn Asn Ile Asn Ile Gly Thr Trp Trp Phe Gln 210 215 220

Glu Thr Arg Asp Phe Glu Glu Phe Ser Cys Ser Leu Trp Ser 225 230 235

<210> 199 <211> 1081 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (7)..(849) <223> G1318

<400> 199

aaaaat atg agg aag cca gag gta gcc att gca gct agt act cac caa  $48\,$ 

Met Arg Lys Pro Glu Val Ala Ile Ala Ala Ser Thr His Gln 1 5 10

gta aag aag atg aag gga ctt tgg tct cct gag gaa gac tca aag 96 Val Lys Lys Met Lys Lys Gly Leu Trp Ser Pro Glu Glu Asp Ser Lys 15

ctg atg caa tac atg tta agc aat gga caa gga tgt tgg agt gat gtt 144

Leu Met Gln Tyr Met Leu Ser Asn Gly Gln Gly Cys Trp Ser Asp Val 35 40 45

gcg aaa aac gca gga ctt caa aga tgt ggc aaa agc tgc cgt ctt cgt 192

Ala Lys Asn Ala Gly Leu Gln Arg Cys Gly Lys Ser Cys Arg Leu Arg 50 55 60

tgg atc aac tat ctt cgt cct gac ctc aag cgt ggc gct ttc tct cct 240

Trp Ile Asn Tyr Leu Arg Pro Asp Leu Lys Arg Gly Ala Phe Ser Pro ,65 70 75

caa gaa gag gat ctc atc att cgc ttt cat tcc atc ctc ggc aac agg 288

Gln Glu Glu Asp Leu Ile Ile Arg Phe His Ser Ile Leu Gly Asn Arg 80 85 90

tgg tct cag att gca gca cga ttg cct ggt cgg acc gat aac gag atc Trp Ser Gln Ile Ala Ala Arg Leu Pro Gly Arg Thr Asp Asn Glu Ile 100 105 aag aat ttc tgg aac tca aca ata aag aaa agg cta aag aag atg tcc Lys Asn Phe Trp Asn Ser Thr Ile Lys Lys Arg Leu Lys Lys Met Ser 115 120 432 Asp Thr Ser Asn Leu Ile Asn Asn Ser Ser Ser Ser Pro Asn Thr Ala 130 age gat tee tet tet aat tee gea tet tet ttg gat att aaa gae att 480 Ser Asp Ser Ser Ser Asn Ser Ala Ser Ser Leu Asp Ile Lys Asp Ile 150 ata gga agc ttc atg tcc tta caa gaa caa ggc ttc gtc aac cct tcc Ile Gly Ser Phe Met Ser Leu Gln Glu Gln Gly Phe Val Asn Pro Ser 160 165 To at 170 March 2004 (2004) ttg acc cac ata caa acc aac aat cca ttt cca acg gga aac atg atc Leu Thr His Ile Gln Thr Asn Asn Pro Phe Pro Thr Gly Asn Met Ile 180 age cae eeg tge aat gae gat ttt ace eet tat gta gat ggt ate tat Ser His Pro Cys Asn Asp Asp Phe Thr Pro Tyr Val Asp Gly Ile Tyr gga gta aac gca, ggg gta caa ggg gaa ctc tac ttc cca cct ttg gaa 672 Gly Val Asn Ala Gly Val Gln Gly Glu Leu Tyr Phe Pro Pro Leu Glu 210 215 tgt gaa gaa ggt gat tgg tac aat gca aat ata aac aac cac tta gac Cys Glu Glu Gly Asp Trp Tyr Asn Ala Asn Ile Asn Asn His Leu Asp 225 230 gag ttg aac act aat gga tcc gga aac gca cct gag ggt atg aga cca Glu Leu Asn Thr Asn Gly Ser Gly Asn Ala Pro Glu Gly Met Arg Pro 240 245 gtg gaa gaa ttt tgg gac ctt gac cag ttg atg aac act gag gtt cct Val Glu Glu Phe Trp Asp Leu Asp Gln Leu Met Asn Thr Glu Val Pro 260 265 teg ttt tac tte aac tte aaa caa age ata tga atatttttae gteatettat Ser Phe Tyr Phe Asn Phe Lys Gln Ser Ile . . . 275

tcttttttct attgcggttt atactcaaga ttcttagcca cacacacata aatgcaaata 929

tatatacatt gttagagagt attttgtatt tcgtataatc ttttcgtact agggcttgag 989

ccttgaggtc ccatgtaacg attagtcaat gtaaaacata tatcctataa taaataaata 1049

aaagaaataa taagcacata aaaaaaaaaa aa 1081

<210> 200 <211> 280 <212> PRT <213> Arabidopsis thaliana <400> 200

Met Arg Lys Pro Glu Val Ala Ile Ala Ala Ser Thr His Gln Val Lys
1 5 10 15

Lys Met Lys Lys Gly Leu Trp Ser Pro Glu Glu Asp Ser Lys Leu Met 20 25 30

Gln Tyr Met Leu Ser Asn Gly Gln Gly Cys Trp Ser Asp Val Ala Lys 35 40 45

Asn Ala Gly Leu Gln Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Ile 50 55

Asn Tyr Leu Arg Pro Asp Leu Lys Arg Gly Ala Phe Ser Pro Gln Glu 65 70 75 80

Glu Asp Leu Ile Ile Arg Phe His Ser Ile Leu Gly Asn Arg Trp Ser 85 90 95

Gln Ile Ala Ala Arg Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn 100 105 110

Phe Trp Asn Ser Thr Ile Lys Lys Arg Leu Lys Lys Met Ser Asp Thr 115 120 125

Ser Asn Leu Ile Asn Asn Ser Ser Ser Ser Pro Asn Thr Ala Ser Asp 130 135 140

Ser Ser Ser Asn Ser Ala Ser Ser Leu Asp Ile Lys Asp Ile Ile Gly 145 150 150 160

Ser Phe Met Ser Leu Gln Glu Gln Gly Phe Val Asn Pro Ser Leu Thr

His Ile Gln Thr Asn Asn Pro Phe Pro Thr Gly Asn Met Ile Ser His

180

185

190

Pro Cys Asn Asp Asp Phe Thr Pro Tyr Val Asp Gly Ile Tyr Gly Val 195 200 205

Asn Ala Gly Val Gln Gly Glu Leu Tyr Phe Pro Pro Leu Glu Cys Glu 210 215 220

Glu Gly Asp Trp Tyr Asn Ala Asn Ile Asn Asn His Leu Asp Glu Leu 225 230 235 240

Asn Thr Asn Gly Ser Gly Asn Ala Pro Glu Gly Met Arg Pro Val Glu 245 250 255

Glu Phe Trp Asp Leu Asp Gln Leu Met Asn Thr Glu Val Pro Ser Phe 260 265 270

4 4

Tyr Phe Asn Phe Lys Gln Ser Ile - 280

<210> 201 <211> 1041 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (72)..(803) <223> G1321

<400> 201
gttcttgtat tggtttggat cggtatactt agttgattac gtaattaaat agatcggcgt

gaagaagaaa a atg atc atg tgc agc cga ggc cat tgg aga cca gct gaa 110

Met Ile Met Cys Ser Arg Gly His Trp Arg Pro Ala Glu
1 5 10

gac gag aag ctc aag gat ctt gtc gaa caa tac ggt cct cac aat tgg 158

Asp Glu Lys Leu Lys Asp Leu Val Glu Gln Tyr Gly Pro His Asn Trp 15 20 25

aac gcc att gct ctc aag ctt cct ggt cgc tct ggt aag agt tgt aga 206

Asn Ala Ile Ala Leu Lys Leu Pro Gly Arg Ser Gly Lys Ser Cys Arg 30 35 40 45

ttg aga tgg ttt aat caa ttg gat cca agg atc aac cga aac cct ttc 254

Leu Arg Trp Phe Asn Gln Leu Asp Pro Arg Ile Asn Arg Asn Pro Phe 50 55 60

acg gaa gaa gaa gaa aga ctt tta gcg gct cat cgg atc cat ggg 302

Thr Glu Glu Glu Glu Glu Arg Leu Leu Ala Ala His Arg Ile His Gly
65 70 75

aac aga tgg tee ate ate gea agg ett tte eet gga aga aet gat aac 350

Asn Arg Trp Ser Ile Ile Ala Arg Leu Phe Pro Gly Arg Thr Asp Asn 80 85 90

gcc gtc aag aac cat tgg cac gtc atc atg gct cgt cgc aca cgc caa

Ala Val Lys Asn His Trp His Val Ile Met Ala Arg Arg Thr Arg Gln
95 100 105

acc tct aag cct cgt ctt ctt ccc tcg acg act tcg tct tct tct tta

Thr Ser Lys Pro Arg Leu Leu Pro Ser Thr Thr Ser Ser Ser Ser Leu 110 125

atg gcg agt gaa caa atc atg atg agt tct ggt ggt tat aat cat aat

Met Ala Ser Glu Gln Ile Met Met Ser Ser Gly Gly Tyr Asn His Asn 130 135 140

tat agt tcc gat gat cgg aag aaa ata ttt cca gca gac ttt ata aat 542

Tyr Ser Ser Asp Asp Arg Lys Lys Ile Phe Pro Ala Asp Phe Ile Asn 145 150 155

Phe Pro Tyr Lys Phe Ser His Ile Asn His Leu His Phe Leu Lys Glu 160 165 170

ttt ttc ccc gga aag atc gct tta agt cac aaa gca aat cag agt aag

Phe Phe Pro Gly Lys Ile Ala Leu Ser His Lys Ala Asn Gln Ser Lys 175 180 185

aag cct atg gag ttc tac aat ttt cta caa gta aac aca gat tca aac 686

Lys Pro Met Glu Phe Tyr Asn Phe Leu Gln Val Asn Thr Asp Ser Asn 190 200 205

aag agc gag att ata gat caa gat tca ggt caa agc aaa cgc agt gac 734

Lys Ser Glu Ile Ile Asp Gln Asp Ser Gly Gln Ser Lys Arg Ser Asp 210 215 220

tcg gac acc aaa cat gaa agt cat gtt cca ttc ttc gac ttt tta tcc 782

Ser Asp Thr Lys His Glu Ser His Val Pro Phe Phe Asp Phe Leu Ser 235

gtt gga aac tct gcc tcc tag gattagtttt tttgcagtaa ctcctaaatt

Val Gly Asn Ser Ala Ser 240

tctagattaa ctatttagtc cgtatacgta cgagattatc taggtcgtta gcatgtatgc

ttgatgtgta taatcactaa ctagtgaget attacctgcg aaaattgtaa gaaaaataca

taatgttgat gtatcacaca ttctcaatgt ctgtaaaatt tccatcgagt tgttaactat 1013

caaagttatc cgtttgaaaa aaaaaaaa 1041

<210> 202 <211> 243 <212> PRT <213> Arabidopsis thaliana <400> 202

Met Ile Met Cys Ser Arg Gly His Trp Arg Pro Ala Glu Asp Glu Lys
1 5 10 15

Leu Lys Asp Leu Val Glu Gln Tyr Gly Pro His Asn Trp Asn Ala Ile
20 25 30

Ala Leu Lys Leu Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp 35 40 45

Phe Asn Gln Leu Asp Pro Arg Ile Asn Arg Asn Pro Phe Thr Glu Glu 50 55 60

Glu Glu Glu Arg Leu Leu Ala Ala His Arg Ile His Gly Asn Arg Trp 65 70 75 80

Ser Ile Ile Ala Arg Leu Phe Pro Gly Arg Thr Asp Asn Ala Val Lys . 85 90 95

Asn His Trp His Val Ile Met Ala Arg Arg Thr Arg Gln Thr Ser Lys 100 105 110

Pro Arg Leu Leu Pro Ser Thr Thr Ser Ser Ser Ser Leu Met Ala Ser 115 120 125

Glu Gln Ile Met Met Ser Ser Gly Gly Tyr Asn His Asn Tyr Ser Ser 130 135 140

Asp Asp Arg Lys Lys Ile Phe Pro Ala Asp Phe Ile Asn Phe Pro Tyr 145 150 155 160

Lys Phe Ser His Ile Asn His Leu His Phe Leu Lys Glu Phe Phe Pro 165 170 175

Gly Lys Ile Ala Leu Ser His Lys Ala Asn Gln Ser Lys Lys Pro Met 180 185 190

Glu Phe Tyr Asn Phe Leu Gln Val Asn Thr Asp Ser Asn Lys Ser Glu 195 200 205

Ile Ile Asp Gln Asp Ser Gly Gln Ser Lys Arg Ser Asp Ser Asp Thr

PCT/US01/26189 WO 02/15675

220 210 215

Lys His Glu Ser His Val Pro Phe Phe Asp Phe Leu Ser Val Gly Asn 235 230 225

Ser Ala Ser

<210> 203 <211> 1088 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (49)..(870) <223> G1323

<400> 203 aagagggaat ctcaaaagtg tgtgtctgtg agagaggaga gagagaat atg ggc aaa Met Gly Lys

gga aga gca cca tgt tgt gac aaa acc aaa gtg aag aga gga cca tgg Gly Arg Ala Pro Cys Cys Asp Lys Thr Lys Val Lys Arg Gly Pro Trp 10

age cat gat gaa gae ttg aaa ete ate tet tte att cae aag aat ggt Ser His Asp Glu Asp Leu Lys Leu Ile Ser Phe Ile His Lys Asn Gly 20

cat gag aat tgg aga tct ctc cca aag caa gct gga ttg ttg agg tgt His Glu Asn Trp Arg Ser Leu Pro Lys Gln Ala Gly Leu Leu Arg Cys 45

40

ggc aag agt tgt cgt ctg cga tgg att aat tac ctc aga cct gat gtg 249 Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Pro Asp Val 60

aaa cgt ggc aat ttc agt gca gag gaa gaa gac acc atc atc aaa ctt 297

Lys Arg Gly Asn Phe Ser Ala Glu Glu Asp Thr Ile Ile Lys Leu 75

cac cag age ttt ggt aac aag tgg tcg aag att gct tct aag ctg cct His Gln Ser Phe Gly Asn Lys Trp Ser Lys Ile Ala Ser Lys Leu Pro 90 85

gga aga aca gac aat gag atc aag aat gtg tgg cat aca cat ctc aag Gly Arg Thr Asp Asn Glu Ile Lys Asn Val Trp His Thr His Leu Lys 110 105

aaa aga ttg agc tcg gaa act aac ctt aat gcc gat gaa gcg ggt tca Lys Arg Leu Ser Ser Glu Thr Asn Leu Asn Ala Asp Glu Ala Gly Ser 125 120

aaa ggt tct ttg aat gaa gaa gag aac tct caa gag tca tct cca aat 489

Lys Gly Ser Leu Asn Glu Glu Glu Asn Ser Gln Glu Ser Ser Pro Asn 135

gct tca atg tct ttt gct ggt tcc aac att tca agc aaa gac gat gat 537

Ala Ser Met Ser Phe Ala Gly Ser Asn Ile Ser Ser Lys Asp Asp Asp 150

gca cag ata agt caa atg ttt gag cac att cta act tat agc gag ttt 585

Ala Gln Ile Ser Gln Met Phe Glu His Ile Leu Thr Tyr Ser Glu Phe 165 170 175

acg ggg atg tta caa gag gta gac aaa cca gag ctg ctg gag atg cct 633

Thr Gly Met Leu Gln Glu Val Asp Lys Pro Glu Leu Leu Glu Met Pro 180 185 190 195

ttt gat tta gat cct gac att tgg agt ttc ata gat ggt tca gac tca

Phe Asp Leu Asp Pro Asp Ile Trp Ser Phe Ile Asp Gly Ser Asp Ser

ttc caa caa cca gag aac aga gct ctt caa gag tct gaa gaa gat gaa 729

Phe Gln Gln Pro Glu Asn Arg Ala Leu Gln Glu Ser Glu Glu Asp Glu 215 220 225

gtt gat aaa tgg ttt aag cac ctg gaa agc gaa ctc ggg tta gaa gaa 777

Val Asp Lys Trp Phe Lys His Leu Glu Ser Glu Leu Gly Leu Glu Glu 230 235 240

aac gat aac caa caa caa cag cat aaa cag gga aca gaa gat gaa 825

Asn Asp Asn Gln Gln Gln Gln His Lys Gln Gly Thr Glu Asp Glu 245 250 255

cat toa toa cto ttg gag agt tac gag ctc ctc ata cat taa

His Ser Ser Ser Leu Leu Glu Ser Tyr Glu Leu Leu Ile His 260 270

tgaagccata aagcaagtca ttttcacctt gaaaatggaa ttattagcta acttattggc 930

attattagta tataagcaag atcagatagg cgcatgtagt agcaacaacg aagaaacgtc 990

gaattgtaga caaaatgtag atattacaga gttgaaagat tgtattttgc aaatgattgc 1050

tttgtagtga aatcaagtta tcacaaaaa aaaaaaaa 1088

<210> 204 <211> 273 <212> PRT <213> Arabidopsis thaliana <400> 204

Met Gly Lys Gly Arg Ala Pro Cys Cys Asp Lys Thr Lys Val Lys Arg 1 5 10 15

- Gly Pro Trp Ser His Asp Glu Asp Leu Lys Leu Ile Ser Phe Ile His 20 25 30
- Lys Asn Gly His Glu Asn Trp Arg Ser Leu Pro Lys Gln Ala Gly Leu 35 40 45
- Leu Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg 50 55 60
- Pro Asp Val Lys Arg Gly Asn Phe Ser Ala Glu Glu Glu Asp Thr Ile 70 75 80
- Ile Lys Leu His Gln Ser Phe Gly Asn Lys Trp Ser Lys Ile Ala Ser 85 90 95
- Lys Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Val Trp His Thr 100 105 110
- His Leu Lys Lys Arg Leu Ser Ser Glu Thr Asn Leu Asn Ala Asp Glu
  115 120 125
- Ala Gly Ser Lys Gly Ser Leu Asn Glu Glu Glu Asn Ser Gln Glu Ser 130 135 140
- Ser Pro Asn Ala Ser Met Ser Phe Ala Gly Ser Asn Ile Ser Ser Lys 145 150 155 160
- Asp Asp Asp Ala Gln Ile Ser Gln Met Phe Glu His Ile Leu Thr Tyr 165 170 175
- Ser Glu Phe Thr Gly Met Leu Gln Glu Val Asp Lys Pro Glu Leu Leu 180 185 190
- Glu Met Pro Phe Asp Leu Asp Pro Asp Ile Trp Ser Phe Ile Asp Gly
  195 200 205
- Ser Asp Ser Phe Gln Gln Pro Glu Asn Arg Ala Leu Gln Glu Ser Glu 210 215 220
- Glu Asp Glu Val Asp Lys Trp Phe Lys His Leu Glu Ser Glu Leu Gly 225 230 235 240
- Leu Glu Glu Asn Asp Asn Gln Gln Gln Gln His Lys Gln Gly Thr

245

250

255

Glu Asp Glu His Ser Ser Ser Leu Leu Glu Ser Tyr Glu Leu Leu Ile 260 265 270

His

<210> 205 <211> 880 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (32)..(784) <223> G1326

<400> 205

cgacggtacg gtggagatag agatagcatc c atg gag atg tct aga gga agc 52

Met Glu Met Ser Arg Gly Ser

aac agt ttt gac aat aag aag cct agt tgc caa aga ggt cac tgg aga 100

Asn Ser Phe Asp Asn Lys Lys Pro Ser Cys Gln Arg Gly His Trp Arg
10 15 - 20

cct gtt gaa gat gac aat ctc cgg caa ctc gtt gaa caa tac ggt ccc

Pro Val Glu Asp Asp Asn Leu Arg Gln Leu Val Glu Gln Tyr Gly Pro 25 30 35

aag aac tgg aat ttt att gct caa cat ctc tat gga aga tca ggg aaa 196

Lys Asn Trp Asn Phe Ile Ala Gln His Leu Tyr Gly Arg Ser Gly Lys 40 50 55

ago tgt aga tta aga tgg tac aac caa ctt gat cca aac atc acc aag 244

Ser Cys Arg Leu Arg Trp Tyr Asn Gln Leu Asp Pro Asn Ile Thr Lys
60 65 70

aaa ccc ttc acc gag gag gaa gaa gag aga ctg ctt aaa gct cat cgg 292

Lys Pro Phe Thr Glu Glu Glu Glu Glu Arg Leu Leu Lys Ala His Arg

atc caa ggg aat cgt tgg gcc tcc ata gcc cga ctg ttc ccc ggg agg

Ile Gln Gly Asn Arg Trp Ala Ser Ile Ala Arg Leu Phe Pro Gly Arg 90 95 100

acc gac aac gct gtc aaa aac cat ttt cat gtc atc atg gct aga cgc 388

Thr Asp Asn Ala Val Lys Asn His Phe His Val Ile Met Ala Arg Arg 105 110 115

aaa cgg gaa aac ttc tct tcc aca gct act tct acg ttc aac caa act

436
Lys Arg Glu Asn Phe Ser Ser Thr Ala Thr Ser Thr Phe Asn Gln Thr
120
125
130
135

tgg cat act gtt ttg agc cct agt tct agt ctt aca agg cta aat aga

Trp His Thr Val Leu Ser Pro Ser Ser Ser Leu Thr Arg Leu Asn Arg
140 145 150

tcc cat ttc ggg cta tgg agg tat cga aag gat aag agt tgc ggt ctc 532

tgg cct tac tct ttt gtt tca cca cct acg aat ggt caa ttt gga tct

Trp Pro Tyr Ser Phe Val Ser Pro Pro Thr Asn Gly Gln Phe Gly Ser 170 180

tca tct gtc tct aac gta cac cac gaa att tat ctt gag agg aga aag

Ser Ser Val Ser Asn Val His His Glu Ile Tyr Leu Glu Arg Arg Lys
185 190 195

tcg aaa gag ttg gtg gat cct cag aat tac aca ttt cat gca gcc aca 676

Ser Lys Glu Leu Val Asp Pro Gln Asn Tyr Thr Phe His Ala Ala Thr 200 205 215

cca gat cat aag atg act tca aat gaa gat gga cca tcc atg gga gat 724

Pro Asp His Lys Met Thr Ser Asn Glu Asp Gly Pro Ser Met Gly Asp 220 225 230

gat ggt gag aag aac gat gtt act ttc att gat ttt ctt ggt gtt gga 772

Asp Gly Glu Lys Asn Asp Val Thr Phe Ile Asp Phe Leu Gly Val Gly 235 240 245

tta gct tct tag gttataacat cacaagtcaa agcttttaag ggtttctatc 824

Leu Ala Ser 250

attagggtta ggcatcattt tcagcctttt gcttccttaa actctcatat ggatct

<210> 206 <211> 250 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Met Ser Arg Gly Ser Asn Ser Phe Asp Asn Lys Lys Pro Ser 1 10 15

Cys Gln Arg Gly His Trp Arg Pro Val Glu Asp Asp Asn Leu Arg Gln
20 25 30

Leu Val Glu Gln Tyr Gly Pro Lys Asn Trp Asn Phe Ile Ala Gln His

Leu Tyr Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp Tyr Asn Gln 50 60

Leu Asp Pro Asn Ile Thr Lys Lys Pro Phe Thr Glu Glu Glu Glu Glu . 70 75 Arg Leu Leu Lys Ala His Arg Ile Gln Gly Asn Arg Trp Ala Ser Ile 90 Ala Arg Leu Phe Pro Gly Arg Thr Asp Asn Ala Val Lys Asn His Phe 100 105 His Val Ile Met Ala Arg Arg Lys Arg Glu Asn Phe Ser Ser Thr Ala 120 Thr Ser Thr Phe Asn Gln Thr Trp His Thr Val Leu Ser Pro Ser Ser 130 135 Ser Leu Thr Arg Leu Asn Arg Ser His Phe Gly Leu Trp Arg Tyr Arg 145 Jan 1878 A Color 150 188 A Print to the 155 Hele 228 A D 160 Lys Asp Lys Ser Cys Gly Leu Trp Pro Tyr Ser Phe Val Ser Pro Pro 165 170 175 Thr Asn Gly Gln Phe Gly Ser Ser Ser Val Ser Asn Val His His Glu 180 185 Ile Tyr Leu Glu Arg Arg Lys Ser Lys Glu Leu Val Asp Pro Gln Asn 195 Tyr Thr Phe His Ala Ala Thr Pro Asp His Lys Met Thr Ser Asn Glu 215 220 .... 210 Asp Gly Pro Ser Met Gly Asp Asp Gly Glu Lys Asn Asp Val Thr Phe 225 230 230 230 235 235 240 240 Ile Asp Phe Leu Gly Val Gly Leu Ala Ser 245 <210> 207 <211> 981 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (36)..(959) <223> G1330 <400> 207 gtaccggcga cctctttgtg ggtcactctt catca atg ggt gac aaa gga agg

age tta aag ate aac aag aac atg gag gaa tte acg aaa gtg gaa gaa 101

Met Gly Asp Lys Gly Arg

PCT/US01/26189 WO 02/15675

Ser Leu Lys Ile Asn Lys Asn Met Glu Glu Phe Thr Lys Val Glu Glu

gaa atg gac gta agg aga ggt cca tgg aca gtt gag gaa gat tta gag 149

Glu Met Asp Val Arg Arg Gly Pro Trp Thr Val Glu Glu Asp Leu Glu 25

ctc atc aat tac att gct agt cat ggt gaa ggt cga tgg aac tct ctc

Leu Ile Asn Tyr Ile Ala Ser His Gly Glu Gly Arg Trp Asn Ser Leu

gct cgt tgc gcc gaa ctc aaa agg acc gga aaa agc tgc aga ctt cgg 245

Ala Arg Cys Ala Glu Leu Lys Arg Thr Gly Lys Ser Cys Arg Leu Arg

tgg ctg aac tat ctc cga cca gat gtg cgc cgt gga aac ata acc ctc

Trp Leu Asn Tyr Leu Arg Pro Asp Val Arg Arg Gly Asn Ile Thr Leu 80

gaa gaa caa ctc ttg att ctt gaa ctt cac aca cgt tgg ggc aat aga 341

Glu Glu Gln Leu Leu Ile Leu Glu Leu His Thr Arg Trp Gly Asn Arg

tgg tct aag att gca caa tat tta cca gga aga acg gat aac gag atc 389

Trp Ser Lys Ile Ala Gln Tyr Leu Pro Gly Arg Thr Asp Asn Glu Ile 110 105

aaa aac tat tgg aga aca cgt gtt caa aag cat gca aaa cag ctt aaa 437

Lys Asn Tyr Trp Arg Thr Arg Val Gln Lys His Ala Lys Gln Leu Lys 125 130

tgc gac gtg aac agt caa caa ttt aaa gac acc atg aag tat ctt tgg 485

Cys Asp Val Asn Ser Gln Gln Phe Lys Asp Thr Met Lys Tyr Leu Trp 145 140 135

atg cet egg ete gta gaa agg ate eaa gee geg tee ate ggg tet gtt 533

Met Pro Arg Leu Val Glu Arg Ile Gln Ala Ala Ser Ile Gly Ser Val 155

tcc atg tca tct tgc gtc acc acc tcc tca gat cag ttc gtg atc aac

Ser Met Ser Ser Cys Val Thr Thr Ser Ser Asp Gln Phe Val Ile Asn 170

aac aac aac aac aac gtg gat aat ttg gct tta atg agt aac cct

Asn Asn Asn Thr Asn Asn Val Asp Asn Leu Ala Leu Met Ser Asn Pro 190

aat ggt tac atc acg ccg gat aat tcc agc gtg gca gta tct cct gta

Asn Gly Tyr Ile Thr Pro Asp Asn Ser Ser Val Ala Val Ser Pro Val

200 205 210

tca gat ttg acg gag tgt caa gtg agt agt gaa gtg tgg aag att ggt 725

Ser Asp Leu Thr Glu Cys Gln Val Ser Ser Glu Val Trp Lys Ile Gly 215 220 225 230

cag gat gag aat ttg gtg gat cca aaa atg aca tcg ccg aat tat atg 773

Gln Asp Glu Asn Leu Val Asp Pro Lys Met Thr Ser Pro Asn Tyr Met 235 240 245

gat aat agc agt gga cta tta aac gga gat ttt acg aag atg caa gat 821

Asp Asn Ser Ser Gly Leu Leu Asn Gly Asp Phe Thr Lys Met Gln Asp 250 255 260

caa agt gac ctt aat tgg ttt gaa aat att aat ggg atg gta cca aat 869

Gln Ser Asp Leu Asn Trp Phe Glu Asn Ile Asn Gly Met Val Pro Asn 265 270 275

Tyr Ser Asp Ser Phe Trp Asn Ile Gly Asn Asp Glu Asp Phe Trp Leu 280 285 290

tta caa caa cat caa caa gtc cac gac aat gga agc ttc tga 959

Leu Gln Gln His Gln Gln Val His Asp Asn Gly Ser Phe 300 305

atagacaaga agctatgcgg cc 981

<210> 208 <211> 307 <212> PRT <213> Arabidopsis thaliana <400>

Met Gly Asp Lys Gly Arg Ser Leu Lys Ile Asn Lys Asn Met Glu Glu 1 5 15

Phe Thr Lys Val Glu Glu Glu Met Asp Val Arg Arg Gly Pro Trp Thr 20 25 30

Val Glu Glu Asp Leu Glu Leu Ile Asn Tyr Ile Ala Ser His Gly Glu 35 40 45

Gly Arg Trp Asn Ser Leu Ala Arg Cys Ala Glu Leu Lys Arg Thr Gly 50 55 60

Lys Ser Cys Arg Leu Arg Trp Leu Asn Tyr Leu Arg Pro Asp Val Arg 65 70 75 80

Arg Gly Asn Ile Thr Leu Glu Glu Gln Leu Leu Ile Leu Glu Leu His 85 90 95

Thr Arg Trp Gly Asn Arg Trp Ser Lys Ile Ala Gln Tyr Leu Pro Gly 100 105

Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp Arg Thr Arg Val Gln Lys 115

His Ala Lys Gln Leu Lys Cys Asp Val Asn Ser Gln Gln Phe Lys Asp 130 135 140

Thr Met Lys Tyr Leu Trp Met Pro Arg Leu Val Glu Arg Ile Gln Ala 145 155 160

Ala Ser Ile Gly Ser Val Ser Met Ser Ser Cys Val Thr Thr Ser Ser 165

Asp Gln Phe Val Ile Asn Asn Asn Asn Thr Asn Asn Val Asp Asn Leu 180 185 190

Ala Leu Met Ser Asn Pro Asn Gly Tyr Ile Thr Pro Asp Asn Ser Ser 195 200 205

Val Ala Val Ser Pro Val Ser Asp Leu Thr Glu Cys Gln Val Ser Ser 210 215 220

Glu Val Trp Lys Ile Gly Gln Asp Glu Asn Leu Val Asp Pro Lys Met 225 230 230 240

Thr Ser Pro Asn Tyr Met Asp Asn Ser Ser Gly Leu Leu Asn Gly Asp 255

Phe Thr Lys Met Gln Asp Gln Ser Asp Leu Asn Trp Phe Glu Asn Ile 260 265 270

Asn Gly Met Val Pro Asn Tyr Ser Asp Ser Phe Trp Asn Ile Gly Asn 275

Asp Glu Asp Phe Trp Leu Leu Gln Gln His Gln Gln Val His Asp Asn 290 295 300

Gly Ser Phe 305

<210> 209 <211> 1964 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (128)..(1567) <223> G1367

<400> 209 tccttccaca aaacttttt aattttatct gaaaaattaa aacaaccgaa acaaaaaaaa aaaactaaaa atcaaaaatc tcatcacctt ccttgctctg tattttttct ctctcactaa atcetce atg gat cet tet etc tet gea acc aat gat eet cat eat eet Met Asp Pro Ser Leu Ser Ala Thr Asn Asp Pro His His Pro cct cct cag ttc aca tct ttc cct cct ttc acc aac acc cac Pro Pro Pro Gln Phe Thr Ser Phe Pro Pro Phe Thr Asn Thr Asn Pro 20 ttc gcc tct cca aac cac ccc ttc ttc acc gga ccc acc gcc gtc gcg Phe Ala Ser Pro Asn His Pro Phe Phe Thr Gly Pro Thr Ala Val Ala 35 cog coa aac aac atc cat ctc tat caa goarget cot cog cag cag coa Pro Pro Asn Asn Ile His Leu Tyr Gln Ala Ala Pro Pro Gln Gln Pro 60 to 150 to caa aca tot cca gtt cct cct cat cca tot att toc cac cct cct tac Gln Thr Ser Pro Val Pro Pro His Pro Ser Ile Ser His Pro Pro Tyr 65 . 70 tct gac atg att tgc acg gcg att gca gcg tta aac gaa cca gat ggg Ser Asp Met Ile Cys Thr Ala Ile Ala Ala Leu Asn Glu Pro Asp Gly 85 90 the district of the tca agc aag caa gct att tcg agg tac ata gag aga att tac act ggg Ser Ser Lys Gln Ala Ile Ser Arg Tyr Ile Glu Arg Ile Tyr Thr Gly 100 105 ... 110 att cct act gct cat gga gct ttg ttg aca cac cat ctc aag act ttg 505 A HOLD TO LARL STOCK TRANSPORT IN THE TOUR STORMER, THE HOLD BOOK Ile Pro Thr Ala His Gly Ala Leu Leu Thr His His Leu Lys Thr Leu 115 120 aag acc agt ggg att ctt gtc atg gtt aag aaa tct tac aag ctt gct 553 Lys Thr Ser Gly Ile Leu Val Met Val Lys Lys Ser Tyr Lys Leu Ala 130 135 tct act cct cct cct cct cct act act aqt qta qct cct aqt ctt qaa 601 Ser Thr Pro Pro Pro Pro Pro Pro Thr Ser Val Ala Pro Ser Leu Glu 155 150 cct ccc aga tct gat ttc ata gtc aac gag aac caa cct tta cct gat Pro Pro Arg Ser Asp Phe Ile Val Asn Glu Asn Gln Pro Leu Pro Asp

. . .

165

170

160

ccg gtt ttg gct tct tct act cct cag act att aaa cgt ggt cgt ggt 697 Pro Val Leu Ala Ser Ser Thr Pro Gln Thr Ile Lys Arg Gly Arg Gly 190 185 180 175 cga cct cca aaa gct aaa cca gat gtt gtt caa cct caa cct ctg act 745 Arg Pro Pro Lys Ala Lys Pro Asp Val Val Gln Pro Gln Pro Leu Thr 200 aat gga aaa ctc acc tgg gaa cag agt gaa tta cct gtc tct cga cca Asn Gly Lys Leu Thr Trp Glu Gln Ser Glu Leu Pro Val Ser Arg Pro 215 gag gag ata cag ata cag ccg cca cag tta ccg tta cag cca cag cag 841 Glu Glu Ile Gln Ile Gln Pro Pro Gln Leu Pro Leu Gln Pro Gln Gln 235 230 225 ccg gtt aag aga ccg ccg ggt cgt cct aga aaa gat gga act tcg ccg 889 Pro Val Lys Arg Pro Pro Gly Arg Pro Arg Lys Asp Gly Thr Ser Pro 245 250 240 acg gtg aag cca gct gct tct gtt tcc ggt ggt gtg gag act gtg aaa 937 Thr Val Lys Pro Ala Ala Ser Val Ser Gly Gly Val Glu Thr Val Lys 265 255 cga aga ggt aga cct ccg agt gga aga gct gct ggg agg gag aga aag 985 Arg Arg Gly Arg Pro Pro Ser Gly Arg Ala Ala Gly Arg Glu Arg Lys cct ata gta gtc tca gct cca gct tca gtg ttc ccg tat gtt gct aat Pro Ile Val Val Ser Ala Pro Ala Ser Val Phe Pro Tyr Val Ala Asn 290 295 ggt ggt gtt aga cgc cga ggg aga cca aag aga gtt gac gct ggt ggt 1081 Gly Gly Val Arg Arg Arg Gly Arg Pro Lys Arg Val Asp Ala Gly Gly 315 305 310 gct tee tet gtt get eea eea eea eea eea eea aet aac gta gag agt 1129 Ala Ser Ser Val Ala Pro Pro Pro Pro Pro Pro Thr Asn Val Glu Ser 325 gga gga gag gtt gca gtc aag aaa cga gga aga gga cgg cct cct 1177 Gly Gly Glu Glu Val Ala Val Lys Lys Arg Gly Arg Gly Arg Pro Pro 345 340 aag att gga ggt gtt atc agg aag cct atg aag ccg atg aga agc ttt 1225 Lys Ile Gly Gly Val Ile Arg Lys Pro Met Lys Pro Met Arg Ser Phe 355 360

get egt act gga aaa eee gta gga aga eee aga aag aat geg gtg tea 1273

Ala Arg Thr Gly Lys Pro Val Gly Arg Pro Arg Lys Asn Ala Val Ser 370 375 380

gtg gga gct tct gga cga caa gat ggt gac tat gga gaa ctg aag aag 1321

Val Gly Ala Ser Gly Arg Gln Asp Gly Asp Tyr Gly Glu Leu Lys Lys 385 390 395

aag ttt gag ttg ttt caa gcg aga gct aag gat att gta att gtg ttg 1369

Lys Phe Glu Leu Phe Gln Ala Arg Ala Lys Asp Ile Val Ile Val Leu 400 405 410

aaa too gag ata gga agt gga aat caa gca gt<br/>g gtt caa gcc ata 1417

Lys Ser Glu Ile Gly Gly Ser Gly Asn Gln Ala Val Val Gln Ala Ile 415 420 425 430

cag gac ctg gaa ggg ata gca gag aca aca aac gag cca aag cac atg 1465 ac abo and dab com his com acan da wag con allocation and allocation and company of the company of the

gaa gaa gtg cag ctg cca gac gag gaa cac ctt gaa acc gaa cca gaa 1513 Glu Glu Val Gln Leu Pro Asp Glu Glu His Leu Glu Thr Glu Pro Glu

Giu Giu Vai Gin Leu Pro Asp Giu Giu His Leu Giu Thr Giu Pro Giu 450 455 460

gca gag ggt caa gga cag aca gaa gca gag gca atg caa gaa gct ctg

Ala Glu Gly Gln Gly Gln Thr Glu Ala Glu Ala Met Gln Glu Ala Leu 465 470 475

ttc taa agataaagcc ttgacataaa aagctagcaa gtggtgggtt tacttgttgt 1617 Phe

tgtgatgaac tgatgatgat gattgtgtct ctaaccaaac aacaaggaga ggtagggtaa 1737

tgtctgtaaa gtgaattagg atgttaccat tgttcatgct tcccatctct ctccatcgtc 1797

catatetgtg taggeagett tgttetttgt teeetegtgt tttttttaga etgttgtgte 1857

tcttattcta ttttgtctcc ttaggctttt taggagttgt tgttgatgtt tatcaaaaac 1917

gettatgtaa tttttatgae eacttetaet ttttatgatg gtttett 1964

<210> 210 <211> 479 <212> `PRT <213> Arabidopsis thaliana <400> 210

Met Asp Pro Ser Leu Ser Ala Thr Asn Asp Pro His His Pro Pro Pro 1 10 15

- Pro Gln Phe Thr Ser Phe Pro Pro Phe Thr Asn Thr Asn Pro Phe Ala
  20 25 30
- Ser Pro Asn His Pro Phe Phe Thr Gly Pro Thr Ala Val Ala Pro Pro 35 40 45
- Asn Asn Ile His Leu Tyr Gln Ala Ala Pro Pro Gln Gln Pro Gln Thr 50 55 60
- Ser Pro Val Pro Pro His Pro Ser Ile Ser His Pro Pro Tyr Ser Asp 65 70 75 80
- Met Ile Cys Thr Ala Ile Ala Ala Leu Asn Glu Pro Asp Gly Ser Ser 85 90 95
- Lys Gln Ala Ile Ser Arg Tyr Ile Glu Arg Ile Tyr Thr Gly Ile Pro 100 105 110
- Thr Ala His Gly Ala Leu Leu Thr His His Leu Lys Thr Leu Lys Thr 115 120 125
- Ser Gly Ile Leu Val Met Val Lys Lys Ser Tyr Lys Leu Ala Ser Thr 130 135 140
- Pro Pro Pro Pro Pro Pro Thr Ser Val Ala Pro Ser Leu Glu Pro Pro 145 150 155 160
- Arg Ser Asp Phe Ile Val Asn Glu Asn Gln Pro Leu Pro Asp Pro Val 165 170 175
- Leu Ala Ser Ser Thr Pro Gln Thr Ile Lys Arg Gly Arg Gly Arg Pro 180 185 190
- Pro Lys Ala Lys Pro Asp Val Val Gln Pro Gln Pro Leu Thr Asn Gly 195 200 205
- Lys Leu Thr Trp Glu Gln Ser Glu Leu Pro Val Ser Arg Pro Glu Glu 210 215 220
- Ile Gln Ile Gln Pro Pro Gln Leu Pro Leu Gln Pro Gln Gln Pro Val 225 230 235 240

Lys Arg Pro Pro Gly Arg Pro Arg Lys Asp Gly Thr Ser Pro Thr Val 245 250 255

- Lys Pro Ala Ala Ser Val Ser Gly Gly Val Glu Thr Val Lys Arg Arg 260 265 270
- Gly Arg Pro Pro Ser Gly Arg Ala Ala Gly Arg Glu Arg Lys Pro Ile 275 280 285
- Val Val Ser Ala Pro Ala Ser Val Phe Pro Tyr Val Ala Asn Gly Gly 290 295 300
- Val Arg Arg Gly Arg Pro Lys Arg Val Asp Ala Gly Gly Ala Ser 305 310 315 320
- Ser Val Ala Pro Pro Pro Pro Pro Pro Thr Asn Val Glu Ser Gly Gly Man And The Man 325 Legislar Man 1330 Miles and 144 And 335 Legislar Man 144 And 144 A
- Glu Glu Val Ala Val Lys Lys Arg Gly Arg Gly Arg Pro Pro Lys Ile
- Gly Gly Val Ile Arg Lys Pro Met Lys Pro Met Arg Ser Phe Ala Arg 355 360 365
- Thr Gly Lys Pro Val Gly Arg Pro Arg Lys Asn Ala Val Ser Val Gly 370 375 380
- Ala Ser Gly Arg Gln Asp Gly Asp Tyr Gly Glu Leu Lys Lys Lys Phe 385 390 395 400
- Glu Leu Phe Gln Ala Arg Ala Lys Asp Ile Val Ile Val Leu Lys Ser 405 410 415
- Glu Ile Gly Gly Ser Gly Asn Gln Ala Val Val Gln Ala Ile Gln Asp 420 425 430
- Leu Glu Gly Ile Ala Glu Thr Thr Asn Glu Pro Lys His Met Glu Glu 435 440 445
- Val Gln Leu Pro Asp Glu Glu His Leu Glu Thr Glu Pro Glu Ala Glu
  450 455 460
- Gly Gln Gly Gln Thr Glu Ala Glu Ala Met Gln Glu Ala Leu Phe 465 470 475

<210> 211 <211> 1674 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (261)..(1475) <223> G1399

<400> 211

aggtcgaatt ttetgaaatt aagatteatt eeteeatgga agaagetetg tttttattet 60

ctttagctta gcttagcttc tactgatctg tttttgctac aaaatcccat ctttttcttt

aaaactettt atetetgaat ettgagttte ttgtagaaga agaageaatt ttgaatettt 180

cgtaatcata aagattcgtg gaggatctct actgatttgt cggaatctct cactacagaa 240

tcacttgatc ttatgtccgg atg gag gag aga gga acc aac atc aac aac 293

Met Glu Glu Arg Glu Gly Thr Asn Ile Asn Asn 1 5 10

aac atc act agc agt ttc ggc ttg aag cag caa cat gaa gct gct gct 341

Asn Ile Thr Ser Ser Phe Gly Leu Lys Gln Gln His Glu Ala Ala 15 20 25

tct gat ggt ggt tac tca atg gac cca cca cca aga ccc gaa aac cct 389

Ser Asp Gly Gly Tyr Ser Met Asp Pro Pro Pro Arg Pro Glu Asn Pro 30 35 40

aac eeg ttt tta gte eea eec act act gte eec geg gee gee ace gta 437

Asn Pro Phe Leu Val Pro Pro Thr Thr Val Pro Ala Ala Ala Thr Val 45 50 55

gca gca gct gtt act gag aat gcg gct act ccg ttt agc tta aca atg

Ala Ala Ala Val Thr Glu Asn Ala Ala Thr Pro Phe Ser Leu Thr Met 60 65 70 70

ccg acg gag aac act tca gct gag cag ctg aaa aag aag aga ggt agg 533

Pro Thr Glu Asn Thr Ser Ala Glu Gln Leu Lys Lys Lys Arg Gly Arg 80 85 90

ccg aga aag tat aat ccc gat ggg act ctt gtc gtg act tta tcg ccg 581

Pro Arg Lys Tyr Asn Pro Asp Gly Thr Leu Val Val Thr Leu Ser Pro 95 100 105

atg cca atc tcg tcc tct gtt ccg ttg acg tcg gag ttt cct cca agg 629

Met Pro Ile Ser Ser Ser Val Pro Leu Thr Ser Glu Phe Pro Pro Arg 110 115 120

aaa cga gga aga gga cgt ggc aag tct aat cga tgg ctc aag aag tct 677

Lys Arg Gly Arg Gly Arg Gly Lys Ser Asn Arg Trp Leu Lys Lys Ser 125 130 135

caa atg ttc caa ttc gat aga agt cct gtt gat acc aat ttg gca ggt Gln Met Phe Gln Phe Asp Arg Ser Pro Val Asp Thr Asn Leu Ala Glv gta gga act gct gat ttt gtt ggt gcc aac ttt aca cct cat gta ctq Val Gly Thr Ala Asp Phe Val Gly Ala Asn Phe Thr Pro His Val Leu 160 165 ate gtc aac gcc gga gag gat gtg acg atg aag ata atg aca ttc tct Ile Val Asn Ala Gly Glu Asp Val Thr Met Lys Ile Met Thr Phe Ser 175 caa caa gga tot ogt got ato tgo ato ott toa got aat ggt coc ato Gln Gln Gly Ser Arg Ala Ile Cys Ile Leu Ser Ala Asn Gly Pro Ile . 190 195 200 tcc aat gtt acg ctt cgt caa tct atg aca tcc ggt ggt act cta act (917) See The configuration with way was not with only a shall return the configuration. Ser Asn Val Thr Leu Arg Gln Ser Met Thr Ser Gly Gly Thr Leu Thr 305 3 M Am 3 N M 210 M 3 M M - 1 N M 215 M N M 1 M M tat gag ggt cgt ttt gag att ctc tct ttg acg ggt tcg ttt atg caa Tyr Glu Gly Arg Phe Glu Ile Leu Ser Leu Thr Gly Ser Phe Met Gln 220 124 2 225 2 14 1 20 230 235 aat gac tot gga gga act cga agt aga gct ggt ggt atg agt gtt tgc Asn Asp Ser Gly Gly Thr Arg Ser Arg Ala Gly Gly Met Ser Val Cys 240 ctt gca gga cca gat ggt cgt gtc ttt ggt gga gga ctc gct ggt ctc Leu Ala Gly Pro Asp Gly Arg Val Phe Gly Gly Gly Leu Ala Gly Leu 255 260 ttt ctt gct gct cct gtc cag gta atg gta ggg act ttt ata gct 1109 化复数基金 医海绵 医皮肤 医电子 Phe Leu Ala Ala Gly Pro Val Gln Val Met Val Gly Thr Phe Ile Ala 275 ( **270** ) 280 ggt caa gag cag tca cag ctg gag cta gca aaa gaa aga cgg cta aga 1157 Gly Gln Glu Gln Ser Gln Leu Glu Leu Ala Lys Glu Arg Arg Leu Arg 290 285 ttt ggg gct caà cca tct tct atc tcc ttt aac ata tcc gca gaa gaa 1205 Phe Gly Ala Gln Pro Ser Ser Ile Ser Phe Asn Ile Ser Ala Glu Glu 305 31.0 cgg aag gcg aga ttc gag agg ctt aac aag tct gtt gct att cct gca Arg Lys Ala Arg Phe Glu Arg Leu Asn Lys Ser Val Ala Ile Pro Ala 325 320

7 .

cca acc act tca tac acg cat gta aac aca aca aat gcg gtt cac agt 1301

Pro Thr Thr Ser Tyr Thr His Val Asn Thr Thr Asn Ala Val His Ser 335 340 345

tac tat aca aac tog gtt aac cat gtc aag gat ccc ttc tog tot atc 1349

Tyr Tyr Thr Asn Ser Val Asn His Val Lys Asp Pro Phe Ser Ser Ile 350 355 360

Pro Val Gly Gly Gly Gly Gly Glu Val Gly Glu Glu Glu Gly Glu 365 370 375

gaa gat gat gat gaa tta gaa ggt gaa gac gaa gaa ttc gga ggc gat 1445

Glu Asp Asp Asp Glu Leu Glu Gly Glu Asp Glu Glu Phe Gly Gly Asp 380 385 390 390

age caa tet gae aac gag att eeg age tga tgatgateat aeggtttett 1495

Ser Gln Ser Asp Asn Glu Ile Pro Ser 400

ttcgcggatt tgttaggttt gatggatttc agattttggt tgattgttt tattaacaca 1555

gaatgtttag aagetgetat etttaggtte eeateetett gtgattgttg agtateettg 1615

ttagaaacaa acttactgtt gcaaaactet etteaaaaaa gttteaettt gettteeca 1674

<210> 212 <211> 404 <212> PRT <213> Arabidopsis thaliana <400> 212

Met Glu Glu Arg Glu Gly Thr Asn Ile Asn Asn Asn Ile Thr Ser Ser 1 10 15

Phe Gly Leu Lys Gln Gln His Glu Ala Ala Ala Ser Asp Gly Gly Tyr
20 25 30

Ser Met Asp Pro Pro Pro Arg Pro Glu Asn Pro Asn Pro Phe Leu Val . 35 40 45

Pro Pro Thr Thr Val Pro Ala Ala Ala Thr Val Ala Ala Val Thr 50 55 60

Glu Asn Ala Ala Thr Pro Phe Ser Leu Thr Met Pro Thr Glu Asn Thr 65 70 75 80

Ser Ala Glu Gln Leu Lys Lys Lys Arg Gly Arg Pro Arg Lys Tyr Asn 85 90 95

Pro Asp Gly Thr Leu Val Val Thr Leu Ser Pro Met Pro Ile Ser Ser 100 105 110

- Ser Val Pro Leu Thr Ser Glu Phe Pro Pro Arg Lys Arg Gly Arg Gly 115 120 125
- Arg Gly Lys Ser Asn Arg Trp Leu Lys Lys Ser Gln Met Phe Gln Phe 130 135 140
- Asp Arg Ser Pro Val Asp Thr Asn Leu Ala Gly Val Gly Thr Ala Asp 145 150 155 160
- Phe Val Gly Ala Asn Phe Thr Pro His Val Leu Ile Val Asn Ala Gly 165 170 175
- Glu Asp Val Thr Met Lys Ile Met Thr Phe Ser Gln Gln Gly Ser Arg 180 185 190
- Ala Ile Cys Ile Leu Ser Ala Asn Gly Pro Ile Ser Asn Val Thr Leu 195 200 205
- Arg Gln Ser Met Thr Ser Gly Gly Thr Leu Thr Tyr Glu Gly Arg Phe 210 220
- Glu Ile Leu Ser Leu Thr Gly Ser Phe Met Gln Asn Asp Ser Gly Gly 225 230 235 240
- Thr Arg Ser Arg Ala Gly Gly Met Ser Val Cys Leu Ala Gly Pro Asp 245 250 255
- Gly Arg Val Phe Gly Gly Gly Leu Ala Gly Leu Phe Leu Ala Ala Gly 260 265 270
- Pro Val Gln Val Met Val Gly Thr Phe Ile Ala Gly Gln Glu Gln Ser 275 280 285
- Gln Leu Glu Leu Ala Lys Glu Arg Arg Leu Arg Phe Gly Ala Gln Pro 290 295 300
- Ser Ser Ile Ser Phe Asn Ile Ser Ala Glu Glu Arg Lys Ala Arg Phe 305 310 315 320
- Glu Arg Leu Asn Lys Ser Val Ala Ile Pro Ala Pro Thr Thr Ser Tyr 325 330 335

Thr His Val Asn Thr Thr Asn Ala Val His Ser Tyr Tyr Thr Asn Ser 340 345 350

Val Asn His Val Lys Asp Pro Phe Ser Ser Ile Pro Val Gly Gly Gly 355

Gly Gly Glu Val Gly Glu Glu Glu Glu Glu Asp Asp Asp Glu 370 375 380

Leu Glu Gly Glu Asp Glu Glu Phe Gly Gly Asp Ser Gln Ser Asp Asn 385

Glu Ile Pro Ser

<210> 213 <211> 1034 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (110)..(856) <223> G1411

<400> 213

taaagaaaaa ctgaacaacc ctaaagtact gtataaatcc tatatcaaat tttttttttg

gaagaaaagg ctatatttaa aagaaaatca agcaaaagta gatcctcgg atg tat ggg 118

Met Tyr Gly

aag agg cet ttt gga ggt gat gaa tet gaa gaa agg gaa gaa gat gag

Lys Arg Pro Phe Gly Gly Asp Glu Ser Glu Glu Arg Glu Glu Asp Glu 5

aac ttg ttc ccg gtc ttc tcg gcc cga tct caa cac gac atg cgt gtt 214

Asn Leu Phe Pro Val Phe Ser Ala Arg Ser Gln His Asp Met Arg Val 20 25 35

atg gtc tcg gcc ttg act caa gta atc gga aac caa caa agc aaa tct 262

Met Val Ser Ala Leu Thr Gln Val Ile Gly Asn Gln Gln Ser Lys Ser 40 45 50

cat gat aac atc agc tct att gat gat aac tat cct tct gtg tat aat

His Asp Asn Ile Ser Ser Ile Asp Asp Asn Tyr Pro Ser Val Tyr Asn 55 60 65

cca caa gac cct aat caa caa gtt gcg cct act cat caa gac caa ggg

Pro Gln Asp Pro Asn Gln Gln Val Ala Pro Thr His Gln Asp Gln Gly
70 75 80

gac ttg agg agg aga cat tat aga ggt gta agg caa agg cca tgg gga

Asp Leu Arg Arg Arg His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly 85 90 95

aag tgg gca gct gaa atc cga gac cca aaa aag gcg gca cgt gtg tgg Lys Trp Ala Ala Glu Ile Arg Asp Pro Lys Lys Ala Ala Arg Val Trp 100 ctc ggg aca ttt gaa acc gct gaa tct gcg gcc tta gct tat gat gaa Leu Gly Thr Phe Glu Thr Ala Glu Ser Ala Ala Leu Ala Tyr Asp Glu gca gcc cta aag ttc aaa gga agc aaa gca aaa ctc aat ttc ccg gag 550 Ala Ala Leu Lys Phe Lys Gly Ser Lys Ala Lys Leu Asn Phe Pro Glu agg gtt cag ctt gga agt aac tct aca tat tac tcc tcc aac caa att 598 Arg Val Gln Leu Gly Ser Asn Ser Thr Tyr Tyr Ser Ser Asn Gln Ile 150 155 160 cca caa atg gaa cca caa agt ata ccg aac tat aat caa tac tat cat 1.5 and the same of the same Pro Gln Met Glu Pro Gln Ser Ile Pro Asn Tyr Asn Gln Tyr Tyr His gat gog agt agt ggt gat atg ota agt tit aat tig ggo ggt ggg tat 694 Asp Ala Ser Ser Gly Asp Met Leu Ser Phe Asn Leu Gly Gly Gly Tyr 185 190 ggg agt ggt acc gga tat tca atg tct cat gat aat agt act acg act 742 Gly Ser Gly Thr Gly Tyr Ser Met Ser His Asp Asn Ser Thr Thr 200 205 gct gct aca act tct tcg tct tct ggt ggc tct tct agg caa caa gaa 790 Ala Ala Thr Thr Ser Ser Ser Gly Gly Ser Ser Arg Gln Glu 215 220 gag caa gat tat gcc aga ttc tgg cgc ttt ggg gat tct tct tcc tct Glu Gln Asp Tyr Ala Arg Phe Trp Arg Phe Gly Asp Ser Ser Ser Ser 230 235 cct cat tcg gga tat taa ttaggagatt tgatcagtta cttgtgatga Pro His Ser Gly Tyr 245 agtaatgata catttcccgt caaaattgag atgatcatat gcttcctgaa tgtttttgag tgtcattttt gtcttccgcg ttaagattta ttgaacgtgt tttcttgttt ttttggttaa

aaaaaaaaa aaaaaaaaa aaaaaaaa

1034

<210> 214 <211> 248 <212> PRT <213> Arabidopsis thaliana <400> 214

- Met Tyr Gly Lys Arg Pro Phe Gly Gly Asp Glu Ser Glu Glu Arg Glu 1 5 15
- Glu Asp Glu Asn Leu Phe Pro Val Phe Ser Ala Arg Ser Gln His Asp 20 25
- Met Arg Val Met Val Ser Ala Leu Thr Gln Val Ile Gly Asn Gln Gln 35 40 45
- Ser Lys Ser His Asp Asn Ile Ser Ser Ile Asp Asp Asn Tyr Pro Ser 50 55
- Val Tyr Asn Pro Gln Asp Pro Asn Gln Gln Val Ala Pro Thr His Gln 65 70 75 80
- Asp Gln Gly Asp Leu Arg Arg Arg His Tyr Arg Gly Val Arg Gln Arg 95
- Pro Trp Gly Lys Trp Ala Ala Glu Ile Arg Asp Pro Lys Lys Ala Ala 100 105 110
- Arg Val Trp Leu Gly Thr Phe Glu Thr Ala Glu Ser Ala Ala Leu Ala 115 120 125
- Tyr Asp Glu Ala Ala Leu Lys Phe Lys Gly Ser Lys Ala Lys Leu Asn 130 135 140
- Phe Pro Glu Arg Val Gln Leu Gly Ser Asn Ser Thr Tyr Tyr Ser Ser 145 150 150
- Asn Gln Ile Pro Gln Met Glu Pro Gln Ser Ile Pro Asn Tyr Asn Gln 165
- Tyr Tyr His Asp Ala Ser Ser Gly Asp Met Leu Ser Phe Asn Leu Gly 180 185 190
- Gly Gly Tyr Gly Ser Gly Thr Gly Tyr Ser Met Ser His Asp Asn Ser 195 200 205
- Thr Thr Thr Ala Ala Thr Thr Ser Ser Ser Ser Gly Gly Ser Ser Arg 210 215 220
- Gln Gln Glu Glu Gln Asp Tyr Ala Arg Phe Trp Arg Phe Gly Asp Ser 225 230 230

Ser Ser Ser Pro His Ser Gly Tyr 245

<210> 215 <211> 820 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (27)..(692) <223> G1419

<400> 215

gaagactcca acataattca tcatct atg gct tct tca cat caa caa cag caa 53

Met Ala Ser Ser His Gln Gln Gln 1

gaa caa gac cag tca gct tta gat ctc ata acc caa cac ctt ctt act 101

Glu Gln Asp Gln Ser Ala Leu Asp Leu Ile Thr Gln His Leu Leu Thr 10 15 20 25

gat ttc cct tcc tta gac acc ttt gcc tcc acc atc cac cac tgc acc 149

Asp Phe Pro Ser Leu Asp Thr Phe Ala Ser Thr Ile His His Cys Thr

acc tca act cta agc caa cgc aaa cca cct ctt gcc act ata gca gtt 197

Thr Ser Thr Leu Ser Gln Arg Lys Pro Pro Leu Ala Thr Ile Ala Val 45 55

cct act act gca ccg gtg gtt caa gag aat gat caa agg cat tac aga

Pro Thr Thr Ala Pro Val Val Glu Asn Asp Gln Arg His Tyr Arg 60 65 70

ggc gtc agg aga aga cca tgg ggt aag tat gcg gct gag atc aga gac 293

Gly Val Arg Arg Pro Trp Gly Lys Tyr Ala Ala Glu Ile Arg Asp
75 80 85

cca aac aag aaa ggt gtt cgt gtc tgg tta ggc act ttt gac aca gcc 341

Pro Asn Lys Lys Gly Val Arg Val Trp Leu Gly Thr Phe Asp Thr Ala 90 95 100 105

atg gaa gct gca aga ggt tat gac aag gca gct ttt aaa cta cga gga

Met Glu Ala Ala Arg Gly Tyr Asp Lys Ala Ala Phe Lys Leu Arg Gly 110 115 120

agc aaa gct att ctt aac ttc cca ctt gaa gca gga aag cat gag gac 437

Ser Lys Ala Ile Leu Asn Phe Pro Leu Glu Ala Gly Lys His Glu Asp 125 130 135

ttg gga gac aac aag aag act att tct tta aaa gca aag agg aag aga 485

Leu Gly Asp Asn Lys Lys Thr Ile Ser Leu Lys Ala Lys Arg Lys Arg 140 145 150

cag gtg acg gag gat gaa agc cag ctg atc agc cgt aaa gct gtt aag 533

Gln Val Thr Glu Asp Glu Ser Gln Leu Ile Ser Arg Lys Ala Val Lys 155 160 165

agg gaa gaa gct cag gtt cag gct gat gct tgt cca tta acg cca tca 581

Arg Glu Glu Ala Gln Val Gln Ala Asp Ala Cys Pro Leu Thr Pro Ser 170 185 180 185

agt tgg aag ggg ttt tgg gac gga gca gac agt aaa gac atg gga ata 629

Ser Trp Lys Gly Phe Trp Asp Gly Ala Asp Ser Lys Asp Met Gly Ile 190 195 200

ttt tcc gtg cct ctg tta tct cct tgt cca tct ctt gga cac tct caa . 677

Phe Ser Val Pro Leu Leu Ser Pro Cys Pro Ser Leu Gly His Ser Gln 205 210 215

ctc gta gtt act taa gcttcagagg gtcaaactgg aaaaaatcaa cattggattg 732

Leu Val Val Thr 220

ttttcaaagc ttctagatta gctgattgta aaaaaatgtt ttactatatt cattcattct 792

tcttaaatgc aattetttet accettee

<210> 216 <211> 221 <212> PRT <213> Arabidopsis thaliana <400> 216

Met Ala Ser Ser His Gln Gln Gln Glu Gln Asp Gln Ser Ala Leu
1 5 10 15

Asp Leu Ile Thr Gln His Leu Leu Thr Asp Phe Pro Ser Leu Asp Thr 20 25 30

Phe Ala Ser Thr Ile His His Cys Thr Thr Ser Thr Leu Ser Gln Arg
35 40 45

Lys Pro Pro Leu Ala Thr Ile Ala Val Pro Thr Thr Ala Pro Val Val 50 55 60

Gln Glu Asn Asp Gln Arg His Tyr Arg Gly Val Arg Arg Arg Pro Trp 65 70 75 80

Gly Lys Tyr Ala Ala Glu Ile Arg Asp Pro Asn Lys Lys Gly Val Arg 85 90 95

Val Trp Leu Gly Thr Phe Asp Thr Ala Met Glu Ala Ala Arg Gly Tyr 100 105 110

Asp Lys Ala Ala Phe Lys Leu Arg Gly Ser Lys Ala Ile Leu Asn Phe 115 120 125

Pro Leu Glu Ala Gly Lys His Glu Asp Leu Gly Asp Asn Lys Lys Thr 130 135 140

Ile Ser Leu Lys Ala Lys Arg Lys Arg Gln Val Thr Glu Asp Glu Ser 145 150 155 160

Gln Leu Ile Ser Arg Lys Ala Val Lys Arg Glu Glu Ala Gln Val Gln 165 . 170 175

Ala Asp Ala Cys Pro Leu Thr Pro Ser Ser Trp Lys Gly Phe Trp Asp

Gly Ala Asp Ser Lys Asp Met Gly Ile Phe Ser Val Pro Leu Leu Ser 195 200 205

Pro Cys Pro Ser Leu Gly His Ser Gln Leu Val Val Thr 210 215 220

<210> 217 <211> 1260 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (292)..(1155) <223> G1421

<400> 217

gaaatttcat ccctaaataa gaaaaaagca tctccttctt tagtgtcctc cttcaccaaa 60

ctcttgattc cataagcata tattaaaaaa gctctctgct ttcttcaact ttcccgggaa 120

aatottottg ttacaaagca tcaatotott gttttaccaa ttttototot ttattoottt 180

tttgcccttt acttttccta actttggtct ttatatataa acacacgaca caaagaagaa 240

cacacataag ttaaaactat tacaacagtt ttaaagagag agatttaaaa a atg gag 297

Met Glu

aca gag aag aaa gtt tot oto ooa aga ato tta oga ato tot gtt act 345

Thr Glu Lys Lys Val Ser Leu Pro Arg Ile Leu Arg Ile Ser Val Thr 5 10 15

gat cct tac gca aca gat tcg tca agc gac gaa gaa gaa gaa gtt gat 393

Asp Pro Tyr Ala Thr Asp Ser Ser Ser Asp Glu Glu Glu Glu Val Asp 20 25 30

ttt gat gca tta tct aca aaa cga cgt cgt gtt aag aag tac gtg aag Phe Asp Ala Leu Ser Thr Lys Arg Arg Val Lys Lys Tyr Val Lys gaa gtg gtg ctt gat tcg gtg gtt tct gat aaa gag aag ccg atg aag Glu Val Val Leu Asp Ser Val Val Ser Asp Lys Glu Lys Pro Met Lys aag aag aga aag cgc gtt gtt act gtt cca gtg gtt gtt acg acg 537 Lys Lys Arg Lys Lys Arg Val Val Thr Val Pro Val Val Val Thr Thr gcg acg agg aag ttt cgt gga gtg agg caa aga ccg tgg gga aaa tgg 585 Ala Thr Arg Lys Phe Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Trp gcg gcg gag att aga gat ccg agt aga cgt gtt agg gtt tgg tta ggt 633 Ala Ala Glu Ile Arg Asp Pro Ser Arg Arg Val Arg Val Trp Leu Gly 100 105 110 act ttt gac acg gcg gag gaa gct gcc att gtt tac gat aac gca gct Thr Phe Asp Thr Ala Glu Glu Ala Ala Ile Val Tyr Asp Asn Ala Ala 120 125 att cag cta cgt ggt cct aac gca gag ctt aac ttc cct cct ccg Ile Gln Leu Arg Gly Pro Asn Ala Glu Leu Asn Phe Pro Pro Pro Pro 135 140 gtg acg gag aat gtt gaa gaa gct tcg acg gag gtg aaa gga gtt tcg 777 Val Thr Glu Asn Val Glu Glu Ala Ser Thr Glu Val Lys Gly Val Ser 150 155 160 gat ttt atc att ggc ggt gga gaa tgt ctt cgt tcg ccg gtt tct gtt Asp Phe Ile Ile Gly Gly Gly Cys Leu Arg Ser Pro Val Ser Val ctc gaa tct ccg ttc tcc ggc gag tct act gcg gtt aaa gag gag ttt Leu Glu Ser Pro Phe Ser Gly Glu Ser Thr Ala Val Lys Glu Glu Phe 180 gtc ggt gta tcg acg gcg gag att qtq gtt aaa aag gaq ccg tct ttt Val Gly Val Ser Thr Ala Glu Ile Val Val Lys Lys Glu Pro Ser Phe aac ggt tca gat ttc tcg gcg ccg ttg ttc tcg gac gac gac gtt ttt Asn Gly Ser Asp Phe Ser Ala Pro Leu Phe Ser Asp Asp Val Phe 220

ggt ttc tcg acg tcg atg agt gaa agt ttc ggc ggc gat tta ttt gga 1017

Gly Phe Ser Thr Ser Met Ser Glu Ser Phe Gly Gly Asp Leu Phe Gly 230 235 240

gat aat ctt ttt gcg gat atg agt ttt gga tcc ggg ttt gga ttc ggg 1065

Asp Asn Leu Phe Ala Asp Met Ser Phe Gly Ser Gly Phe Gly Phe Gly 245 250 255

tct ggg tct gga ttc tcc agc tgg cac gtt gag gac cat ttt caa gat 1113

Ser Gly Ser Gly Phe Ser Ser Trp His Val Glu Asp His Phe Gln Asp 260 265 270

att ggg gat tta ttc ggg tcg gat cct gtc tta act gtt taa 1155

Ile Gly Asp Leu Phe Gly Ser Asp Pro Val Leu Thr Val 275 280 285

gaaataactg gccgtttaac ggcgtttagt gaagttttgt taccggcgac ggcgaggatt 1215

aaaaaaaaac ggcgatttat tttttgaatg aagatttgtt aaata (1996) 1260

<210> 218 <211> 287 <212> PRT <213> Arabidopsis thaliana <400> 218

Met Glu Thr Glu Lys Lys Val Ser Leu Pro Arg Ile Leu Arg Ile Ser 1 5 10 15

Val Thr Asp Pro Tyr Ala Thr Asp Ser Ser Asp Glu Glu Glu Glu 20 25 30

Val Asp Phe Asp Ala Leu Ser Thr Lys Arg Arg Arg Val Lys Lys Tyr 35 40 45

Val Lys Glu Val Val Leu Asp Ser Val Val Ser Asp Lys Glu Lys Pro 50 60

Met Lys Lys Lys Arg Lys Lys Arg Val Val Thr Val Pro Val Val 65 70 75 80

Thr Thr Ala Thr Arg Lys Phe Arg Gly Val Arg Gln Arg Pro Trp Gly 85 90 95

Lys Trp Ala Ala Glu Ile Arg Asp Pro Ser Arg Arg Val Arg Val Trp 100 105 110

Leu Gly Thr Phe Asp Thr Ala Glu Glu Ala Ala Ile Val Tyr Asp Asn 115 120 125

Ala Ala Ile Gln Leu Arg Gly Pro Asn Ala Glu Leu Asn Phe Pro Pro 130 135 140

- Pro Pro Val Thr Glu Asn Val Glu Glu Ala Ser Thr Glu Val Lys Gly 145 155 160
- Val Ser Asp Phe Ile Ile Gly Gly Gly Glu Cys Leu Arg Ser Pro Val
- Ser Val Leu Glu Ser Pro Phe Ser Gly Glu Ser Thr Ala Val Lys Glu 180 180 185 190
- Glu Phe Val Gly Val Ser Thr Ala Glu Ile Val Val Lys Lys Glu Pro 195 200 205
- Ser Phe Asn Gly Ser Asp Phe Ser Ala Pro Leu Phe Ser Asp Asp Asp 210 220
- Val Phe Gly Phe Ser Thr Ser Met Ser Glu Ser Phe Gly Gly Asp Leu 225 235 240
- Phe Gly Asp Asn Leu Phe Ala Asp Met Ser Phe Gly Ser Gly Phe Gly 255
- Phe Gly Ser Gly Ser Gly Phe Ser Ser Trp His Val Glu Asp His Phe 265 270
- Gln Asp Ile Gly Asp Leu Phe Gly Ser Asp Pro Val Leu Thr Val 275 280 285
- <210> 219 <211> 1281 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (8)..(904) <223> G1435
- <400> 219
- gtgaaac atg ggg aag gaa gtt atg gtg agc gat tac ggt gac gac gac 49
  - Met Gly Lys Glu Val Met Val Ser Asp Tyr Gly Asp Asp Asp 1
- gga gaa gac gcc ggc ggc ggc gat gaa tat agg att ccg gaa tgg gaa 97  $\,$
- Gly Glu Asp Ala Gly Gly Gly Asp Glu Tyr Arg Ile Pro Glu Trp Glu 15 25 30
- att ggt tta ccc aac gga gat gat ttg act ccg tta tct caa tat cta 145 Ile Gly Leu Pro Asn Gly Asp Asp Leu Thr Pro Leu Ser Gln Tyr Leu 35

gtc ccg tcg att ctc gcg tta gct ttc agc atg atc cca gaa cga agc Val Pro Ser Ile Leu Ala Leu Ala Phe Ser Met Ile Pro Glu Arg Ser cgt aca att cac gac gtc aat cgc gcg tcg caa atc acg ctc tct tcg Arg Thr Ile His Asp Val Asn Arg Ala Ser Gln Ile Thr Leu Ser Ser ttg aga agc agt acc aat gct tcg tct gtg atg gag gag gtc gtg gat Leu Arg Ser Ser Thr Asn Ala Ser Ser Val Met Glu Glu Val Val Asp 80 85 90 cga gtt gaa tcg agt gtt cca gga tca gat ccg aag aaa cag aag aaa Arg Val Glu Ser Ser Val Pro Gly Ser Asp Pro Lys Lys Gln Lys Lys 95 tcg gat ggt gga gca gcg gcg gtg gag gat tcc acg gcg gag gaa er e train train Ser Asp Gly Gly Glu Ala Ala Val Glu Asp Ser Thr Ala Glu Glu 115 120 gga gac tee ggg eet gaa gae geg tet ggg aag aca teg aaa ega eeg 433 Gly Asp Ser Gly Pro Glu Asp Ala Ser Gly Lys Thr Ser Lys Arg Pro 135 cgt tta gtg tgg aca ccg cag cta cac aag aga ttt gtg gac gtt gtg 481 Arg Leu Val Trp Thr Pro Gln Leu His Lys Arg Phe Val Asp Val Val gct cat cta ggg att aaa aac gca gtg ccg aag acg att atg cag ctg 529 Ala His Leu Gly Ile Lys Asn Ala Val Pro Lys Thr Ile Met Gln Leu 3.6.1160 The National 1656 Search from the Park 170 Community Englished atg aac gtg gaa gga ctt act cgt gag aac gtt gcg tct cat ttg cag Met Asn Val Glu Gly Leu Thr Arg Glu Asn Val Ala Ser His Leu Gln 180 aaa tat agg ett tac ett aaa egg att caa gga ttg acg acg gaa gaa Lys Tyr Arg Leu Tyr Leu Lys Arg Ile Gln Gly Leu Thr Thr Glu Glu 195 200 gat cct tat tcg tcg tcg gat cag ctc ttc tct tca acg ccg gtt cct Asp Pro Tyr Ser Ser Ser Asp Gln Leu Phe Ser Ser Thr Pro Val Pro 215 210 cca cag age ttt caa gac ggc gga gga agt aac gga aag ttg ggg gtt Pro Gln Ser Phe Gln Asp Gly Gly Gly Ser Asn Gly Lys Leu Gly Val 230 225 235

ccg gtt ccg gtt ccg tcg atg gtg cct att cca ggc tat ggg aat caa 769

Pro Val Pro Val Pro Ser Met Val Pro Ile Pro Gly Tyr Gly Asn Gln 240 245 250

atg ggt atg caa gga tat tat caa cag tat agt aac cat ggc aat gaa

Met Gly Met Gln Gly Tyr Tyr Gln Gln Tyr Ser Asn His Gly Asn Glu 255 260 265 270

tca aac caa tat atg atg cag cag aat aag ttt gga aca atg gtg aca 865

Ser Asn Gln Tyr Met Met Gln Gln Asn Lys Phe Gly Thr Met Val Thr 275 280 285

tat cct tct gtt ggt ggt gac gtg aat gac aag taa atggatctta 914

Tyr Pro Ser Val Gly Gly Gly Asp Val Asn Asp Lys 290 295

aaggtctata atttgctcta cagagagata ctggttcttg gcttatggtt tattttccca 974

cttcatgagg ttgttgtgac ttttaattct ccatgttttc cacacaagtc tttattgcct 1034

ttgtatagaa aatgatttcg agaaaatcac tgggaagctt ggtattgttg gaggatgaag 1094

cettetatga atgatttagt $\circ$ tteetaetgt etecattett tatgaggtaa taaageette 1154

ttttgctcat cgcttgtagt cttcttaaat tcaagacagc gtcacatgtt tgttcggtta 1214

tgttaattgt ttctttcttt ggataatgaa gatagcatca ggtctcatgt ctcctcactt 1274

tgataaa 1281

<210> 220 <211> 298 <212> PRT <213> Arabidopsis thaliana <400> 220

Met Gly Lys Glu Val Met Val Ser Asp Tyr Gly Asp Asp Gly Glu 1 5 10.

Asp Ala Gly Gly Gly Asp Glu Tyr Arg Ile Pro Glu Trp Glu Ile Gly 20 25 30

Leu Pro Asn Gly Asp Asp Leu Thr Pro Leu Ser Gln Tyr Leu Val Pro
35 40 . 45

Ser Ile Leu Ala Leu Ala Phe Ser Met Ile Pro Glu Arg Ser Arg Thr 50 55 60

Ile His Asp Val Asn Arg Ala Ser Gln Ile Thr Leu Ser Ser Leu Arg Ser Ser Thr Asn Ala Ser Ser Val Met Glu Glu Val Val Asp Arg Val 90 85 Glu Ser Ser Val Pro Gly Ser Asp Pro Lys Lys Gln Lys Lys Ser Asp 105 Gly Gly Glu Ala Ala Ala Val Glu Asp Ser Thr Ala Glu Glu Gly Asp 120 Ser Gly Pro Glu Asp Ala Ser Gly Lys Thr Ser Lys Arg Pro Arg Leu 130 135 140 Val Trp Thr Pro Gln Leu His Lys Arg Phe Val Asp Val Val Ala His 145 150 155 160 Leu Gly Ile Lys Asn Ala Val Pro Lys Thr Ile Met Gln Leu Met Asn 165 170 175 Val Glu Gly Leu Thr Arg Glu Asn Val Ala Ser His Leu Gln Lys Tyr 180 185 190 Arg Leu Tyr Leu Lys Arg Ile Gln Gly Leu Thr Thr Glu Glu Asp Pro 200 Tyr Ser Ser Ser Asp Gln Leu Phe Ser Ser Thr Pro Val Pro Pro Gln 210 215 220 Ser Phe Gln Asp Gly Gly Gly Ser Asn Gly Lys Leu Gly Val Pro Val 235 240 225 230 Pro Val Pro Ser Met Val Pro Ile Pro Gly Tyr Gly Asn Gln Met Gly 250 Met Gln Gly Tyr Tyr Gln Gln Tyr Ser Asn His Gly Asn Glu Ser Asn

Ser Val Gly Gly Asp Val Asn Asp Lys 290 295

260

Gln Tyr Met Met Gln Gln Asn Lys Phe Gly Thr Met Val Thr Tyr Pro

265 270

<210> 221 <211> 799 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (105)..(581) <223> G1449

<400> 221

tagacagaga gaaatagaaa tagagagaga gagacatgaa gagcactctc aatagagaag

agaaggaagc atgaagctag ctctgcagct tcaaggtctc atta atg gag gtc tct 116

Met Glu Val Ser

aac tot tgt tot toa ttt tot toa too tot gto gao agt act aaa cot

Asn Ser Cys Ser Ser Phe Ser Ser Ser Ser Val Asp Ser Thr Lys Pro 10 15 20

tet cet tet gaa tet tet gtt aat ete tee ett agt ete aca tit eet 212

Ser Pro Ser Glu Ser Ser Val Asn Leu Ser Leu Ser Leu Thr Phe Pro 25 30 35

tot act tot oca caa aga gaa goa aga caa gat tgg oca cog ata aag 260

Ser Thr Ser Pro Gln Arg Glu Ala Arg Gln Asp Trp Pro Pro Ile Lys
40 50

tot aga tta aga gat aca cta aag ggt cgt cgt ctt ctt cgt cgt ggt 308

Ser Arg Leu Arg Asp Thr Leu Lys Gly Arg Arg Leu Leu Arg Arg Gly 55 60 65

gat gac act tct  $\cdot \text{ctc}$  ttt gtt aag gtt tat atg gaa ggt gtt ccc att 356

Asp Asp Thr Ser Leu Phe Val Lys Val Tyr Met Glu Gly Val Pro Ile 70 75 80

gga aga aaa ctc gac ctt tgc gta ttc tca ggc tac gag agt cta tta 404

Gly Arg Lys Leu Asp Leu Cys Val Phe Ser Gly Tyr Glu Ser Leu Leu 85 90 95 100

gaa aat ctc tct cac atg ttc gat act tca atc atc tgc ggt aat cga 452

Glu Asn Leu Ser His Met Phe Asp Thr Ser Ile Ile Cys Gly Asn Arg 105 110 115

gat cga aaa cat cat gtt ttg aca tat gaa gac aag gat gga gat tgg

Asp Arg Lys His His Val Leu Thr Tyr Glu Asp Lys Asp Gly Asp Trp 120 125 130

atg atg gtc gga gat att cca tgg gat atg ttt ctt gaa acc gtg aga 548

Met Met Val Gly Asp Ile Pro Trp Asp Met Phe Leu Glu Thr Val Arg 135 140 145

aga cta aag atc acg aga ccg gag agg tat taa aacttggatc ggtcaaggct

Arg Leu Lys Ile Thr Arg Pro Glu Arg Tyr 150 155

gtgattgcgc agttacgaga cgtgtaagat ttaggcattg atgaagagac ttgaggcggg 661

acggagctat tgctgcatat tgcaacaaag gccttgaaga agttggagaa ttgattgatg 721

catatattta tttatatgac acctttgagt gtgttttttc ttataaatäa atcacaatat 781

ccaagacttc tctttaaa 799

<210> 222 <211> 158 <212> PRT <213> Arabidopsis thaliana <400> 222

Met Glu Val Ser Asn Ser Cys Ser Ser Phe Ser Ser Ser Ser Val Asp 1 5 10 15

Ser Thr Lys Pro Ser Pro Ser Glu Ser Ser Val Asn Leu Ser Leu Ser 20 25 30

Leu Thr Phe Pro Ser Thr Ser Pro Gln Arg Glu Ala Arg Gln Asp Trp
35 40 45

Pro Pro Ile Lys Ser Arg Leu Arg Asp Thr Leu Lys Gly Arg Arg Leu
50 55 60

Leu Arg Arg Gly Asp Asp Thr Ser Leu Phe Val Lys Val Tyr Met Glu 65 70 75 80

Gly Val Pro Ile Gly Arg Lys Leu Asp Leu Cys Val Phe Ser Gly Tyr 85 90 95

Glu Ser Leu Leu Glu Asn Leu Ser His Met Phe Asp Thr Ser Ile Ile 100 105 110

Cys Gly Asn Arg Asp Arg Lys His His Val Leu Thr Tyr Glu Asp Lys 115 120 125

Asp Gly Asp Trp Met Met Val Gly Asp Ile Pro Trp Asp Met Phe Leu 130 135 140

Glu Thr Val Arg Arg Leu Lys Ile Thr Arg Pro Glu Arg Tyr 145 150 155

<210> 223 <211> 1424 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (114)..(1406) <223> G1494

<400> 223

tcgacagagt tgtgttgggc gtggaacttg gactagttcc acatatcagg ttatatagat 60

cttctctttc aacttctgat tcgtccagaa gctttcctaa tctgagatct gac atg

Met 1

gaa cac caa ggt tgg agt ttt gag gag aat tat agt ttg tcc act aat 164

Glu His Gln Gly Trp Ser Phe Glu Glu Asn Tyr Ser Leu Ser Thr Asn 5 10 15

aga aga tot atc agg cca caa gat gaa cta gtg gag tta tta tgg cga 212

Arg Arg Ser Ile Arg Pro Gln Asp Glu Leu Val Glu Leu Leu Trp Arg 20 25 30

gat gga caa gtg gtt ctg cag agc caa act cat aga gaa caa acc caa 260

Asp Gly Gln Val Val Leu Gln Ser Gln Thr His Arg Glu Gln Thr Gln 35 40 45

acc cag aaa caa gat cat cat gaa gaa gcc cta aga tcc agc acc ttt 308

Thr Gln Lys Gln Asp His His Glu Glu Ala Leu Arg Ser Ser Thr Phe 50 55 60 65

ctt gaa gat caa gaa act gtc tct tgg atc caa tac cct cca gat gaa 356

Leu Glu Asp Gln Glu Thr Val Ser Trp Ile Gln Tyr Pro Pro Asp Glu 70 75 80

gac cca ttc gaa ccc gac gac ttc tcc tcc cac ttc ttc tca acc atg 404

Asp Pro Phe Glu Pro Asp Asp Phe Ser Ser His Phe Phe Ser Thr Met 85 90 95

gat ccc ctc cag aga cca acc tca gag acg gtt aag cct aag tcc agt 452

Asp Pro Leu Gln Arg Pro Thr Ser Glu Thr Val Lys Pro Lys Ser Ser 100 105 110

cct gaa cct cct caa gtc atg gtt aag cct aag gcc tgt cct gac cct 500

Pro Glu Pro Pro Gln Val Met Val Lys Pro Lŷs Ala Cys Pro Asp Pro 115 120 125

cct cct caa gtc atg cct cct cca aaa ttt agg tta aca aat tca tca 548

Pro Pro Gln Val Met Pro Pro Pro Lys Phe Arg Leu Thr Asn Ser Ser 130 , 135 140 145

tcg ggg att agg gaa aca gaa atg gaa cag tac tcg gta acg acc gtt 596

Ser Gly Ile Arg Glu Thr Glu Met Glu Gln Tyr Ser Val Thr Thr Val 150 155 160

gga cct agc cat tgc gga agc aac cca tca cag aac gat ctc gat gtc 644

Gly Pro Ser His Cys Gly Ser Asn Pro Ser Gln Asn Asp Leu Asp Val

165

170

175

tca atg agt cat gat cga agc aaa aac ata gaa gaa aag ctt aat ccg Ser Met Ser His Asp Arg Ser Lys Asn Ile Glu Glu Lys Leu Asn Pro aac gca agt tee tea tea ggt gge tee tet ggt tge age ttt gge aaa 740 Asn Ala Ser Ser Ser Ser Gly Gly Ser Ser Gly Cys Ser Phe Gly Lys gat atc aaa gaa atg gct agt gga aga tgc atc aca acc gac cgt aag 788 Asp Ile Lys Glu Met Ala Ser Gly Arg Cys Ile Thr Thr Asp Arg Lys 210 215 225 aga aaa cgt ata aat cac act gac gaa tot gta tot cta tca gat gca Arg Lys Arg Ile Asn His Thr Asp Glu Ser Val Ser Leu Ser Asp Ala 230 atc ggt aac aag tcg aac caa cga tca gga tca aac cga agg agt cga Ile Gly Asn Lys Ser Asn Gln Arg Ser Gly Ser Asn Arg Arg Ser Arg 245 250 gca gct gaa gtt cat aat ctc tcc gaa agg agg agg aga gat agg atc Ala Ala Glu Val His Asn Leu Ser Glu Arg Arg Arg Asp Arg Ile aat gag aga atg aag gct ttg caa gaa cta ata cct cac tgc agt aaa Asn Glu Arq Met Lys Ala Leu Gln Glu Leu Ile Pro His Cys Ser Lys 280 ... 285 act gat aaa gct tcg att tta gac gaa gcc ata gat tat ttg aaa tca Thr Asp Lys Ala Ser Ile Leu Asp Glu Ala Ile Asp Tyr Leu Lys Ser 295 . 300 ctt cag tta cag ctt caa gtg atg tgg atg ggg agt gga atg gcg gcg Leu Gln Leu Gln Leu Gln Val Met Trp Met Gly Ser Gly Met Ala Ala gcg gcg gct tcg gct ccg atg atg ttc ccc gga gtt caa cct cag cag 1124 Ala Ala Ala Ser Ala Pro Met Met Phe Pro Gly Val Gln Pro Gln Gln 330 325 ttc ata cgt cag ata cag agc ccg gta cag tta cct cga ttt ccg gtt 1172 Phe Ile Arg Gln Ile Gln Ser Pro Val Gln Leu Pro Arg Phe Pro Val ... 345 350 atg gat cag tot goa att cag aac aat coc ggt tta gtt tgc caa aac 1220 Met Asp Gln Ser Ala Ile Gln Asn Asn Pro Gly Leu Val Cys Gln Asn 355 365 360

ccg gta caa aac cag atc atc tcc gac cgg ttt gct aga tac atc ggt 1268

Pro Val Gln Asn Gln Ile Ile Ser Asp Arg Phe Ala Arg Tyr Ile Gly 370 385

ggg ttc cca cac atg cag gcc gcg act cag atg cag ccg atg gag atg 1316

Gly Phe Pro His Met Gln Ala Ala Thr Gln Met Gln Pro Met Glu Met 390 395. 400

ttg aga ttt agt tca ccg gcg gga cag caa agt caa caa ccg tcg tct 1364

Leu Arg Phe Ser Ser Pro Ala Gly Gln Gln Ser Gln Gln Pro Ser Ser 405 410 415

gtg ccg acg aag acc acc gac ggt tct cgt ttg gac cac tag 1406

Val Pro Thr Lys Thr Thr Asp Gly Ser Arg Leu Asp His 420 425 430

gttggtgagc cactttgc 1424

<210> 224 <211> 430 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu His Gln Gly Trp Ser Phe Glu Glu Asn Tyr Ser Leu Ser Thr 1 5 10 15

Asn Arg Arg Ser Ile Arg Pro Gln Asp Glu Leu Val Glu Leu Leu Trp
20 25 30

Arg Asp Gly Gln Val Val Leu Gln Ser Gln Thr His Arg Glu Gln Thr 35 40 45

Gln Thr Gln Lys Gln Asp His His Glu Glu Ala Leu Arg Ser Ser Thr
50 60

Phe Leu Glu Asp Gln Glu Thr Val Ser Trp Ile Gln Tyr Pro Pro Asp 65 70 75 80

Glu Asp Pro Phe Glu Pro Asp Asp Phe Ser Ser His Phe Phe Ser Thr 85 90 95

Met Asp Pro Leu Gln Arg Pro Thr Ser Glu Thr Val Lys Pro Lys Ser 100 105 110

Ser Pro Glu Pro Pro Gln Val Met Val Lys Pro Lys Ala Cys Pro Asp 115 120 125

Pro Pro Pro Gln Val Met Pro Pro Pro Lys Phe Arg Leu Thr Asn Ser

130 135 140

Ser Ser Gly Ile Arg Glu Thr Glu Met Glu Gln Tyr Ser Val Thr Thr 145 150 155 160

Val Gly Pro Ser His Cys Gly Ser Asn Pro Ser Gln Asn Asp Leu Asp 165 170 175

Val Ser Met Ser His Asp Arg Ser Lys Asn Ile Glu Glu Lys Leu Asn 180 185 190

Pro Asn Ala Ser Ser Ser Ser Gly Gly Ser Ser Gly Cys Ser Phe Gly
195 200 205

Lys Asp Ile Lys Glu Met Ala Ser Gly Arg Cys Ile Thr Thr Asp Arg 210 215 220

Lys Arg Lys Arg Ile Asn His Thr Asp Glu Ser Val Ser Leu Ser Asp 225 230 235 240

Ala Ile Gly Asn Lys Ser Asn Gln Arg Ser Gly Ser Asn Arg Arg Ser 245 250 255

Arg Ala Ala Glu Val His Asn Leu Ser Glu Arg Arg Arg Arg Arg Arg 260 265 270

Ile Asn Glu Arg Met Lys Ala Leu Gln Glu Leu Ile Pro His Cys Ser 275 280 285

Lys Thr Asp Lys Ala Ser Ile Leu Asp Glu Ala Ile Asp Tyr Leu Lys 290 295 300

Ser Leu Gln Leu Gln Val Met Trp Met Gly Ser Gly Met Ala 305 310 315 320

Ala Ala Ala Ser Ala Pro Met Met Phe Pro Gly Val Gln Pro Gln 325 330 335

Gln Phe Ile Arg Gln Ile Gln Ser Pro Val Gln Leu Pro Arg Phe Pro 340 345 350

Val Met Asp Gln Ser Ala Ile Gln Asn Asn Pro Gly Leu Val Cys Gln 355 360 365

Asn Pro Val Gln Asn Gln Ile Ile Ser Asp Arg Phe Ala Arg Tyr Ile 370 375 380

Gly Gly Phe Pro His Met Gln Ala Ala Thr Gln Met Gln Pro Met Glu 385 390 395 400

Met Leu Arg Phe Ser Ser Pro Ala Gly Gln Gln Ser Gln Gln Pro Ser 415

Ser Val Pro Thr Lys Thr Thr Asp Gly Ser Arg Leu Asp His 420 425 430

<210> 225 <211> 1306 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (116)..(1123) <223> G1496

<400> 225

actittggtc tcactitaaa agatcataag ttgaaagatt tctgcagaga acaat atg

Met

ttg gaa ggt ctt gtc tct caa gaa agc ttg tcc tta aac tct atg gac 166

Leu Glu Gly Leu Val Ser Gln Glu Ser Leu Ser Leu Asn Ser Met Asp 5 10 15

atg tct gta ctt gaa agg ctt aaa tgg gta caa cag caa caa cag caa 214

ctg caa caa gtt gtg tcc cat agc agt aat aat tca cct gaa ctt ctt

Leu Gln Gln Val Val Ser His Ser Ser Asn Asn Ser Pro Glu Leu Leu 35 40 45

cag ata ctt cag ttc cat gga agc aac aat gat gag ttg ttg gag agt

Gln Ile Leu Gln Phe His Gly Ser Asn Asn Asp Glu Leu Leu Glu Ser 55 60 65

agt ttc agc caa ttt caa atg ctt gga tct ggt ttt gga cca aac tat 358

Ser Phe Ser Gln Phe Gln Met Leu Gly Ser Gly Phe Gly Pro Asn Tyr
70 75 80

aac atg ggt ttt ggt cct cca cat gaa tcc att tca aga aca agt agc 406

Asn Met Gly Phe Gly Pro Pro His Glu Ser Ile Ser Arg Thr Ser Ser 85 90 95

tgc cat atg gaa cct gtg gat aca atg gag gtt ttg ttg aag acc ggt

Cys His Met Glu Pro Val Asp Thr Met Glu Val Leu Leu Lys Thr Gly
100 105 110

gaa gaa acc aga gcc gtt gcc ttg aag aac aag aga aaa cca gag gtt Glu Glu Thr Arg Ala Val Ala Leu Lys Asn Lys Arg Lys Pro Glu Val 115 Lys Thr Arg Glu Glu Gln Lys Thr Glu Lys Lys Ile Lys Val Glu Ala 135 gag aca gag tca agc atg aaa gga aaa tca aac atg gga aac act gaa 598 Glu Thr Glu Ser Ser Met Lys Gly Lys Ser Asn Met Gly Asn Thr Glu gca tct tca gac act tca aag gag aca tcg aaa gga gct tca gag aat 646 Ala Ser Ser Asp Thr Ser Lys Glu Thr Ser Lys Gly Ala Ser Glu Asn 165 170 cag aaa tta gat tat atc cac gtg aga gct cgt cga ggc caa gcc act Gln Lys Leu Asp Tyr Ile His Val Arg Ala Arg Arg Gly Gln Ala Thr 185 gac aga cac agc tta gca gaa agg gcg aga aga gaa aag atc agc aag Asp Arg His Ser Leu Ala Glu Arg Ala Arg Arg Glu Lys Ile Ser Lys 200 195 205 aaa atg aaa tat ctg caa gat att gtg cct gga tgc aat aag gtc aca Lys Met Lys Tyr Leu Gln Asp Ile Val Pro Gly Cys Asn Lys Val Thr 220 215 gga aaa gct ggt atg ctt gat gag atc atc aat tat gtt caa tgt ctc 838 Gly Lys Ala Gly Met Leu Asp Glu Ile Ile Asn Tyr Val Gln Cys Leu 235 230 240 caa aga caa gtc gag ttc ctg tcg atg aaa ctt gct gtc ttg aac ccg Gln Arg Gln Val Glu Phe Leu Ser Met Lys Leu Ala Val Leu Asn Pro 245 250 gaa cta gag ctt gcc gtg gaa gat gta tcc gta aaa cag gct tac ttt 934 Glu Leu Glu Leu Ala Val Glu Asp Val Ser Val Lys Gln Ala Tyr Phe 260 2.65 270 aca aat gta gtt gct tca aag caa tca ata atg gtt gat gtg cca ttg Thr Asn Val Val Ala Ser Lys Gln Ser Ile Met Val Asp Val Pro Leu 280 ttt ccg tta gac cag caa gga tct cta gat ttg tct gcg ata aac ccg Phe Pro Leu Asp Gln Gln Gly Ser Leu Asp Leu Ser Ala Ile Asn Pro 290 2.95 300 305

aac caa acg aca tet ate gaa get eea tet gga age tgg gaa act caa 1078

Asn Gln Thr Thr Ser Ile Glu Ala Pro Ser Gly Ser Trp Glu Thr Gln 310 315 320

tea cag agt etc tac aac aca tet age etc ggt ttt cat tac taa 1123

Ser Gln Ser Leu Tyr Asn Thr Ser Ser Leu Gly Phe His Tyr 325 330 335

gcaagattca ttgaaacaac atggttgaca tcaatcaatc atcaxaatca gaagcaaatt 1183

ctattacatt tgctcatcaa agtagtaatt tcgaaatttg gttaatgcat tatcctttga 1243

teettgtttt etgatattta aaccagaaga aetggagata geaateeaat gatettgtea 1303

cca 1306

<210> 226 <211> 335 <212> PRT <213> Arabidopsis thaliana <400> 226

Met Leu Glu Gly Leu Val Ser Gln Glu Ser Leu Ser Leu Asn Ser Met 1 5 10 15

Asp Met Ser Val Leu Glu Arg Leu Lys Trp Val Gln Gln Gln Gln Gln 20 25 30

Gln Leu Gln Gln Val Val Ser His Ser Ser Asn Asn Ser Pro Glu Leu 35 40 45

Leu Gln Ile Leu Gln Phe His Gly Ser Asn Asn Asp Glu Leu Leu Glu 50 55 60

Ser Ser Phe Ser Gln Phe Gln Met Leu Gly Ser Gly Phe Gly Pro Asn 65 70 75 80

Tyr Asn Met Gly Phe Gly Pro Pro His Glu Ser Ile Ser Arg Thr Ser 85 90 95

Ser Cys His Met Glu Pro Val Asp Thr Met Glu Val Leu Leu Lys Thr 100 105 110

Gly Glu Glu Thr Arg Ala Val Ala Leu Lys Asn Lys Arg Lys Pro Glu 115 120 125

Val Lys Thr Arg Glu Glu Gln Lys Thr Glu Lys Lys Ile Lys Val Glu 130 135 140

Ala Glu Thr Glu Ser Ser Met Lys Gly Lys Ser Asn Met Gly Asn Thr 145 150 155 160

Glu Ala Ser Ser Asp Thr Ser Lys Glu Thr Ser Lys Gly Ala Ser Glu 165 170 175

Asn Gln Lys Leu Asp Tyr Ile His Val Arg Ala Arg Arg Gly Gln Ala 180 185 190

Thr Asp Arg His Ser Leu Ala Glu Arg Ala Arg Arg Glu Lys Ile Ser 195 200 205

Lys Lys Met Lys Tyr Leu Gln Asp Ile Val Pro Gly Cys Asn Lys Val 210 215 220

Thr Gly Lys Ala Gly Met Leu Asp Glu Ile Ile Asn Tyr Val Gln Cys 225 230 235 240

Leu Gln Arg Gln Val Glu Phe Leu Ser Met Lys Leu Ala Val Leu Asn 245 250 255

Pro Glu Leu Glu Leu Ala Val Glu Asp Val Ser Val Lys Gln Ala Tyr 260 265 270

Phe Thr Asn Val Val Ala Ser Lys Gln Ser Ile Met Val Asp Val Pro 275 280 ' 285

Leu Phe Pro Leu Asp Gln Gln Gly Ser Leu Asp Leu Ser Ala Ile Asn 290 295 300

Pro Asn Gln Thr Thr Ser Ile Glu Ala Pro Ser Gly Ser Trp Glu Thr 305 310 315 320

Gln Ser Gln Ser Leu Tyr Asn Thr Ser Ser Leu Gly Phe His Tyr 325 330 335

<210> 227 <211> 902 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (159)..(833) <223> G1499

<400> 227

togactoctt aattgoatca coaacctaac coetcatcat atgatcacct ttetttttt 60

cetttaatat atatatage teacacacae acatatatat atacatataa geategeete 120

aagcattaaa atttttacga accaaacaaa caaaaatt atg aat aat tat aat atg 176

Met Asn Asn Tyr Asn Met
1 5

aac cca tct ctc ttc caa aat tac act tgg aac aac atc atc aac agc 224

Asn Pro Ser Leu Phe Gln Asn Tyr Thr Trp Asn Asn Ile Ile Asn Ser 10 15 20

agc aac aac aac aag aat gat gat cat cat cat caa cat aat aat

Ser Asn Asn Asn Lys Asn Asp Asp His His His Gln His Asn Asn 25 30 35

gat cca atc ggt atg gcc atg gac cag tac aca cag ctc cat atc ttc 320

Asp Pro Ile Gly Met Ala Met Asp Gln Tyr Thr Gln Leu His Ile Phe
40 45 50

aat cot tto tot tot cat tto cot cot cto tot tot tcc ctc aca 368

Asn Pro Phe Ser Ser Ser His Phe Pro Pro Leu Ser Ser Ser Leu Thr 60 65 70

acc acc act ctt ctc tcc gga gat caa gaa gac gac gaa gac gaa gaa

Thr Thr Thr Leu Leu Ser Gly Asp Gln Glu Asp Asp Glu Asp Glu Glu 75 80 85

gaa cct cta gag gaa ctc ggt gct atg aag gaa atg atg tac aag atc 464

Glu Pro Leu Glu Glu Leu Gly Ala Met Lys Glu Met Met Tyr Lys Ile 90 95 100

gca gcc atg caa tcg gtt gac atc gac cca gca acc gtc aag aaa ccc 512

Ala Ala Met Gln Ser Val Asp Ile Asp Pro Ala Thr Val Lys Lys Pro 105 110 115

aaa cgc cgt aac gtg agg atc tcc gac gac cct cag agt gtg gcg gct 560

Lys Arg Arg Asn Val Arg Ile Ser Asp Asp Pro Gln Ser Val Ala Ala 120 125 130

aga cat cgc cgt gag aga atc agt gag agg atc aga att ctt cag aga 608

Arg His Arg Arg Glu Arg Ile Ser Glu Arg Ile Arg Ile Leu Gln Arg 135 140 145 150

ctc gtg cca ggt ggc act aaa atg gat acg gct tca atg ctc gat gaa 656

Leu Val Pro Gly Gly Thr Lys Met Asp Thr Ala Ser Met Leu Asp Glu 155 160 165

gct ata cgc tat gtc aag ttc ttg aaa cgg cag atc cgg cta ctc aat 704

Ala Ile Arg Tyr Val Lys Phe Leu Lys Arg Gln Ile Arg Leu Leu Asn 170 175 180

aat aat acc gga tat act cct ccg ccg ccg caa gat caa gct tct cag

Asn Asn Thr Gly Tyr Thr Pro Pro Pro Pro Gln Asp Gln Ala Ser Gln

185 190 195

gcg gtg acg acg tca tgg gtt tca ccg cca cca ccg cca agt ttc ggc 800

Ala Val Thr Thr Ser Trp Val Ser Pro Pro Pro Pro Pro Ser Phe Gly 200 205 210

cgt ggg gga aga gga gta gga gaa tta atc tag acaagatgac atttccatta 853

Arg Gly Gly Arg Gly Val Gly Glu Leu Ile

4.

gtagtaacta aattatgcta taatgtgtga gtaatggtgc aattatgga 902

<210> 228 <211> 224 <212> PRT <213> Arabidopsis thaliana <400> 228

Met Asn Asn Tyr Asn Met Asn Pro Ser Leu Phe Gln Asn Tyr Thr Trp 1 5 10 15

Asn Asn Ile Ile Asn Ser Ser Asn Asn Asn Asn Lys Asn Asp Asp His 20 25 30

His His Gln His Asn Asn Asp Pro Ile Gly Met Ala Met Asp Gln Tyr 35 40 45

Thr Gln Leu His Ile Phe Asn Pro Phe Ser Ser His Phe Pro Pro 50 55 60

Leu Ser Ser Ser Leu Thr Thr Thr Thr Leu Leu Ser Gly Asp Gln Glu 65 70 75 80

Asp Asp Glu Asp Glu Glu Glu Pro Leu Glu Glu Leu Gly Ala Met Lys 85 90 95

Glu Met Met Tyr Lys Ile Ala Ala Met Gln Ser Val Asp Ile Asp Pro 100 105 110

Ala Thr Val Lys Lys Pro Lys Arg Arg Asn Val Arg Ile Ser Asp Asp 115 120 125

Pro Gln Ser Val Ala Ala Arg His Arg Arg Glu Arg Ile Ser Glu Arg 130 135 140

Ile Arg Ile Leu Gln Arg Leu Val Pro Gly Gly Thr Lys Met Asp Thr 145 150 155 160

Ala Ser Met Leu Asp Glu Ala Ile Arg Tyr Val Lys Phe Leu Lys Arg 165  $\cdot$  170 175

Gln Ile Arg Leu Leu Asn Asn Asn Thr Gly Tyr Thr Pro Pro Pro Pro 180 185 190

Gln Asp Gln Ala Ser Gln Ala Val Thr Thr Ser Trp Val Ser Pro Pro 195 200 205

Pro Pro Pro Ser Phe Gly Arg Gly Gly Arg Gly Val Gly Glu Leu Ile 210 215 220

<210> 229 <211> 1233 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1233) <223> G1514

<400> 229

atg gcc gaa act atg aaa gat att acg atg aag aac gat gaa tca cag 48

Met Ala Glu Thr Met Lys Asp Ile Thr Met Lys Asn Asp Glu Ser Gln 1 5 10 15

gaa gaa gaa atc ccc gat caa ttt ctc tgc tgc gtt tgc ctg gaa ctt 96

Glu Glu Glu Ile Pro Asp Gln Phe Leu Cys Cys Val Cys Leu Glu Leu 20 25 30

ctt tac aag cca att gtg tta tct tgt ggt cat cta tca tgt ttt tgg 144

Leu Tyr Lys Pro Ile Val Leu Ser Cys Gly His Leu Ser Cys Phe Trp 35 40 45

tgc gta cat aag tcc atg aat ggc ttt cgt gag tct cat tgt ccg ata 192

Cys Val His Lys Ser Met Asn Gly Phe Arg Glu Ser His Cys Pro Ile 50 55 60

tgt aga gac ccg tat gtt cac ttt ccc tct gtg tgc cag aag ctt tat 240

Cys Arg Asp Pro Tyr Val His Phe Pro Ser Val Cys Gln Lys Leu Tyr 65 70 75 80

ttt ctg tta aag aag atg tac cca ctt gc $\mathbf{z}$  cat aag aag aga gaa gaa 288

Phe Leu Leu Lys Lys Met Tyr Pro Leu Ala His Lys Lys Arg Glu Glu 85 90 95

caa gtt tta aag gaa gag caa gaa cga gaa tgt ttt tct cct cag att 336

Gln Val Leu Lys Glu Glu Gln Glu Arg Glu Cys Phe Ser Pro Gln Ile 100 105 110

gat ctt gtt ttg gat ttg tct gtg tgt agt gga gat tct ctc aat gtc 384

Asp Leu Val Leu Asp Leu Ser Val Cys Ser Gly Asp Ser Leu Asn Val

tct gat aaa cag aag gtg gaa gag tgt tcg aat gca gcg aac tta tta 432

Ser Asp Lys Gln Lys Val Glu Glu Cys Ser Asn Ala Ala Asn Leu Leu

130 135 140

tet agt tea tea agt aga ggt gae att eea tgt ate eec aaa aat eaa Ser Ser Ser Ser Arg Gly Asp Ile Pro Cys Ile Pro Lys Asn Gln 150 155 gaa ccc aca gat gca aaa gct ctt aat gtt cat gaa aat gaa tta ctt Glu Pro Thr Asp Ala Lys Ala Leu Asn Val His Glu Asn Glu Leu Leu 165 170 aag gat aac aaa gtc agt aag cag att tcg aaa gat gat ttg ctc tqt 576 Lys Asp Asn Lys Val Ser Lys Gln Ile Ser Lys Asp Asp Leu Leu Cys 180 185 tca gca tgt aag gag ctg ctt gta cga ccc gta gtt ctc aat tgc gga 624 Ser Ala Cys Lys Glu Leu Leu Val Arg Pro Val Val Leu Asn Cys Gly 195 200 cat gtg tat tgt gaa gga tgt gta gta gat atg gct gaa gaa agc gaa Part to a Migration of the state Company of the Company His Val Tyr Cys Glu Gly Cys Val Val Asp Met Ala Glu Glu Ser Glu 210 215 11 to 41 220 to 41 to 42 to 42 to aag atc aaa tgt caa gag tgt aat gtt tgt gac cca aga gga ttt cca 720 Lys Ile Lys Cys Gln Glu Cys Asn Val Cys Asp Pro Arg Gly Phe Pro 225 i... 230 235 1.33 4.3 aaa gtt tgt ttg att ctt gaa cag ctt ttg gag gaa aac ttt cct gaa Lys Val Cys Leu Ile Leu Glu Gln Leu Leu Glu Glu Asn Phe Pro Glu gaa tac aat tca aga agc agt aag gtt cag aaa acg ctc gcc cat aat 816 Glu Tyr Asn Ser Arg Ser Ser Lys Val Gln Lys Thr Leu Ala His Asn 260 265 ago aaa gga aat att caa ago tat ctc aaa gaa ggo ccg tcc tta tca 864 Ser Lys Gly Asn Ile Gln Ser Tyr Leu Lys Glu Gly Pro Ser Leu Ser and the second 280 285 aac gac aat aac aat gat gat ccc tgg ttg gca aac cct gga tca aat 912 Asn Asp Asn Asn Asp Asp Pro Trp Leu Ala Asn Pro Gly Ser Asn 295 gtt cac ttt gga gct gqt tqt qat tct tgt ggg qtg tat cca atc ata Val His Phe Gly Ala Gly Cys Asp Ser Cys Gly Val Tyr Pro Ile Ile ggg gat cga tac aga tgc aaa gac tgc aag gag gaa att ggg tat gac Gly Asp Arg Tyr Arg Cys Lys Asp Cys Lys Glu Glu Ile Gly Tyr Asp 325 330 335

ctt tgc aaa gac tgt tac gag act cct tcg aaa gtt cca ggg aga ttc

Leu Cys Lys Asp Cys Tyr Glu Thr Pro Ser Lys Val Pro Gly Arg Phe 340 345 350

aac cag caa cac act cct gac cac agg ctt gag ctt gca cgg tct cct 1104

Asn Gln Gln His Thr Pro Asp His Arg Leu Glu Leu Ala Arg Ser Pro 355 360 365

cag gtt ctg atc aat ttc aat tct atc ggt atc ctt ctc gga ccc gtt 1152

Gln Val Leu Ile Asn Phe Asn Ser Ile Gly Ile Leu Leu Gly Pro Val 370 380

atc tca aat gaa ggc atg gat aca gat gaa ggc gag gaa ggg cct cct 1200

Ile Ser Asn Glu Gly Met Asp Thr Asp Glu Gly Glu Glu Gly Pro Pro 385 390 395 400

ggt tct tct aat gag tca tca agc aca gaa tga 1233

Gly Ser Ser Asn Glu Ser Ser Ser Thr Glu 405 410

<210> 230 <211> 410 <212> PRT <213> Arabidopsis thaliana <400> 230

Met Ala Glu Thr Met Lys Asp Ile Thr Met Lys Asn Asp Glu Ser Gln 1 5 15

Glu Glu Glu Ile Pro Asp Gln Phe Leu Cys Cys Val Cys Leu Glu Leu 20 25 30

Leu Tyr Lys Pro Ile Val Leu Ser Cys Gly His Leu Ser Cys Phe Trp 35 40 45

Cys Val His Lys Ser Met Asn Gly Phe Arg Glu Ser His Cys Pro Ile 50 55 60

Cys Arg Asp Pro Tyr Val His Phe Pro Ser Val Cys Gln Lys Leu Tyr 65 70 75 80

Phe Leu Leu Lys Lys Met Tyr Pro Leu Ala His Lys Lys Arg Glu Glu 85 90 95

Gln Val Leu Lys Glu Glu Gln Glu Arg Glu Cys Phe Ser Pro Gln Ile 100 105 110

Asp Leu Val Leu Asp Leu Ser Val Cys Ser Gly Asp Ser Leu Asn Val 115 120 125

Ser Asp Lys Gln Lys Val Glu Glu Cys Ser Asn Ala Ala Asn Leu Leu 130 135 Ser Ser Ser Ser Arg Gly Asp Ile Pro Cys Ile Pro Lys Asn Gln · 155 145 Glu Pro Thr Asp Ala Lys Ala Leu Asn Val His Glu Asn Glu Leu Leu 165 170 Lys Asp Asn Lys Val Ser Lys Gln Ile Ser Lys Asp Asp Leu Leu Cys 185 Ser Ala Cys Lys Glu Leu Leu Val Arg Pro Val Val Leu Asn Cys Gly 200 His Val Tyr Cys Glu Gly Cys Val Val Asp Met Ala Glu Glu Ser Glu 210 215 220 Lys Ile Lys Cys Gln Glu Cys Asn Val Cys Asp Pro Arg Gly Phe Pro 230 Lys Val Cys Leu Ile Leu Glu Gln Leu Leu Glu Glu Asn Phe Pro Glu 1998 1998 1992 245 gradus francisco 250 bed 1992 1992 255 bed Glu Tyr Asn Ser Arg Ser Ser Lys Val Gln Lys Thr Leu Ala His Asn 260 265 Ser Lys Gly Asn Ile Gln Ser Tyr Leu Lys Glu Gly Pro Ser Leu Ser 280 ( 285 Asn Asp Asn Asn Asn Asp Asp Pro Trp Leu Ala Asn Pro Gly Ser Asn 290 295 300 Val His Phe Gly Ala Gly Cys Asp Ser Cys Gly Val Tyr Pro Ile Ile 305 310 315 Gly Asp Arg Tyr Arg Cys Lys Asp Cys Lys Glu Glu Ile Gly Tyr Asp 335 ... 325 330 Leu Cys Lys Asp Cys Tyr Glu Thr Pro Ser Lys Val Pro Gly Arg Phe 340 350 Asn Gln Gln His Thr Pro Asp His Arg Leu Glu Leu Ala Arg Ser Pro

360

Gln Val Leu Ile Asn Phe Asn Ser Ile Gly Ile Leu Leu Gly Pro Val 370 375 380

Ile Ser Asn Glu Gly Met Asp Thr Asp Glu Gly Glu Glu Gly Pro Pro 385 390 400

Gly Ser Ser Asn Glu Ser Ser Ser Thr Glu 405 410

<210> 231 <211> 1146 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1146) <223> G1519

<400> 231

atg agg ctt aat ggg gat teg ggt eeg ggt eag gat gaa eee ggt teg

Met Arg Leu Asn Gly Asp Ser Gly Pro Gly Gln Asp Glu Pro Gly Ser 1 5 10 15

age ggg ttt cae gge gga ate aga ega tte eeg tta gea get eag eeg 96

Ser Gly Phe His Gly Gly Ile Arg Arg Phe Pro Leu Ala Ala Gln Pro 20 25 30

gag att atg aga get get gag aaa gac gat caa tac get tet tte atc 144

Glu Ile Met Arg Ala Ala Glu Lys Asp Asp Gln Tyr Ala Ser Phe Ile 35 40 45

cac gaa gct tgc cgc gat gcc ttc cga cac ctt ttc ggt aca aga atc 192

His Glu Ala Cys Arg Asp Ala Phe Arg His Leu Phe Gly Thr Arg Ile 50 55 60

get ett get tac cag aag gag atg aag eta ett gga cag atg ett tac

Ala Leu Ala Tyr Gln Lys Glu Met Lys Leu Leu Gly Gln Met Leu Tyr 65 75 80

tat gtt ctt acg aca ggt tca ggg caa caa act tta gga gag gaa tat

Tyr Val Leu Thr Thr Gly Ser Gly Gln Gln Thr Leu Gly Glu Glu Tyr 85 90

tgt gac att ata cag gtt gca ggg cct tat gga ctc tct cct aca cca 336

Cys Asp Ile Ile Gln Val Ala Gly Pro Tyr Gly Leu Ser Pro Thr Pro 100 105 110

gct aga cgt gct ttg ttc ata ttg tac cag acc gca gtt cca tat atc

384 Ala Arg Arg Ala Leu Phe Ile Leu Tyr Gln Thr Ala Val Pro Tyr Ile 115 120 125

gca gag aga att agc act cga gct gct acg caa gca gtc acc ttt gat 432

Ala Glu Arg Ile Ser Thr Arg Ala Ala Thr Gln Ala Val Thr Phe Asp 130 135 140

gag tet gat gag ttt ttt ggt gat agt cat ate cae tea eea aga atg Glu Ser Asp Glu Phe Phe Gly Asp Ser His Ile His Ser Pro Arg Met 145 ata gat ctt cca tct tca tct caa gtt gaa act tca act tct gta gta Ile Asp Leu Pro Ser Ser Ser Gln Val Glu Thr Ser Thr Ser Val Val 165 170 tct agg tta aac gat aga ctt atg aga tcg tgg cac cga gct att cag 576 Ser Arg Leu Asn Asp Arg Leu Met Arg Ser Trp His Arg Ala Ile Gln 180 185 cga tgg cct gtg gtt ctt cct gtt gcc cgc gaa gtc tta caa ctg gtt 624 Arg Trp Pro Val Val Leu Pro Val Ala Arg Glu Val Leu Gln Leu Val 195 200 ttg cgt gcc aat ctg atg ctc ttc tac ttt gaa ggt ttt tat tat cat Leu Arg Ala Asn Leu Met Leu Phe Tyr Phe Glu Gly Phe Tyr Tyr His 210 ... 215 220 ata tcg aaa cgt gca tcc ggg gtt cgt tat gtt ttc ata gga aag caa 720 Ile Ser Lys Arg Ala Ser Gly Val Arg Tyr Val Phe Ile Gly Lys Gln 230 235 ctg aat cag aga cct aga tac caa att ctt ggg gtt ttc ctt cta atc Leu Asn Gln Arg Pro Arg Tyr Gln Ile Leu Gly Val Phe Leu Leu Ile caa ttg tgc atc ctt gct gct gag ggc ttg cgt cgg agt aat ttg tca 816 Gln Leu Cys Ile Leu Ala Ala Glu Gly Leu Arg Arg Ser Asn Leu Ser 260 265 tot atc act agc toc att cag cag got tot ata gga tot tat caa act 864 Ser Ile Thr Ser Ser Ile Gln Gln Ala Ser Ile Gly Ser Tyr Gln Thr 275 280 285 tca gga ggg aga ggt tta cct gtt tta aat gaa gag ggg aat ttg ata Ser Gly Gly Arg Gly Leu Pro Val Leu Asn Glu Glu Gly Asn Leu Ile 290 295 act tog gaa got gaa aag gga aac tgg tot acc too gat toa act toa 960 Thr Ser Glu Ala Glu Lys Gly Asn Trp Ser Thr Ser Asp Ser Thr Ser 315 310 acg gag gca gta ggg aaa tgc act ctc tgc tta agc acc cgt cag cac Thr Glu Ala Val Gly Lys Cys Thr Leu Cys Leu Ser Thr Arg Gln His 325 330

cca acg gcc act cct tgt ggt cat gtg ttt tgt tgg agc tgc att atg

Pro Thr Ala Thr Pro Cys Gly His Val Phe Cys Trp Ser Cys Ile Met 340 345 350

gaa tgg tgc aac gag aag caa gaa tgc cct ctt tgt cga acg ccc aat 1104

Glu Trp Cys Asn Glu Lys Gln Glu Cys Pro Leu Cys Arg Thr Pro Asn 355 360 365

acc cat toa agt ttg gtt tgt ttg tat cat tot gat ttt tag 1146

Thr His Ser Ser Leu Val Cys Leu Tyr His Ser Asp Phe 370 380

<210> 232 <211> 381 <212> PRT <213> Arabidopsis thaliana <400> 232

Met Arg Leu Asn Gly Asp Ser Gly Pro Gly Gln Asp Glu Pro Gly Ser 1 10 15

Ser Gly Phe His Gly Gly Ile Arg Arg Phe Pro Leu Ala Ala Gln Pro 20 25 30

Glu Ile Met Arg Ala Ala Glu Lys Asp Asp Gln Tyr Ala Ser Phe Ile 35 40 45

His Glu Ala Cys Arg Asp Ala Phe Arg His Leu Phe Gly Thr Arg Ile 50 55 60

Ala Leu Ala Tyr Gln Lys Glu Met Lys Leu Gly Gln Met Leu Tyr 65 70 75 80

Tyr Val Leu Thr Thr Gly Ser Gly Gln Gln Thr Leu Gly Glu Glu Tyr 85 90 95

Cys Asp Ile Ile Gln Val Ala Gly Pro Tyr Gly Leu Ser Pro Thr Pro 100 105 110

Ala Arg Arg Ala Leu Phe Ile Leu Tyr Gln Thr Ala Val Pro Tyr Ile 115 120 125

Ala Glu Arg Ile Ser Thr Arg Ala Ala Thr Gln Ala Val Thr Phe Asp 130 135 140

Glu Ser Asp Glu Phe Phe Gly Asp Ser His Ile His Ser Pro Arg Met 145 150 155 160

Ile Asp Leu Pro Ser Ser Ser Gln Val Glu Thr Ser Thr Ser Val Val 165 170 175

Ser Arg Leu Asn Asp Arg Leu Met Arg Ser Trp His Arg Ala Ile Gln 180 185 190

- Arg Trp Pro Val Val Leu Pro Val Ala Arg Glu Val Leu Gln Leu Val 195 200 205
- Leu Arg Ala Asn Leu Met Leu Phe Tyr Phe Glu Gly Phe Tyr Tyr His 210 215 220
- Ile Ser Lys Arg Ala Ser Gly Val Arg Tyr Val Phe Ile Gly Lys Gln 225 230 235 240
- Leu Asn Gln Arg Pro Arg Tyr Gln Ile Leu Gly Val Phe Leu Leu Ile 245 250 255
- Gln Leu Cys Ile Leu Ala Ala Glu Gly Leu Arg Arg Ser Asn Leu Ser 260 265 270
- Ser Ile Thr Ser Ser Ile Gln Gln Ala Ser Ile Gly Ser Tyr Gln Thr
  275 280 280
- Ser Gly Gly Arg Gly Leu Pro Val Leu Asn Glu Glu Gly Asn Leu Ile 290 295 300
- Thr Ser Glu Ala Glu Lys Gly Asn Trp Ser Thr Ser Asp Ser Thr Ser 305 310 315 320
- Thr Glu Ala Val Gly Lys Cys Thr Leu Cys Leu Ser Thr Arg Gln His 325 330 335
- Pro Thr Ala Thr Pro Cys Gly His Val Phe Cys Trp Ser Cys Ile Met 340 345 350
- Glu Trp Cys Asn Glu Lys Gln Glu Cys Pro Leu Cys Arg Thr Pro Asn 355 360 365
- Thr His Ser Ser Leu Val Cys Leu Tyr His Ser Asp Phe 370 375 380
- <210> 233 <211> 891 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(891) <223> G1521

<400> 233

atg cct cca tta ccg tcc tcc acg gcg cct tcg tct tcg aga cat ctt 48 Met Pro Pro Leu Pro Ser Ser Thr Ala Pro Ser Ser Ser Arg His Leu

15 10 5 1 cga tcg ccg gaa agt atc gcg aaa ttt gca ggg aga gca ata ttt cct Arg Ser Pro Glu Ser Ile Ala Lys Phe Ala Gly Arg Ala Ile Phe Pro get tta cag ggg aaa teg tgt eeg ata tge ete gaa aat eta aee gag 144 Ala Leu Gln Gly Lys Ser Cys Pro Ile Cys Leu Glu Asn Leu Thr Glu cga aga tee gee gee gtg ate aeg gtg tge aag cae gga tae tge ett Arg Arg Ser Ala Ala Val Ile Thr Val Cys Lys His Gly Tyr Cys Leu gct tgt att cgg aag tgg agc agc ttc aag agg aat tgt cct ctt tgt Ala Cys Ile Arg Lys Trp Ser Ser Phe Lys Arg Asn Cys Pro Leu Cys aac act cgt ttt gat tcc tgg ttt atc gtt agt gat ttt gct tct aga 288 Asn Thr Arg Phe Asp Ser Trp Phe Ile Val Ser Asp Phe Ala Ser Arg 90 85 aaa tac cat aag gag caa tta cca att ctt cgt gat cgt gag act tta 336 Lys Tyr His Lys Glu Gln Leu Pro Ile Leu Arg Asp Arg Glu Thr Leu act tat cat cgg aat aat cct tcc gat cgc cgg agg ata att caa agg 384 Thr Tyr His Arg Asn Asn Pro Ser Asp Arg Arg Ile Ile Gln Arg 120 115 tcg agg gat gtt ttg gaa aac tct agc tca aga tca agg cca ttg cca 432 Ser Arg Asp Val Leu Glu Asn Ser Ser Ser Arg Ser Arg Pro Leu Pro 135 tgg cgg aga tca ttt gga cga cca ggt tca gtt cct gat tct gtt atc 480 Trp Arg Arg Ser Phe Gly Arg Pro Gly Ser Val Pro Asp Ser Val Ile 150 ttc cag cga aag ctt cag tgg cga gct agc ata tac act aag caa tta 528 Phe Gln Arg Lys Leu Gln Trp Arg Ala Ser Ile Tyr Thr Lys Gln Leu 175 165 cga gct gtt cga tta cat tca agg cgc ttg gaa cta agt ttg gcg gtg 576 Arg Ala Val Arg Leu His Ser Arg Arg Leu Glu Leu Ser Leu Ala Val aat gat tac acc aaa gca aag ata act gaa aga att gag cca tgg att Asn Asp Tyr Thr Lys Ala Lys Ile Thr Glu Arg Ile Glu Pro Trp Ile 200 205 195

aga aga gag ctt cag gca gtc ctt gga gat cct gat ccc tca gtt att 672

Arg Arg Glu Leu Gln Ala Val Leu Gly Asp Pro Asp Pro Ser Val Ile 210 220

gtt cat ttt gcg tca gct ctt ttc atc aaa agg ctt gag aga gag aat

Val His Phe Ala Ser Ala Leu Phe Ile Lys Arg Leu Glu Arg Glu Asn 230 235

aat cga caa acc ggg cag acc ggg atg ttg gtg gaa gat gaa gtc tcc

Asn Arg Gln Thr Gly Gln Thr Gly Met Leu Val Glu Asp Glu Val Ser 245

tct ctt cga aaa ttc ttg tct gat aag gtg gat ata ttt tgg cat gaa

Ser Leu Arg Lys Phe Leu Ser Asp Lys Val Asp Ile Phe Trp His Glu 260 265

cta aga tgt ttt gcg gag agt ata ctc acg atg gag act tat gat gca 864 CALL ON THE WAY OF THE SAME OF THE SAME

Leu Arg Cys Phe Ala Glu Ser Ile Leu Thr Met Glu Thr Tyr Asp Ala 275 280 285

gtg gtt gaa tac aat gag gtg gag taa 891

Val Val Glu Tyr Asn Glu Val Glu 

<210> 234 <211> 296 <212> PRT <213> Arabidopsis thaliana <400>

Met Pro Pro Leu Pro Ser Ser Thr Ala Pro Ser Ser Arg His Leu 10

Arg Ser Pro Glu Ser Ile Ala Lys Phe Ala Gly Arg Ala Ile Phe Pro

Ala Leu Gln Gly Lys Ser Cys Pro Ile Cys Leu Glu Asn Leu Thr Glu 45 35 40

Arg Arg Ser Ala Ala Val Ile Thr Val Cys Lys His Gly Tyr Cys Leu 50 55 60

Ala Cys Ile Arg Lys Trp Ser Ser Phe Lys Arg Asn Cys Pro Leu Cys 70 . 75 80

Asn Thr Arg Phe Asp Ser Trp Phe Ile Val Ser Asp Phe Ala Ser Arg 85

Lys Tyr His Lys Glu Gln Leu Pro Ile Leu Arg Asp Arg Glu Thr Leu 100 105

Thr Tyr His Arg Asn Asn Pro Ser Asp Arg Arg Ile Ile Gln Arg 115 120 125

Ser Arg Asp Val Leu Glu Asn Ser Ser Ser Arg Ser Arg Pro Leu Pro 130 135 140

Trp Arg Arg Ser Phe Gly Arg Pro Gly Ser Val Pro Asp Ser Val 11e 145 150 155 160

Phe Gln Arg Lys Leu Gln Trp Arg Ala Ser Ile Tyr Thr Lys Gln Leu 165 170 175

Arg Ala Val Arg Leu His Ser Arg Arg Leu Glu Leu Ser Leu Ala Val 180 185 190

Asn Asp Tyr Thr Lys Ala Lys Ile Thr Glu Arg Ile Glu Pro Trp Ile 195 200 205

Arg Arg Glu Leu Gln Ala Val Leu Gly Asp Pro Asp Pro Ser Val Ile 210 215 220

Val His Phe Ala Ser Ala Leu Phe Ile Lys Arg Leu Glu Arg Glu Asn 225 230 235 240

Asn Arg Gln Thr Gly Gln Thr Gly Met Leu Val Glu Asp Glu Val Ser 245 250 255

Ser Leu Arg Lys Phe Leu Ser Asp Lys Val Asp Ile Phe Trp His Glu 260 265 270

Leu Arg Cys Phe Ala Glu Ser Ile Leu Thr Met Glu Thr Tyr Asp Ala 275 280 285

Val Val Glu Tyr Asn Glu Val Glu 290 295

<210> 235 <211> 3090 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(3090) <223> G1526

<400> 235
atg gga acg aaa gtc tca gac gat ctt gtt tcc acc gtc aga tca gtc
48
Met Gly Thr Lys Val Ser Asp Asp Leu Val Ser Thr Val Arg Ser Val
1 5 10 15

gtg ggt tcc gat tac tca gat atg gat ata atc agg gct tta cac atg 96

Val Gly Ser Asp Tyr Ser Asp Met Asp Ile Ile Arg Ala Leu His Met 25 gcg aat cat gat cca acg gct gct atc aat ata atc ttc gac act cca 144 Ala Asn His Asp Pro Thr Ala Ala Ile Asn Ile Ile Phe Asp Thr Pro 40 agt tte gee aaa eet gat gta gee aet eet aee eeg age gge tet aat 192 Ser Phe Ala Lys Pro Asp Val Ala Thr Pro Thr Pro Ser Gly Ser Asn gga ggg aag cga gtt gat agt gga tta aag ggc tgt act ttt ggt gac Gly Gly Lys Arg Val Asp Ser Gly Leu Lys Gly Cys Thr Phe Gly Asp agc gga agt gtt gga gcg aat cat cgc gtg gag gaa gaa aat gag agt Ser Gly Ser Val Gly Ala Asn His Arg Val Glu Glu Glu Asn Glu Ser 85 90 95. gtt aat ggt gga gga gaa gag agt gtt tca ggg aat gag tgg tgt 336 Val Asn Gly Gly Glu Glu Ser Val Ser Gly Asn Glu Trp Trp Phe 100 gtt ggt tgt tct gaa ttg gct ggg tta tcg aca tgt aaa gga agg aaa 384 Val Gly Cys Ser Glu Leu Ala Gly Leu Ser Thr Cys Lys Gly Arg Lys . 120 125 ttg aag tot ggt gat gaa ttg gtg tto acg ttt ccg cat agt aaa gga Leu Lys Ser Gly Asp Glu Leu Val Phe Thr Phe Pro His Ser Lys Gly tta aag oot gag act acg oot ggg aag ogc ggt ttt ggg ogg gga agg Leu Lys Pro Glu Thr Thr Pro Gly Lys Arg Gly Phe Gly Arg Gly Arg 150 155 cca get ttg cgt ggt gct tet gat ate gtt agg tte tet aca aag gat 528 Pro Ala Leu Arg Gly Ala Ser Asp Ile Val Arg Phe Ser Thr Lys Asp 165 175 tca gga gag att ggt aga ata cca aac gag tgg gct cgg tgt ctt cta Ser Gly Glu Ile Gly Arg Ile Pro Asn Glu Trp Ala Arg Cys Leu Leu 180 cca ctt gtg aga gac aag aaa att agg ata gaa ggc agt tgc aag tcg 624 Pro Leu Val Arg Asp Lys Lys Ile Arg Ile Glu Gly Ser Cys Lys Ser 200 geg cet gaa get ttg age ate atg gat aca att ett etg tet gta age 672 Ala Pro Glu Ala Leu Ser Ile Met Asp Thr Ile Leu Leu Ser Val Ser

210	215		220	
	at agt tcc atg	ttt caa aa	ng cat agt g	cg act tca ttt
				la Thr Ser Phe 240
aag aca gct a	gt aat acg gca	gag gaa t	ca atg ttc o	cat cct ctc cca
	245	-	30	His Pro Leu Pro 255
aat ctc ttt c	ogg tta ctc gg	t ttg atc o	cc ttt aag	aag gca gag ttt
Asn Leu Phe	Arg Leu Leu Gl 260	y Leu Ile I 265	Pro Phe Lys	Lys Ala Glu Phe 270
act cca gag	gat ttt tac tc	t aag aag (	ega cet ttg	agt tcc aag gat
Thr Pro Glu 275	Asp Phe Tyr Se	r Lys Lys i 280	Arg Pro Leu	Ser Ser Lys Asp 285
ggt tct gct	att cct act to	g ttg ctt	caa tta aac	aag gtc aag aat
Gly Ser Ala 290	Ile Pro Thr Se	er Leu Leu 95	Gln Leu Asn 300	Lys Val Lys Asn
atg aat caa	gat gca aac gg	ga gat gaa	aat gag cag	tgt atc agc gat
Met Asn Gln 305	Asp Ala Asn G	ly Asp Glu	Asn Glu Gln 315	Cys Ile Ser Asp 320
ggt gat ctt	gat aac att g	tt ggt gtt	ggg gac agt	tct gga tta aag
Gly Asp Leu	Asp Asn Ile V 325	al Gly Val	Gly Asp Ser	Ser Gly Leu Lys 335
gaa atg gaa	act cca cat a	ca ctt ctg	tgt gag ctt	cgt cca tac caa
Glu Met Glu	Thr Pro His 1 340	hr Leu Leu 345	Cys Glu Let	1 Arg Pro Tyr Gln 350
aag cag gca	a ctt cat tgg a	atg acc caa	ctg gag aa	a gga aat tgc act
Lys Gln Ala	a Leu His Trp   5	Met Thr Glr 360	Leu Glu Ly	s Gly Asn Cys Thr 365
gat gag gc	a gca aca atg	ctt cac cc	g tgt tgg ga	a gca tac tgt tta
370		315		u Ala Tyr Cys Leu O
gca gac aa	g agg gaa ctg	gtt gtc ta	c ctg aat to	et ttt act ggt gat
385	390		•	er Phe Thr Gly Asp 400
gct aca at	a cac ttc cct	agc aca ct	t caa atg go	ca aga gga gga ata
Ala Thr I	Le His Phe Pro 405	Ser Thr Le	u Gln Met A 410	la Arg Gly Gly Ile 415

tta gca gac gca atg ggt ctt gga aag act gta atg acc ata tcc ctt Leu Ala Asp Ala Met Gly Leu Gly Lys Thr Val Met Thr Ile Ser Leu 425 420 ttg ctt gcc cat tct tgg aaa gct gca tca act ggg ttt cta tgc ccc 1344 Leu Leu Ala His Ser Trp Lys Ala Ala Ser Thr Gly Phe Leu Cys Pro 435 . 440 aac tat gaa gga gac aaa gtg atc.agc agt tct gta gat gat ctc act Asn Tyr Glu Gly Asp Lys Val Ile Ser Ser Ser Val Asp Asp Leu Thr agt ccc ccg gtg aag gca acc aaa ttt cta ggc ttt gat aag agg ctt 1440 Ser Pro Pro Val Lys Ala Thr Lys Phe Leu Gly Phe Asp Lys Arg Leu 465 470 ctt gaa caa aaa agt gta ctt caa aat ggt ggt aac ctg att gta tgt 1 2 6 6 Leu Glu Gln Lys Ser Val Leu Gln Asn Gly Gly Asn Leu Ile Val Cys 495 445 and the second second ccg atg aca ctt tta gga cag tgg aag aca gag att gaa atg cat gca **1536** a from the above in the contract with 17.5 Pro Met Thr Leu Leu Gly Gln Trp Lys Thr Glu Ile Glu Met His Ala 500 505 510 aag cet ggg tet eta tet gte tat gtt cae tat ggg caa age agg eeg Lys Pro Gly Ser Leu Ser Val Tyr Val His Tyr Gly Gln Ser Arg Pro 520 515 aag gat gca aaa ctt ctt tcc cag agt gat gtg gta atc acc aca tat Lys Asp Ala Lys Leu Leu Ser Gln Ser Asp Val Val Ile Thr Thr Tyr 535 540. gga gtt cta aca tcc gaa ttc tcg caa gag aac tca gca gac cat gaa 1680 Gly Val Leu Thr Ser Glu Phe Ser Gln Glu Asn Ser Ala Asp His Glu 545 550 555 gga att tat gca gtt cga tgg ttt agg att gtt ctt gac gag gca cat Gly Ile Tyr Ala Val Arg Trp Phe Arg Ile Val Leu Asp Glu Ala His 565 570 acc atc aaa aac tca aaa agc caa att tcc ttg gct gct gca gct ctg Thr Ile Lys Asn Ser Lys Ser Gln Ile Ser Leu Ala Ala Ala Ala Leu 580 . 585 590 gtt gct gat agg cgt tgg tgt ctt acg ggt act cct att cag aac aat 1824 Val Ala Asp Arg Arg Trp Cys Leu Thr Gly Thr Pro Ile Gln Asn Asn 595 600 605

ctg gag gat tta tac agc ctt cta cgg ttt ttg agg att gaa cca tgg 1872 Leu Glu Asp Leu Tyr Ser Leu Leu Arg Phe Leu Arg Ile Glu Pro Trp 610 gga act tgg gca tgg tgg aat aaa ctt gtc caa aag cca ttt gaa gag 1920 · Gly Thr Trp Ala Trp Trp Asn Lys Leu Val Gln Lys Pro Phe Glu Glu 625 630 ggt gat gag aga ggg tta aag cta gtg cag tct atc tta aaa cct atc 1968 Gly Asp Glu Arg Gly Leu Lys Leu Val Gln Ser Ile Leu Lys Pro Ile 645 atg ctt agg aga aca aag tct agc aca gac cga gaa gga agg ccg att 2016 Met Leu Arg Arg Thr Lys Ser Ser Thr Asp Arg Glu Gly Arg Pro Ile 660 ctt gtt cta ccc cct gct gat gca cgg gtc att tac tgt gaa ctt tcg Leu Val Leu Pro Pro Ala Asp Ala Arg Val Ile Tyr Cys Glu Leu Ser 675 680 685 gag tot gag agg gat tto tac gac gcg cta ttt aaa aga too aag gto 2112 Glu Ser Glu Arg Asp Phe Tyr Asp Ala Leu Phe Lys Arg Ser Lys Val 700 aaa ttt gat caa ttt gtt gaa caa ggc aaa gtt ctt cat aac tat gct Lys Phe Asp Gln Phe Val Glu Gln Gly Lys Val Leu His Asn Tyr Ala 715 720 ticg atc ctg gaa ctg ctt ttg cgt ctt cga caa tgt tgt gat cac cca Ser Ile Leu Glu Leu Leu Arg Leu Arg Gln Cys Cys Asp His Pro 725 ttt tta gta atg agt cga ggg gat aca gcg gaa tac tct gat ctg aat Phe Leu Val Met Ser Arg Gly Asp Thr Ala Glu Tyr Ser Asp Leu Asn 750 aag ctt tct aaa cgt ttc ctt agt gga aag tct tct ggc tta gaa agg 2304 Lys Leu Ser Lys Arg Phe Leu Ser Gly Lys Ser Ser Gly Leu Glu Arg 755 760 765 gaa gga aaa gat gta ccg tca gag gct ttt gtt cag gag gtg gta gag 2352 Glu Gly Lys Asp Val Pro Ser Glu Ala Phe Val Gln Glu Val Val Glu gaa ctg cgc aaa gga gag caa gga gag tgt cca ata tgc ctt gaa gca 2400 Glu Leu Arg Lys Gly Glu Gln Gly Glu Cys Pro Ile Cys Leu Glu Ala 785 790 795

ctt gag gat gct gta tta acg cca tgt gct cat aga tta tgt cgt gag Leu Glu Asp Ala Val Leu Thr Pro Cys Ala His Arg Leu Cys Arg Glu 805 810 tgt ctc ttg gca agt tgg aga aat tct act tct ggg tta tgt cct gtg 2496 Cys Leu Leu Ala Ser Trp Arg Asn Ser Thr Ser Gly Leu Cys Pro Val tgt agg aac act gta agc aaa caa gaa ctc atc aca gca cca acc qaa 2544 Cys Arg Asn Thr Val Ser Lys Gln Glu Leu Ile Thr Ala Pro Thr Glu 840 . agt aga ttc cag gtt gac gtg gaa aag aat tgg gtg gaa tca tcg aaa 2592 Ser Arg Phe Gln Val Asp Val Glu Lys Asn Trp Val Glu Ser Ser Lys 855 atc act gct ctt ctg gaa gag ctt gaa ggt ctt cgt tct tca ggc tct 2640 Ile Thr Ala Leu Leu Glu Glu Leu Glu Gly Leu Arg Ser Ser Gly Ser - 875 870 880 aag agc att ctc ttt agc cag tgg acc gct ttc ctc gat ctc ctc caa 2688 to the first and they begin to the flat of the second technique the first begin the Lys Ser Ile Leu Phe Ser Gln Trp Thr Ala Phe Leu Asp Leu Leu Gln 885 890 att ccc ctc tct cgg aat aac ttt tca ttt gtc cgt ctt gat ggc acg 2736 Ile Pro Leu Ser Arg Asn Asn Phe Ser Phe Val Arg Leu Asp Gly Thr 900 . 905 910 cta agt cag cag caa cga gag aag gtc ctt aaa gaa ttt tcc gaa gat Leu Ser Gln Gln Gln Arg Glu Lys Val Leu Lys Glu Phe Ser Glu Asp 920 gge agt atc ctg gta ctg ttg atg tct cta aaa gct ggt ggc gtt ggg 2832 Gly Ser Ile Leu Val Leu Leu Met Ser Leu Lys Ala Gly Gly Val Gly 935 940 ata aat cta aca gct gcg tcc aat gct ttt gtc atg gat cca tgg tgg Ile Asn Leu Thr Ala Ala Ser Asn Ala Phe Val Met Asp Pro Trp . 950 960 aac cca gcg gta gag gaa caa gct gtt atg cgt att cat cgt ata ggg Asn Pro Ala Val Glu Glu Gln Ala Val Met Arg Ile His Arg Ile Gly 970 caa act aag gaa gtc aaa atc aga aga ttc atc gtt aag gga acg gtt Gln Thr Lys Glu Val Lys Ile Arg Arg Phe Ile Val Lys Gly Thr Val 980 985

gaa gag aga atg gag gcg gtt cag gcg agg aag cag aga atg atc tct 3024 Glu Glu Arg Met Glu Ala Val Gln Ala Arg Lys Gln Arg Met Ile Ser 995 1000 1005

ggg gct tta acc gat caa gaa gta cga agt gca cgt ata gag gaa 3069 Gly Ala Leu Thr Asp Gln Glu Val Arg Ser Ala Arg Ile Glu Glu 1010

ctc aag atg tta ttt acc tga 3090 Leu Lys Met Leu Phe Thr 1025

<210> 236 <211> 1029 <212> PRT <213> Arabidopsis thaliana <400> 236

Met Gly Thr Lys Val Ser Asp Asp Leu Val Ser Thr Val Arg Ser Val 1 5 10 15

Val Gly Ser Asp Tyr Ser Asp Met Asp Ile Ile Arg Ala Leu His Met 20 25 30

Ala Asn His Asp Pro Thr Ala Ala Ile Asn Ile Ile Phe Asp Thr Pro 35 40

Ser Phe Ala Lys Pro Asp Val Ala Thr Pro Thr Pro Ser Gly Ser Asn 50 55

Gly Gly Lys Arg Val Asp Ser Gly Leu Lys Gly Cys Thr Phe Gly Asp 65 70 75

Ser Gly Ser Val Gly Ala Asn His Arg Val Glu Glu Glu Asn Glu Ser 85 90 95

Val Asn Gly Gly Gly Glu Glu Ser Val Ser Gly Asn Glu Trp Trp Phe 100 105 110

Val Gly Cys Ser Glu Leu Ala Gly Leu Ser Thr Cys Lys Gly Arg Lys 115 120 125

Leu Lys Ser Gly Asp Glu Leu Val Phe Thr Phe Pro His Ser Lys Gly 130 135 140

Leu Lys Pro Glu Thr Thr Pro Gly Lys Arg Gly Phe Gly Arg Gly Arg 145 150 150 155

Pro Ala Leu Arg Gly Ala Ser Asp Ile Val Arg Phe Ser Thr Lys Asp 165 170 175

Ser Gly Glu Ile Gly Arg Ile Pro Asn Glu Trp Ala Arg Cys Leu Leu · 185 Pro Leu Val Arg Asp Lys Lys Ile Arg Ile Glu Gly Ser Cys Lys Ser 195 200 Ala Pro Glu Ala Leu Ser Ile Met Asp Thr Ile Leu Leu Ser Val Ser Val Tyr Ile Asn Ser Ser Met Phe Gln Lys His Ser Ala Thr Ser Phe 230 Lys Thr Ala Ser Asn Thr Ala Glu Glu Ser Met Phe His Pro Leu Pro 245 250 255 Asn Leu Phe Arg Leu Leu Gly Leu Ile Pro Phe Lys Lys Ala Glu Phe H. 17. 18. 260 19. Hand 2. 18. 265 11. 18. H. H. 270 11. Her Thr Pro Glu Asp Phe Tyr Ser Lys Lys Arg Pro Leu Ser Ser Lys Asp 275 280 285 Gly Ser Ala Ile Pro Thr Ser Leu Leu Gln Leu Asn Lys Val Lys Asn 290 295 300 Met Asn Gln Asp Ala Asn Gly Asp Glu Asn Glu Gin Cys Ile Ser Asp 305 . 310 315 Gly Asp Leu Asp Asn Ile Val Gly Val Gly Asp Ser Ser Gly Leu Lys 325 330 Glu Met Glu Thr Pro His Thr Leu Leu Cys Glu Leu Arg Pro Tyr Gln 340 345 350 Lys Gln Ala Leu His Trp Met Thr Gln Leu Glu Lys Gly Asn Cys Thr 360 365 355 Asp Glu Ala Ala Thr Met Leu His Pro Cys Trp Glu Ala Tyr Cys Leu . 375 380 Ala Asp Lys Arg Glu Leu Val Val Tyr Leu Asn Ser Phe Thr Gly Asp Ala Thr Ile His Phe Pro Ser Thr Leu Gln Met Ala Arg Gly Gly Ile 405 410 415

Leu Ala Asp Ala Met Gly Leu Gly Lys Thr Val Met Thr Ile Ser Leu 420 425 430

- Leu Leu Ala His Ser Trp Lys Ala Ala Ser Thr Gly Phe Leu Cys Pro 435
- Asn Tyr Glu Gly Asp Lys Val Ile Ser Ser Ser Val Asp Asp Leu Thr 450 455 460
- Ser Pro Pro Val Lys Ala Thr Lys Phe Leu Gly Phe Asp Lys Arg Leu 465 470 475 480
- Leu Glu Gln Lys Ser Val Leu Gln Asn Gly Gly Asn Leu Ile Val Cys 485 490 490
- Pro Met Thr Leu Leu Gly Gln Trp Lys Thr Glu Ile Glu Met His Ala 500 505 510
- Lys Pro Gly Ser Leu Ser Val Tyr Val His Tyr Gly Gln Ser Arg Pro 515 520 525
- Lys Asp Ala Lys Leu Leu Ser Gln Ser Asp Val Val Ile Thr Thr Tyr 530 535 540
- Gly Val Leu Thr Ser Glu Phe Ser Gln Glu Asn Ser Ala Asp His Glu 545 550 555 560
- Gly Ile Tyr Ala Val Arg Trp Phe Arg Ile Val Leu Asp Glu Ala His 565 570 575
- Thr Ile Lys Asn Ser Lys Ser Gln Ile Ser Leu Ala Ala Ala Ala Leu 580 585 590
- Val Ala Asp Arg Arg Trp Cys Leu Thr Gly Thr Pro Ile Gln Asn Asn 595 600 605
- Leu Glu Asp Leu Tyr Ser Leu Leu Arg Phe Leu Arg Ile Glu Pro Trp 610 620
- Gly Thr Trp Ala Trp Trp Asn Lys Leu Val Gln Lys Pro Phe Glu Glu 625 630 635 640
- Gly Asp Glu Arg Gly Leu Lys Leu Val Gln Ser Ile Leu Lys Pro Ile 645 655

Met Leu Arg Arg Thr Lys Ser Ser Thr Asp Arg Glu Gly Arg Pro Ile 660 665 670

- Leu Val Leu Pro Pro Ala Asp Ala Arg Val Ile Tyr Cys Glu Leu Ser 675 680 685
- Glu Ser Glu Arg Asp Phe Tyr Asp Ala Leu Phe Lys Arg Ser Lys Val 690 695 700
- Lys Phe Asp Gln Phe Val Glu Gln Gly Lys Val Leu His Asn Tyr Ala 705 710 715 720
- Ser Ile Leu Glu Leu Leu Leu Arg Leu Arg Gln Cys Cys Asp His Pro 725 730 735
- Phe Leu Val Met Ser Arg Gly Asp Thr Ala Glu Tyr Ser Asp Leu Asn 740 745 750
- Lys Leu Ser Lys Arg Phe Leu Ser Gly Lys Ser Ser Gly Leu Glu Arg
  755 760 765
- Glu Gly Lys Asp Val Pro Ser Glu Ala Phe Val Gln Glu Val Val Glu 770 775 780
- Glu Leu Arg Lys Gly Glu Gln Gly Glu Cys Pro Ile Cys Leu Glu Ala 785 790 795 800
- Leu Glu Asp Ala Val Leu Thr Pro Cys Ala His Arg Leu Cys Arg Glu 805 810 815
- Cys Leu Leu Ala Ser Trp Arg Asn Ser Thr Ser Gly Leu Cys Pro Val 820 825 830
- Cys Arg Asn Thr Val Ser Lys Gln Glu Leu Ile Thr Ala Pro Thr Glu 835 840 845
- Ser Arg Phe Gln Val Asp Val Glu Lys Asn Trp Val Glu Ser Ser Lys 850 855 860
- Ile Thr Ala Leu Leu Glu Glu Leu Glu Gly Leu Arg Ser Ser Gly Ser 865 870 875 880
- Lys Ser Ile Leu Phe Ser Gln Trp Thr Ala Phe Leu Asp Leu Gln 885 890
- Ile Pro Leu Ser Arg Asn Asn Phe Ser Phe Val Arg Leu Asp Gly Thr

900

905

910

Leu Ser Gln Gln Gln Arg Glu Lys Val Leu Lys Glu Phe Ser Glu Asp 915 925

Gly Ser Ile Leu Val Leu Leu Met Ser Leu Lys Ala Gly Gly Val Gly 930 940

Ile Asn Leu Thr Ala Ala Ser Asn Ala Phe Val Met Asp Pro Trp 960

Asn Pro Ala Val Glu Glu Gln Ala Val Met Arg Ile His Arg Ile Gly 965 970 975

Gln Thr Lys Glu Val Lys Ile Arg Arg Phe Ile Val Lys Gly Thr Val 980 985 990

Glu Glu Arg Met Glu Ala Val Gln Ala Arg Lys Gln Arg Met Ile Ser 995 1000 1005

Gly Ala Leu Thr Asp Gln Glu Val Arg Ser Ala Arg Ile Glu Glu 1010 1020

Leu Lys Met Leu Phe Thr 1025

<210> 237 <211> 783 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(783) <223> G1537

<400> 237

atg gaa aac gaa gta aac gca gga aca gca agc agt tca aga tgg aac 48

Met Glu Asn Glu Val Asn Ala Gly Thr Ala Ser Ser Ser Arg Trp Asn 1 5 10 15

cca acg aaa gat cag atc acg cta ctg gaa aat ctt tac aag gaa gga 96

Pro Thr Lys Asp Gln Ile Thr Leu Leu Glu Asn Leu Tyr Lys Glu Gly 20 25 30

ata cga act ccg agc gcc gat cag att cag cag atc acc ggt agg ctt 144

Ile Arg Thr Pro Ser Ala Asp Gln Ile Gln Gln Ile Thr Gly Arg Leu 35 40 45

cgt gcg tac ggc cat atc gaa ggt aaa aac gtc ttt tac tgg ttc cag

Arg Ala Tyr Gly His Ile Glu Gly Lys Asn Val Phe Tyr Trp Phe Gln
50 55 60

aac cat aag get agg caa ege caa aag cag aaa eag gag ege atg get 240

Asn His Lys Ala Arg Gln Arg Gln Lys Gln Lys Gln Glu Arg Met Ala tac ttc aat cgc ctc ctc cac aaa acc tcc cgt ttc ttc tac ccc cct Tyr Phe Asn Arg Leu Leu His Lys Thr Ser Arg Phe Phe Tyr Pro Pro 85 cct tgc tca aac gtg ggt tgt gtc agt ccg tac tat tta cag caa gca Pro Cys Ser Asn Val Gly Cys Val Ser Pro Tyr Tyr Leu Gln Gln Ala agt gat cat cat atg aat caa cat gga agt gta tac aca aac gat ctt 384 Ser Asp His His Met Asn Gln His Gly Ser Val Tyr Thr Asn Asp Leu 115 120 ctt cac aga aac aat gtg atg att cca agt ggt ggc tac gag aaa cgg Leu His Arg Asn Asn Val Met Ile Pro Ser Gly Gly Tyr Glu Lys Arg [130] A. C. Barris, M. M. (135) phys. J. A. C. Barris, 140 (1998) 11, 1981 (1998). aca gtc aca caa cat cag aaa caa ctt tea gac ata aga aca aca gca 480 化二氯化合物 医维克氏虫 医乳腺毒素 Thr Val Thr Gln His Gln Lys Gln Leu Ser Asp Ile Arg Thr Thr Ala 155 150 gcc aca aga atg cca att tct ccg agt tca ctc aga ttt gac aga ttt 528 ... Ala Thr Arq Met Pro Ile Ser Pro Ser Ser Leu Arg Phe Asp Arg Phe 165 gcc ctc cgt gat aac tgt tat gcc ggt gag gac att aac gtc aat tcc 576 Ala Leu Arg Asp Asn Cys Tyr Ala Gly Glu Asp Ile Asn Val Asn Ser 1.90 180 185 agt gga cgg aaa aca ctc cct ctt ttt cct ctt cag cct ttg aat gca 624 Ser Gly Arg Lys Thr Leu Pro Leu Phe Pro Leu Gln Pro Leu Asn Ala 195 agt aat gct gat ggt atg gga agt tcc agt ttt gcc ctt ggt agt gat Ser Asn Ala Asp Gly Met Gly Ser Ser Ser Phe Ala Leu Gly Ser Asp 210 215 tct ccg gtg gat tgt tct agc gat gga gcc ggc cga gag cag ccg ttt Ser Pro Val Asp Cys Ser Ser Asp Gly Ala Gly Arg Glu Gln Pro Phe. 230 235 att gat ttc ttt tct ggt ggt tct act tct act cgt ttc gat agt aat Ile Asp Phe Phe Ser Gly Gly Ser Thr Ser Thr Arg Phe Asp Ser Asn 255 245 250 ggt aat ggg ttg taa 783 Gly Asn Gly Leu

260

<210> 238 <211> 260 <212> PRT <213> Arabidopsis thaliana <400> 238

Met Glu Asn Glu Val Asn Ala Gly Thr Ala Ser Ser Ser Arg Trp Asn 1 5 10 15

Pro Thr Lys Asp Gln Ile Thr Leu Leu Glu Asn Leu Tyr Lys Glu Gly 20 25 30

Ile Arg Thr Pro Ser Ala Asp Gln Ile Gln Gln Ile Thr Gly Arg Leu 35 40

Arg Ala Tyr Gly His Ile Glu Gly Lys Asn Val Phe Tyr Trp Phe Gln 50 60

Asn His Lys Ala Arg Gln Arg Gln Lys Gln Lys Gln Glu Arg Met Ala 65 70 75 80

Tyr Phe Asn Arg Leu Leu His Lys Thr Ser Arg Phe Phe Tyr Pro Pro 85

Pro Cys Ser Asn Val Gly Cys Val Ser Pro Tyr Tyr Leu Gln Gln Ala 100 105 110

Ser Asp His His Met Asn Gln His Gly Ser Val Tyr Thr Asn Asp Leu 115 120 125

Leu His Arg Asn Asn Val Met Ile Pro Ser Gly Gly Tyr Glu Lys Arg 130 135 140

Thr Val Thr Gln His Gln Lys Gln Leu Ser Asp Ile Arg Thr Thr Ala 145 155 160

Ala Thr Arg Met Pro Ile Ser Pro Ser Ser Leu Arg Phe Asp Arg Phe 165 170 175

Ala Leu Arg Asp Asn Cys Tyr Ala Gly Glu Asp Ile Asn Val Asn Ser 180 185 190

Ser Gly Arg Lys Thr Leu Pro Leu Phe Pro Leu Gln Pro Leu Asn Ala 195 200 205

Ser Asn Ala Asp Gly Met Gly Ser Ser Phe Ala Leu Gly Ser Asp 210 215 220

Ser Pro Val Asp Cys Ser Ser Asp Gly Ala Gly Arg Glu Gln Pro Phe 225 230 235 240

Ile Asp Phe Phe Ser Gly Gly Ser Thr Ser Thr Arg Phe Asp Ser Asn 245 250 255

Gly Asn Gly Leu 260

<210> 239 <211> 828 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(828) <223> G1543

<400> 239

atg ata aaa cta cta ttt acg tac ata tgc aca tac aca tat aaa cta 48

Met Ile Lys Leu Leu Phe Thr Tyr Ile Cys Thr Tyr Thr Tyr Lys Leu 1 5 10 15

tat get eta tat eat atg gat tae gea tge gtg tgt atg tat aaa tat 96

Tyr Ala Leu Tyr His Met Asp Tyr Ala Cys Val Cys Met Tyr Lys Tyr 20 25 30

aaa ggc atc gtc acg ctt caa gtt tgt ctc ttt tat att aaa ctg aga 144

Lys Gly Ile Val Thr Leu Gln Val Cys Leu Phe Tyr Ile Lys Leu Arg 35 40 45

Val Phe Leu Ser Asn Phe Thr Phe Ser Ser Ser Ile Leu Ala Leu Lys
50 55 60

aac cct aat aat tca ttg atc aaa ata atg gcg att ttg ccg gaa aac 240

Asn Pro Asn Asn Ser Leu Ile Lys Ile Met Ala Ile Leu Pro Glu Asn 65 70 75 80

tet tea aac ttg gat ett act ate tee gtt eea gge tte tet tea tee 288

Ser Ser Asn Leu Asp Leu Thr Ile Ser Val Pro Gly Phe Ser Ser Ser 85 90 95

cct ctc tcc gat gaa gga agt ggc gga gga aga gac cag cta agg cta 336

Pro Leu Ser Asp Glu Gly Ser Gly Gly Gly Arg Asp Gln Leu Arg Leu 100 105 110

gac atg aat egg tta eeg teg tet gaa gae gga gae gat gaa gaa tte 384

Asp Met Asn Arg Leu Pro Ser Ser Glu Asp Gly Asp Asp Glu Glu Phe 115 120 125

agt cac gat gat ggc tct gct cct ccg cga aag aaa ctc cgt cta acc 432

Ser His Asp Asp Gly Ser Ala Pro Pro Arg Lys Lys Leu Arg Leu Thr 130 135 140

PCT/US01/26189 WO 02/15675

aga gaa cag tca cgt ctt ctt gaa gat agt ttc aga cag aat cat acc 480 Arg Glu Gln Ser Arg Leu Leu Glu Asp Ser Phe Arg Gln Asn His Thr 145 ctt aat ccc aaa caa aag gaa gta ctt gcc aag cat ttg atg cta cgg Leu Asn Pro Lys Gln Lys Glu Val Leu Ala Lys His Leu Met Leu Arg cca aga caa att gaa gtt tgg ttt caa aac cgt aga gca agg agc aaa 576 Pro Arg Gln Ile Glu Val Trp Phe Gln Asn Arg Arg Ala Arg Ser Lys ttg aag caa acc gag atg gaa tgc gag tat ctc aaa agg tgg ttt ggt 624 Leu Lys Gln Thr Glu Met Glu Cys Glu Tyr Leu Lys Arg Trp Phe Gly 200 205 195 tca tta acg gaa gaa aac cac agg ctc cat aga gaa gta gaa gag ctt 672 Ser Leu Thr Glu Glu Asn His Arg Leu His Arg Glu Val Glu Glu Leu aga gcc ata aag gtt ggc cca aca acg gtg aac tct gcc tcg agc ctt Arg Ala Ile Lys Val Gly Pro Thr Thr Val Asn Ser Ala Ser Ser Leu 235 240 225 act atg tgt cct cgc tgc gag cga gtt acc cct gcc gcg agc cct tcg 768 Thr Met Cys Pro Arg Cys Glu Arg Val Thr Pro Ala Ala Ser Pro Ser agg gcg gtg gtg ccg gtt ccg gct aag aaa acg ttt ccg ccg caa gag 816 Arg Ala Val Val Pro Val Pro Ala Lys Lys Thr Phe Pro Pro Gln Glu 260 265 cgt gat cgt tga 828 Arg Asp Arg 275 <210> 240 <211> 275 <212> PRT <213> Arabidopsis thaliana <400> 240 Met Ile Lys Leu Leu Phe Thr Tyr Ile Cys Thr Tyr Thr Tyr Lys Leu

Tyr Ala Leu Tyr His Met Asp Tyr Ala Cys Val Cys Met Tyr Lys Tyr

Lys Gly Ile Val Thr Leu Gln Val Cys Leu Phe Tyr Ile Lys Leu Arg 35 40 45

Val Phe Leu Ser Asn Phe Thr Phe Ser Ser Ser Ile Leu Ala Leu Lys 50 55 60

Asn Pro Asn Asn Ser Leu Ile Lys Ile Met Ala Ile Leu Pro Glu Asn 65 70 75 80

Ser Ser Asn Leu Asp Leu Thr Ile Ser Val Pro Gly Phe Ser Ser Ser 85 90 95

Pro Leu Ser Asp Glu Gly Ser Gly Gly Gly Arg Asp Gln Leu Arg Leu 100 105 110

Asp Met Asn Arg Leu Pro Ser Ser Glu Asp Gly Asp Asp Glu Glu Phe 115 120 125

Ser His Asp Asp Gly Ser Ala Pro Pro Arg Lys Lys Leu Arg Leu Thr 130 135 140

Arg Glu Gln Ser Arg Leu Leu Glu Asp Ser Phe Arg Gln Asn His Thr 145 150 155 160

Leu Asn Pro Lys Gln Lys Glu Val Leu Ala Lys His Leu Met Leu Arg 165 170 175

Pro Arg Gln Ile Glu Val Trp Phe Gln Asn Arg Arg Ala Arg Ser Lys 180 185 190

Leu Lys Gln Thr Glu Met Glu Cys Glu Tyr Leu Lys Arg Trp Phe Gly 195 200 205

Ser Leu Thr Glu Glu Asn His Arg Leu His Arg Glu Val Glu Glu Leu 210 215 220

Arg Ala Ile Lys Val Gly Pro Thr Thr Val Asn Ser Ala Ser Ser Leu 225 230 235 240

Thr Met Cys Pro Arg Cys Glu Arg Val Thr Pro Ala Ala Ser Pro Ser 245 250 255

Arg Ala Val Val Pro Val Pro Ala Lys Lys Thr Phe Pro Pro Gln Glu 260 265 270

Arg Asp Arg 275

<210> 241 <211> 1962 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1962) <223> G1574

<400> 241

atg gat gat aca atg gac atg agt tca ggt agt gat gaa gaa gta caa

Met Asp Asp Thr Met Asp Met Ser Ser Gly Ser Asp Glu Glu Val Gln 1 5 10 15

gaa gag aag acc act gtt aac gag agg gtc atc tat cag gct gca tta 96

Glu Glu Lys Thr Thr Val Asn Glu Arg Val Ile Tyr Gln Ala Ala Leu 20 25 30

caa gat ctg aag caa ccc aag acc gaa aag gat cta cct cct ggt gtt 144

Gln Asp Leu Lys Gln Pro Lys Thr Glu Lys Asp Leu Pro Pro Gly Val 35 40 45

ctt aca gtt cct ctt atg agg cat cag aaa att gca ttg aac tgg atg 192

Leu Thr Val Pro Leu Met Arg His Gln Lys Ile Ala Leu Asn Trp Met 50 55 60

cgt aag aaa gaa aaa aga agc agg cac tgt ttg gga ggg ata tta gca 240

Arg Lys Lys Glu Lys Arg Ser Arg His Cys Leu Gly Gly Ile Leu Ala 65 70 75 80

gat gat cag gga ctt ggt aaa acg atc tcg acg atc tct ctt atc ctg 288

Asp Asp Gln Gly Leu Gly Lys Thr Ile Ser Thr Ile Ser Leu Ile Leu 85 90 95

tta caa aag ttg aag tca caa tca aag cag aga aag cga aaa ggt caa 336

Leu Gln Lys Leu Lys Ser Gln Ser Lys Gln Arg Lys Arg Lys Gly Gln 100 105 110

aac tot ggt ggt aca ttg att gtt tgt cca gca agt gtt gta aaa caa 384

Asn Ser Gly Gly Thr Leu Ile Val Cys Pro Ala Ser Val Val Lys Gln 115 120 125

tgg gca aga gaa gtt aaa gag aag gtt tct gat gaa cac aaa ctc tct 432

Trp Ala Arg Glu Val Lys Glu Lys Val Ser Asp Glu His Lys Leu Ser 130 135 140

gtt tta gtc cac cat gga tct cac aga acc aaa gat cca aca gaa ata

Val Leu Val His His Gly Ser His Arg Thr Lys Asp Pro Thr Glu Ile 145 150 155 160

gca ata tat gat gtg gtc atg aca act tac gcc att gtt aca aat gaa 528

Ala Ile Tyr Asp Val Val Met Thr Thr Tyr Ala Ile Val Thr Asn Glu 165 170 175

gtt cca caa aac cct atg ctg aat cgt tat gat agt atg aga ggc aga 576  $_{\odot}$ 

Val Pro Gln Asn Pro Met Leu Asn Arg Tyr Asp Ser Met Arg Gly Arg 180 185 gaa agc ctt gac gga tcg agt ttg att cag cct cac gtt ggt gca cta Glu Ser Leu Asp Gly Ser Ser Leu Ile Gln Pro His Val Gly Ala Leu 200 gga aga gtt agg tgg ttg aga gta gta tta gat gaa gct cat aca att Gly Arg Val Arg Trp Leu Arg Val Val Leu Asp Glu Ala His Thr Ile aaa aac cat aga acc cta att gca aaa gct tgt ttt agc ctt aga gcc 720 Lys Asn His Arg Thr Leu Ile Ala Lys Ala Cys Phe Ser Leu Arg Ala 225 230 aaa agg aga tgg tgt ttg act gga acg ccg ata aag aac aaa gta gac 768 Lys Arg Arg Trp Cys Leu Thr Gly Thr Pro Ile Lys Asn Lys Val Asp 245 250 255 gat ctt tat agc tat ttc aga ttt ctt aga tat cat cca tat gcc atg 816 Asp Leu Tyr Ser Tyr Phe Arg Phe Leu Arg Tyr His Pro Tyr Ala Met 260 265 ... tgc aat tca ttt cac caa aga atc aaa gct cca att gat aaa aag cct Cys Asn Ser Phe His Gln Arg Ile Lys Ala Pro Ile Asp Lys Lys Pro 275 280 285 ctt cat ggt tac aag aag ctt caa gct att cta agg ggt ata atg ttg Leu His Gly Tyr Lys Lys Leu Gln Ala Ile Leu Arg Gly Ile Met Leu 290 295 cgc cgc acc aaa gaa tgg tct ttc tac agg aag ctt gaa ttg aat tca 960 Arg Arg Thr Lys Glu Trp Ser Phe Tyr Arg Lys Leu Glu Leu Asn Ser 305 310 315 cgt tgg aag ttt gag gaa tat gct gct gat ggg act ttg cat gaa cac 1008 Arg Trp Lys Phe Glu Glu Tyr Ala Ala Asp Gly Thr Leu His Glu His 325 atg gct tat ctt ttg gtg atg ctt ttg cga cta cgc caa gct tgt aac 1056 Met Ala Tyr Leu Leu Val Met Leu Leu Arg Leu Arg Gln Ala Cys Asn cat cca caa ctt gtt aac gga tat agt cac tca gat act aca aga aaa 1104 His Pro Gln Leu Val Asn Gly Tyr Ser His Ser Asp Thr Thr Arg Lys 355 360 365 atg tca gat gga gtt cga gta gcc cct aga gag aat cta atc atg ttc 1152 Met Ser Asp Gly Val Arg Val Ala Pro Arg Glu Asn Leu Ile Met Phe

MO 07/12012
375 380
370
ctc gat ctc ttg aaa tta tcc tca acc acc tgc tct gtt tgt agt gat
Leu Asp Leu Leu Lys Leu Ser Ser Thr Thr Cys Ser Val Cys Ser Asp 395 400
cca cca aaa gac cct gtt gtt act ttg tgt ggc cat gtg ttt tgt tat
Pro Pro Lys Asp Pro Val Val Thr Leu Cys Gly His Val Phe Cys Tyr 405 410 415
gag tgt gtg tct gta aac att aac ggg gat aac aat acg tgc cct gca 1296
1296 Glu Cys Val Ser Val Asn Ile Asn Gly Asp Asn Asn Thr Cys Pro Ala 420 425 430
ctt aat tgc cac agc cag ctt aaa cat gat gtt gtt ttc act gaa tct
1344 Leu Asn Cys His Ser Gln Leu Lys His Asp Val Val Phe Thr Glu Ser 435 440 445
gca gtt aga agt tgc atc aac gat tat gat gat cct gaa gat aaa aat
1392 Ala Val Arg Ser Cys Ile Asn Asp Tyr Asp Asp Pro Glu Asp Lys Asn 450 460
gct tta gtt gca tca agg cga gtt tat ttc atc gaa aat ccg age tgt
1440 Ala Leu Val Ala Ser Arg Arg Val Tyr Phe Ile Glu Asn Pro Ser Cys 475 480
gat aga gat tot toa gto got tgo aga goa agg cag too aga cac too
1488 Asp Arg Asp Ser Ser Val Ala Cys Arg Ala Arg Gln Ser Arg His Ser 495
acc aat aaa gac aat agt atc agt gga ctg aat ctc att tit acg tit
1536 Ser Jun Asp Asp Ser Ile Ser Gly Leu Asn Leu Ile Phe Thr Phe
500
ctc aaa gac aaa tgt aat gat tat gaa aca ggt gcg atg ttg atg tct
1584 Leu Lys Asp Lys Cys Asn Asp Tyr Glu Thr Gly Ala Met Leu Met Ser 525 515
ctt aaa gct gga aac ctt gga ttg aat atg gta gct gca agt cat gtc
1632 Leu Lys Ala Gly Asn Leu Gly Leu Asn Met Val Ala Ala Ser His Val 530 535 540
att cta ctg gac cta tgg tgg aat cca aca aca gag gat caa gct att
1680 Ile Leu Leu Asp Leu Trp Trp Asn Pro Thr Thr Glu Asp Gln Ala Ile 560
gat cga gct cat cgt atc gga caa act cga gct gtt acg gtc act cgt

att gcc atc aaa aat acc gtt gag gaa cga att ttg act ctt cat gaa 1776

Ile Ala Ile Lys Asn Thr Val Glu Glu Arg Ile Leu Thr Leu His Glu 580 585 590

cgt aaa agg aac att gtt gca tct gca ttg ggt gaa aaa aac tgg caa 1824

Arg Lys Arg Asn Ile Val Ala Ser Ala Leu Gly Glu Lys Asn Trp Gln 595 600 605

aag ttc tgc gat tca act aac act aga aga tct cga ata tct gtt ttt 1872

Lys Phe Cys Asp Ser Thr Asn Thr Arg Arg Ser Arg Ile Ser Val Phe 610 615 620

tgg tgt gta gaa tat ccc aga gtt ttt att gat aag agg aat aaa acc 1920

Trp Cys Val Glu Tyr Pro Arg Val Phe Ile Asp Lys Arg Asn Lys Thr 625 630 635 640

ttt agc tat tta ata agt cac aag tgt gaa tgt aat gaa taa 1962

Phe Ser Tyr Leu Ile Ser His Lys Cys Glu Cys Asn Glu 645 650

<210> 242 <211> 653 <212> PRT <213> Arabidopsis thaliana <400> 242

Met Asp Asp Thr Met Asp Met Ser Ser Gly Ser Asp Glu Glu Val Gln 1 5 10 15

Glu Glu Lys Thr Thr Val Asn Glu Arg Val Ile Tyr Gln Ala Ala Leu 20 25 30

Gln Asp Leu Lys Gln Pro Lys Thr Glu Lys Asp Leu Pro Pro Gly Val 35 40 45

Leu Thr Val Pro Leu Met Arg His Gln Lys Ile Ala Leu Asn Trp Met 50 55 60

Arg Lys Lys Glu Lys Arg Ser Arg His Cys Leu Gly Gly Ile Leu Ala 65 70 75 80

Asp Asp Gln Gly Leu Gly Lys Thr Ile Ser Thr Ile Ser Leu Ile Leu 85 90 95

Leu Gln Lys Leu Lys Ser Gln Ser Lys Gln Arg Lys Arg Lys Gly Gln 100 105 110

Asn Ser Gly Gly Thr Leu Ile Val Cys Pro Ala Ser Val Val Lys Gln
115 120 125

Trp Ala Arg Glu Val Lys Glu Lys Val Ser Asp Glu His Lys Leu Ser 130 135 140

- Val Leu Val His His Gly Ser His Arg Thr Lys Asp Pro Thr Glu Ile 145 150 150 160
- Ala Ile Tyr Asp Val Val Met Thr Thr Tyr Ala Ile Val Thr Asn Glu 165 170 175
- Val Pro Gln Asn Pro Met Leu Asn Arg Tyr Asp Ser Met Arg Gly Arg 180 185 190
- Glu Ser Leu Asp Gly Ser Ser Leu Ile Gln Pro His Val Gly Ala Leu 195 200 205
- Gly Arg Val Arg Trp Leu Arg Val Val Leu Asp Glu Ala His Thr Ile 210 215 220
- Lys Asn His Arg Thr Leu Ile Ala Lys Ala Cys Phe Ser Leu Arg Ala 225 230 230 240
- Lys Arg Arg Trp Cys Leu Thr Gly Thr Pro Ile Lys Asn Lys Val Asp 245 250 255
  - Asp Leu Tyr Ser Tyr Phe Arg Phe Leu Arg Tyr His Pro Tyr Ala Met 260 265 270
  - Cys Asn Ser Phe His Gln Arg Ile Lys Ala Pro Ile Asp Lys Lys Pro 275 280 285
  - Leu His Gly Tyr Lys Lys Leu Gln Ala Ile Leu Arg Gly Ile Met Leu 290 295 300
  - Arg Arg Thr Lys Glu Trp Ser Phe Tyr Arg Lys Leu Glu Leu Asn Ser 305
  - Arg Trp Lys Phe Glu Glu Tyr Ala Ala Asp Gly Thr Leu His Glu His 325 330 330
  - Met Ala Tyr Leu Leu Val Met Leu Leu Arg Leu Arg Gln Ala Cys Asn 340 345 350
  - His Pro Gln Leu Val Asn Gly Tyr Ser His Ser Asp Thr Thr Arg Lys 355

Met Ser Asp Gly Val Arg Val Ala Pro Arg Glu Asn Leu Ile Met Phe 370 380

- Leu Asp Leu Leu Lys Leu Ser Ser Thr Thr Cys Ser Val Cys Ser Asp 395 400
- Pro Pro Lys Asp Pro Val Val Thr Leu Cys Gly His Val Phe Cys Tyr 405 410 415
- Glu Cys Val Ser Val Asn Ile Asn Gly Asp Asn Asn Thr Cys Pro Ala 420 425 430
- Leu Asn Cys His Ser Gln Leu Lys His Asp Val Val Phe Thr Glu Ser 435 440 445
- Ala Val Arg Ser Cys Ile Asn Asp Tyr Asp Asp Pro Glu Asp Lys Asn 450 455 460
- Ala Leu Val Ala Ser Arg Arg Val Tyr Phe Ile Glu Asn Pro Ser Cys 465 470 475 480
- Asp Arg Asp Ser Ser Val Ala Cys Arg Ala Arg Gln Ser Arg His Ser 485 490 495
- Thr Asn Lys Asp Asn Ser Ile Ser Gly Leu Asn Leu Ile Phe Thr Phe 500 505 510
- Leu Lys Asp Lys Cys Asn Asp Tyr Glu Thr Gly Ala Met Leu Met Ser 515 520 525
- Leu Lys Ala Gly Asn Leu Gly Leu Asn Met Val Ala Ala Ser His Val 530 540
- Ile Leu Leu Asp Leu Trp Trp Asn Pro Thr Thr Glu Asp Gln Ala Ile545550
- Asp Arg Ala His Arg Ile Gly Gln Thr Arg Ala Val Thr Val Thr Arg 565 570 575
- Ile Ala Ile Lys Asn Thr Val Glu Glu Arg Ile Leu Thr Leu His Glu 580 585 590
- Arg Lys Arg Asn Ile Val Ala Ser Ala Leu Gly Glu Lys Asn Trp Gln
  595 600 605
- Lys Phe Cys Asp Ser Thr Asn Thr Arg Arg Ser Arg Ile Ser Val Phe

610 615 620

Trp Cys Val Glu Tyr Pro Arg Val Phe Ile Asp Lys Arg Asn Lys Thr 625 630 635 640

Phe Ser Tyr Leu Ile Ser His Lys Cys Glu Cys Asn Glu 645 650

<210> 243 <211> 807 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(807) <223> G1586

<400> 243

atg aat caa gaa ggt gct tca cat agc cca tcc tcc act tcc acc gaa 48

Met Asn Gln Glu Gly Ala Ser His Ser Pro Ser Ser Thr Ser Thr Glu

1 10 15

cca gtc cgg gca cgt tgg tca cct aaa ccg gag caa atc ttg ata ctc 96

Pro Val Arg Ala Arg Trp Ser Pro Lys Pro Glu Gln Ile Leu Ile Leu 20 25 30

gaa too ato tto aac agt ggt act gtt aac coa coa aaa gat gaa acg 144

Glu Ser Ile Phe Asn Ser Gly Thr Val Asn Pro Pro Lys Asp Glu Thr 35 40 45

gtg agg ata aga aag atg ctt gag aaa ttc ggt gct gtg gga gac gca 192

Val Arg Ile Arg Lys Met Leu Glu Lys Phe Gly Ala Val Gly Asp Ala 50 55 60

aac gtc ttc tac tgg ttt caa aac cga cgg tca aga tct cgc cgg aga 240

Asn Val Phe Tyr Trp Phe Gln Asn Arg Arg Ser Arg Ser Arg Arg Arg. 65 70 75 80

cac cgg cag ctt tta gca gcc acc acc gca gcc gcc acc tcc ata gga 288

His Arg Gln Leu Leu Ala Ala Thr Thr Ala Ala Ala Thr Ser Ile Gly 85 90 95

get gaa gac cac cag cac atg acg gcc atg agc atg cat caa tat cct 336

Ala Glu Asp His Gln His Met Thr Ala Met Ser Met His Gln Tyr Pro 100 105 110

tgc agc aac gag att gat ttg ggg ttt gga agt tgt agc aac tta 384

Cys Ser Asn Asn Glu Ile Asp Leu Gly Phe Gly Ser Cys Ser Asn Leu 115 120 125

tca gct aat tac ttc ctt aat gga tcg tcg tca tct caa atc cct tcc 432

Ser Ala Asn Tyr Phe Leu Asn Gly Ser Ser Ser Ser Gln Ile Pro Ser 130 135 140

ttt ttc ctc ggc ctc tct tct tca agt ggt ggg tgt gag aac aac aat 480

Phe Phe Leu Gly Leu Ser Ser Ser Ser Gly Gly Cys Glu Asn Asn Asn 145 150 155 160

ggt atg gag aat ctc ttc aaa atg tat ggc cat gaa tct gat cat aat 528

Gly Met Glu Asn Leu Phe Lys Met Tyr Gly His Glu Ser Asp His Asn 165 170 175

cat cag cag cat cat ago toa aat got goa toa gtt tta aac coa 576

His Gln Gln His His Ser Ser Asn Ala Ala Ser Val Leu Asn Pro 180 185 190

tct gat caa aac tcc aac tcc caa tac gaa caa gaa ggg ttt atg acg 624

Ser Asp Gln Asn Ser Asn Ser Gln Tyr Glu Gln Glu Gly Phe Met Thr 195 200 205

gtg ttt ata aac gga gtt cct atg gaa gta aca aaa gga gca ata gac 672

Val Phe Ile Asn Gly Val Pro Met Glu Val Thr Lys Gly Ala Ile Asp 210 215 - 220

atg aaa aca atg ttc ggt gat gat tcg gtg tta ctt cat tcc tct ggt 720

Met Lys Thr Met Phe Gly Asp Asp Ser Val Leu Leu His Ser Ser Gly 225 230 235 240

ctt cct ctt ccc act gat gag ttt ggt ttc ttg atg cat tct tta caa

Leu Pro Leu Pro Thr Asp Glu Phe Gly Phe Leu Met His Ser Leu Gln 245 250 255

cat gga caa act tat ttc ctg gta ccg aga cag aca tga

807

His Gly Gln Thr Tyr Phe Leu Val Pro Arg Gln Thr 260 265

<210> 244 <211> 268 <212> PRT <213> Arabidopsis thaliana <400> 244

Met Asn Gln Glu Gly Ala Ser His Ser Pro Ser Ser Thr Ser Thr Glu 1 5 10 15

Pro Val Arg Ala Arg Trp Ser Pro Lys Pro Glu Gln Ile Leu Ile Leu 20 25 30

Glu Ser Ile Phe Asn Ser Gly Thr Val Asn Pro Pro Lys Asp Glu Thr 35 40 45

Val Arg Ile Arg Lys Met Leu Glu Lys Phe Gly Ala Val Gly Asp Ala 50 60

Asn Val Phe Tyr Trp Phe Gln Asn Arg Arg Ser Arg Ser Arg Arg Arg

65 70 75 80 °

His Arg Gln Leu Leu Ala Ala Thr Thr Ala Ala Ala Thr Ser Ile Gly 85 90 95

Ala Glu Asp His Gln His Met Thr Ala Met Ser Met His Gln Tyr Pro 100 110

Cys Ser Asn Asn Glu Ile Asp Leu Gly Phe Gly Ser Cys Ser Asn Leu 115 120 125

Ser Ala Asn Tyr Phe Leu Asn Gly Ser Ser Ser Ser Gln Ile Pro Ser 130 135 140

Phe Phe Leu Gly Leu Ser Ser Ser Ser Gly Gly Cys Glu Asn Asn Asn 145 150 155 160

Gly Met Glu Asn Leu Phe Lys Met Tyr Gly His Glu Ser Asp His Asn 165 170 175

His Gln Gln His His Ser Ser Asn Ala Ala Ser Val Leu Asn Pro 180 - 185 - 190

Val Phe Ile Asn Gly Val Pro Met Glu Val Thr Lys Gly Ala Ile Asp 210 215 220

Met Lys Thr Met Phe Gly Asp Asp Ser Val Leu Leu His Ser Ser Gly 225 230 230 240

Leu Pro Leu Pro Thr Asp Glu Phe Gly Phe Leu Met His Ser Leu Gln 245

His Gly Gln Thr Tyr Phe Leu Val Pro Arg Gln Thr 260 265

<210> 245 <211> 896 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (22)..(855) <223> G1634

<400> 245
ttatctcgta gcctttaaac g atg gag act ctg cat cca cta ctc tcg cac
51

Met Glu Thr Leu His Pro Leu Leu Ser His 1

gtg cca act tct gac cac cgg ttt gta gtt caa gag atg atg tgc ttg Val Pro Thr Ser Asp His Arg Phe Val Val Gln Glu Met Met Cys Leu caa agc tcg agc tgg act aaa gaa gag aac aag aag ttt gag cga gct Gln Ser Ser Ser Trp Thr Lys Glu Glu Asn Lys Lys Phe Glu Arg Ala 35 ctt get gtc tac get gat gac acg cct gat ege tgg ttc aaa gtt get Leu Ala Val Tyr Ala Asp Asp Thr Pro Asp Arg Trp Phe Lys Val Ala 45 50 gct atg atc cct gga aag acc ata tca gat gtc atg agg caa tac tct 243 Ala Met Ile Pro Gly Lys Thr Ile Ser Asp Val Met Arg Gln Tyr Ser aag ctt gaa gaa gac ctc ttc gat atc gaa gca gga ctt gtc ccg atc Lys Leu Glu Glu Asp Leu Phe Asp Ile Glu Ala Gly Leu Val Pro Ile . 750 (1879) 1 See A. 805 A. Den All See 850 (1814) 186 (1814) 182 90; ccg ggt tac cgt tca gtt act cct tgt gga ttt gat cag gtt gtg agt Pro Gly Tyr Arg Ser Val Thr Pro Cys Gly Phe Asp Gln Val Val Ser 95: 100 cca cgt gac ttt gat gcg tat cgt aaa ctt cct aat gga gcc aga gga e sa katali albe i etym lêmm Pro Arg Asp Phe Asp Ala Tyr Arg Lys Leu Pro Asn Gly Ala Arg Gly 115 110 ttt gat caa gac cgt agg aaa gga gtt cca tgg acg gag gaa gaa cac Phe Asp Gln Asp Arg Arg Lys Gly Val Pro Trp Thr Glu Glu Glu His 130 agg aga ttc ttg tta ggg ctt ctc aag tat ggg aaa gga gat tgg aga 483 Arg Arg Phe Leu Leu Gly Leu Leu Lys Tyr Gly Lys Gly Asp Trp Arg 140 145 150 aac ata tog agg aac ttt gtg gga toa aaa aca coa act cag gtt gca Asn Ile Ser Arg Asn Phe Val Gly Ser Lys Thr Pro Thr Gln Val Ala 155 165 agt cat gcc caa aag tac tac caa aga cag ctt tcc ggt gcg aaa gac 579 Ser His Ala Gln Lys Tyr Tyr Gln Arg Gln Leu Ser Gly Ala Lys Asp aaa cga cgg cct agc att cac gac atc acc acc gtc aat ctt ctc aat Lys Arg Arg Pro Ser Ile His Asp Ile Thr Thr Val Asn Leu Leu Asn 190 195

PCT/US01/26189 WO 02/15675

gcc aat ctt agc cgt cca tcg tct gat cac ggt tgc tta gtc tca aaa Ala Asn Leu Ser Arg Pro Ser Ser Asp His Gly Cys Leu Val Ser Lys 210

cag gcc gag ccg aaa cta ggg ttc acc gac agg gat aat gca gag gag

Gln Ala Glu Pro Lys Leu Gly Phe Thr Asp Arg Asp Asn Ala Glu Glu 230 225 220

gga gtt atg ttt ctt ggt cag aat cta tcc tcg gtc ttc tct tcc tac Gly Val Met Phe Leu Gly Gln Asn Leu Ser Ser Val Phe Ser Ser Tyr 235

gat cct gcc att aag ttt tcc gga gca aat gtt tac ggt gaa gga ggt

Asp Pro Ala Ile Lys Phe Ser Gly Ala Asn Val Tyr Gly Glu Gly Gly 260 255

tac tgt atc tca caa gat ctt gaa acg aga aaa tga gaattttgaa 865 (1) 2 (1) (1) (1) (1) (1) (1) (1)

Tyr Cys Ile Ser Gln Asp Leu Glu Thr Arg Lys 275

attttaacta ttgcaacgaa accataattg c 896

<210> 246 <211> 277 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Thr Leu His Pro Leu Leu Ser His Val Pro Thr Ser Asp His 

Arg Phe Val Val Gln Glu Met Met Cys Leu Gln Ser Ser Ser Trp Thr 20

Lys Glu Glu Asn Lys Lys Phe Glu Arg Ala Leu Ala Val Tyr Ala Asp 35. 4. 2. 45. 40. 40. 2. 7. 1. 1. 45. 45. 7.

Asp Thr Pro Asp Arg Trp Phe Lys Val Ala Ala Met Ile Pro Gly Lys 55 ...

Thr Ile Ser Asp Val Met Arg Gln Tyr Ser Lys Leu Glu Glu Asp Leu 75

Phe Asp Ile Glu Ala Gly Leu Val Pro Ile Pro Gly Tyr Arg Ser Val

Thr Pro Cys Gly Phe Asp Gln Val Val Ser Pro Arg Asp Phe Asp Ala 100

Tyr Arg Lys Leu Pro Asn Gly Ala Arg Gly Phe Asp Gln Asp Arg Arg

115 120 125

Lys Gly Val Pro Trp Thr Glu Glu His Arg Arg Phe Leu Leu Gly 130 135 140

Leu Leu Lys Tyr Gly Lys Gly Asp Trp Arg Asn Ile Ser Arg Asn Phe 145 150 155 160

Val Gly Ser Lys Thr Pro Thr Gln Val Ala Ser His Ala Gln Lys Tyr 165 170 175

Tyr Gln Arg Gln Leu Ser Gly Ala Lys Asp Lys Arg Arg Pro Ser Ile 180 185 190

His Asp Ile Thr Thr Val Asn Leu Leu Asn Ala Asn Leu Ser Arg Pro 195 200 205

Ser Ser Asp His Gly Cys Leu Val Ser Lys Gln Ala Glu Pro Lys Leu 210 215 220

Gly Phe Thr Asp Arg Asp Asn Ala Glu Glu Gly Val Met Phe Leu Gly 225 230 235 240

Gln Asn Leu Ser Ser Val Phe Ser Ser Tyr Asp Pro Ala Ile Lys Phe 245 250 255

Ser Gly Ala Asn Val Tyr Gly Glu Gly Gly Tyr Cys Ile Ser Gln Asp 260 265 270

Leu Glu Thr Arg Lys 275

<210> 247 <211> 1164 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1). (1164) <223> G1635

<400> 247

atg gcg tcg tct ccg ttg act gca aat gtt cag ggt acc aac gct tct 48

Met Ala Ser Ser Pro Leu Thr Ala Asn Val Gln Gly Thr Asn Ala Ser 1 5 10 15

ttg agg aat aga gat gaa gaa act gca gac aag cag ata caa ttc aat 96

Leu Arg Asn Arg Asp Glu Glu Thr Ala Asp Lys Gln Ile Gln Phe Asn 20 25 30

gac caa agt ttt ggg gga aat gac tat gca ccc aag gta cgg aag cca 144

Asp Gln Ser Phe Gly Gly Asn Asp Tyr Ala Pro Lys Val Arg Lys Pro 35 40 45

tac acg ata aca aaa gag aga gag aga tgg aca gat gaa gag cac aag Tyr Thr Ile Thr Lys Glu Arg Glu Arg Trp Thr Asp Glu Glu His Lys aag tit git gaa goo tig aaa tia tac ggg cga got igg aga cga ata Lys Phe Val Glu Ala Leu Lys Leu Tyr Gly Arg Ala Trp Arg Arg Ile gaa gaa cat gtg ggc tca aag acc gca gtt cag att cga agc cat gct Glu Glu His Val Gly Ser Lys Thr Ala Val Gln Ile Arg Ser His Ala cag aag ttt ttc tct aag gtt gct cga gaa gca act gga ggt gat ggg 336 Gln Lys Phe Phe Ser Lys Val Ala Arg Glu Ala Thr Gly Gly Asp Gly age tea gta gag eeg att gta ata eet eet eet eet eec aag aga aag 384 Ser Ser Val Glu Pro Ile Val Ile Pro Pro Pro Arg Pro Lys Arg Lys 115 17 A. A. A. A. 120 March 17 3 125 A. A. 17 A. A. cca geg cat eeg tae eet egt aag ttt ggg aac gag gea gat eaa aca 432 Pro Ala His Pro Tyr Pro Arg Lys Phe Gly Asn Glu Ala Asp Gln Thr 130 135 agt aga tog gtt tot coc toa gaa ogt gat act caa tot coa acc tot Ser Arg Ser Val Ser Pro Ser Glu Arg Asp Thr Gln Ser Pro Thr Ser 145 155 gtg ttg tcc act gtt gga tca gaa gca ttg tgt tcc ctt gat tcg aqt 528 Val Leu Ser Thr Val Gly Ser Glu Ala Leu Cys Ser Leu Asp Ser Ser 165 170 175 tca ccc aat cga agc ttg tcc cca gtt tct tct gca tca cca cca gct Ser Pro Asn Arg Ser Leu Ser Pro Val Ser Ser Ala Ser Pro Pro Ala 185 180 190 get ett aca ace act gea aat gea eet gaa gag ett gag act etg aag 624 Ala Leu Thr Thr Ala Asn Ala Pro Glu Glu Leu Glu Thr Leu Lys 195 200 ctg gag ttg ttt cct agt gag aga ctc tta aac agg gag agc tcg atc Leu Glu Leu Phe Pro Ser Glu Arg Leu Leu Asn Arg Glu Ser Ser Ile 215 220 aag gaa cca acg aag caa agt ctt aaa ctc ttt ggg aag aca gtt ttg Lys Glu Pro Thr Lys Gln Ser Leu Lys Leu Phe Gly Lys Thr Val Leu 230 225 235 240

gta tot gat toa ggc atg too tot tot ota aca act toa aca tat tgt Val Ser Asp Ser Gly Met Ser Ser Ser Leu Thr Thr Ser Thr Tyr Cys 245 250 aaa too cca att cag cca tta cca cgg aaa ctc tca tca toc aag aca Lys Ser Pro Ile Gln Pro Leu Pro Arg Lys Leu Ser Ser Ser Lys Thr 265 cta ccc ata ata aga aac tca caa gaa gaa ctc ttg agc tgc tgg ata Leu Pro Ile Ile Arg Asn Ser Gln Glu Glu Leu Leu Ser Cys Trp Ile 275 280 caa gtc cct ctt aag caa gaa gat gtg gaa aat aga tgt ttg gat tca Gln Val Pro Leu Lys Gln Glu Asp Val Glu Asn Arg Cys Leu Asp Ser 295 gga aag gct gtc caa aac gaa gga tca tcg act gga tca aac act ggt 960 के में रेग अंग्रेस के पूर्व कर के किए जिस्से के लिए के किए के किए के किए में किए Gly Lys Ala Val Gln Asn Glu Gly Ser Ser Thr Gly Ser Asn Thr Gly 310 - 315 320 tog gtg gat gat acg gga cac acg gaa aag acc aca gaa ccc gaa aca 1008 Search of the Province of the Search Ser Val Asp Asp Thr Gly His Thr Glu Lys Thr Thr Glu Pro Glu Thr \$ 5 Is 15 Sec. \$ 325 Set 18 4 Set 18 330 Sec. 86 86 As 72 335 Sec. atg cta tgt caa tgg gag ttt aaa cca agt gag agg tct gca ttt tct **1056** ... ... ... ... ... ... ... Met Leu Cys Gln Trp Glu Phe Lys Pro Ser Glu Arg Ser Ala Phe Ser 340 345 350 gag ctc aga aga aca acc tcc gag tca aat tca aga gga ttt ggt cca 1104 Glu Leu Arg Arg Thr Asn Ser Glu Ser Asn Ser Arg Gly Phe Gly Pro 355 360 365 tac aag aag aga aag atg gta aca gaa gaa gaa gag cat gag att cat Tyr Lys Lys Arg Lys Met Val Thr Glu Glu Glu Glu His Glu Ile His ctc cac tta taa 1164 Leu His Leu 385

<210> 248 <211> 387 <212> PRT <213> Arabidopsis thaliana <400> 248

Met Ala Ser Ser Pro Leu Thr Ala Asn Val Gln Gly Thr Asn Ala Ser 1 5 10 15

Leu Arg Asn Arg Asp Glu Glu Thr Ala Asp Lys Gln Ile Gln Phe Asn 20 25 30 Asp Gln Ser Phe Gly Gly Asn Asp Tyr Ala Pro Lys Val Arg Lys Pro 35 40 45

- Tyr Thr Ile Thr Lys Glu Arg Glu Arg Trp Thr Asp Glu Glu His Lys 50 55 60
- Lys Phe Val Glu Ala Leu Lys Leu Tyr Gly Arg Ala Trp Arg Arg Ile
  65 70 75 80
- Glu Glu His Val Gly Ser Lys Thr Ala Val Gln Ile Arg Ser His Ala 90 95
- Gln Lys Phe Phe Ser Lys Val Ala Arg Glu Ala Thr Gly Gly Asp Gly 100 105 110
- Ser Ser Val Glu Pro Ile Val Ile Pro Pro Pro Arg Pro Lys Arg Lys 115 120 125
- Pro Ala His Pro Tyr Pro Arg Lys Phe Gly Asn Glu Ala Asp Gln Thr 130 135 140
- Ser Arg Ser Val Ser Pro Ser Glu Arg Asp Thr Gln Ser Pro Thr Ser 145 150 155 160
- Val Leu Ser Thr Val Gly Ser Glu Ala Leu Cys Ser Leu Asp Ser Ser 165 170 175
- Ser Pro Asn Arg Ser Leu Ser Pro Val Ser Ser Ala Ser Pro Pro Ala 180 185 190
- Ala Leu Thr Thr Thr Ala Asn Ala Pro Glu Glu Leu Glu Thr Leu Lys
- Leu Glu Leu Phe Pro Ser Glu Arg Leu Leu Asn Arg Glu Ser Ser Ile 210 215
- Lys Glu Pro Thr Lys Gln Ser Leu Lys Leu Phe Gly Lys Thr Val Leu 225 230 235 240
- Val Ser Asp Ser Gly Met Ser Ser Ser Leu Thr Thr Ser Thr Tyr Cys 245
- Lys Ser Pro Ile Gln Pro Leu Pro Arg Lys Leu Ser Ser Lys Thr 260 265 270

Leu Pro Ile Ile Arg Asn Ser Gln Glu Glu Leu Leu Ser Cys Trp Ile 275 280 285

Gln Val Pro Leu Lys Gln Glu Asp Val Glu Asn Arg Cys Leu Asp Ser 290 295 300

Gly Lys Ala Val Gln Asn Glu Gly Ser Ser Thr Gly Ser Asn Thr Gly 305 310 315 320

Ser Val Asp Asp Thr Gly His Thr Glu Lys Thr Thr Glu Pro Glu Thr 325 330 335

Met Leu Cys Gln Trp Glu Phe Lys Pro Ser Glu Arg Ser Ala Phe Ser 340 345 350

Glu Leu Arg Arg Thr Asn Ser Glu Ser Asn Ser Arg Gly Phe Gly Pro 355 360 365

Tyr Lys Lys Arg Lys Met Val Thr Glu Glu Glu Glu His Glu Ile His 370 375 380

Leu His Leu 385

<210> 249 <211> 668 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (19)..(666) <223> G1636

<400> 249

gagtaatcat caacgatt atg gcg tca agt cag tgg acg agg tcg gag gat 51

Met Ala Ser Ser Gln Trp Thr Arg Ser Glu Asp 1 5 10

aag atg tit gag caa got tig git off tit oof gaa gga tot oof aat 99

Lys Met Phe Glu Gln Ala Leu Val Leu Phe Pro Glu Gly Ser Pro Asn 15 20 25

cgg tgg gag aga atc gct gat cag ctt cat aaa tct gct ggt gaa gtt 147

Arg Trp Glu Arg Ile Ala Asp Gln Leu His Lys Ser Ala Gly Glu Val 30 35 40

agg gag cat tac gag gtc ttg gtt cat gat gtt ttc gag att gat tct 195

Arg Glu His Tyr Glu Val Leu Val His Asp Val Phe Glu Ile Asp Ser 45 50 55

ggt cga gtt gat gtc cet gat tac atg gat gac tcg gcg gct gcg gcg 243

Gly Arg Val Asp Val Pro Asp Tyr Met Asp Asp Ser Ala Ala Ala 60 65 70 75

gcg ggt tgg gat tcc gct ggt cag atc tct ttt ggg tct aaa cat ggc Ala Gly Trp Asp Ser Ala Gly Gln Ile Ser Phe Gly Ser Lys His Gly

gag agt gaa cgc aaa aga gga act cct tgg aca gag aac gaa cac aaa 339

Glu Ser Glu Arg Lys Arg Gly Thr Pro Trp Thr Glu Asn Glu His Lys

Leu Phe Leu Ile Gly Leu Lys Arg Tyr Gly Lys Gly Asp Trp Arg Ser 115

atc tcg aga aac gtt gtg gtg acg agg aca ccg acg caa gtc gcg agt

Ile Ser Arg Asn Val Val Val Thr Arg Thr Pro Thr Gln Val Ala Ser 130 135

cac gct cag aag tat ttt ctg aga cag aac tcg gtg aag aag gag agg

His Ala Gln Lys Tyr Phe Leu Arg Gln Asn Ser Val Lys Lys Glu Arg 145 150

aaa agg tcg agc atc cat gat ata act acg gtt gat gct act ttg gct

Lys Arg Ser Ser Ile His Asp Ile Thr Thr Val Asp Ala Thr Leu Ala 160

atg cct ggg tct aac atg gac tgg act ggc caa cac ggg agt cct gtt

Met Pro Gly Ser Asn Met Asp Trp Thr Gly Gln His Gly Ser Pro Val 180

cag gcg ccg cag cag caa cag att atg tct gag ttc ggt cag caa ttg

Gln Ala Pro Gln Gln Gln Gln Hee Ser Glu Phe Gly Gln Gln Leu 190 195 200

aat cct ggt cat ttc gag gat ttt ggg ttt cgg atg tga tg

Asn Pro Gly His Phe Glu Asp Phe Gly Phe Arg Met

<210> 250 <211> 215 <212> PRT <213> Arabidopsis thaliana <400> 250

Met Ala Ser Ser Gln Trp Thr Arg Ser Glu Asp Lys Met Phe Glu Gln 10

Ala Leu Val Leu Phe Pro Glu Gly Ser Pro Asn Arg Trp Glu Arg Ile 25

Ala Asp Gln Leu His Lys Ser Ala Gly Glu Val Arg Glu His Tyr Glu

Val Leu Val His Asp Val Phe Glu Ile Asp Ser Gly Arg Val Asp Val 50 60

Pro Asp Tyr Met Asp Asp Ser Ala Ala Ala Ala Ala Gly Trp Asp Ser 65 70 75 80

Ala Gly Gln Ile Ser Phe Gly Ser Lys His Gly Glu Ser Glu Arg Lys 85 90 95

Arg Gly Thr Pro Trp Thr Glu Asn Glu His Lys Leu Phe Leu Ile Gly 100 105 110

Leu Lys Arg Tyr Gly Lys Gly Asp Trp Arg Ser Ile Ser Arg Asn Val 115 120 125

Val Val Thr Arg Thr Pro Thr Gln Val Ala Ser His Ala Gln Lys Tyr
130
140

Phe Leu Arg Gln Asn Ser Val Lys Lys Glu Arg Lys Arg Ser Ser Ile 145 150 150 160

His Asp Ile Thr Thr Val Asp Ala Thr Leu Ala Met Pro Gly Ser Asn 165 170 175

Met Asp Trp Thr Gly Gln His Gly Ser Pro Val Gln Ala Pro Gln Gln 180 185 190

Gln Gln Ile Met Ser Glu Phe Gly Gln Gln Leu Asn Pro Gly His Phe 195 200 205

Glu Asp Phe Gly Phe Arg Met
210 215

<210> 251 <211> 1300 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (168)..(1196) <223> G1640

<400> 251

agctgctcta gcttatctgg taccgtcgac ctctcactca agggtccaaa agtgttttct

ctttttcagt ttctctttct ctttttgaca gaagagaccg agaagca atg gga agg 176

Met Gly Arg

get ceg tgt tgt gag aaa atc ggg ttg aag aga ggg aga tgg aca gcc 224

Ala Pro Cys Cys Glu Lys Ile Gly Leu Lys Arg Gly Arg Trp Thr Ala gag gaa gat gag atc ctc acc aag tat att cag acc aat ggt gaa ggt Glu Glu Asp Glu Ile Leu Thr Lys Tyr Ile Gln Thr Asn Gly Glu Gly tct tgg cga tct ttg cct aag aaa gct gga ttg ttg aga tgt gga aag Ser Trp Arg Ser Leu Pro Lys Lys Ala Gly Leu Leu Arg Cys Gly Lys agc tgt aga cta agg tgg ata aac tac tta aga aga gac tta aaa aga Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Arg Asp Leu Lys Arg gga aat att act tcc gac gaa gaa gaa ata atc gtc aag ttg cat tcc Gly Asn Ile Thr Ser Asp Glu Glu Glu Ile Ile Val Lys Leu His Ser . 80 75 70 ctt ctc ggc aac aga tgg tca ctt att gca aca cat cta cca gga aga Leu Leu Gly Asn Arg Trp Ser Leu Ile Ala Thr His Leu Pro Gly Arg .. 90 aca gac aac gaa att aaa aac tat tgg aac tca cat ctc agc cgc aaa Thr Asp Asn Glu Ile Lys Asn Tyr Trp Asn Ser His Leu Ser Arg Lys 105 atc tat gcc ttc act gcc gtt tcc gga gat gga cac aat cta ctc gtc Ile Tyr Ala Phe Thr Ala Val Ser Gly Asp Gly His Asn Leu Leu Val 130 120 125 aac gat gta gtc ttg aag aaa tct tgt tca tcg tct tct gga gcc aag 608 Asn Asp Val Val Leu Lys Lys Ser Cys Ser Ser Ser Ser Gly Ala Lys 135 aac aat aac aag acc aag aag aag aag gga agg act agt agg tca Asn Asn Asn Lys Thr Lys Lys Lys Lys Gly Arg Thr Ser Arg Ser 150 tcc atg aag aaa cac aag caa atg gtg acg gcc tca caa tgt ttc tca Ser Met Lys Lys His Lys Gln Met Val Thr Ala Ser Gln Cys Phe Ser caa cct aag gag cta gag agt gat ttc agt gag gga ggg caa aat ggt Gln Pro Lys Glu Leu Glu Ser Asp Phe Ser Glu Gly Gly Gln Asn Gly 190 aat ttt gaa gga gag tot ttg ggg oot tat gag tgg ttg gat ggt gag 800 Asn Phe Glu Gly Glu Ser Leu Gly Pro Tyr Glu Trp Leu Asp Gly Glu

200 205 210

tta gaa cgg ctc ttg agt agt tgt gtc tgg gaa tgc act agt gaa gag 848 Leu Glu Arg Leu Leu Ser Ser Cys Val Trp Glu Cys Thr Ser Glu Glu 215 220 225

gct gtg att gga gta aat gat gaa aag gtg tgt gag agt ggg gac aat 896

Ala Val Ile Gly Val Asn Asp Glu Lys Val Cys Glu Ser Gly Asp Asn 230 235 240

Ser Ser Cys Cys Val Asn Leu Phe Glu Glu Glu Gln Gly Ser Glu Thr 245 250 255

aag att ggt cac gta gga atc aca gag gtt gat cat gat atg acg gtg 992

Lys Ile Gly His Val Gly Ile Thr Glu Val Asp His Asp Met Thr Val 260 265 270 275

aat gat aaa gat tgg tgg gtt ggt cta tgt aat tct tca gaa gtt ggg 1088

Asn Asp Lys Asp Trp Trp Val Gly Leu Cys Asn Ser Ser Glu Val Gly 295 300 305

ttt ggg gtt gat gag gag ttg ctt gat tgg gag ttt caa ggt aat gtc 1136

Phe Gly Val Asp Glu Glu Leu Leu Asp Trp Glu Phe Gln Gly Asn Val 310 315 320

act tgt caa agt gat gat cta tgg gat ctc tca gat att gga gag ata 1184

Thr Cys Gln Ser Asp Asp Leu Trp Asp Leu Ser Asp Ile Gly Glu Ile 325 330 335

aca ttg gag tga ttgtaccgag caagtggatt ggcggccgct ctagacaggc 1236

Thr Leu Glu

340

ctcgtaccgg atctctagct agagetttcg ttcgtateat eggtttcgae aacgttcgte 1296

aagt 1300

<210> 252 <211> 342 <212> PRT <213> Arabidopsis thaliana <400> 252

Met Gly Arg Ala Pro Cys Cys Glu Lys Ile Gly Leu Lys Arg Gly Arg
1 5 10 15

Trp Thr Ala Glu Glu Asp Glu Ile Leu Thr Lys Tyr Ile Gln Thr Asn 20 25 30

- Gly Glu Gly Ser Trp Arg Ser Leu Pro Lys Lys Ala Gly Leu Leu Arg 35 40
- Cys Gly Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Arg Asp 50 55 60
- Leu Lys Arg Gly Asn Ile Thr Ser Asp Glu Glu Glu Ile Ile Val Lys 65 70 80
- Leu His Ser Leu Leu Gly Asn Arg Trp Ser Leu Ile Ala Thr His Leu 85 90 90
- Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp Asn Ser His Leu 100 105 110
- Ser Arg Lys Ile Tyr Ala Phe Thr Ala Val Ser Gly Asp Gly His Asn 115 120 125
- Leu Leu Val Asn Asp Val Val Leu Lys Lys Ser Cys Ser Ser Ser Ser 130
- Gly Ala Lys Asn Asn Asn Lys Thr Lys Lys Lys Lys Lys Gly Arg Thr 145 150 150 155 160
- Ser Arg Ser Ser Met Lys Lys His Lys Gln Met Val Thr Ala Ser Gln 165 170 175
- Cys Phe Ser Gln Pro Lys Glu Leu Glu Ser Asp Phe Ser Glu Gly Gly 180 185 190
- Gln Asn Gly Asn Phe Glu Gly Glu Ser Leu Gly Pro Tyr Glu Trp Leu 195 200 205
- Asp Gly Glu Leu Glu Arg Leu Leu Ser Ser Cys Val Trp Glu Cys Thr 210 215
- Ser Glu Glu Ala Val Ile Gly Val Asn Asp Glu Lys Val Cys Glu Ser 225 230 235 240
- Gly Asp Asn Ser Ser Cys Cys Val Asn Leu Phe Glu Glu Glu Gln Gly 245 250 250
- Ser Glu Thr Lys Ile Gly His Val Gly Ile Thr Glu Val Asp His Asp

260 265 270

Met Thr Val Glu Arg Glu Arg Glu Gly Ser Phe Leu Ser Ser Asn Ser 275 280 285

Asn Glu Asn Asn Asp Lys Asp Trp Trp Val Gly Leu Cys Asn Ser Ser 290 295 300

Glu Val Gly Phe Gly Val Asp Glu Glu Leu Leu Asp Trp Glu Phe Gln 305 310 315 320

Gly Asn Val Thr Cys Gln Ser Asp Asp Leu Trp Asp Leu Ser Asp Ile 325 330 335

Gly Glu Ile Thr Leu Glu 340

<210> 253 <211> 867 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(867) <223> G1641

ctc atg gag gaa act aag agc ggc gtc gca gct tct ggt gaa ggt gcc 96 Leu Met Glu Glu Thr Lys Ser Gly Val Ala Ala Ser Gly Glu Gly Ala 20 25 30

acg tgg acg gcg gca gag aac aag gca ttc gag aat gct ttg gcg gtt 144

Thr Trp Thr Ala Ala Glu Asn Lys Ala Phe Glu Asn Ala Leu Ala Val
35 40 45

tac gac gac aac act cct gat cgg tgg cag aag gtg gct gcg gtg att 192
Tyr Asp Asp Asp Thr Pro Asp Arg Trp Gln Lys Val Ala Ala Val Ile

Tyr Asp Asp Asn Thr Pro Asp Arg Trp Gln Lys Val Ala Ala Val Ile
50 55 60

ccg ggg aag aca gtg agt gac gta att aga cag tat aac gat ttg gaa

Pro Gly Lys Thr Val Ser Asp Val Ile Arg Gln Tyr Asn Asp Leu Glu 65 70 75 80

get gat gtc agc agc atc gag gec ggt tta atc ccg gtc ccc ggt tac 288

Ala Asp Val Ser Ser Ile Glu Ala Gly Leu Ile Pro Val Pro Gly Tyr 85 90 95

atc acc tcg ccg cct ttc act cta gat tgg gcc ggc ggc ggt ggc gga 336 Ile Thr Ser Pro Pro Phe Thr Leu Asp Trp Ala Gly Gly Gly Gly Gly

100 105 110

tgt 384	aac	ggg	ttt	aaa	ccg	ggt	cat	cag	gtt	tgt	aat	aaa	cgg	tcg	cag
Суѕ	Asn	Gly 115	Phe	Lys	Pro	Gly	His 120	Gln	Val	Cys	Asn	Lys 125	Arg	Ser	Gln
gcc 432	ggt	aga	tcg	ccg-	gag	ctg	gag	cgg	aag	aaa	ggc	gtt	cct	tgg	acg
Ala	Gly 130	Arg	Ser	Pro	Glu	Leu 135	Glu	Arg	Lys	Lys	Gly 140	Val	Pro	Trp	Thr
gag 480	gaa	gaa	cac	aag	cta	ttt	cta	atg	ggt	ttg	aag	aaa	tat	ggg	aaa
Glu 145	Glu	Glu	His	Lys	Leu 150	Phe	Leu	Met	Gly	Leu 155	Lys	Lys	Tyr	Gly	Lys 160
gga 528	gat	tgg	aga	aac	ata	tct	cgg	aac	ttt	gtg	ata	acg	cga	acg	cca
Gly	Asp	Trp	Arg	Asn 165	Ile	Ser	Arg	Asn	Phe 170	Val	Ile	Thr	Arg	Thr 175	Pro
aca 576	caa	gta	gct	agc	cac	gcc	caa	aag	tac	ttc	atc	cgg	caa		tcc
	Gln	Val	Ala 180	Ser	His	Ala	Gln	Lys 185	Tyr	Phe	Ile	Arg	Gln 190	Leu	Ser
ggc 624	ggc	aag	gac	aag	aga	cga	gca	agc	att	cac	gac	ata	acc	acc	gta
Gly	Gly	Lys 195	Asp	Lys	Arg	Arg	Ala 200	Ser	Ile	His	Asp	11e 205	Thr	Thr	Val
aat 672	ctc	gaa	gag	gag	gct	tct	ttg	gag	acc	aat	aag	agc	tcc	att	gtt
	Leu 210	Glu	Glu	Glu	Ala	Ser 215	Leu	Glu	Thr	Àsn	Lys 220	Ser	Ser	Ile	Val
gtt 720		gat	cag	cgt	tca	agg	cta	acc	gcg	ttt	cct	tgg	aac	caa	acg
Val 225	_	Asp	Gln	Arg	Ser 230		Leu	Thr	Ala	Phe 235		Trp	Asn	Gln	Thr 240
gac 768		aat	gga	aca	cag	gca	gac	gct	ttc	aat	ata	acg	att	gga	aac
Asp	Asn	Asn	Gly	Thr 245		Ala	Asp	Ala	Phe 250		Ile	Thr		Gly 255	
gct	att	agt	ggc	gtt	cat	tca	tac	ggc	cag	gtt	atg	att	gga	ggg	tat
816 Ala		Ser	Gly 260		His	Ser	Tyr	Gly 265		Val	. Met	Ile	Gly 270		Tyr
		gca	gat	tct	tgo	: tat	gac	gcc	: caa	aac	aca	ato	ttt	caa	cta
864 Asn		Ala 275		Ser	: Cys	Туг	280		Gln	Asr	Thr	Met 285		Gln	Leu

tag 867

<210> 254 <211> 288 <212> PRT <213> Arabidopsis thaliana <400> 254

Met Glu Val Met Arg Pro Ser Thr Ser His Val Ser Gly Gly Asn Trp

5 10 15

Leu Met Glu Glu Thr Lys Ser Gly Val Ala Ala Ser Gly Glu Gly Ala 20 25, 30

Thr Trp Thr Ala Ala Glu Asn Lys Ala Phe Glu Asn Ala Leu Ala Val 35 40 45

Tyr Asp Asp Asn Thr Pro Asp Arg Trp Gln Lys Val Ala Ala Val Ile
50 55 60

Pro Gly Lys Thr Val Ser Asp Val Ile Arg Gln Tyr Asn Asp Leu Glu 65 70 75 80

Ala Asp Val Ser Ser Ile Glu Ala Gly Leu Ile Pro Val Pro Gly Tyr 85 90 95

Ile Thr Ser Pro Pro Phe Thr Leu Asp Trp Ala Gly Gly Gly Gly 100 105 110

Cys Asn Gly Phe Lys Pro Gly His Gln Val Cys Asn Lys Arg Ser Gln 115 120 125

Ala Gly Arg Ser Pro Glu Leu Glu Arg Lys Lys Gly Val Pro Trp Thr 130 135 140

Glu Glu Glu His Lys Leu Phe Leu Met Gly Leu Lys Lys Tyr Gly Lys 145 150 155 160

Gly Asp Trp Arg Asn Ile Ser Arg Asn Phe Val Ile Thr Arg Thr Pro 165 170 175

Thr Gln Val Ala Ser His Ala Gln Lys Tyr Phe Ile Arg Gln Leu Ser 180 185 190

Gly Gly Lys Asp Lys Arg Arg Ala Ser Ile His Asp Ile Thr Thr Val 195. 200 205

Asn Leu Glu Glu Glu Ala Ser Leu Glu Thr Asn Lys Ser Ser Ile Val 210 215 220 '

Val Gly Asp Gln Arg Ser Arg Leu Thr Ala Phe Pro Trp Asn Gln Thr 225 230 235 240

Asp Asn Asn Gly Thr Gln Ala Asp Ala Phe Asn Ile Thr Ile Gly Asn 245 250 255

Ala Ile Ser Gly Val His Ser Tyr Gly Gln Val Met Ile Gly Gly Tyr 260 265 270

Asn Asn Ala Asp Ser Cys Tyr Asp Ala Gln Asn Thr Met Phe Gln Leu 275 280 285

<210> 255 <211> 800 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (34)..(786) <223> G1646

<400> 255

gatettttga tecaateaca aggeaaagat eea atg gae aat aac aac aac 54

Met Asp Asn Asn Asn Asn Asn 1

aac aac cag caa cca cca acc tcc gtc tat cca cct ggc tcc gcc 102

Asn Asn Gln Gln Pro Pro Pro Thr Ser Val Tyr Pro Pro Gly Ser Ala 10 15 20

gte aca ace gta ate eet eet eea eea tet gga tet gea tea ata gte 150

Val Thr Thr Val Ile Pro Pro Pro Pro Ser Gly Ser Ala Ser Ile Val 25 30 35

ace gga gga ggg aca tac cac cac ctc ctc cag caa caa cag caa 198

Thr Gly Gly Gly Ala Thr Tyr His His Leu Leu Gln Gln Gln Gln 45 50 55

cag ctt caa atg ttc tgg aca tac cag aga caa gag atc gaa cag gta 246

Gln Leu Gln Met Phe Trp Thr Tyr Gln Arg Gln Glu Ile Glu Gln Val 60 65 70

aac gat ttc aaa aac cat cag ctc cct cta gct cgt atc aaa aaa atc 294

Asn Asp Phe Lys Asn His Gln Leu Pro Leu Ala Arg Ile Lys Lys Ile
75 80 85

atg aaa gct gat gaa gat gtg cgt atg atc tcc gcc gaa gca ccg att 342

Met Lys Ala Asp Glu Asp Val Arg Met Ile Ser Ala Glu Ala Pro Ile 90 95 100

ctc ttc gcg aaa gct tgt gag ctt ttc att ctc gaa ctt acg att aga

Leu Phe Ala Lys Ala Cys Glu Leu Phe Ile Leu Glu Leu Thr Ile Arg 105 110 115

tct tgg ctt cac gct gaa gag aac aaa cgt cgt acg ctt cag aaa aac 438 Ser Trp Leu His Ala Glu Glu Asn Lys Arg Arg Thr Leu Gln Lys Asn

120					125	-				130					135
		gct	gct	gcg	att	act	aga	acc	gat	atc	ttc	gat	ttc	ctt	gtt
486 Asp		Ala	Ala		Ile			Thr	Asp 145		Phe	Asp	Phe	Leu	<b>V</b> al
								٠					•	150	
534						•				•				gca	
Asp	Ile	Val	Pro 155	Arg	Glu	Glu	Ile	Lys 160	Glu	Glu	Glu	Asp	Ala 165	Ala	Ser
gct 582	ctt	ggt	gga	gga	ggt	atg	gtt	gct	ccc	gcc	gcg	agc	ggt	gtt	cct
	Leu	Gly 170	Gly	Gly	Gly	Met	Val 175	Ala	Pro	Ala	Ala	Ser 180	_	Val	Pro
tat 630	tat	tat	cca	ccg	atg	gga	caa	ccg	gcg	gtt	cct	gga	ggg	atg	atg
	Tyr 185	Tyr	Pro	Pro	Met	Gly 190	Gln	Pro	Ala	Val	Pro 195	Gly	Gly	Met	Met
a++	~~~	202	cca	a0a	ata	~n+	aat	300	aat	~++	+-+	act	020	cct	oot
							- Kiki I						cay		-13-0
-													Gln	Pro	Pro
200	. 1,4 	, ; .			205	, 기 : 및 사	B. J.	17		210	7.65		* * * * * *	Dera Cons	215
tct 726	_	gca	tgg		agc	gtt	tgg	cag	aat	tca	-	ggt	ggt	ggt	gat
Ser	Gln	Ala	Trp		Ser			Gln	Asn 225			Gly	Gly	Gly 230	Asp
gat 774	gtg	tct	tat	gga	agt	gga 	gga	agt	agc	ggc	cat	ggt'	aat	ctc	gat
	Val	Ser	Tyr 235	Gly	Ser	Gly	Gly	Ser 240	Ser	Gly	His	Gly	Asn 245	Leu	Asp
		ggg	taa	gtga	aatto	cta d	gtag								
800 Ser		Gly					\$4.5			:	+ † - +	· .:	`t	871 A	
•		250			٠			•,			· · .		. 4	r	•
<210	)> :	256 •	<211:	> . 2!	50 <2	212>	PR	r <2:	13>	Aral	oido	osis	thal	liana	a <400>
256			• • •					٠.							•
		• • •	•			-								m	
Met 1	Asp	Asn	Asn	Asn 5.	Asn	Asn	Asn	Asn	10	Gin	Pro	Pro	Pro	Thr 15	ser
			÷				: ;		10				. :	13	
Val	Tyr	Pro	Pro 20	Gly	-Ser	Ala	Val	Thr 25		Val	Ile		Pro 30	Pro	Pro
Ser	Gly	Ser 35	Ala	Ser	Ile		Thr 40	Gly	Gly	Gly	Ala	Thr 45	Tyr	His ,	His
Leu	Leu 50	Gln	Gln	G <b>l</b> ņ	Gln	Gln 55	Gln	Leu	Gln	Met	Phe 60	Trp	Thr	Tyr	Gln

Arg Gln Glu Ile Glu Gln Val Asn Asp Phe Lys Asn His Gln Leu Pro 65 70 75 80

- Leu Ala Arg Ile Lys Lys Ile Met Lys Ala Asp Glu Asp Val Arg Met 85 90 95
- Ile Ser Ala Glu Ala Pro Ile Leu Phe Ala Lys Ala Cys Glu Leu Phe 100 105 110
- Ile Leu Glu Leu Thr Ile Arg Ser Trp Leu His Ala Glu Glu Asn Lys 115 120 125
- Arg Arg Thr Leu Gln Lys Asn Asp Ile Ala Ala Ile Thr Arg Thr 130 135 140
- Asp Ile Phe Asp Phe Leu Val Asp Ile Val Pro Arg Glu Glu Ile Lys 145 150 155 160
- Glu Glu Glu Asp Ala Ala Ser Ala Leu Gly Gly Gly Met Val Ala 165 170 175
- Pro Ala Ala Ser Gly Val Pro Tyr Tyr Tyr Pro Pro Met Gly Gln Pro
- Ala Val Pro Gly Gly Met Met Ile Gly Arg Pro Ala Met Asp Pro Ser 195 200 205
- Gly Val Tyr Ala Gln Pro Pro Ser Gln Ala Trp Gln Ser Val Trp Gln 210 215 220
- Asn Ser Ala Gly Gly Gly Asp Asp Val Ser Tyr Gly Ser Gly Gly Ser 225 230 235 240
- Ser Gly His Gly Asn Leu Asp Ser Gln Gly 245 250
- <210> 257 <211> 938 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (142)..(903) <223> G1667
- <400> 257
  tcgacccatc cctactcctc acaatcattc ttttggtgtc tctaccattt aataattcac
  60
- caaaatctcc ttacttaaac tcacaaactc ctcacaaatt ttctgaatct ttcagttgaa
- catataacaa cattcataac a atg gct gga ggt aca gct cta act cca acc 171

Met Ala Gly Gly Thr Ala Leu Thr Pro Thr tct gta gga tcc aag tct gtt cca atg agg aac cat gaa gca aca gag Ser Val Gly Ser Lys Ser Val Pro Met Arg Asn His Glu Ala Thr Glu · 15 20 aga ggc aac acc aac aac ctg aga gca tta ccc aaa gcc gtc caa Arg Gly Asn Thr Asn Asn Leu Arg Ala Leu Pro Lys Ala Val Gln 30 35 ccg gtt tca tca atc gaa gga gag atg gct aag agg cca cgt ggc aga Pro Val Ser Ser Ile Glu Gly Glu Met Ala Lys Arg Pro Arg Gly Arg ccc gct ggc tcc aag aac aaa ccc aaa cca cca atc att gtg act cac 363 Pro Ala Gly Ser Lys Asn Lys Pro Lys Pro Pro Ile Ile Val Thr His -60 gac agt cca aat tcc ctc aga gct aac gcc gtt gag atc agc tca ggt 411 Asp Ser Pro Asn Ser Leu Arg Ala Asn Ala Val Glu Ile Ser Ser Gly 85 tgt gac atc tgt gag act tta tcg gat ttt gca aga agg aaa cag aga 459 Cys Asp Ile Cys Glu Thr Leu Ser Asp Phe Ala Arg Arg Lys Gln Arg 95 ggt ctc tgc att ctc agt gcc aat ggt tgt gtc acc aat gtg aca tta 507 Gly Leu Cys Ile Leu Ser Ala Asn Gly Cys Val Thr Asn Val Thr Leu 110 agg caa cca gct tca tca gga gca att gtc aca tta cac gga cgt tac 555 Arg Gln Pro Ala Ser Ser Gly Ala Ile Val Thr Leu His Gly Arg Tyr 130 125 gag atc ctc tca ttg ctt gga tca atc ttg cct cca cca gca cca ctt 603 Glu Ile Leu Ser Leu Leu Gly Ser Ile Leu Pro Pro Pro Ala Pro Leu - 140 145 150 gga ata act ggt ctg acc att tac tta gcc gga cct caa gga cag gtt Gly Ile Thr Gly Leu Thr Ile Tyr Leu Ala Gly Pro Gln Gly Gln Val 165 160 gtt ggt gga gga gtg gtt ggt ggg cta atc gca tct ggt cct gtt gtt Val Gly Gly Val Val Gly Gly Leu Ile Ala Ser Gly Pro Val Val . 175 .180 185 ctc atg gct gca tct ttc atg aat gct gtt ttt gat cgt ctt cct atg Leu Met Ala Ala Ser Phe Met Asn Ala Val Phe Asp Arg Leu Pro Met

190 195 200

gat gat gat gaa gct gcc tct atg cag aac cag cag tac tac cag aat

Asp Asp Glu Ala Ala Ser Met Gln Asn Gln Gln Tyr Tyr Gln Asn 205 210 215

gga aga tcc cgt cct tta gat gac att cat gga ctg cct caa aat ctg

Gly Arg Ser Arg Pro Leu Asp Asp Ile His Gly Leu Pro Gln Asn Leu 220 225 230

ctc act aat gga aac tog gct tot gat atc tac tot tgg ggg cct tgg

Leu Thr Asn Gly Asn Ser Ala Ser Asp Ile Tyr Ser Trp Gly Pro Trp 235 240 245 250

aat caa aga taa atgtgtctgt aggttgagag agaaccgtaa gtctg 938 Asn Gln Arg

<210> 258 <211> 253 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Gly Gly Thr Ala Leu Thr Pro Thr Ser Val Gly Ser Lys Ser 1 15

Val Pro Met Arg Asn His Glu Ala Thr Glu Arg Gly Asn Thr Asn Asn 20 25 30

Asn Leu Arg Ala Leu Pro Lys Ala Val Gln Pro Val Ser Ser Ile Glu 35 40 45

Gly Glu Met Ala Lys Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys Asn 50 55 60

Lys Pro Lys Pro Pro Ile Ile Val Thr His Asp Ser Pro Asn Ser Leu 70 75 80

Arg Ala Asn Ala Val Glu Ile Ser Ser Gly Cys Asp Ile Cys Glu Thr 85 90 95

Leu Ser Asp Phe Ala Arg Arg Lys Gln Arg Gly Leu Cys Ile Leu Ser 100 105 110

Ala Asn Gly Cys Val Thr Asn Val Thr Leu Arg Gln Pro Ala Ser Ser 115 120 125

Gly Ala Ile Val Thr Leu His Gly Arg Tyr Glu Ile Leu Ser Leu Leu 130 140

Gly Ser Ile Leu Pro Pro Pro Ala Pro Leu Gly Ile Thr Gly Leu Thr 145 150 155 160

Ile Tyr Leu Ala Gly Pro Gln Gly Gln Val Val Gly Gly Gly Val Val 165 170 175

Gly Gly Leu Ile Ala Ser Gly Pro Val Val Leu Met Ala Ala Ser Phe 180 185 190

Met Asn Ala Val Phe Asp Arg Leu Pro Met Asp Asp Glu Ala Ala 195 200 205

Ser Met Gln Asn Gln Gln Tyr Tyr Gln Asn Gly Arg Ser Arg Pro Leu 210 215 220

Asp Asp Ile His Gly Leu Pro Gln Asn Leu Leu Thr Asn Gly Asn Ser 225 and Think and the 230 feet Leu Thr Ash Gly Ash Ser 240 to the 24

Ala Ser Asp Ile Tyr Ser Trp Gly Pro Trp Asn Gln Arg
245
250

<210> 259 <211> 1221 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)...(1221) <223> G1706

<400> 259

atg aaa aat aaa acc caa aaa tat ata gat aag aag acg tgg aac tat

Met Lys Asn Lys Thr Gln Lys Tyr Ile Asp Lys Lys Thr Trp Asn Tyr 1 5 10 15

ata aat atg gac cac cat cac gcc ttt gca tca cat tca tac aac tca 96

Ile Asn Met Asp His His His Ala Phe Ala Ser His Ser Tyr Asn Ser 20 25 30

gtt ttc ata agc aaa aag gca atg gaa gag tca cga tcc tac aga aag

Val Phe Ile Ser Lys Lys Ala Met Glu Glu Ser Arg Ser Tyr Arg Lys 35 40 45

gag agg aag cag aca aag aag aaa acg ggt cgt ggg tca gga tcc agg 192

Glu Arg Lys Gln Thr Lys Lys Lys Thr Gly Arg Gly Ser Gly Ser Arg 50 55 60

teg atc cat ata aag atg agg aag ett ega gtg ett ata eeg ggt gga

Ser Ile His Ile Lys Met Arg Lys Leu Arg Val Leu Ile Pro Gly Gly 65 70 75 80

cga aga ttg aac caa ccg gat ctg ctt cta tca aag act gct gat tat 288

Arg Arg Leu Asn Gln Pro Asp Leu Leu Leu Ser Lys Thr Ala Asp Tyr

85 90 95

att atg cat ttg gag ttg agg att agc att cta cat ttg ttg gtc aga 336

Ile Met His Leu Glu Leu Arg Ile Ser Ile Leu His Leu Leu Val Arg 100 105 110

tat tac tta aag aag aaa aga tca aac ctt tcg tca tca cca aac gaa 384

Tyr Tyr Leu Lys Lys Lys Arg Ser Asn Leu Ser Ser Ser Pro Asn Glu 115 120 125

tct aat caa aac cca gaa ttt tcc gac tcc gat act tac caa aga cag 432

Ser Asn Gln Asn Pro Glu Phe Ser Asp Ser Asp Thr Tyr Gln Arg Gln 130 135 140

ctt caa cag ctc ttt cat ctc cat gat tca ggt cta gat caa gct tta 480

Leu Gln Gln Leu Phe His Leu His Asp Ser Gly Leu Asp Gln Ala Leu 145 150 155 160

atc gat gct ctt cct gtg ttt ctt tac aaa gag atc aaa ggt acg aaa 528

Ile Asp Ala Leu Pro Val Phe Leu Tyr Lys Glu Ile Lys Gly Thr Lys 165 170 175

gag cct ttt gat tgt gca gtg tgt ctc tgt gaa ttc tcg gaa gat gat 576

Glu Pro Phe Asp Cys Ala Val Cys Leu Cys Glu Phe Ser Glu Asp Asp 180 185 190

aag ctt aga ttg ctt ccg aat tgt agt cac gct ttt cac ata gat tgt 624

Lys Leu Arg Leu Leu Pro Asn Cys Ser His Ala Phe His Ile Asp Cys 195 200 205

atc gat act tgg ctt ctc tcg aat tcg act tgt cca ctt tgt aga gga 672

Ile Asp Thr Trp Leu Leu Ser Asn Ser Thr Cys Pro Leu Cys Arg Gly 210 215 220

acc ctt ttc tct tta ggt cat caa ttt gaa tac cct gat ttc aat ttc 720

Thr Leu Phe Ser Leu Gly His Gln Phe Glu Tyr Pro Asp Phe Asn Phe 225 230 235 240

ggg ttt ttc gcc gga gat gat gga gga gga ggt agg gtt tct ccg

Gly Phe Phe Ala Gly Asp Asp Gly Gly Gly Val Arg Val Ser Pro 245 250 255

gtt cag aaa cca gct gag aat gag att ggg aag aga gtg ttt tca gtg 816

Val Gln Lys Pro Ala Glu Asn Glu Ile Gly Lys Arg Val Phe Ser Val 260 265 270

agg ctt ggt aag ttt agg agc agt aat att gtc aac aat ggt gaa gta 864

Arg Leu Gly Lys Phe Arg Ser Ser Asn Ile Val Asn Asn Gly Glu Val 275 280 285

gta gta gga gga gga gag aca agt agt agt ctt gat aat aga 912

Val Val Gly Gly Gly Glu Thr Ser Ser Ser Leu Asp Asn Arg 290 295 300

aga tgt ttc tca atg ggg tct tat cag tac ata gtg gct gaa tca gat 960

Arg Cys Phe Ser Met Gly Ser Tyr Gln Tyr Ile Val Ala Glu Ser Asp 305 310 315 320

ctg gtt gtt gct ttg tgt cct aat aat gaa gga ttg aag aat aat aag 1008

Leu Val Val Ala Leu Cys Pro Asn Asn Glu Gly Leu Lys Asn Asn Lys 325 330 335

gat gtt gaa ggg aag aag att aat atg aga agt aaa ggt gag agc ttt 1056

Asp Val Glu Gly Lys Lys Ile Asn Met Arg Ser Lys Gly Glu Ser Phe 340 345 350

tct gtg tca aag att tgg caa tgg tct aat aag aga tca aag ttt cct 1104

Ser Val Ser Lys Ile Trp Gln Trp Ser Asn Lys Arg Ser Lys Phe Pro 355 360 365

aat aat cat cca tca gag act aat ctt gtg gtt ggt ggt tct tct tct 1152

Asn Asn His Pro Ser Glu Thr Asn Leu Val Val Gly Gly Ser Ser Ser 370 380

tct tct tct tat gtt tgt tct gga tct gat ggg tta tca ttg aat gga 1200

Ser Ser Ser Tyr Val Cys Ser Gly Ser Asp Gly Leu Ser Leu Asn Gly 385 390 395 400

agg aga ttt cag ggt cca tga

Arg Arg Phe Gln Gly Pro 405

<210> 260 <211> 406 <212> PRT <213> Arabidopsis thaliana <400> 260

Met Lys Asn Lys Thr Gln Lys Tyr Ile Asp Lys Lys Thr Trp Asn Tyr 1 5 10 15

Ile Asn Met Asp His His His Ala Phe Ala Ser His Ser Tyr Asn Ser 20 25 30

Val Phe Ile Ser Lys Lys Ala Met Glu Glu Ser Arg Ser Tyr Arg Lys 35 40 45

Glu Arg Lys Gln Thr Lys Lys Lys Thr Gly Arg Gly Ser Gly Ser Arg
50 55 60

Ser Ile His Ile Lys Met Arg Lys Leu Arg Val Leu Ile Pro Gly Gly 65 70 75 80

- Arg Arg Leu Asn Gln Pro Asp Leu Leu Leu Ser Lys Thr Ala Asp Tyr
  85 90 95
- Ile Met His Leu Glu Leu Arg Ile Ser Ile Leu His Leu Leu Val Arg
- Tyr Tyr Leu Lys Lys Lys Arg Ser Asn Leu Ser Ser Ser Pro Asn Glu 115 120 125
- Ser Asn Gln Asn Pro Glu Phe Ser Asp Ser Asp Thr Tyr Gln Arg Gln 130 140
- Leu Gln Gln Leu Phe His Leu His Asp Ser Gly Leu Asp Gln Ala Leu 145 5 660
- Ile Asp Ala Leu Pro Val Phe Leu Tyr Lys Glu Ile Lys Gly Thr Lys
  165 170 175
- Lys Leu Arg Leu Leu Pro Asn Cys Ser His Ala Phe His Ile Asp Cys 195 200 205
- Ile Asp Thr Trp Leu Leu Ser Asn Ser Thr Cys Pro Leu Cys Arg Gly 210 215 220
- Thr Leu Phe Ser Leu Gly His Gln Phe Glu Tyr Pro Asp Phe Asn Phe 225 235 240
- Gly Phe Phe Ala Gly Asp Asp Gly Gly Gly Gly Val Arg Val Ser Pro 245 250 255
- Val Gln Lys Pro Ala Glu Asn Glu Ile Gly Lys Arg Val Phe Ser Val 260 265 270
- Arg Leu Gly Lys Phe Arg Ser Ser Asn Ile Val Asn Asn Gly Glu Val 275 280 285
- Val Val Gly Gly Gly Glu Thr Ser Ser Ser Ser Leu Asp Asn Arg
  290 295 300
- Arg Cys Phe Ser Met Gly Ser Tyr Gln Tyr Ile Val Ala Glu Ser Asp

Section 1

The second of th 310 315

Leu Val Val Ala Leu Cys Pro Asn Asn Glu Gly Leu Lys Asn Asn Lys 325 330

Asp Val Glu Gly Lys Lys Ile Asn Met Arg Ser Lys Gly Glu Ser Phe 340 345

Ser Val Ser Lys Ile Trp Gln Trp Ser Asn Lys Arg Ser Lys Phe Pro 360

Asn Asn His Pro Ser Glu Thr Asn Leu Val Val Gly Gly Ser Ser Ser 380 370 375

Ser Ser Ser Tyr Val Cys Ser Gly Ser Asp Gly Leu Ser Leu Asn Gly 395 400

Arg Arg Phe Gln Gly Pro 

<210> 261 <211> 1410 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (32)..(1216) <223> G1766

<400> 261

aggetattet eggaaaaaca aagaataaag a atg aat teg tit tea caa gta 52 4 A B A C A M A B A B C A 

Met Asn Ser Phe Ser Gln Val

cct cct ggc ttc aga ttt cat cct act gat gaa gaa ctt gta gac tac

Pro Pro Gly Phe Arg Phe His Pro Thr Asp Glu Glu Leu Val Asp Tyr 10 15 20 20 Fig. 10 April 10 A

tac ttg agg aaa aaa gtt gca tca aag aga ata gaa atc gat atc atc 148

Tyr Leu Arg Lys Lys Val Ala Ser Lys Arg Ile Glu Ile Asp Ile Ile 25 30 35

aag gat gtt gat ctt tac aag att gag cca tgt gat ctt caa gag tta

Lys Asp Val Asp Leu Tyr Lys Ile Glu Pro Cys Asp Leu Gln Glu Leu 45

tgc aag ata gga aac gaa gag cag agc gaa tgg tac ttc ttt agt cat

Cys Lys Ile Gly Asn Glu Glu Gln Ser Glu Trp Tyr Phe Phe Ser His 65 .70 60

aaa gac aag aag tat ccc acg gga act cga acc aat aga gcc acg aaa

Lys Asp Lys Lys Tyr Pro Thr Gly Thr Arg Thr Asn Arg Ala Thr Lys 80

Control of Anna Carlos and Carlos Anna Carlos and

gca gga ttt tgg aaa gcc act gga aga gac aag gct ata tat ata aga Ala Gly Phe Trp Lys Ala Thr Gly Arg Asp Lys Ala Ile Tyr Ile Arg 95 cat agt ctt atc ggt atg agg aaa aca ctt gtg ttt tac aaa gga aga His Ser Leu Ile Gly Met Arg Lys Thr Leu Val Phe Tyr Lys Gly Arg gcc cca aat ggt cag aaa tcc gat tgg atc atg cac gaa tat cgc tta 436 Ala Pro Asn Gly Gln Lys Ser Asp Trp Ile Met His Glu Tyr Arg Leu 125 gaa aca agt gaa aat gga acc cct cag gaa gga tgg gta gta tgt 484 Glu Thr Ser Glu Asn Gly Thr Pro Gln Glu Glu Gly Trp Val Val Cys agg gta ttc aag aag aaa ttg gca gcg aca gtg agg aaa atg gga gat Arg Val Phe Lys Lys Leu Ala Ala Thr Val Arg Lys Met Gly Asp 155 160 tac cat tca tca cca tcg cag cat tgg tac gat gat cag ctc tct ttt 580 Tyr His Ser Ser Pro Ser Gln His Trp Tyr Asp Asp Gln Leu Ser Phe 170 , 180 atg gee tee gag ate att tet agt tet eea ega cag ttt ett eee aat Met Ala Ser Glu Ile Ile Ser Ser Pro Arg Gln Phe Leu Pro Asn 190 cat cat tat aac cgc cac cat cac cag cag aca ttg cct tgt ggc ctc 676 His His Tyr Asn Arg His His His Gln Gln Thr Leu Pro Cys Gly Leu 200 205 215 aat gca ttc aac aac aat cct aac ttg caa tgc aag caa gag ctc Asn Ala Phe Asn Asn Asn Pro Asn Leu Gln Cys Lys Gln Glu Leu 225 gag tta cat tac aat caa atg gta caa cat caa caa caa aac cat cat 772 Glu Leu His Tyr Asn Gln Met Val Gln His Gln Gln Gln Asn His His 235 ctt cgt gaa tct atg ttt ctc cag ctt cct cag ctc gaa agc cct acc 820 Leu Arg Glu Ser Met Phe Leu Gln Leu Pro Gln Leu Glu Ser Pro Thr 250 255 agt aat tgc aat tct gac aac aac aat aac aca aga aat att agt aac 868 Ser Asn Cys Asn Ser Asp Asn Asn Asn Asn Thr Arg Asn Ile Ser Asn 265 270 275

ttg cag aaa tca tca aat ata tct cat gag gaa caa ttg caa caa ggg

Leu Gln Lys Ser Ser Asn Ile Ser His Glu Glu Gln Leu Gln Gln Gly 280 285 290 295

aat caa agt ttc age tct ctg tat tac gat caa gga gta gag caa atg 964

Asn Gln Ser Phe Ser Ser Leu Tyr Tyr Asp Gln Gly Val Glu Gln Met 300 305 310

act act gac tgg aga gtt ctc gat aaa ttt gtt gct tca cag ctt agc 1012

Thr Thr Asp Trp Arg Val Leu Asp Lys Phe Val Ala Ser Gln Leu Ser 315 320 325

aat gat gaa gag gct gca gcc gtg gtt tct tct tct tct cat caa aac 1060

Asn Asp Glu Glu Ala Ala Ala Val Val Ser Ser Ser His Gln Asn 330 335 340

aac gtc aag att gac acg aga aac acg ggt tat cat gtg ata gat gag 1108

Asn Val Lys Ile Asp Thr Arg Asn Thr Gly Tyr His Val Ile Asp Glu 345 350 355

gga ata aat ttg ccg gag aat gat tct gaa agg gtt gtt gaa atg gga 1156

Gly Ile Asn Leu Pro Glu Asn Asp Ser Glu Arg Val Val Glu Met Gly 365 370 375

gaa gag tat toa aat got cat got tot act tot toa agt tgt cag 1204

Glu Glu Tyr Ser Asn Ala His Ala Ala Ser Thr Ser Ser Ser Cys Gln 380 385 390

att gat ctc tag aaatagtgat agagagatga aaaagatgca aggtgaatat 1256 Ile Asp Leu

atatgaaaat acatgcacac tagtgttatt tatacttaaa gatggaaggg gaaaaacaag 1316

gagttatttc ctggatttat ggaggttttg tacataataa aaacctacaa ccatatggta 1376

ttttcttttg aaaaaaaaa aaaaaaaaaa aaaa

<210> 262 <211> 394 <212> PRT <213> Arabidopsis thaliana <400> 262

Met Asn Ser Phe Ser Gln Val Pro Pro Gly Phe Arg Phe His Pro Thr 1 5 10 15

Asp Glu Glu Leu Val Asp Tyr Tyr Leu Arg Lys Lys Val Ala Ser Lys 20 25 30

Arg Ile Glu Ile Asp Ile Ile Lys Asp Val Asp Leu Tyr Lys Ile Glu 35 40 45

- Pro Cys Asp Leu Gln Glu Leu Cys Lys Ile Gly Asn Glu Glu Gln Ser 50 55 60
- Glu Trp Tyr Phe Phe Ser His Lys Asp Lys Lys Tyr Pro Thr Gly Thr 65 70 75 80
- Arg Thr Asn Arg Ala Thr Lys Ala Gly Phe Trp Lys Ala Thr Gly Arg 85 90 95
- Asp Lys Ala Ile Tyr Ile Arg His Ser Leu Ile Gly Met Arg Lys Thr 100 105 110
- Leu Val Phe Tyr Lys Gly Arg Ala Pro Asn Gly Gln Lys Ser Asp Trp
  115 120 125
- Ile Met His Glu Tyr Arg Leu Glu Thr Ser Glu Asn Gly Thr Pro Gln 130 135 140
- Glu Glu Gly Trp Val Val Cys Arg Val Phe Lys Lys Leu Ala Ala 145 150 155 160
- Thr Val Arg Lys Met Gly Asp Tyr His Ser Ser Pro Ser Gln His Trp 165 170 175
- Tyr Asp Asp Gln Leu Ser Phe Met Ala Ser Glu Ile Ile Ser Ser Ser 180 185 190
- Pro Arg Gln Phe Leu Pro Asn His His Tyr Asn Arg His His Gln
  195 200 205
- Gln Thr Leu Pro Cys Gly Leu Asn Ala Phe Asn Asn Asn Asn Pro Asn 210 215 220
- Leu Gln Cys Lys Gln Glu Leu Glu Leu His Tyr Asn Gln Met Val Gln 225 230 235 240
- His Gln Gln Gln Asn His His Leu Arg Glu Ser Met Phe Leu Gln Leu 245 250 255
- Pro Gln Leu Glu Ser Pro Thr Ser Asn Cys Asn Ser Asp Asn Asn Asn 260 265 270
- Asn Thr Arg Asn Ile Ser Asn Leu Gln Lys Ser Ser Asn Ile Ser His

275

280

285

Glu Glu Gln Leu Gln Gln Gly Asn Gln Ser Phe Ser Ser Leu Tyr Tyr 290 295 300

Asp Gln Gly Val Glu Gln Met Thr Thr Asp Trp Arg Val Leu Asp Lys 305 310 315 320

Phe Val Ala Ser Gln Leu Ser Asn Asp Glu Glu Ala Ala Ala Val Val 325 330 335

Ser Ser Ser Ser His Gln Asn Asn Val Lys Ile Asp Thr Arg Asn Thr 340 345 350

Gly Tyr His Val Ile Asp Glu Gly Ile Asn Leu Pro Glu Asn Asp Ser 355 360 365

Glu Arg Val Val Glu Met Gly Glu Glu Tyr Ser Asn Ala His Ala Ala 370 375 375 375 380 380

Ser Thr Ser Ser Ser Cys Gln Ile Asp Leu 385

<210> 263 <211> 927 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(927) <223> G1782

<400> 263

的变形。 4.1 abb 3.5

atg caa gtg ttt caa agg aaa gaa gat tca tct tgg gga aac tca atg 48

Met Gln Val Phe Gln Arg Lys Glu Asp Ser Ser Trp Gly Asn Ser Met 1 5 10 15

cet aca aca aat tea aat att caa gga tet gaa tet tte age ttg act 96

Pro Thr Thr Asn Ser Asn Ile Gln Gly Ser Glu Ser Phe Ser Leu Thr 20 25 30

aag gat atg ata atg tct aca aca caa tta ccc gcg atg aaa cat tcg 144

Lys Asp Met Ile Met Ser Thr Thr Gln Leu Pro Ala Met Lys His Ser 35 40 45

ggt ttg cag ctg caa aat caa gat tca acc tca tca caa tct act gaa 192

Gly Leu Gln Leu Gln Asn Gln Asp Ser Thr Ser Ser Gln Ser Thr Glu
50 55 60

gaa gaa tca ggc ggc ggt gaa gtt gca agc ttt gga gaa tat aag cgt .

Glu Glu Ser Gly Gly Glu Val Ala Ser Phe Gly Glu Tyr Lys Arg
65 70 75 80

tat gga tgc agc att gtt aat aac aat ctc tca ggt tac atc gaa aac Tyr Gly Cys Ser Ile Val Asn Asn Leu Ser Gly Tyr Ile Glu Asn ttg gga aag oot att gaa aat tat act aag toa att act acc tog tog Leu Gly Lys Pro Ile Glu Asn Tyr Thr Lys Ser Ile Thr Thr Ser Ser 105 atg gtg tot caa gac tot gtg ttt cot got cot act tot ggt caa ata 384 Met Val Ser Gln Asp Ser Val Phe Pro Ala Pro Thr Ser Gly Gln Ile 115 tet tgg tet ett caa tgt get gaa acg tea eat tte aat ggt tte ttg Ser Trp Ser Leu Gln Cys Ala Glu Thr Ser His Phe Asn Gly Phe Leu 130 135 get cet gaa tat gea tea aca eea acg geg etg eea eat tta gag atg Ala Pro Glu Tyr Ala Ser Thr Pro Thr Ala Leu Pro His Leu Glu Met 145 150 160 atg ggt ttg gtt tct tca aga gtg cca ttg cct cat cac att caa gag Met Gly Leu Val Ser Ser Arg Val Pro Leu Pro His His Ile Gln Glu 165 170 9-3-384 of **175** Ag aat gaa cca ata ttt gtc aat gcg aaa cag tat cat gcg att ctc cgt 576 Asn Glu Pro Ile Phe Val Asn Ala Lys Gln Tyr His Ala Ile Leu Arg . 180 185 cgc agg aag cac cgt gct aaa ctc gaa gct cag aac aaa ctc atc aaa Arg Arg Lys His Arg Ala Lys Leu Glu Ala Gln Asn Lys Leu Ile Lys 195 200 tgc cgt aaa ccg tac ctt cat gag tct cgc cat ctt cat gct tta aag 672 Cys Arg Lys Pro Tyr Leu His Glu Ser Arg His Leu His Ala Leu Lys 210 215 aga gct aga ggc tcc ggt gga cgt ttc ctc aat aca aag aag ctt caa 720 Arg Ala Arg Gly Ser Gly Gly Arg Phe Leu Asn Thr Lys Lys Leu Gln 235 gaa tca tca aac tca ctg tgt tct tct caa atg gca aat gga caa aat 768 Glu Ser Ser Asn Ser Leu Cys Ser Ser Gln Met Ala Asn Gly Gln Asn 245 ttc tct atg agc cct cac ggt ggt gga agc gga atc ggg tct agt tcg Phe Ser Met Ser Pro His Gly Gly Gly Ser Gly Ile Gly Ser Ser Ser 260 265

atc tca ccg age tcc aat tca aac tgt atc aac atg ttc caa aac ccg 864

Ile Ser Pro Ser Ser Asn Ser Asn Cys Ile Asn Met Phe Gln Asn Pro 275 280 285

cag ttc aga ttc tca ggt tat ccg tca aca cac cat gcc tca gct ctc

Gln Phe Arg Phe Ser Gly Tyr Pro Ser Thr His His Ala Ser Ala Leu 290 295 300

atg tca ggg act tga

927

Met Ser Gly Thr

305

<210> 264 <211> 308 <212> PRT <213> Arabidopsis thaliana <400> 264

Met Gln Val Phe Gln Arg Lys Glu Asp Ser Ser Trp Gly Asn Ser Met

1 10 15

Pro Thr Thr Asn Ser Asn Ile Gln Gly Ser Glu Ser Phe Ser Leu Thr 20 25 30

Lys Asp Met Ile Met Ser Thr Thr Gln Leu Pro Ala Met Lys His Ser 35 40 45

Gly Leu Gln Leu Gln Asn Gln Asp Ser Thr Ser Ser Gln Ser Thr Glu 50 60

Glu Glu Ser Gly Gly Glu Val Ala Ser Phe Gly Glu Tyr Lys Arg 65 70 75 80

Tyr Gly Cys Ser Ile Val Asn Asn Asn Leu Ser Gly Tyr Ile Glu Asn 85 90 95

Leu Gly Lys Pro Ile Glu Asn Tyr Thr Lys Ser Ile Thr Thr Ser Ser 100 105 110

Met Val Ser Gln Asp Ser Val Phe Pro Ala Pro Thr Ser Gly Gln Ile 115 120 125

Ser Trp Ser Leu Gln Cys Ala Glu Thr Ser His Phe Asn Gly Phe Leu 130 135 140

Ala Pro Glu Tyr Ala Ser Thr Pro Thr Ala Leu Pro His Leu Glu Met 145 150 150 160

Met Gly Leu Val Ser Ser Arg Val Pro Leu Pro His His Ile Gln Glu 165 170 175

Asn Glu Pro Ile Phe Val Asn Ala Lys Gln Tyr His Ala Ile Leu Arg 180 185 190

Arg Arg Lys His Arg Ala Lys Leu Glu Ala Gln Asn Lys Leu Ile Lys 195 200 205

Cys Arg Lys Pro Tyr Leu His Glu Ser Arg His Leu His Ala Leu Lys 210 215 220

Arg Ala Arg Gly Ser Gly Gly Arg Phe Leu Asn Thr Lys Lys Leu Gln 225 230 235 240

Glu Ser Ser Asn Ser Leu Cys Ser Ser Gln Met Ala Asn Gly Gln Asn 245 250 255

Phe Ser Met Ser Pro His Gly Gly Gly Ser Gly Ile Gly Ser Ser Ser 260 265 270

Ile Ser Pro Ser Ser Asn Ser Asn Cys Ile Asn Met Phe Gln Asn Pro 275 280 285

Gln Phe Arg Phe Ser Gly Tyr Pro Ser Thr His His Ala Ser Ala Leu 290 295 300

Met Ser Gly Thr 305

<210> 265 <211> 450 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (27)..(422) <223> G1795

<400> 265

acaaacacgc aaaaagtcat taatat atg gat caa gga ggt cga ggt gtc ggt 53

Met Asp Gln Gly Gly Arg Gly Val Gly

gcc gag cat gga aag tac cgg gga gtt cgg aga cga cct tgg gga aaa

Ala Glu His Gly Lys Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Lys
10 15 20 25

tat gca gca gag ata cga gat tcg agg aag cac ggt gaa cgt gtg tgg

Tyr Ala Ala Glu Ile Arg Asp Ser Arg Lys His Gly Glu Arg Val Trp
30 35 40

ctt gga acg ttc gat acg gca gag gaa gcg gct aga gcc tat gac caa

Leu Gly Thr Phe Asp Thr Ala Glu Glu Ala Ala Arg Ala Tyr Asp Gln
45 50 55

get get tac tee atg aga gge caa gea gea ate ett aac tte eet eat 245 Ala Ala Tyr Ser Met Arg Gly Gln Ala Ala Ile Leu Asn Phe Pro His 60 - 65 gag tat aac atg ggg agt ggt gtc tct tct tcc acc gcc atg gct gga 293 Glu Tyr Asn Met Gly Ser Gly Val Ser Ser Ser Thr Ala Met Ala Gly 80 Ser Ser Ser Ala Ser Ala Ser Ala Ser Ser Ser Ser Arg Gln Val Phe 95 gaa ttt gag tac ttg gat gat agt gtt ttg gag gag ctc ctt gag gaa Glu Phe Glu Tyr Leu Asp Asp Ser Val Leu Glu Glu Leu Glu Glu ... 110 115 gga gag aaa cct aac aag ggc aag aag aaa tga gcgagatata attcatgatt 442 in the state of the committee of the Gly Glu Lys Pro Asn Lys Gly Lys Lys 125 Annual August 130 33.5 atttctaa in the second second 450 and the state was a r Tall So <210> 266 <211> 131 <212> PRT <213> Arabidopsis thaliana <400> Met Asp Gln Gly Gly Arg Gly Val Gly Ala Glu His Gly Lys Tyr Arg 10 15 Gly Val Arg Arg Arg Pro Trp Gly Lys Tyr Ala Ala Glu Ile Arg Asp 20 25 Ser Arg Lys His Gly Glu Arg Val Trp Leu Gly Thr Phe Asp Thr Ala 35 40 45 Glu Glu Ala Ala Arg Ala Tyr Asp Gln Ala Ala Tyr Ser Met Arg Gly 50 55 Gln Ala Ala Ile Leu Asn Phe Pro His Glu Tyr Asn Met Gly Ser Gly 70 75 Val Ser Ser Ser Thr Ala Met Ala Gly Ser Ser Ser Ala Ser Ala Ser 85 90 Ala Ser Ser Ser Arg Gln Val Phe Glu Phe Glu Tyr Leu Asp Asp 100 105

Ser Val Leu Glu Glu Leu Leu Glu Glu Glu Glu Lys Pro Asn Lys Gly 115 120 125

Lys Lys Lys 130

<210> 267 <211> 1716 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (169)..(1497) <223> G1804

<400> 267

tatetetete ttteteaaaa eettteagte aaaattetee ggeggetttt aaactatgtg

aaggaggaga acctccataa caagaagcgg attctctcag ttttccggcg gcggaggaac

acaaagccac cggtttttag acacacagat ttcattttca gttgttaa atg gta act

Met Val Thr

aga gaa acg aag ttg acg tca gag cga gaa gta gag tcg tcc atg gcg 225

Arg Glu Thr Lys Leu Thr Ser Glu Arg Glu Val Glu Ser Ser Met Ala 5 10 15

caa gcg aga cat aat gga gga ggt ggt ggg gag aat cat ccg ttt act 273

Gln Ala Arg His Asn Gly Gly Gly Gly Glu Asn His Pro Phe Thr 25 30 35

tet ttg gga aga caa tee tet ate tae tea ttg ace ett gae gag tte

Ser Leu Gly Arg Gln Ser Ser Ile Tyr Ser Leu Thr Leu Asp Glu Phe
40 45 50

caa cat gct tta tgt gag aac ggc aag aac ttt ggg tcc atg aac atg 369

Gln His Ala Leu Cys Glu Asn Gly Lys Asn Phe Gly Ser Met Asn Met 55 60 65

gac gag ttt ctt gtc tct att tgg aac gca gag gag aat aat aac aat 417

Asp Glu Phe Leu Val Ser Ile Trp Asn Ala Glu Glu Asn Asn Asn Asn 70 75 80

caa caa caa gca gca gct gca ggt tca cat tct gtt ccg gct aat

Gln Gln Ala Ala Ala Ala Gly Ser His Ser Val Pro Ala Asn 85 90 95

cac aat ggt ttc aac aac aat aac aat gga ggc gag ggt ggt gtt

His Asn Gly Phe Asn Asn Asn Asn Asn Asn Gly Gly Glu Gly Val 100 115 110 115

ggt gtc ttt agt ggt ggt tct aga ggc aac gaa gat gct aac aat aag

Gly Val Phe Ser Gly Gly Ser Arg Gly Asn Glu Asp Ala Asn Asn Lys

120 125 130 aga ggg ata gcg aac gag tot agt ott cot cga caa ggc tot ttg aca Arg Gly Ile Ala Asn Glu Ser Ser Leu Pro Arg Gln Gly Ser Leu Thr 135 ctt cca gct ccg ctt tgt agg aag act gtt gat gag gtt tgg tct gag Leu Pro Ala Pro Leu Cys Arg Lys Thr Val Asp Glu Val Trp Ser Glu 155 ata cat aga ggt ggt ggt agc ggt aat gga gga gac agc aat gga cgt. Ile His Arg Gly Gly Gly Ser Gly Asn Gly Gly Asp Ser Asn Gly Arg agt agt agt agt aat gga cag aac aat gct cag aac ggc ggt gag act Ser Ser Ser Asn Gly Gln Asn Asn Ala Gln Asn Gly Gly Glu Thr 185 gcg gct aga caa ccg act ttt gga gag atg aca ctt gag gat ttc ttg 801 Ala Ala Arg Gln Pro Thr Phe Gly Glu Met Thr Leu Glu Asp Phe Leu 200 205 gtg aag gct ggt gtg gtt aga gaa cat ccc act aat cct aaa cct aat 849 Val Lys Ala Gly Val Val Arg Glu His Pro Thr Asn Pro Lys Pro Asn 220 225 cca aac ccg aac caa aac caa aac ccg tct agt gta ata ccc gca gct 897. Pro Asn Pro Asn Gln Asn Gln Asn Pro Ser Ser Val Ile Pro Ala Ala gca cag caa cag ctt tat ggt gtg ttt caa gga acc ggt gat cct tca Ala Gln Gln Gln Leu Tyr Gly Val Phe Gln Gly Thr Gly Asp Pro Ser 245 250 ttc ccg ggt caa gct atg ggt gtg ggt gac cca tca ggt tat gct aaa 993 Phe Pro Gly Gln Ala Met Gly Val Gly Asp Pro Ser Gly Tyr Ala Lys 265 agg aca gga gga ggg tat cag cag gcg cca cca gtt cag gca ggt

agg aca gga gga ggg tat cag cag gcg cca cca gtt cag gca ggt 1041

Arg Thr Gly Gly Gly Gly Tyr Gln Gln Ala Pro Pro Val Gln Ala Gly 280

gtt tgc tat gga ggt ggc gtt ggg ttt gga gcg ggt gga cag caa atg 1089

Val Cys Tyr Gly Gly Gly Val Gly Phe Gly Ala Gly Gln Gln Met 295

300

305

gga atg gtt gga ccg tta agc ccg gtg tct tca gat gga tta gga cat 1137 Gly Met Val Gly Pro Leu Ser Pro Val Ser Ser Asp Gly Leu Gly His 310 315 320

gga caa gtg gat aac ata gga ggt cag tat gga gta gat atg gga ggg 1185

Gly Gln Val Asp Asn Ile Gly Gly Gln Tyr Gly Val Asp Met Gly Gly 325 330 335

cta agg gga agg aaa aga gta gtg gat ggt cca gtg gag aaa gta gtg 1233

Leu Arg Gly Arg Lys Arg Val Val Asp Gly Pro Val Glu Lys Val Val 340 345 350 355

gag aga aga cag agg atg atc aag aac cgc gag tet get aga 1281

Glu Arg Arg Gln Arg Arg Met Ile Lys Asn Arg Glu Ser Ala Ala Arg 360 365 370

tct aga gca aga aaa caa gca tat aca gtg gaa ttg gaa gct gaa ctt 1329

Ser Arg Ala Arg Lys Gln Ala Tyr Thr Val Glu Leu Glu Ala Glu Leu 375 380 385

aac cag ttg aaa gag aat gcg cag cta aaa cat gca ttg gcg gag 1377

Asn Gln Leu Lys Glu Glu Asn Ala Gln Leu Lys His Ala Leu Ala Glu 390 395 400

ttg gag agg aag agg aag caa cag tat ttt gag agt ttg aag tca agg 1425

Leu Glu Arg Lys Arg Lys Gln Gln Tyr Phe Glu Ser Leu Lys Ser Arg 405 410 415

gca caa ccg aaa ttg ccg aaa tcg aac ggg aga ttg cgg aca ttg atg 1473 Ala Gln Pro Lys Leu Pro Lys Ser Asn Gly Arg Leu Arg Thr Leu Met

agg aac ccg agt tgt cca ctc taa acaaacaata ggaagatgga gaagaagtcg

430

Arg Asn Pro Ser Cys Pro Leu 440

425

gagacagaac gagggaaaaa ctgatgattt tctacgttgt tgttttgtct ttgaggaatg . 1587

aggttataga atctttatac tttgatgttt tctgtgttgg taggaggaac accatctgat 1647

ctgctttact agtgttccct gtgaacaaag aaagtgattc tgtgtttcaa catcatcaat 1707

ctttggaaa 1716

<210> 268 <211> 442 <212> PRT <213> Arabidopsis thaliana <400>

Met Val Thr Arg Glu Thr Lys Leu Thr Ser Glu Arg Glu Val Glu Ser 1 5 10 15

Ser Met Ala Gln Ala Arg His Asn Gly Gly Gly Gly Glu Asn His 20 25 30

Pro Phe Thr Ser Leu Gly Arg Gln Ser Ser Ile Tyr Ser Leu Thr Leu 35 40 45

Asp Glu Phe Gln His Ala Leu Cys Glu Asn Gly Lys Asn Phe Gly Ser 50 55 60

Met Asn Met Asp Glu Phe Leu Val Ser Ile Trp Asn Ala Glu Glu Asn 65 70 75 80

Asn Asn Asn Gln Gln Gln Ala Ala Ala Ala Gly Ser His Ser Val 85 90 95

Pro Ala Asn His Asn Gly Phe Asn Asn Asn Asn Asn Gly Gly Glu

Gly Gly Val Gly Val Phe Ser Gly Gly Ser Arg Gly Asn Glu Asp Ala 115 120 125

Asn Asn Lys Arg Gly Ile Ala Asn Glu Ser Ser Leu Pro Arg Gln Gly 130 135 140

Ser Leu Thr Leu Pro Ala Pro Leu Cys Arg Lys Thr Val Asp Glu Val 145 150 155 160

Trp Ser Glu Ile His Arg Gly Gly Gly Ser Gly Asn Gly Gly Asp Ser 165 170 175

Asn Gly Arg Ser Ser Ser Ser Asn Gly Gln Asn Asn Ala Gln Asn Gly
180
185
190

Gly Glu Thr Ala Ala Arg Gln Pro Thr Phe Gly Glu Met Thr Leu Glu 195 200 205

Asp Phe Leu Val Lys Ala Gly Val Val Arg Glu His Pro Thr Asn Pro 210 215 220

Lys Pro Asn Pro Asn Pro Asn Gln Asn Gln Asn Pro Ser Ser Val Ile 225 230 235 240

Pro Ala Ala Ala Gln Gln Gln Leu Tyr Gly Val Phe Gln Gly Thr Gly
245 250 255

Asp Pro Ser Phe Pro Gly Gln Ala Met Gly Val Gly Asp Pro Ser Gly

260

270

Tyr Ala Lys Arg Thr Gly Gly Gly Gly Tyr Gln Gln Ala Pro Pro Val 275. 280 285

265

Gln Ala Gly Val Cys Tyr Gly Gly Gly Val Gly Phe Gly Ala Gly Gly 290 295 300

Gln Gln Met Gly Met Val Gly Pro Leu Ser Pro Val Ser Ser Asp Gly 305 310 315 320

Leu Gly His Gly Gln Val Asp Asn Ile Gly Gly Gln Tyr Gly Val Asp 325 335

Met Gly Gly Leu Arg Gly Arg Lys Arg Val Val Asp Gly Pro Val Glu 340 345 350

Lys Val Val Glu Arg Arg Gln Arg Arg Met Ile Lys Asn Arg Glu Ser 355 360 365

Ala Ala Arg Ser Arg Ala Arg Lys Gln Ala Tyr Thr Val Glu Leu Glu 370 380

Ala Glu Leu Asn Gln Leu Lys Glu Glu Asn Ala Gln Leu Lys His Ala 385 390 395 400

Leu Ala Glu Leu Glu Arg Lys Arg Lys Gln Gln Tyr Phe Glu Ser Leu
405 410 415

Lys Ser Arg Ala Gln Pro Lys Leu Pro Lys Ser Asn Gly Arg Leu Arg 420 425 430

Thr Leu Met Arg Asn Pro Ser Cys Pro Leu 435 440

<210> 269 <211> 1662 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1662) <223> G1807

<400> 269

atg ggt gat aca gag aag tgt aac agt gat atg atc cag aga ctt cat

Met Gly Asp Thr Glu Lys Cys Asn Ser Asp Met Ile Gln Arg Leu His 1 5 10 15

tca tot ttc ggc act act tot tot toc att ccc aaa aat ccc att tct 96

Ser Ser Phe Gly Thr Thr Ser Ser Ser Ile Pro Lys Asn Pro Ile Ser 20 25 30

cag ctc gat tta aac cct aat ttc atc cgc tca tca gct cct caa ttc Gln Leu Asp Leu Asn Pro Asn Phe Ile Arg Ser Ser Ala Pro Gln Phe tcc aag cct ttc agt gac agt ggc aaa cga atc ggt gtt cct ccg tcg Ser Lys Pro Phe Ser Asp Ser Gly Lys Arg Ile Gly Val Pro Pro Ser cac ccc aac tta atc cca ccg act tct ccg ttt tct cag atc ccg acc His Pro Asn Leu Ile Pro Pro Thr Ser Pro Phe Ser Gln Ile Pro Thr acc cga caa ccc ggt tcg cat aat ttt aac ccg gga gga gct aat cat 288 Thr Arg Gln Pro Gly Ser His Asn Phe Asn Pro Gly Gly Ala Asn His tca cgg tca atg tca cag ccc aac tct ttc ttc tct ttt gac tcc tta Ser Arg Ser Met Ser Gln Pro Asn Ser Phe Phe Ser Phe Asp Ser Leu 100 105 cct ccg tta agc cct tct ccg ttt cga gat cac gat gtt tca atg gag Pro Pro Leu Ser Pro Ser Pro Phe Arg Asp His Asp Val Ser Met Glu 120 115 gat aga gat too ggc gtg ttt aac agc aac cat tog ttg cot coa tog Asp Arg Asp Ser Gly Val Phe Asn Ser Asn His Ser Leu Pro Pro Ser 135 ccg ttc acg agg tgt aat tcg acc tct tct agc tcc ttg aga gtc ggt 480 .: Pro Phe Thr Arg Cys Asn Ser Thr Ser Ser Ser Leu Arg Val Gly . 150 145 155 160 gag agt tta cct ccg aga aag tct cat aga cgc tcc aac agt gat atc Glu Ser Leu Pro Pro Arg Lys Ser His Arg Arg Ser Asn Ser Asp Ile 170 ccc agt ggg ttt aat tcg atg cct ttg atc cct ccg aga cca ttg gag 576 Pro Ser Gly Phe Asn Ser Met Pro Leu Ile Pro Pro Arg Pro Leu Glu 180 agg tot tit tot ggt ggg gag tgt got gat tgg toa aag tot aat oot 624 Arg Ser Phe Ser Gly Gly Glu Cys Ala Asp Trp Ser Lys Ser Asn Pro 200 ttt gtg aag aag gaa tcg agc tgc gaa agg gaa ggt gtc gga gag aga Phe Val Lys Lys Glu Ser Ser Cys Glu Arg Glu Gly Val Gly Glu Arg 220

gaa gct atg gat gat ctc ttc tca gca tat atg aat ctt gaa aac att Glu Ala Met Asp Asp Leu Phe Ser Ala Tyr Met Asn Leu Glu Asn Ile 230 225 gat gtg ttg aac tcc tct gaa gct gat gat agc aag aac ggt aat gag 768 Asp Val Leu Asn Ser Ser Glu Ala Asp Asp Ser Lys Asn Gly Asn Glu 250 245 aat agg gat gat atg gag agc agc aga gca agc ggg acc aag act aac Asn Arg Asp Asp Met Glu Ser Ser Arg Ala Ser Gly Thr Lys Thr Asn 260 ggt agt gat acg gaa gga gag agc agc agt gtc aat gag agt gcc aat Gly Ser Asp Thr Glu Gly Glu Ser Ser Ser Val Asn Glu Ser Ala Asn 280 aat aat atg aat tot tot ggt gaa aag aga gag agc gtg aag aga aga Asn Asn Met Asn Ser Ser Gly Glu Lys Arg Glu Ser Val Lys Arg Arg 300 295 290 gcg gct gga gga gat att gct cct acc acc aga cat tac agg agt gtt 960 Ala Ala Gly Gly Asp Ile Ala Pro Thr Thr Arg His Tyr Arg Ser Val 315 310 305 tca gtg gac agt tgt ttc atg gag aag ttg tct ttt ggt gat gaa tct Ser Val Asp Ser Cys Phe Met Glu Lys Leu Ser Phe Gly Asp Glu Ser 1008 325 cta aag ccg cct cct tct cct gga tct atg tca agg aaa gtt tcc cct 1056 Leu Lys Pro Pro Pro Ser Pro Gly Ser Met Ser Arg Lys Val Ser Pro 350 345 340 acc aat tog gtt gat ggg aac tog ggt gct gct ttt agc atc gag ttc 1104 Thr Asn Ser Val Asp Gly Asn Ser Gly Ala Ala Phe Ser Ile Glu Phe 365 355 360 aat aac ggt gag ttt act gca gcg gaa atg aag aag atc atg gca aat Asn Asn Gly Glu Phe Thr Ala Ala Glu Met Lys Lys Ile Met Ala Asn 375 370 gat aaa cta gca gag atg gcc atg tct gac cct aaa cgt gtc aaa agg Asp Lys Leu Ala Glu Met Ala Met Ser Asp Pro Lys Arg Val Lys Arg 395 390 aat gat cet ett tte aga ate tta geg aac egt caa tee gea gea egg Asn Asp Pro Leu Phe Arg Ile Leu Ala Asn Arg Gln Ser Ala Ala Arg 410 405

tca aag gag agg aag atg cgg tac ata gta gaa ttg gaa cac aaa gtg 1296 Ser Lys Glu Arg Lys Met Arg Tyr Ile Val Glu Leu Glu His Lys Val 420 425 430

cag act ctt cag acc gag gct acc aca ttg tct gct cag ctc aca ctt 1344

Gln Thr Leu Gln Thr Glu Ala Thr Thr Leu Ser Ala Gln Leu Thr Leu 435 440 445

ttg cag cgc gat atg atg ggg ttg aca aat cag aac aat gag ctt aag 1392

Leu Gln Arg Asp Met Met Gly Leu Thr Asn Gln Asn Asn Glu Leu Lys 450 455 460

ttc cgg ctt caa gca atg gag caa caa gcg cgt ctt cgc gat gct ctg 1440

Phe Arg Leu Gln Ala Met Glu Gln Gln Ala Arg Leu Arg Asp Ala Leu 465 470 475 480

aac gaa gca ctg aat gga gaa gtc cag cga ctg aaa ctg gca atc ggt

Asn Glu Ala Leu Asn Gly Glu Val Gln Arg Leu Lys Leu Ala Ile Gly 485 490 495

gag agc agt cag aac gaa tca gag aga tca aag atg caa tca ctc aac 1536
Glu Ser Ser Gln Asn Glu Ser Glu Arg Ser Lys Met Gln Ser Leu Asn 500 505

gct gag atg ttc cag caa ctc aac atc agc cag tta aga cag cca 1584

Ala Glu Met Phe Gln Gln Leu Asn Ile Ser Gln Leu Arg Gln Gln Pro 515 520 525

atg gca aca aaa tot gaa toa aat gaa tag 1662

Met Ala Thr Lys Ser Glu Ser Asn Glu 545 550

<210> 270 <211> 553 <212> PRT <213> Arabidopsis thaliana <400> 270

Commander of the second of the

2 400 6 6

Met Gly Asp Thr Glu Lys Cys Asn Ser Asp Met Ile Gln Arg Leu His 1 5 10 15

Ser Ser Phe Gly Thr Thr Ser Ser Ser Ile Pro Lys Asn Pro Ile Ser 20 25 30

Gln Leu Asp Leu Asn Pro Asn Phe Ile Arg Ser Ser Ala Pro Gln Phe
35 40 45

Ser Lys Pro Phe Ser Asp Ser Gly Lys Arg Ile Gly Val Pro Pro Ser 50 55 60

- His Pro Asn Leu Ile Pro Pro Thr Ser Pro Phe Ser Gln Ile Pro Thr 65 70 75 80
- Thr Arg Gln Pro Gly Ser His Asn Phe Asn Pro Gly Gly Ala Asn His 85 90 95
- Ser Arg Ser Met Ser Gln Pro Asn Ser Phe Phe Ser Phe Asp Ser Leu
  100 105 110
- Pro Pro Leu Ser Pro Ser Pro Phe Arg Asp His Asp Val Ser Met Glu 115 120 125
- Asp Arg Asp Ser Gly Val Phe Asn Ser Asn His Ser Leu Pro Pro Ser 130 135 140
- Pro Phe Thr Arg Cys Asn Ser Thr Ser Ser Ser Ser Leu Arg Val Gly 145
- Glu Ser Leu Pro Pro Arg Lys Ser His Arg Arg Ser Asn Ser Asp Ile 165 170 175
- Pro Ser Gly Phe Asn Ser Met Pro Leu Ile Pro Pro Arg Pro Leu Glu 180 185 190
- Arg Ser Phe Ser Gly Gly Glu Cys Ala Asp Trp Ser Lys Ser Asn Pro 195 200 205
- Phe Val Lys Lys Glu Ser Ser Cys Glu Arg Glu Gly Val Gly Glu Arg 210 215 220
- Glu Ala Met Asp Asp Leu Phe Ser Ala Tyr Met Asn Leu Glu Asn Ile 225 230 235 240
- Asp Val Leu Asn Ser Ser Glu Ala Asp Asp Ser Lys Asn Gly Asn Glu 245 250 255
- Asn Arg Asp Asp Met Glu Ser Ser Arg Ala Ser Gly Thr Lys Thr Asn 260 265 270
- Gly Ser Asp Thr Glu Gly Glu Ser Ser Ser Val Asn Glu Ser Ala Asn 275 280 285
- Asn Asn Met Asn Ser Ser Gly Glu Lys Arg Glu Ser Val Lys Arg Arg

290 295 300

Ala Ala Gly Gly Asp Ile Ala Pro Thr Thr Arg His Tyr Arg Ser Val 305 310 315 320

Ser Val Asp Ser Cys Phe Met Glu Lys Leu Ser Phe Gly Asp Glu Ser 325 330 335

Leu Lys Pro Pro Pro Ser Pro Gly Ser Met Ser Arg Lys Val Ser Pro 340 345 350

Thr Asn Ser Val Asp Gly Asn Ser Gly Ala Ala Phe Ser Ile Glu Phe 355 360 365

Asn Asn Gly Glu Phe Thr Ala Ala Glu Met Lys Lys Ile Met Ala Asn 370 875 380

Asp Lys Leu Ala Glu Met Ala Met Ser Asp Pro Lys Arg Val Lys Arg 385 390 395 400

Asn Asp Pro Leu Phe Arg Ile Leu Ala Asn Arg Gln Ser Ala Ala Arg
405 410 415

Ser Lys Glu Arg Lys Met Arg Tyr Ile Val Glu Leu Glu His Lys Val 420 425 430

Gln Thr Leu Gln Thr Glu Ala Thr Thr Leu Ser Ala Gln Leu Thr Leu 435 440 445

Leu Gln Arg Asp Met Met Gly Leu Thr Asn Gln Asn Asn Glu Leu Lys 450 455 460

Phe Arg Leu Gln Ala Met Glu Gln Gln Ala Arg Leu Arg Asp Ala Leu 465 470 475 480

Asn Glu Ala Leu Asn Gly Glu Val Gln Arg Leu Lys Leu Ala Ile Gly 485 490 495

Glu Ser Ser Gln Asn Glu Ser Glu Arg Ser Lys Met Gln Ser Leu Asn 500 505 510

Ala Glu Met Phe Gln Gln Leu Asn Ile Ser Gln Leu Arg Gln Gln Pro 515 520 525

Gln Gln Met Gln Gln Gln Ser His Gln Gln Asn His Gln Asn Gly Thr 530 540

Met Ala Thr Lys Ser Glu Ser Asn Glu 545 550

<210> 271 <211> 969 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(969) <223> G1835

<400> 271

atg att gga aca age tte eec gag gat ett gat tgt gge aac tte ttt 48

Met Ile Gly Thr Ser Phe Pro Glu Asp Leu Asp Cys Gly Asn Phe Phe 1 5 10 15

gac aac atg gat gat ctc atg gac ttt ccc ggt gga gat atc gat gtc 96

Asp Asn Met Asp Asp Leu Met Asp Phe Pro Gly Gly Asp Ile Asp Val 20 25 30

ggt ttc ggc ata ggt gac tcc gac tct ttc cct acc atc tgg acc act 144

Gly Phe Gly Ile Gly Asp Ser Asp Ser Phe Pro Thr Ile Trp Thr Thr 35 40 45

cat cac gac acg tgg cct gcc gct tct gat cct ctc ttc tct tcc aac 192

His His Asp Thr Trp Pro Ala Ala Ser Asp Pro Leu Phe Ser Ser Asn 50 55 60

acc aac tot gat toa toa cot gag oto tat gtt cog ttt gag gac att 240

Thr Asn Ser Asp Ser Ser Pro Glu Leu Tyr Val Pro Phe Glu Asp Ile 65 70 75 80

gtt aag gtg gaa aga cet eea age ttt gta gag gaa aca ttg gtt gag 288

Val Lys Val Glu Arg Pro Pro Ser Phe Val Glu Glu Thr Leu Val Glu 85 90 95

aag aag gaa gat tcg ttt tcg aca aac act gat tca tca tct tct cat 336

Lys Lys Glu Asp Ser Phe Ser Thr Asn Thr Asp Ser Ser Ser His
100 105 110

age caa tte agg age tea agt eea gtg teg gtt ete gag age age tee 384

Ser Gln Phe Arg Ser Ser Ser Pro Val Ser Val Leu Glu Ser Ser Ser 115 120 125

tcc tcg tct caa acc acc acc acc tcc ctt gtt ctc cct gga aag 432

Ser Ser Ser Gln Thr Thr Asn Thr Thr Ser Leu Val Leu Pro Gly Lys 130 135 140

cac ggt cgt cca cgc aca aaa cgc cct cgt cca cct gtc cag gat aaa 480

His Gly Arg Pro Arg Thr Lys Arg Pro Arg Pro Pro Val Gln Asp Lys 145 150 155 160

gat aga gtc aaa gac aat gtg tgc ggt ggt gac tcg cgc ctc atc att Asp Arg Val Lys Asp Asn Val Cys Gly Gly Asp Ser Arg Leu Ile Ile 165 170 aga ata ccg aaa cag ttt ctc tct gat cac aac aag atg atc aac aag 576 Arg Ile Pro Lys Gln Phe Leu Ser Asp His Asn Lys Met Ile Asn Lys 180 185 aag aag aag aag gcc aag att act tct tcc tct tct tcg tcc ggg Lys Lys Lys Lys Ala Lys Ile Thr Ser Ser Ser Ser Ser Gly 195 att gat ctt gaa gtc aat gga aac aac gtc gat tcg tat tct tca gag 672 Ile Asp Leu Glu Val Asn Gly Asn Asn Val Asp Ser Tyr Ser Ser Glu 210 215 220 caa tat ccg ctt agg aaa tgt atg cac tgt gag gtc acc aag act cca Gln Tyr Pro Leu Arg Lys Cys Met His Cys Glu Val Thr Lys Thr Pro 230 235 cag tgg agg ctt ggt cca atg ggt cca aag aca ctt tgc aat gcg tgc Gln Trp Arg Leu Gly Pro Met Gly Pro Lys Thr Leu Cys Asn Ala Cys 250 255 245 ggt gta cgt tac aaa tca ggg agg ctt ttc ccg gag tac cgt cca gct Gly Val Arg Tyr Lys Ser Gly Arg Leu Phe Pro Glu Tyr Arg Pro Ala 260 265 270 get agt cea aca ttt act eea get ett eac tea aac tea cac aag aaa 864 Street for the grant of the second of the se Ala Ser Pro Thr Phe Thr Pro Ala Leu His Ser Asn Ser His Lys Lys 275 280 285 gtg gct gaa atg aga aac aag aga tgc agt gat ggt agc tac ata acc 912 Val Ala Glu Met Arg Asn Lys Arg Cys Ser Asp Gly Ser Tyr Ile Thr 295 300 gaa gag aat gat ctg caa ggg ctg att ccg aac aat gcc tac att ggc Glu Glu Asn Asp Leu Gln Gly Leu Ile Pro Asn Asn Ala Tyr Ile Gly 310 315 320 gta gac taa 969 Val Asp

<210> 272 <211> 322 <212> PRT <213> Arabidopsis thaliana <400> 272

Met Ile Gly Thr Ser Phe Pro Glu Asp Leu Asp Cys Gly Asn Phe Phe 1 5 10 15

Asp Asn Met Asp Asp Leu Met Asp Phe Pro Gly Gly Asp Ile Asp Val 20 25 30

- Gly Phe Gly Ile Gly Asp Ser Asp Ser Phe Pro Thr Ile Trp Thr Thr 35 40 45
- His Asp Thr Trp Pro Ala Ala Ser Asp Pro Leu Phe Ser Ser Asn 50 55 60
- Thr Asn Ser Asp Ser Ser Pro Glu Leu Tyr Val Pro Phe Glu Asp Ile 65 70 75 80
- Val Lys Val Glu Arg Pro Pro Ser Phe Val Glu Glu Thr Leu Val Glu 85 90 95
- Lys Lys Glu Asp Ser Phe Ser Thr Asn Thr Asp Ser Ser Ser Ser His
  100 105 110
- Ser Gln Phe Arg Ser Ser Ser Pro Val Ser Val Leu Glu Ser Ser Ser 115 120 125
- Ser Ser Ser Gln Thr Thr Asn Thr Thr Ser Leu Val Leu Pro Gly Lys 130 135 140
- His Gly Arg Pro Arg Thr Lys Arg Pro Arg Pro Pro Val Gln Asp Lys 145 150 155 160
- Asp Arg Val Lys Asp Asn Val Cys Gly Gly Asp Ser Arg Leu Ile Ile 165 170 175
- Arg Ile Pro Lys Gln Phe Leu Ser Asp His Asn Lys Met Ile Asn Lys 180 185 190
- Lys Lys Lys Lys Lys Ala Lys Ile Thr Ser Ser Ser Ser Ser Gly
  195 200 205
- Ile Asp Leu Glu Val Asn Gly Asn Asn Val Asp Ser Tyr Ser Ser Glu 210 215 220
- Gln Tyr Pro Leu Arg Lys Cys Met His Cys Glu Val Thr Lys Thr Pro 225 230 235 240
- Gln Trp Arg Leu Gly Pro Met Gly Pro Lys Thr Leu Cys Asn Ala Cys 245 250 255

Gly Val Arg Tyr Lys Ser Gly Arg Leu Phe Pro Glu Tyr Arg Pro Ala 260 265 270

Ala Ser Pro Thr Phe Thr Pro Ala Leu His Ser Asn Ser His Lys Lys 275 280 285

Val Ala Glu Met Arg Asn Lys Arg Cys Ser Asp Gly Ser Tyr Ile Thr 290 295 300

Glu Glu Asn Asp Leu Gln Gly Leu Ile Pro Asn Asn Ala Tyr Ile Gly 305 310 315 320

Val Asp

<210> 273 <211> 668 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (47)..(610) <223> G1836

<400> 273

ataacaagce tagaacacta gaaacttcaa aaaagaaaaa aatctt atg gag aac 55

Met Glu Asn

aac aac ggc aac aac cag ctg cca ccg aaa ggt aac gag caa ctg aag 103

Asn Asn Gly Asn Asn Gln Leu Pro Pro Lys Gly Asn Glu Gln Leu Lys 5 10 15

agt ttc tgg tca aaa gag atg gaa ggt aac tta gat ttc aaa aat cac

Ser Phe Trp Ser Lys Glu Met Glu Gly Asn Leu Asp Phe Lys Asn His 20 25 30 35

gac ctt cct ata act cgt atc aag aag att atg aag tat gat ccg gat 199

Asp Leu Pro Ile Thr Arg Ile Lys Lys Ile Met Lys Tyr Asp Pro Asp 40 45 50

gtg act atg ata gct agt gag gct cca atc ctc ctc tcg aaa gca tgt 247

Val Thr Met Ile Ala Ser Glu Ala Pro Ile Leu Leu Ser Lys Ala Cys
55 60 65

gag atg ttt atc atg gat ctc acg atg cgt tcg tgg ctc cat gct cag 295

Glu Met Phe Ile Met Asp Leu Thr Met Arg Ser Trp Leu His Ala Gln
70 75 80

gaa agc aaa cga gtc acg cta cag aaa tct aat gtc gat gcc gca gtg 343

Glu Ser Lys Arg Val Thr Leu Gln Lys Ser Asn Val Asp Ala Ala Val 85 90 95

gct caa act gtt atc ttt gat ttc ttg ctt gat gat gac att gag gta 391

Ala Gln Thr Val Ile Phe Asp Phe Leu Leu Asp Asp Asp Ile Glu Val 100 105 110 115

aag aga gag tot gtt goc goc got got gat oot gtg goc atg coa oot.

Lys Arg Glu Ser Val Ala Ala Ala Ala Asp Pro Val Ala Met Pro Pro 120 125 130

att gac gat gga gag ctg cct cca gga atg gta att gga act cct gtt 487

Ile Asp Asp Gly Glu Leu Pro Pro Gly Met Val Ile Gly Thr Pro Val 135 140 145

tgt tgt agt ctt gga atc cac caa cca caa cca caa atg cag gca tgg 535

Cys Cys Ser Leu Gly Ile His Gln Pro Gln Pro Gln Met Gln Ala Trp
150 155 160

cct gga gct tgg acc tcg gtg tct ggt gag gag gaa gaa gcg cgt ggg 583

Pro Gly Ala Trp Thr Ser Val Ser Gly Glu Glu Glu Glu Ala Arg Gly

aaa aaa gga ggt gac gac gga aac taa taagtggaat acgttttagg 630

Lys Lys Gly Gly Asp Asp Gly Asn 180 185

gtattttcaa gggaatatgt agtaaatagt catggatc

<210> 274 <211> 187 <212> PRT <213> Arabidopsis thaliana <400> 274

Met Glu Asn Asn Asn Gly Asn Asn Gln Leu Pro Pro Lys Gly Asn Glu

1 10 15

Gln Leu Lys Ser Phe Trp Ser Lys Glu Met Glu Gly Asn Leu Asp Phe 20 25 30

Lys Asn His Asp Leu Pro Ile Thr Arg Ile Lys Lys Ile Met Lys Tyr 35 40 45

Asp Pro Asp Val Thr Met Ile Ala Ser Glu Ala Pro Ile Leu Leu Ser 50 55 60

Lys Ala Cys Glu Met Phe Ile Met Asp Leu Thr Met Arg Ser Trp Leu 65 70 75 80

His Ala Gln Glu Ser Lys Arg Val Thr Leu Gln Lys Ser Asn Val Asp 85 90 95

Ala Ala Val Ala Gln Thr Val Ile Phe Asp Phe Leu Leu Asp Asp Asp 100 105 110

Ile Glu Val Lys Arg Glu Ser Val Ala Ala Ala Ala Asp Pro Val Ala 115 120 125

Met Pro Pro Ile Asp Asp Gly Glu Leu Pro Pro Gly Met Val Ile Gly 130 135 140

Thr Pro Val Cys Cys Ser Leu Gly Ile His Gln Pro Gln Pro Gln Met 145 150 155 160

Gln Ala Trp Pro Gly Ala Trp Thr Ser Val Ser Gly Glu Glu Glu 165 170 175

Ala Arg Gly Lys Lys Gly Gly Asp Asp Gly Asn 180 185

<210> 275 <211> 897 <212> DNA <213> Arabidopsis thaliana <220>
<221>:: CDS 0<222> Ar(1)...(897) 1<223> 0 G1900

<400> 275

atg ctg gaa act aaa gat cct gcg ata aag ctc ttt ggt atg aaa att 48

Met Leu Glu Thr Lys Asp Pro Ala Ile Lys Leu Phe Gly Met Lys Ile 1 5 10 15

cet tte eeg acg gtt tta gag gtt get gat gaa gaa gaa gaa aag aac 96

Pro Phe Pro Thr Val Leu Glu Val Ala Asp Glu Glu Glu Glu Lys Asn 20 25 30

caa aac aag aca tta act gat caa tcg gag aaa gac aaa acc cta aag 144

Gln Asn Lys Thr Leu Thr Asp Gln Ser Glu Lys Asp Lys Thr Leu Lys 35 40 45

aaa cca acc aag att ctt cca tgt cca aga tgc aac agc atg gag act 192

Lys Pro Thr Lys Ile Leu Pro Cys Pro Arg Cys Asn Ser Met Glu Thr

aag tto tgt tac tac aac tac aac gta aac caa cot cgc cat ttt

Lys Phe Cys Tyr Tyr Asn Asn Tyr Asn Val Asn Gln Pro Arg His Phe 65 70 75 80

tgt aaa gct tgt cag aga tat tgg acc tca ggt ggg acc atg aga agt 288

Cys Lys Ala Cys Gln Arg Tyr Trp Thr Ser Gly Gly Thr Met Arg Ser 85 90 95

Val Pro Ile Gly Ala Gly Arg Arg Lys Asn Lys Asn Asn Ser Pro Thr

100 105 110

toa cat tac cac cat gtg act atc tcc gaa aca aat ggt ccg gtc ctt 384

Ser His Tyr His His Val Thr Ile Ser Glu Thr Asn Gly Pro Val Leu 115 120 125

agt ttc agc ctc gga gat gat caa aag gtc tcg agt aat agg ttt ggt 432

Ser Phe Ser Leu Gly Asp Asp Gln Lys Val Ser Ser Asn Arg Phe Gly 130 135 140

aat caa aag cta gtt gct agg ata gag aac aat gac gag cgc tct aat 480

Asn Gln Lys Leu Val Ala Arg Ile Glu Asn Asn Asp Glu Arg Ser Asn 145 150 155 160

aac aac act tog aac ggt ttg aat tgt ttt cog gga gtt tog tgg cog 528

Asn Asn Thr Ser Asn Gly Leu Asn Cys Phe Pro Gly Val Ser Trp Pro 165 170 175

tac acg tgg aat cct gcg ttt tac ccg gtt tac cct tat tgg agc atg

Tyr Thr Trp Asn Pro Ala Phe Tyr Pro Val Tyr Pro Tyr Trp Ser Met 180 185 190

cca gtg ttg tct tct ccg gta agt tca agt cct act tct act ctt ggt 624

Pro Val Leu Ser Ser Pro Val Ser Ser Ser Pro Thr Ser Thr Leu Gly 195 200 205

aag cat tcg aga gac gaa gac gag acg gtg aag caa aaa cag agg aat 672

Lys His Ser Arg Asp Glu Asp Glu Thr Val Lys Gln Lys Gln Arg Asn 210 215 220

gga tct gta ttg gtt cca aag act ttg aga att gat gat cct aat gaa 720

Gly Ser Val Leu Val Pro Lys Thr Leu Arg Ile Asp Asp Pro Asn Glu 225 230 235 240

gct gca aag agt tcg ata tgg aca aca ctt ggg atc aag aac gaa gtt 768

Ala Ala Lys Ser Ser Ile Trp Thr Thr Leu Gly Ile Lys Asn Glu Val 245 250 255

atg ttc aat ggg ttt ggt tcg aag aaa gag gtt aag ctc agt aac aaa 816

Met Phe Asn Gly Phe Gly Ser Lys Lys Glu Val Lys Leu Ser Asn Lys 260 265 270

gaa gaa aca gag acc tca ctt gtt ctt tgt gca aac cct gct gcg tta 864

Glu Glu Thr Glu Thr Ser Leu Val Leu Cys Ala Asn Pro Ala Ala Leu 275 280 285

tca aga tca atc aat ttc cat gag cag atg tga

Ser Arg Ser Ile Asn Phe His Glu Gln Met
290 295

<210> 276 <211> 298 <212> PRT <213> Arabidopsis thaliana <400> 276

- Met Leu Glu Thr Lys Asp Pro Ala Ile Lys Leu Phe Gly Met Lys Ile
  1 5 10 15
- Pro Phe Pro Thr Val Leu Glu Val Ala Asp Glu Glu Glu Glu Lys Asn 20 25 30
- Gln Asn Lys Thr Leu Thr Asp Gln Ser Glu Lys Asp Lys Thr Leu Lys 35 40 45
- Lys Pro Thr Lys Ile Leu Pro Cys Pro Arg Cys Asn Ser Met Glu Thr 50 55 60
- Lys Phe Cys Tyr Tyr Asn Asn Tyr Asn Val Asn Gln Pro Arg His Phe 65 70 75 80
- Cys Lys Ala Cys Gln Arg Tyr Trp Thr Ser Gly Gly Thr Met Arg Ser 85 90 95
- Val Pro Ile Gly Ala Gly Arg Arg Lys Asn Lys Asn Asn Ser Pro Thr 100 105 110
- Ser His Tyr His His Val Thr Ile Ser Glu Thr Asn Gly Pro Val Leu 115 120 125
- Ser Phe Ser Leu Gly Asp Asp Gln Lys Val Ser Ser Asn Arg Phe Gly 130 135 140
- Asn Gln Lys Leu Val Ala Arg Ile Glu Asn Asn Asp Glu Arg Ser Asn 145 150 155 160
- Asn Asn Thr Ser Asn Gly Leu Asn Cys Phe Pro Gly Val Ser Trp Pro 165 170 175
- Tyr Thr Trp Asn Pro Ala Phe Tyr Pro Val Tyr Pro Tyr Trp Ser Met 180 185 190
- Pro Val Leu Ser Ser Pro Val Ser Ser Ser Pro Thr Ser Thr Leu Gly 195 200 205
- Lys His Ser Arg Asp Glu Asp Glu Thr Val Lys Gln Lys Gln Arg Asn 210 215 220

Gly Ser Val Leu Val Pro Lys Thr Leu Arg Ile Asp Asp Pro Asn Glu 225 230 235 240

Ala Ala Lys Ser Ser Ile Trp Thr Thr Leu Gly Ile Lys Asn Glu Val 245 250 255

Met Phe Asn Gly Phe Gly Ser Lys Lys Glu Val Lys Leu Ser Asn Lys 260 265 270

Glu Glu Thr Glu Thr Ser Leu Val Leu Cys Ala Asn Pro Ala Ala Leu 275 280 285

Ser Arg Ser Ile Asn Phe His Glu Gln Met 290 295

<210> 277 <211> 1200 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1200) <223> G1903

<400> 277

atg tct aaa tct aga gat acg gag ata aag ttg ttt ggg agg aca atc

Met Ser Lys Ser Arg Asp Thr Glu Ile Lys Leu Phe Gly Arg Thr Ile

1 10 15

aca tct ctt tta gat gtg aat tgt tat gat ccg tcg tcg ttg tcc cct 96

Thr Ser Leu Leu Asp Val Asn Cys Tyr Asp Pro Ser Ser Leu Ser Pro 20 25 30

gtt cac gat gtt tet tet gat cca age aag gag gat teg tet tet tet 144

Val His Asp Val Ser Ser Asp Pro Ser Lys Glu Asp Ser Ser Ser Ser 35 40 45

tca tct tct tgt tct cca act att gga cca atc agg gtt ccg gtt aaa 192

Ser Ser Ser Cys Ser Pro Thr Ile Gly Pro Ile Arg Val Pro Val Lys
50 60

aaa agt gag caa gag agt aac aaa ttc aaa gat cca tat ata tta tcc 240

Lys Ser Glu Gln Glu Ser Asn Lys Phe Lys Asp Pro Tyr Ile Leu Ser 65 70 75 80

gat cta aac gaa cca cca aaa gca gta tct gag att tca tca cca aga 288

Asp Leu Asn Glu Pro Pro Lys Ala Val Ser Glu Ile Ser Ser Pro Arg 85 90 95

agt tcc aag aac aac tgt gat caa cag agc gag atc aca aca act 336

Ser Ser Lys Asn Asn Cys Asp Gln Gln Ser Glu Ile Thr Thr Thr 100 105 110

acc aca agt act aca toa gga gag aaa toa acg gct ctc aag aaa ccg 384

Thr Thr Ser Thr Thr Ser Gly Glu Lys Ser Thr Ala Leu Lys Lys Pro 120 gac aag ctt att cca tgt cct aga tgt gaa agc gca aac acc aaa ttc 432 Asp Lys Leu Ile Pro Cys Pro Arg Cys Glu Ser Ala Asn Thr Lys Phe tigt tat tac aac aac tac aac gtg aac cag cca cgt tac ttc tgc agg Cys Tyr Tyr Asn Asn Tyr Asn Val Asn Gln Pro Arg Tyr Phe Cys Arg aac tgt cag agg tat tgg aca gct ggt gga tct atg agg aac gtt cct Asn Cys Gln Arg Tyr Trp Thr Ala Gly Gly Ser Met Arg Asn Val Pro gtt ggc tca ggt cgt cgc aag aac aaa gga tgg cct tct tca aac cat 576 Val Gly Ser Gly Arg Arg Lys Asn Lys Gly Trp Pro Ser Ser Asn His 180 185 tac ttg caa gtc act tct gag gat tgt gat aat aac tcg ggg acg Tyr Leu Gln Val Thr Ser Glu Asp Cys Asp Asn Asn Asn Ser Gly Thr 200 atc ctt agt ttc ggt tct tcg gag tct tcg gtt aca gag act ggt aag Ile Leu Ser Phe Gly Ser Ser Glu Ser Ser Val Thr Glu Thr Gly Lys 215 210 220 cat cag tca ggt gat aca gca aag ata agt gct gat tca gtt tct caa His Gln Ser Gly Asp Thr Ala Lys Ile Ser Ala Asp Ser Val Ser Gln 230 235 gaa aat aaa agc tac caa ggg ttt ctt cct ccg caa gta atg tta cct Glu Asn Lys Ser Tyr Gln Gly Phe Leu Pro Pro Gln Val Met Leu Pro 245 250 aat aat tot tot cot tgg cot tac caa tgg agt coa acg ggt cot aac Asn Asn Ser Ser Pro Trp Pro Tyr Gln Trp Ser Pro Thr Gly Pro Asn 260 gct agt ttc tac cct gtc ccc ttc tac tgg gga tgc acg gtt ccg ata 864 Ala Ser Phe Tyr Pro Val Pro Phe Tyr Trp Gly Cys Thr Val Pro Ile tac cct acc tca gag act tca tca tgt tta gga aaa cgg tca aga gat Tyr Pro Thr Ser Glu Thr Ser Ser Cys Leu Gly Lys Arg Ser Arg Asp 295 caa act gaa gga aga atc aat gat act aat aca aca ata act aca Gln Thr Glu Gly Arg Ile Asn Asp Thr Asn Thr Thr Ile Thr Thr

305 310 320

aga gca aga ttg gtc tca gaa tct ctt aga atg aat atc gaa gct agt 1008

Arg Ala Arg Leu Val Ser Glu Ser Leu Arg Met Asn Ile Glu Ala Ser 325 330 335

aag agc gct gtg tgg tct aag tta ccg aca aaa ccc gag aaa aa<br/>a acg 1056

Lys Ser Ala Val Trp Ser Lys Leu Pro Thr Lys Pro Glu Lys Lys Thr 340 345 350

caa gga ttc agt ttg ttc aat gga ttt gac aca aag gga aac agc aac 1104

Gln Gly Phe Ser Leu Phe Asn Gly Phe Asp Thr Lys Gly Asn Ser Asn 355 360 365

aga agt agc ttg gtc tcc gaa act tct cac agt cta caa gca aac cct 1152

Arg Ser Ser Leu Val·Ser Glu Thr Ser His Ser Leu Gln Ala Asn Pro 370 375 380

gca gcg atg tct aga gct atg aac ttc agg gag agc atg caa caa taa 1200

Ala Ala Met Ser Arg Ala Met Asn Phe Arg Glu Ser Met Gln Gln 385 390 395

<210> 278 <211> 399 <212> PRT <213> Arabidopsis thaliana <400> 278

Met Ser Lys Ser Arg Asp Thr Glu Ile Lys Leu Phe Gly Arg Thr Ile 1 5 10 15

Thr Ser Leu Leu Asp Val Asn Cys Tyr Asp Pro Ser Ser Leu Ser Pro 20 25 30

Val His Asp Val Ser Ser Asp Pro Ser Lys Glu Asp Ser Ser Ser Ser 35 40 45

Ser Ser Ser Cys Ser Pro Thr Ile Gly Pro Ile Arg Val Pro Val Lys
50 60

Lys Ser Glu Gln Glu Ser Asn Lys Phe Lys Asp Pro Tyr Ile Leu Ser 65 70 75 80

Asp Leu Asn Glu Pro Pro Lys Ala Val Ser Glu Ile Ser Ser Pro Arg

Ser Ser Lys Asn Asn Cys Asp Gln Gln Ser Glu Ile Thr Thr Thr 100 105 110

Thr Thr Ser Thr Thr Ser Gly Glu Lys Ser Thr Ala Leu Lys Lys Pro 115 120 125

Asp Lys Leu Ile Pro Cys Pro Arg Cys Glu Ser Ala Asn Thr Lys Phe 130 135 140

Cys Tyr Tyr Asn Asn Tyr Asn Val Asn Gln Pro Arg Tyr Phe Cys Arg 145 150 155 160

Asn Cys Gln Arg Tyr Trp Thr Ala Gly Gly Ser Met Arg Asn Val Pro 165 170 175

Val Gly Ser Gly Arg Arg Lys Asn Lys Gly Trp Pro Ser Ser Asn His 180 185 190

Tyr Leu Gln Val Thr Ser Glu Asp Cys Asp Asn Asn Asn Ser Gly Thr 195 200 205

Ile Leu Ser Phe Gly Ser Ser Glu Ser Ser Val Thr Glu Thr Gly Lys 210 215 220

His Gln Ser Gly Asp Thr Ala Lys Ile Ser Ala Asp Ser Val Ser Gln 225 230 235 240

Glu Asn Lys Ser Tyr Gln Gly Phe Leu Pro Pro Gln Val Met Leu Pro 245 250 255

Asn Asn Ser Ser Pro Trp Pro Tyr Gln Trp Ser Pro Thr Gly Pro Asn 260 265 270

Ala Ser Phe Tyr Pro Val Pro Phe Tyr Trp Gly Cys Thr Val Pro Ile 275 280 285

Tyr Pro Thr Ser Glu Thr Ser Ser Cys Leu Gly Lys Arg Ser Arg Asp 290 295 300

Gln Thr Glu Gly Arg Ile Asn Asp Thr Asn Thr Thr Ile Thr Thr 305 310 315 320

Arg Ala Arg Leu Val Ser Glu Ser Leu Arg Met Asn Ile Glu Ala Ser 325 330 335

Lys Ser Ala Val Trp Ser Lys Leu Pro Thr Lys Pro Glu Lys Lys Thr 340 345 350

Gln Gly Phe Ser Leu Phe Asn Gly Phe Asp Thr Lys Gly Asn Ser Asn 355 360 365

PCT/US01/26189 WO 02/15675

Arg Ser Ser Leu Val Ser Glu Thr Ser His Ser Leu Gln Ala Asn Pro 375 370

Ala Ala Met Ser Arg Ala Met Asn Phe Arg Glu Ser Met Gln Gln 395 390 385

279 <211> 883 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (42)..(764) <223> G1950

<400> 279

ctgaattcga actttggaag aagaagaagc tttgatcaat c atg gaa att gca acc 56

Met Glu Ile Ala Thr

gat aca gca aag cag atg aga gac gaa gag ttg ttc aaa gca gcg gaa 104

Asp Thr Ala Lys Gln Met Arg Asp Glu Glu Leu Phe Lys Ala Ala Glu 10

tgg gga gat tca tcg ttg ttc atg tca tta tct gaa gaa cag ctc tct 152

Trp Gly Asp Ser Ser Leu Phe Met Ser Leu Ser Glu Glu Gln Leu Ser

aaa tot oto aat tto aga aac gaa gat ggt ogo tot oto oto cat gto 200

Lys Ser Leu Asn Phe Arg Asn Glu Asp Gly Arg Ser Leu Leu His Val 40

gct gct tcc ttc ggc cat tct caa ata gtg aag ttg tta tca agt tca

Ala Ala Ser Phe Gly His Ser Gln Ile Val Lys Leu Leu Ser Ser Ser 60

gat gaa gca aag act gta atc aat agc aag gat gat gaa gga tgg gct 296

Asp Glu Ala Lys Thr Val Ile Asn Ser Lys Asp Asp Glu Gly Trp Ala 70

cet ttg cat tcc gct gct agc atc ggt aat gct gag ctc gtt gag gtg

Pro Leu His Ser Ala Ala Ser Ile Gly Asn Ala Glu Leu Val Glu Val

ctt ttg acc aga ggt gct gat gtc aat gcc aaa aat aac ggt ggt cgc 392

Leu Leu Thr Arg Gly Ala Asp Val Asn Ala Lys Asn Asn Gly Gly Arg 115 105

act gct ctt cac tat gct gct agc aaa ggc cgg ttg gag att gct cag 440

Thr Ala Leu His Tyr Ala Ala Ser Lys Gly Arg Leu Glu Ile Ala Gln 120

ctt tta tta aca cac ggt gca aag att aac atc aca gac aag gtt ggt 488

Leu Leu Leu Thr His Gly Ala Lys Ile Asn Ile Thr Asp Lys Val Gly

135 140 145

tgc act ccg ctt cac agg gca gca agc gtg gga aag tta gaa gtt tgt 536

Cys Thr Pro Leu His Arg Ala Ala Ser Val Gly Lys Leu Glu Val Cys 150 165 160 165

gaa ttt ctt att gaa gaa gga gca gag atc gat gct acg gat aaa atg

Glu Phe Leu Ile Glu Glu Gly Ala Glu Ile Asp Ala Thr Asp Lys Met 170 175 180

ggt caa act gca ctc atg cat tca gtt atc tgc gat gac aaa cag gtt 632

Gly Gln Thr Ala Leu Met His Ser Val Ile Cys Asp Asp Lys Gln Val 185 190 195

gcg ttc ctg ctt ata aga cat ggt gca gat gtg gat gta gaa gac aag 680

Ala Phe Leu Leu Ile Arg His Gly Ala Asp Val Asp Val Glu Asp Lys 200 205 210

gaa ggc tac act gtt cta ggc cga gct acc aat gaa ttc cga cct gca 728

Glu Gly Tyr Thr Val Leu Gly Arg Ala Thr Asn Glu Phe Arg Pro Ala

ctt atc gat gct gct aag gcc atg ctt gaa gga taa aatgactctg
774

Leu Ile Asp Ala Ala Lys Ala Met Leu Glu Gly 230 235 240

gattacttta aaacttacta actotgagag ttgtttagtt acttaaaagg atttttcttt 834

actgtatcat gtttgcaaaa tgtttctgcc ttatcaattc atgttctgt. 883

<210> 280 <211> 240 <212> PRT <213> Arabidopsis thaliana <400> 280

Phe Lys Ala Ala Glu Trp Gly Asp Ser Ser Leu Phe Met Ser Leu Ser 20 25 30

Glu Glu Gln Leu Ser Lys Ser Leu Asn Phe Arg Asn Glu Asp Gly Arg
35 40 45

Ser Leu Leu His Val Ala Ala Ser Phe Gly His Ser Gln Ile Val Lys 50 55 60

Leu Leu Ser Ser Ser Asp Glu Ala Lys Thr Val Ile Asn Ser Lys Asp 65 70 75 80

Asp Glu Gly Trp Ala Pro Leu His Ser Ala Ala Ser Ile Gly Asn Ala 85 90 95

- Glu Leu Val Glu Val Leu Leu Thr Arg Gly Ala Asp Val Asn Ala Lys 100 105 110
- Asn Asn Gly Gly Arg Thr Ala Leu His Tyr Ala Ala Ser Lys Gly Arg 115 120 125
- Leu Glu Ile Ala Gln Leu Leu Thr His Gly Ala Lys Ile Asn Ile 130 135 140
- Thr Asp Lys Val Gly Cys Thr Pro Leu His Arg Ala Ala Ser Val Gly 145 150 155 160
- Lys Leu Glu Val Cys Glu Phe Leu Ile Glu Glu Gly Ala Glu Ile Asp 165 170 175
- Ala Thr Asp Lys Met Gly Gln Thr Ala Leu Met His Ser Val Ile Cys 180 185 190
- Asp Asp Lys Gln Val Ala Phe Leu Leu Ile Arg His Gly Ala Asp Val 195 200 205
- Asp Val Glu Asp Lys Glu Gly Tyr Thr Val Leu Gly Arg Ala Thr Asn 210 215 220
- Glu Phe Arg Pro Ala Leu Ile Asp Ala Ala Lys Ala Met Leu Glu Gly 225 230 235 240
- <210> 281 <211> 1444 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (107)..(1336) <223> G1958

<400> 281
gtaccgtcga ccgattatcc ccaagaggag aatcctcata atcattttct ccgattcgat
60

tegtetteet tegteetegga ttgetteatg aatttetagg acaaca atg gag get 115

Met Glu Ala

cgt cca gtt cat aga tca ggt tcg aga gac ctc aca cgc act tct tca

163

Arg Pro Val His Arg Ser Gly Ser Arg Asp Leu Thr Arg Thr Ser Ser

atc cca tct aca caa aaa cct tca cca gta gaa gat agt ttc atg aga 211 Ile Pro Ser Thr Gln Lys Pro Ser Pro Val Glu Asp Ser Phe Met Arg

20,					25		-			30					35
tca 259	gat	aac	aac	agt	cag	tta	atg	tct	aga	cca	tta	gga	caa	acc	tac
	Asp	Asn	Asn	Ser 40	Gln	Leu	Met	Ser	Arg 45	Pro	Leu	Gly	Gln	Thr 50	Tyr
cat	tta	ctt	tca	tct	agt	aac	ggt	gga	gct	gtt	gga	cat	ata	tgt	tct
	Leu	Leu	Ser 55	Ser	Ser	Asn.	Gly	Gly 60	Ala	Val	Gly	His	Ile 65	Cys	Ser
tct 355	tca	tca	tçt	ggt	ttt	gca	acc	aat	ctc	cat	tac	tca	act	atg	gta
Ser	Ser	Ser 70	Ser	Gly	Phe	Ala	Thr 75	Asn	Leu	His	Tyr	Ser 80	Thr	Met	Val
tct 403	cat	gag	aaa	caa	caa	cac	tac	aca	gga	agc	agc	agt	aat	aat	gct
Ser	His 85	Glu	Lys	Gln	Gln	His 90	Tyr	Thr	Gly	Ser	Ser 95	Ser	Asn	Asn	Ala
gtg 451	cag	aca	cca	agc	aạc	aac	gat	ägt	gct 	tgg	tgt	cat	gat	tca	ttg
Val 100	Gln	Thr	Pro	Ser	Asn 105	Asn	Asp	Ser	Ala	Trp 110	Суз	His	Asp	Ser	Leu 115
cca 499	gga	ggg	ttt	ctt	gac	ttc	cat	gaa	acc	aac	ccg	gcg	att	caa	aac
Pro	Gly	Gly	Phe	Leu 120	Asp	Phe	His	Glu	Thr 125	Asn	Pro	Ala	Ile		Asn
aac 547	tgt	cag	att	gag	gat	ggt	ggc	att	gcg	gct	gct	ttt	gat	gac	att
Asn	Cys	Gln	Ile 135	Glu	Asp	Gly	Gly	Ile 140	Ala	Ala	Ala	Phe	Asp 145	Asp	Ile
595				gat	. '	1.	•	•					<i>.</i>	1.50	
Gln '	-	Arg 150	Ser	Asp	Trp	His	Glu 155	Trp	Ala	Asp	His	Leu 160	Ile	Thr	Asp
643 <sup>.</sup>	5.1.	٠,		atg		:	•		3 .	- t				7, 1	
Asp	Asp 165	Pro	Leu	Met	Ser	Thr 170	Asn	Trp	Asn	Asp	Leu 175	Leu	Leu	Glu	Thr
691				gat				_						•	
Asn 180	Ser	Asn	Ser	Asp	Ser 185	Lys	Asp	Gln	Lys	Thr 190	Leu	Gln	Ile	Pro	Glr 195
cct 739	çag	att	gtt	cag	cag	caa	cct	tct	ccg	tct	gtg	gaa	ttg	cga	cct
Pro	Gln	Ile	Val	Gln 200	Gln	Gln	Pro	Ser	Pro 205	Ser	Val	Glu	Leu	Arg 210	Pro
787				tct		100	-							-	_
Val	Ser	Thr	Thr 215	Ser	Ser	Asn	Ser	Asn 220		Gly	Thr	Gly	Lys 225	Ala	Arç

atg cgt tgg acg cca gag ctt cac gag gct ttt gtt gag gct gtc aac 835 Met Arg Trp Thr Pro Glu Leu His Glu Ala Phe Val Glu Ala Val Asn 235 agt ctt ggc ggt agt gaa aga gct act cct aaa ggg gta ctg aag att Ser Leu Gly Gly Ser Glu Arg Ala Thr Pro Lys Gly Val Leu Lys Ile atg aaa gtt gaa ggc ttg act ata tat cat gtt aaa agc cat tta cag Met Lys Val Glu Gly Leu Thr Ile Tyr His Val Lys Ser His Leu Gln aaa tat agg aca gct aga tat cgg cca gaa cca tca gaa act ggt tcg 979 Lys Tyr Arg Thr Ala Arg Tyr Arg Pro Glu Pro Ser Glu Thr Gly Ser 280 285 290 cca gaa agg aag ttg aca ccg ctt gaa cat ata aca tct ctt gat ttg 1027 Pro Glu Arg Lys Leu Thr Pro Leu Glu His Ile Thr Ser Leu Asp Leu 295 300 aaa ggt ggg ata ggt att aca gag gct cta cga ctt cag atg gaa gta 1075 Lys Gly Gly Ile Gly Ile Thr Glu Ala Leu Arg Leu Gln Met Glu Val 310 cag aag caa ctc cat gag cag ctc gag att caa aga aac ctg caa ctc 1123 Gln Lys Gln Leu His Glu Gln Leu Glu Ile Gln Arg Asn Leu Gln Leu 325 330 335 cga ata gaa gaa caa ggc aag tac ctg caa atg atg ttc gag aag caa 1171 Arg Ile Glu Glu Gln Gly Lys Tyr Leu Gln Met Met Phe Glu Lys Gln 340 345 350 aac tot ggt ott acc aaa ggg aca gcc toa aca toa gat toc gca gcc Asn Ser Gly Leu Thr Lys Gly Thr Ala Ser Thr Ser Asp Ser Ala Ala 365 370 360 aaa tot gaa caa gaa gac aag aag act got gat tog aag gag gtt coa 1267 Lys Ser Glu Glu Asp Lys Lys Thr Ala Asp Ser Lys Glu Val Pro 375 380 gaa gaa gaa acc agg aaa tgt gag gaa cta gaa tct cca cag cca aag Glu Glu Glu Thr Arg Lys Cys Glu Glu Leu Glu Ser Pro Gln Pro Lys 390 395 cgt ccc aaa atc gat aat tga aagtattggt cttttgctgg ataatctcgg 1366 Arg Pro Lys Ile Asp Asn 405

agtttcagag ttaacagtga tagagagaac gagctcttat cttgaggttc ttcaggactt 1426

ctctcgcggc cgctctag

<210> 282 <211> 409 <212> PRT <213> Arabidopsis thaliana <400> 282

Met Glu Ala Arg Pro Val His Arg Ser Gly Ser Arg Asp Leu Thr Arg 1 5 10 15

Thr Ser Ser Ile Pro Ser Thr Gln Lys Pro Ser Pro Val Glu Asp Ser . 20 25 30

Phe Met Arg Ser Asp Asn Asn Ser Gln Leu Met Ser Arg Pro Leu Gly
35 40 45

Gln Thr Tyr His Leu Leu Ser Ser Ser Asn Gly Gly Ala Val Gly His 50 55 60

Ile Cys Ser Ser Ser Ser Ser Gly Phe Ala Thr Asn Leu His Tyr Ser 65 70 75 80

Thr Met Val Ser His Glu Lys Gln Gln His Tyr Thr Gly Ser Ser Ser 85 90 95

Asn Asn Ala Val Gln Thr Pro Ser Asn Asn Asp Ser Ala Trp Cys His 100 105 110

Asp Ser Leu Pro Gly Gly Phe Leu Asp Phe His Glu Thr Asn Pro Ala

Ile Gln Asn Asn Cys Gln Ile Glu Asp Gly Gly Ile Ala Ala Ala Phe 130 135 140

Asp Asp Ile Gln Lys Arg Ser Asp Trp His Glu Trp Ala Asp His Leu 145 150 155 160

Ile Thr Asp Asp Asp Pro Leu Met Ser Thr Asn Trp Asn Asp Leu Leu 165 170 175

Leu Glu Thr Asn Ser Asn Ser Asp Ser Lys Asp Gln Lys Thr Leu Gln
180 185 190

Ile Pro Gln Pro Gln Ile Val Gln Gln Gln Pro Ser Pro Ser Val Glu 195 200 205

Leu Arg Pro Val Ser Thr Thr Ser Ser Asn Ser Asn Asn Gly Thr Gly 210 215 220

- Lys Ala Arg Met Arg Trp Thr Pro Glu Leu His Glu Ala Phe Val Glu 225 230 235 240
- Ala Val Asn Ser Leu Gly Gly Ser Glu Arg Ala Thr Pro Lys Gly Val 245 250 250
- Leu Lys Ile Met Lys Val Glu Gly Leu Thr Ile Tyr His Val Lys Ser 260 265 270
- His Leu Gln Lys Tyr Arg Thr Ala Arg Tyr Arg Pro Glu Pro Ser Glu 275 280 285
- Thr Gly Ser Pro Glu Arg Lys Leu Thr Pro Leu Glu His Ile Thr Ser 290 295 300
- Leu Asp Leu Lys Gly Gly Ile Gly Ile Thr Glu Ala Leu Arg Leu Gln 305 310 315 320
- Met Glu Val Gln Lys Gln Leu His Glu Gln Leu Glu Ile Gln Arg Asn 325 330 335
- Leu Gln Leu Arg Ile Glu Glu Gln Gly Lys Tyr Leu Gln Met Met Phe 340 345 350
- Glu Lys Gln Asn Ser Gly Leu Thr Lys Gly Thr Ala Ser Thr Ser Asp 355 360 365
- Ser Ala Ala Lys Ser Glu Gln Glu Asp Lys Lys Thr Ala Asp Ser Lys 370 375 380
- Glu Val Pro Glu Glu Glu Thr Arg Lys Cys Glu Glu Leu Glu Ser Pro 385 390 395 400
- Gln Pro Lys Arg Pro Lys Ile Asp Asn 405
- <210> 283 <211> 1120 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (87)..(923) <223> G2124
- <400> 283
  gaacagcaaa accctagatt tcctgttcaa gctcaagacc gtacaaaact ttggaactca
  60

tatataaaga totogagaat agcatt atg aat atc gtc tot tgg aaa gat gca 113

Met Asn Ile Val Ser Trp Lys Asp Ala 1 5

aac gac gaa gtt gca ggc ggc gct acg aca aga cgt gaa aga gaa gta 161

Asn Asp Glu Val Ala Gly Gly Ala Thr Thr Arg Arg Glu Arg Glu Val 10 25

aaa gag gat caa gaa gaa acc gaa gtc aga gcc acc agt ggc aaa acc 209

Lys Glu Asp Gln Glu Glu Thr Glu Val Arg Ala Thr Ser Gly Lys Thr 30 35 40

gta att aaa aag cag cct aca tcg atc tct tct tct tct tct tcg tgg 257

Val Ile Lys Lys Gln Pro Thr Ser Ile Ser Ser Ser Ser Ser Trp
45 50 55

atg aaa too aag gat oog agg att gtt agg gtt toa ogo goo ttt gga 305

Met Lys Ser Lys Asp Pro Arg Ile Val Arg Val Ser Arg Ala Phe Gly
60 65 70

ggc aaa gac cgt cac agc aaa gtg tgt acg tta cgt gga cta cgt gac 353

Gly Lys Asp Arg His Ser Lys Val Cys Thr Leu Arg Gly Leu Arg Asp
75 80 85

aga cgc gtg aga tta tca gtc cca acg gct att cag ctc tac gat ctt

Arg Arg Val Arg Leu Ser Val Pro Thr Ala Ile Gln Leu Tyr Asp Leu 90 95 100 105

caa gaa cgg ctc ggt gtt gac cag cct agc aaa gcc gtt gac tgg ttg

Gln Glu Arg Leu Gly Val Asp Gln Pro Ser Lys Ala Val Asp Trp Leu 110 115 120

ctt gat gca gct aaa gag gag atc gac gag cta cct ccg tta cct atc 497

Leu Asp Ala Ala Lys Glu Glu Ile Asp Glu Leu Pro Pro Leu Pro Ile 125 130 135

tcg ccg gaa aat ttc agc atc ttc aac cat cat cag tcc ttc ttg aat 545

Ser Pro Glu Asn Phe Ser Ile Phe Asn His His Gln Ser Phe Leu Asn 140 145 150

ctt ggt caa cgg ccc ggt caa gat ccg acc caa ctc ggg ttt aaa atc 593

Leu Gly Gln Arg Pro Gly Gln Asp Pro Thr Gln Leu Gly Phe Lys Ile 155 160 165

aat gga tgt gta caa aag tot act act agc cgc gaa gaa aac gat

Asn Gly Cys Val Gln Lys Ser Thr Thr Thr Ser Arg Glu Glu Asn Asp 170 175 180 185

aga gag aaa gga gaa aac gat gtc gtt tac aca aac aat cat cat gtt Arg Glu Lys Gly Glu Asn Asp Val Val Tyr Thr Asn Asn His His Val ggg tet tat gga act tat cac aac etg gaa cat cat cat cat cat cac 737 Gly Ser Tyr Gly Thr Tyr His Asn Leu Glu His His His His His His 210 caa cat ttg agt tta cag gca gat tat cat agt cat caa cta cat agt Gln His Leu Ser Leu Gln Ala Asp Tyr His Ser His Gln Leu His Ser ctt gtc cca ttt cca tca caa att ttg gta tgt cca atg acg aca tca 833 Leu Val Pro Phe Pro Ser Gln Ile Leu Val Cys Pro Met Thr Thr Ser 245 240 cca aca act aca act ata caa tot ttg ttt cca tca tca tcg tca gct Security of the State of Pro Thr Thr Thr Ile Gln Ser Leu Phe Pro Ser Ser Ser Ser Ala 260 265 255 ggt toa ggg act atg gag aca tta gat ccg agg caa atg tag  $(-e^{i\phi} - e^{i\phi} - e^{i\phi} - e^{i\phi} + e^{i\phi} - e^{i\phi} - e^{i\phi} - e^{i\phi} + e^{i\phi} - e^{i\phi} )$ 923 Gly Ser Gly Thr Met Glu Thr Leu Asp Pro Arg Gln Met 275 270 caacaatggt ggtagagaca ttgataatcg gatgtcgtcg gtccaattca accgaactaa \$ 100 miles tagcactaca acggctaaca tgtcgaggca tctaggctcg gagcgttgta caagtagagg aagtgatcac catatgtgaa gttagattat tgaaacgata taattgttgt ttgatgtgtt cagaaataag gggacac 1120 <<210> 284 <211> 278 <212> PRT <213> Arabidopsis thaliana <400> 284 Met Asn Ile Val Ser Trp Lys Asp Ala Asn Asp Glu Val Ala Gly Gly 10 Ala Thr Thr Arg Arg Glu Arg Glu Val Lys Glu Asp Gln Glu Glu Thr 25 Glu Val Arg Ala Thr Ser Gly Lys Thr Val Ile Lys Lys Gln Pro Thr 45 40

Ser Ile Ser Ser Ser Ser Ser Trp Met Lys Ser Lys Asp Pro Arg

55

50

Ile Val Arg Val Ser Arg Ala Phe Gly Gly Lys Asp Arg His Ser Lys 65 70 75 80

Val Cys Thr Leu Arg Gly Leu Arg Asp Arg Arg Val Arg Leu Ser Val 85 90 95

Pro Thr Ala Ile Gln Leu Tyr Asp Leu Gln Glu Arg Leu Gly Val Asp 100 105 110

Gln Pro Ser Lys Ala Val Asp Trp Leu Leu Asp Ala Ala Lys Glu Glu 115 120 125

Ile Asp Glu Leu Pro Pro Leu Pro Ile Ser Pro Glu Asn Phe Ser Ile 130 135 140

Phe Asn His His Gln Ser Phe Leu Asn Leu Gly Gln Arg Pro Gly Gln 145 150 150 155 155 160

Asp Pro Thr Gln Leu Gly Phe Lys Ile Asn Gly Cys Val Gln Lys Ser 165 170 175

Thr Thr Ser Arg Glu Glu Asn Asp Arg Glu Lys Gly Glu Asn Asp 180 185 190

Val Val Tyr Thr Asn Asn His His Val Gly Ser Tyr Gly Thr Tyr His
195 200 205

Asn Leu Glu His His His His His His Gln His Leu Ser Leu Gln Ala 210 215 220

Asp Tyr His Ser His Gln Leu His Ser Leu Val Pro Phe Pro Ser Gln 225 230 235 240

Ile Leu Val Cys Pro Met Thr Thr Ser Pro Thr Thr Thr Ile Gln
245 250 255

Ser Leu Phe Pro Ser Ser Ser Ser Ala Gly Ser Gly Thr Met Glu Thr 260 265 270

Leu Asp Pro Arg Gln Met 275

<210> 285 <211> 1024 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (89)..(784) <223> G2143

<400> 285

tettettett eetecatace ttateteace agetteteea tateteteaa agaaaaaaca 60

aaccctataa attccacaaa aaaggagg atg gat aac tcc gac att cta atg 112

Met Asp Asn Ser Asp Ile Leu Met
1 5

aac atg atg atg cag cag atg gag aag ctt cct gaa cac ttc tct aac

Asn Met Met Met Gln Gln Met Glu Lys Leu Pro Glu His Phe Ser Asn 10 15 20

tca aac cct aac cct aat ccc cat aac att atg atg ctt tct gaa tcc 208

Ser Asn Pro Asn Pro Asn Pro His Asn Ile Met Met Leu Ser Glu Ser 25 30 35 40

aac acc cac ccg ttc ttc ttc aac ccc act cat tct cat ctc cca ttt 256

Asn Thr His Pro Phe Phe Phe Asn Pro Thr His Ser His Leu Pro Phe 45 50 55

gac caa acc atg cct cac cac caa ccc ggt tta aat ttc cgg tac gcc 304 met aata

Asp Gln Thr Met Pro His His Gln Pro Gly Leu Asn Phe Arg Tyr Ala 60 65 70

ccc tcc ccg tca tca tct ctc ccg gag aag aga gga ggc tgc agc gac 352

Pro Ser Pro Ser Ser Ser Leu Pro Glu Lys Arg Gly Gly Cys Ser Asp 75 80 85

aac gcc aac atg gcg gcg atg aga gag atg atc ttt cga ata gcc gtg

Asn Ala Asn Met Ala Ala Met Arg Glu Met Ile Phe Arg Ile Ala Val 90 95 100

atg cag cct ata cat att gat ccg gaa tcc gta aag cca cca aag aga 448

Met Gln Pro Ile His Ile Asp Pro Glu Ser Val Lys Pro Pro Lys Arg 105 110 115 120

aag aac gtg agg atc tct aag gat cca cag agc gtg gca gct cgg cat 496

Lys Asn Val Arg Ile Ser Lys Asp Pro Gln Ser Val Ala Ala Arg His 125 130 135

cga agg gag agg ata agc gag cgg att cgg att ctt cag cgg ctt gtt

Arg Arg Glu Arg Ile Ser Glu Arg Ile Arg Ile Leu Gln Arg Leu Val 140 145 150

ccc ggt ggg act aag atg gat acg gcg tcg atg ctc gat gag gct atc 592

Pro Gly Gly Thr Lys Met Asp Thr Ala Ser Met Leu Asp Glu Ala Ile
155 160 165

cat tac gtt aag ttt ctc aag aag caa gtg cag tcg ctg gag gaa cat 640

His Tyr Val Lys Phe Leu Lys Lys Gln Val Gln Ser Leu Glu Glu His

170 175 180

gcg gtg gtt aac ggc gga gga atg acg gcg gtg gcc gga gga gca ctt 688

Ala Val Val Asn Gly Gly Gly Met Thr Ala Val Ala Gly Gly Ala Leu 185 190 195 200

gcg ggt act gtt ggt gga gga tat gga gga aaa ggg tgt ggc att atg 736

Ala Gly Thr Val Gly Gly Gly Tyr Gly Gly Lys Gly Cys Gly Ile Met 205 210 215

cgg tct gat cat cac cag atg ctt gga aat gca cag att ctt aga tga 784

Arg Ser Asp His His Gln Met Leu Gly Asn Ala Gln Ile Leu Arg 220 225 230

tgatgatgtt gatttttaaa tatatatcat atgtttatta atatgacggg aaaaaatatt 844

atcgagggag ttgaatttag tatcatgaaa ctatgagagc attttttta aatgttttta 904

tctttccggg tttcgataat gtttgggatg gttaattaac aatttaaaag tcagacaact 964

tggttgtaaa gactaaagaa taagcatagt ttatcaattt atcattacta aatgaaatag 1024

<210> 286 <211> 231 <212> PRT <213> Arabidopsis thaliana <400> 286

Met Asp Asn Ser Asp Ile Leu Met Asn Met Met Met Gln Gln Met Glu

1 10 15

Lys Leu Pro Glu His Phe Ser Asn Ser Asn Pro Asn Pro Asn Pro His 20 25 30

Asn Ile Met Met Leu Ser Glu Ser Asn Thr His Pro Phe Phe Asn 35 40 45

Pro Thr His Ser His Leu Pro Phe Asp Gln Thr Met Pro His His Gln 50 55 60

Pro Gly Leu Asn Phe Arg Tyr Ala Pro Ser Pro Ser Ser Ser Leu Pro 65 70 75 80

Glu Lys Arg Gly Cys Ser Asp Asn Ala Asn Met Ala Ala Met Arg 85 90 95

Glu Met Ile Phe Arg Ile Ala Val Met Gln Pro Ile His Ile Asp Pro 100 105 110

Glu Ser Val Lys Pro Pro Lys Arg Lys Asn Val Arg Ile Ser Lys Asp 115 120 125

Pro Gln Ser Val Ala Ala Arg His Arg Arg Glu Arg Ile Ser Glu Arg 130 135 140

Ile Arg Ile Leu Gln Arg Leu Val Pro Gly Gly Thr Lys Met Asp Thr 145 150 155 160

Ala Ser Met Leu Asp Glu Ala Ile His Tyr Val Lys Phe Leu Lys Lys 165 170 175

Gln Val Gln Ser Leu Glu Glu His Ala Val Val Asn Gly Gly Met 180 185 190

Thr Ala Val Ala Gly Gly Ala Leu Ala Gly Thr Val Gly Gly Gly Tyr 195 200 205

Gly Gly Lys Gly Cys Gly Ile Met Arg Ser Asp His His Gln Met Leu 210 220

Gly Asn Ala Gln Ile Leu Arg 225 230

<210> 287 <211> 1000 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (143)..(934) <223> G2509

<400> 287

atatattccc tettteatte teettetteg tettttettt gttteteata tteaagacat 60

cctcaattcc aaatcttaaa ccctaaattt acagacacaa tcgagatcac ctgaaaaaag 120

aggtttaaag attttagcaa ag atg gcg aat tca gga aat tat gga aag agg 172

Met Ala Asn Ser Gly Asn Tyr Gly Lys Arg
1 5 10

Committee to the second of the committee of

ccc ttt cga ggc gat gaa tcg gat gaa aag aaa gaa gcc gat gat gat 220

Pro Phe Arg Gly Asp Glu Ser Asp Glu Lys Lys Glu Ala Asp Asp Asp 15 20 25

gag aac ata tto cot tto tto tot goo oga too caa tat gac atg ogt 268

Glu Asn Ile Phe Pro Phe Phe Ser Ala Arg Ser Gln Tyr Asp Met Arg 30 35 40

gcc atg gtc tca gcc ttg act caa gtc att gga aac caa agc agc tct 316

Ala Met Val Ser Ala Leu Thr Gln Val Ile Gly Asn Gln Ser Ser Ser 45 50 55

cat gat aat aac caa cat caa cct gtt gtg tat aat caa caa gat cct His Asp Asn Asn Gln His Gln Pro Val Val Tyr Asn Gln Gln Asp Pro 65 70 aac cca ccg gct cct cca act caa gat caa ggg cta ttg agg aag agg Asn Pro Pro Ala Pro Pro Thr Gln Asp Gln Gly Leu Leu Arg Lys Arg 80 85 các tat aga ggg gta aga caa cga cca tgg gga aag tgg gca gct gaa His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Trp Ala Ala Glu att cgg gat ccg caa aag gca gca cgg gtg tgg ctc ggg aca ttt gag 508 Ile Arg Asp Pro Gln Lys Ala Ala Arg Val Trp Leu Gly Thr Phe Glu 110 115 act get gaa get geg get tta get tat gat aac gea get ett aag tte Thr Ala Glu Ala Ala Ala Leu Ala Tyr Asp Asn Ala Ala Leu Lys Phe 125 130 aaa gga agc aaa gcc aaa ctc aat ttc cct gag aga gct caa cta gca 为不知为人的第三人称形式 Lys Gly Ser Lys Ala Lys Leu Asn Phe Pro Glu Arg Ala Gln Leu Ala 140 145 150 agt aac act agt aca act acc ggt cca cca aac tat tat tct tct aat Ser Asn Thr Ser Thr Thr Thr Gly Pro Pro Asn Tyr Tyr Ser Ser Asn 155 Fig. 782 febris de 160 and high little february and december 170 aat caa att tac tac tca aat ccg cag act aat ccg caa acc ata cct Asn Gln Ile Tyr Tyr Ser Asn Pro Gln Thr Asn Pro Gln Thr Ile Pro 175 180 748 Tyr Phe Asn Gln Tyr Tyr Asn Gln Tyr Leu His Gln Gly Gly Asn 190 195 200 agt aac gat gca tta agt tat agc ttg gcc ggt gga gaa acc gga ggc 796 Ser Asn Asp Ala Leu Ser Tyr Ser Leu Ala Gly Gly Glu Thr Gly Gly 210 tca atg tat aat cat cag acg tta tct act aca aat tct tca tct tct Ser Met Tyr Asn His Gln Thr Leu Ser Thr Thr Asn Ser Ser Ser Ser 225 220 Tel. (4) 100 (230 C) 100 (4) ggt gga tet tea agg caa caa gat gat gaa caa gat tac gee aga tat Gly Gly Ser Ser Arg Gln Gln Asp Asp Glu Gln Asp Tyr Ala Arg Tyr 240 235 245

ttg cgt ttt ggg gat tct tca cct cct aat tct ggt ttt tga 934 Leu Arg Phe Gly Asp Ser Ser Pro Pro Asn Ser Gly Phe 255 260

gatcttcaat aaactgataa taaaggattt gggtcacttg ttatgagggg atcatatgtt

ttctaa 1000

<210> 288 <211> 263 <212> PRT <213> Arabidopsis thaliana <400> 288

Ser Asp Glu Lys Lys Glu Ala Asp Asp Asp Glu Asn Ile Phe Pro Phe 20 25 30

Phe Ser Ala Arg Ser Gln Tyr Asp Met Arg Ala Met Val Ser Ala Leu 35 40 45

Thr Gln Val Ile Gly Asn Gln Ser Ser Ser His Asp Asn Asn Gln His 50 55 60

Gln Pro Val Val Tyr Asn Gln Gln Asp Pro Asn Pro Pro Ala Pro Pro 65 70 75 80

Thr Gln Asp Gln Gly Leu Leu Arg Lys Arg His Tyr Arg Gly Val Arg 85 90 95

Gln Arg Pro Trp Gly Lys Trp Ala Ala Glu Ile Arg Asp Pro Gln Lys 100 105 110

Ala Ala Arg Val Trp Leu Gly Thr Phe Glu Thr Ala Glu Ala Ala Ala 115 120 125

Leu Ala Tyr Asp Asn Ala Ala Leu Lys Phe Lys Gly Ser Lys Ala Lys 130 135 140

Leu Asn Phe Pro Glu Arg Ala Gln Leu Ala Ser Asn Thr Ser Thr 145 150 155 160

Thr Gly Pro Pro Asn Tyr Tyr Ser Ser Asn Asn Gln Ile Tyr Tyr Ser 165 . 170 175

Asn Pro Gln Thr Asn Pro Gln Thr Ile Pro Tyr Phe Asn Gln Tyr Tyr 180 185 190

Tyr Asn Gln Tyr Leu His Gln Gly Gly Asn Ser Asn Asp Ala Leu Ser 195 200 205

Tyr Ser Leu Ala Gly Gly Glu Thr Gly Gly Ser Met Tyr Asn His Gln 210 215 220

Thr Leu Ser Thr Thr Asn Ser Ser Ser Ser Gly Gly Ser Ser Arg Gln 225 230 235 240

Gln Asp Asp Glu Gln Asp Tyr Ala Arg Tyr Leu Arg Phe Gly Asp Ser 245 250 255

Ser Pro Pro Asn Ser Gly Phe 260

<210> 289 <211> 1502 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (94)..(1215) <223> - G2557

<400> 289

togacticct gtgaactcat ctgtttgttc tcttcttccg gtttcacttt ttcatgtcct 60

gccgttatta caacgaggat tgtgtttgat ccg atg gaa gga ttg gaa tct gtg 114

Met Glu Gly Leu Glu Ser Val:

tac gct caa gct atg tat gga atg aca cga gag agc aaa atc atg gag 162

Tyr Ala Gln Ala Met Tyr Gly Met Thr Arg Glu Ser Lys Ile Met Glu
10 15 20

cat caa gga tca gat ttg att tgg gga gga aat gag cta atg gct cga 210

His Gln Gly Ser Asp Leu Ile Trp Gly Gly Asn Glu Leu Met Ala Arg 25 30 35

gaa etc tgt tet tet tet tat eac eac eaa etc att aat eeg aat 258

100

Glu Leu Cys Ser Ser Ser Ser Tyr His His Gln Leu Ile Asn Pro Asn 40 45 50 55

ctt agc agc tgt ttc atg tct gat ctt gga gtc tta ggt gag att caa

Leu Ser Ser Cys Phe Met Ser Asp Leu Gly Val Leu Gly Glu Ile Gln 60 65 70

cag cag caa cat gtt ggc aac aga gct agc teg ata gat cca tca tca 354

Gln Gln Gln His Val Gly Asn Arg Ala Ser Ser Ile Asp Pro Ser Ser 75 80 85

ctc gat tgt ttg tta tct gcg acg tcg aat agc aac acc tcg acg 402

Leu Asp Cys Leu Leu Ser Ala Thr Ser Asn Ser Asn Asn Thr Ser Thr gag gac gat gaa gga ata tot gtg ott tto toa gat tgt cag act ott Glu Asp Asp Glu Gly Ile Ser Val Leu Phe Ser Asp Cys Gln Thr Leu 110 105 tgg age tit ggt gga gte tea tet gea gag tet gag aac aga gag ate Trp Ser Phe Gly Gly Val Ser Ser Ala Glu Ser Glu Asn Arg Glu Ile 120 act act gag acg aca aca acg ata aag cct aag cct ttg aag aga aac Thr Thr Glu Thr Thr Thr Ile Lys Pro Lys Pro Leu Lys Arg Asn aga gga gga gga gga act act gag act aca aca aca aca aca aaa 594 Arg Gly Gly Asp Gly Gly Thr Thr Glu Thr Thr Thr Thr Thr Lys 160 155 cct aag tct ttg aag aga aac aga gga gac gag aca gga agt cac ttt Pro Lys Ser Leu Lys Arg Asn Arg Gly Asp Glu Thr Gly Ser His Phe 180 175 170 agt ctt gtt cat cct caa gat gat tcg gag aaa gga ggt ttc aag ctt Ser Leu Val His Pro Gln Asp Asp Ser Glu Lys Gly Gly Phe Lys Leu 190 185 ata tac gat gag aat caa tcg aaa tca aag aaa cca aga aca gag aaa Ile Tyr Asp Glu Asn Gln Ser Lys Ser Lys Lys Pro Arg Thr Glu Lys 215 200 210 gaa cga ggc ggt tct tcg aac att agt ttc caa cat tca act tgt ttg 786 Glu Arg Gly Gly Ser Ser Asn Ile Ser Phe Gln His Ser Thr Cys Leu 225 220 tct gac aat gtc gag ccc gat gct gag gcg att gca caa atg aag gag Ser Asp Asn Val Glu Pro Asp Ala Glu Ala Ile Ala Gln Met Lys Glu 240 235 atg ata tac aga gcg gct gca ttt aga ccg gtg aat ttc ggg tta gag 882 Met Ile Tyr Arg Ala Ala Ala Phe Arg Pro Val Asn Phe Gly Leu Glu att gtg gag aag cct aag agg aag aac gtc aag ata tcg acg gat cct Ile Val Glu Lys Pro Lys Arg Lys Asn Val Lys Ile Ser Thr Asp Pro caa acg gtt gca gcg aga cag aga agg gag agg ata agt gag aag att 978 Gln Thr Val Ala Ala Arg Gln Arg Arg Glu Arg Ile Ser Glu Lys Ile 280 285 290 295

agg gtt tta caa aca ttg gtt cca ggt ggg acg aag atg gat act gca 1026

Arg Val Leu Gln Thr Leu Val Pro Gly Gly Thr Lys Met Asp Thr Ala 300 305 310

tca atg ctt gat gaa gct gct aat tat ctc aag ttc ctt aga gca caa 1074

Ser Met Leu Asp Glu Ala Ala Asn Tyr Leu Lys Phe Leu Arg Ala Gln 315 320 325

gta aaa gct tta gaa aac ttg aga ccc aag ctt gac caa acc aat ctc 1122

Val Lys Ala Leu Glu Asn Leu Arg Pro Lys Leu Asp Gln Thr Asn Leu 330 335 340

tet tte tet tet get eet aca teg ttt eea tta tte eac eea tet ttt 1170

Ser Phe Ser Ser Ala Pro Thr Ser Phe Pro Leu Phe His Pro Ser Phe 345 350 355

ctt cca ttg caa aat cct aat caa atc cat cat cca gag tgt tga 1215

Leu Pro Leu Gln Asn Pro Asn Gln Ile His His Pro Glu Cys 360 365 370

cagattataa acttttgagt ttcatcatca tcaacagaat catggcgtct tgattgtttt 1275

agcagttoto aagaaaggoa acttotgtga caagggtggt gtogggoagt gttgtttaca 1335

ctttccagtc tttgttttgc atttctttt atataaagtt tgtattttat atagaatctg

tggaattcga gggttgaaat attgtgaaaa acagagccgc aagaggttaa ttacagtctc 1455

tgcaatattt tcaacetttt attactttat tagagtaaag atagegt 1502

<210> 290 <211> 373 <212> PRT <213> Arabidopsis thaliana <400> 290

Met Glu Gly Leu Glu Ser Val Tyr Ala Gln Ala Met Tyr Gly Met Thr 1 5 10 15

Arg Glu Ser Lys Ile Met Glu His Gln Gly Ser Asp Leu Ile Trp Gly 20 25 30

Gly Asn Glu Leu Met Ala Arg Glu Leu Cys Ser Ser Ser Ser Tyr His
35 40 45

His Gln Leu Ile Asn Pro Asn Leu Ser Ser Cys Phe Met Ser Asp Leu
50 60

Gly Val Leu Gly Glu Ile Gln Gln Gln His Val Gly Asn Arg Ala
65 75 80

- Ser Ser Ile Asp Pro Ser Ser Leu Asp Cys Leu Leu Ser Ala Thr Ser 85 90 95
- Asn Ser Asn Asn Thr Ser Thr Glu Asp Asp Glu Gly Ile Ser Val Leu 100 105 110
- Phe Ser Asp Cys Gln Thr Leu Trp Ser Phe Gly Gly Val Ser Ser Ala 115 120 125
- Glu Ser Glu Asn Arg Glu Ile Thr Thr Glu Thr Thr Thr Ile Lys 130 135 140
- Pro Lys Pro Leu Lys Arg Asn Arg Gly Gly Asp Gly Gly Thr Thr Glu 145 150 150
- Thr Thr Thr Thr Thr Lys Pro Lys Ser Leu Lys Arg Asn Arg Gly
  165 170 175
- Asp Glu Thr Gly Ser His Phe Ser Leu Val His Pro Gln Asp Asp Ser 180 185 190
- Glu Lys Gly Gly Phe Lys Leu Ile Tyr Asp Glu Asn Gln Ser Lys Ser 195 200 205
- Lys Lys Pro Arg Thr Glu Lys Glu Arg Gly Gly Ser Ser Asn Ile Ser 210 215 220
- Phe Gln His Ser Thr Cys Leu Ser Asp Asn Val Glu Pro Asp Ala Glu 225 230 · 235 240
- Ala Ile Ala Gln Met Lys Glu Met Ile Tyr Arg Ala Ala Ala Phe Arg 245 250 255
- Pro Val Asn Phe Gly Leu Glu Ile Val Glu Lys Pro Lys Arg Lys Asn 260 265 270
- Val Lys Ile Ser Thr Asp Pro Gln Thr Val Ala Ala Arg Gln Arg Arg 275 280 285
- Glu Arg Ile Ser Glu Lys Ile Arg Val Leu Gln Thr Leu Val Pro Gly 290 295 300

Gly Thr Lys Met Asp Thr Ala Ser Met Leu Asp Glu Ala Ala Asn Tyr 305 310 315 320

Leu Lys Phe Leu Arg Ala Gln Val Lys Ala Leu Glu Asn Leu Arg Pro 325 330 335

Lys Leu Asp Gln Thr Asn Leu Ser Phe Ser Ser Ala Pro Thr Ser Phe 340 345 350

Pro Leu Phe His Pro Ser Phe Leu Pro Leu Gln Asn Pro Asn Gln Ile 355 360 365

His His Pro Glu Cys 370

<210> 291 <211> 1023 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (14)..(682) <223> G6

<400> 291

tatctatccg aga atg gcc aag atg ggc ttg aaa ccc gac ccg gct act 49

Met Ala Lys Met Gly Leu Lys Pro Asp Pro Ala Thr 1 5 10

act aac cag acc cac aat aat gcc aag gag att cgt tac aga ggc gtt 97

Thr Asn Gln Thr His Asn Asn Ala Lys Glu Ile Arg Tyr Arg Gly Val 15 20 25

agg aag cgt cct tgg ggc cgt tat gcc gcc gag atc cga gat ccg ggc 145

Arg Lys Arg Pro Trp Gly Arg Tyr Ala Ala Glu Ile Arg Asp Pro Gly 30 35 40

aag aaa acc cgc gtc tgg ctt ggc act ttc gat acg gct gaa gag gcg 193

Lys Lys Thr Arg Val Trp Leu Gly Thr Phe Asp Thr Ala Glu Glu Ala 50 55 60

gcg cgt gct tac gat acg gcg gcg cgt gat ttt cgt ggt gct aag gct 241

Ala Arg Ala Tyr Asp Thr Ala Ala Arg Asp Phe Arg Gly Ala Lys Ala
65 70 75

aag acc aat ttc cca act ttt ctc gag ctg agt gac cag aag gtc cct 289

Lys Thr Asn Phe Pro Thr Phe Leu Glu Leu Ser Asp Gln Lys Val Pro 80 85 90

ace ggt tte geg egt age eet age eag age aeg ete gae tgt get 337

Thr Gly Phe Ala Arg Ser Pro Ser Gln Ser Ser Thr Leu Asp Cys Ala 95 100 105

tet eet eeg acg tta gtt gtg eet tea geg acg get ggg aat gtt eee 385

Ser Pro Pro Thr Leu Val Val Pro Ser Ala Thr Ala Gly Asn Val Pro 110 115 120

ccg cag ctc gag ctt agt ctc ggc gga gga ggc ggc ggc tcg tgt tat

Pro Gln Leu Glu Leu Ser Leu Gly Gly Gly Gly Gly Gly Ser Cys Tyr 125 130 135 140

cag atc ccg atg tcg cgt cct gtc tac ttt ttg gac ctg atg ggg atc 481

Gln Ile Pro Met Ser Arg Pro Val Tyr Phe Leu Asp Leu Met Gly Ile 145 150 155

ggt aac gta ggt cgt ggt cag cct cct cct gtg aca tcg gcg ttt aga 529

Gly Asn Val Gly Arg Gly Gln Pro Pro Pro Val Thr Ser Ala Phe Arg 160 165 170

tcg ccg gtg gtg cat gtt gcg acg aag atg gct tgt ggt gcc caa agc

Ser Pro Val Val His Val Ala Thr Lys Met Ala Cys Gly Ala Gln Ser 175 180 185

gac tct gat tcg tca tcg gtc gtt gat ttc gaa ggt ggg atg gag aag 625

Asp Ser Asp Ser Ser Ser Val Val Asp Phe Glu Gly Gly Met Glu Lys
190 200

aga tct cag ctg tta gat cta gat ctt aat ttg cct cct cca tcg gaa 673

Arg Ser Gln Leu Leu Asp Leu Asp Leu Asn Leu Pro Pro Pro Ser Glu 205 210 215 220

cag gcc tga gcttttaacg gtgtcgtttc aattcgaagc gcatgcgttt 722 Gln Ala

cttcttcttt ttgagctgtg aaaattcgtt ttctcatagt ttttcctctc tctctctc 782

agtctaaatt tattaccagt ttttagaaag aaaaaacaga ttaaatctga gagagaaaaa 842

tataatttta getgacatgg ategttatgt acatattatt acataacegg agatetgaac 902

ttttgttgtg tgcttttaat tttttgcgac ttggtttcac cccatgttgt ttctctattt 962

tttttactac ttttttttt tttgttcttc caaattttca atcaataatt tggtaatctt 1022

c 1023

<210> 292 <211> 222 <212> PRT <213> Arabidopsis thaliana <400> 292

Met Ala Lys Met Gly Leu Lys Pro Asp Pro Ala Thr Thr Asn Gln Thr

The secondary of

. 5 10

His Asn Asn Ala Lys Glu Ile Arg Tyr Arg Gly Val Arg Lys Arg Pro

Trp Gly Arg Tyr Ala Ala Glu Ile Arg Asp Pro Gly Lys Lys Thr Arg 40

Val Trp Leu Gly Thr Phe Asp Thr Ala Glu Glu Ala Ala Arg Ala Tyr

Asp Thr Ala Ala Arg Asp Phe Arg Gly Ala Lys Ala Lys Thr Asn Phe 70.

27. 自由发展的表示 Pro Thr Phe Leu Glu Leu Ser Asp Gln Lys Val Pro Thr Gly Phe Ala 85 90

Arg Ser Pro Ser Gln Ser Ser Thr Leu Asp Cys Ala Ser Pro Pro Thr 100 105 110

Leu Val Val Pro Ser Ala Thr Ala Gly Asn Val Pro Pro Gln Leu Glu 115 120

Leu Ser Leu Gly Gly Gly Gly Gly Ser Cys Tyr Gln Ile Pro Met 130

Ser Arg Pro Val Tyr Phe Leu Asp Leu Met Gly Ile Gly Asn Val Gly 145 150 150 155 155 160

Arg Gly Gln Pro Pro Pro Val Thr Ser Ala Phe Arg Ser Pro Val Val 25 J. Chen, J. 4 165 J. Chen, May 2019, 170 J. Phys. Rev. B 175 J.

His Val Ala Thr Lys Met Ala Cys Gly Ala Gln Ser Asp Ser Asp Ser The state of \$180 (A. 1) (Det for 185 (a) 4 (2) (4) (4) (190 (1) (4))

Ser Ser Val Val Asp Phe Glu Gly Gly Met Glu Lys Arg Ser Gln Leu 195 200 205

Leu Asp Leu Asp Leu Asn Leu Pro Pro Pro Ser Glu Gln Ala 210 215 220

<210> 293 <211> 1246 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (81)..(1139) <223> G9

<400> 293 516

aagaaactga aacaaagaaa atg gat tct agt tgc ata gac gag ata agt tcc 113 Met Asp Ser Ser Cys Ile Asp Glu Ile Ser Ser tee act tea gaa tet tte tee gee ace gee aag aag ete tet eet Ser Thr Ser Glu Ser Phe Ser Ala Thr Thr Ala Lys Lys Leu Ser Pro 15 cet eec geg geg geg tta ege etc tac egg atg gga age gge ggg age Pro Pro Ala Ala Ala Leu Arg Leu Tyr Arg Met Gly Ser Gly Gly Ser age gte gtg ttg gat eee gag aac gge eta gag acg gag tea ega aag Ser Val Val Leu Asp Pro Glu Asn Gly Leu Glu Thr Glu Ser Arg Lys 45 cta cca tct tca aaa tac aaa ggt gtt gtt cct cag cct aac gga aga Committee of the committee of the Leu Pro Ser Ser Lys Tyr Lys Gly Val Val Pro Gln Pro Asn Gly Arg 305 70 65 tgg gga gct cag atc tac gag aag cac caa cga gta tgg ctc ggg act Trp Gly Ala Gln Ile Tyr Glu Lys His Gln Arg Val Trp Leu Gly Thr 90 85 80 ttc aac gag caa gaa gat gct cgt tcc tac gac atc gca gct tgt Phe Asn Glu Glu Glu Ala Ala Arg Ser Tyr Asp Ile Ala Ala Cys 401 aga tto cgt ggc cgc gac gcc gtc gtc aac ttc aag aac gtt ctg gaa Arg Phe Arg Gly Arg Asp Ala Val Val Asn Phe Lys Asn Val Leu Glu 449 115 gac ggc gat tta gct ttt ctt gaa gct cac tca aag gcc gag atc gtc 497 Asp Gly Asp Leu Ala Phe Leu Glu Ala His Ser Lys Ala Glu Ile Val 135 130 125 gac atg ttg aga aaa cac act tac gcc gac gag ctt gaa cag aac aat 545 Asp Met Leu Arg Lys His Thr Tyr Ala Asp Glu Leu Glu Gln Asn Asn aaa cgg cag ttg ttt ctc tcc gtc gac gct aac gga aaa cgt aac gga Lys Arg Gln Leu Phe Leu Ser Val Asp Ala Asn Gly Lys Arg Asn Gly 165 160 tcg agt act act caa aac gac aaa gtt tta aag acg tgt gaa gtt ctt Ser Ser Thr Thr Gln Asn Asp Lys Val Leu Lys Thr Cys Glu Val Leu

PCT/US01/26189 WO 02/15675

ttc gag aag gct gtt aca cct agc gac gtt ggg aag cta aac cgt ctc Phe Glu Lys Ala Val Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu .195 gtg ata cct aaa caa cac gcc gag aaa cac ttt ccg tta ccg tca ccg Val Ile Pro Lys Gln His Ala Glu Lys His Phe Pro Leu Pro Ser Pro 210 tca ccg gca gtg act aaa gga gtt ttg atc aac ttc gaa gac gtt aac Ser Pro Ala Val Thr Lys Gly Val Leu Ile Asn Phe Glu Asp Val Asn ggt aaa gtg tgg agg ttc cgt tac tca tac tgg aac agt agt caa agt 833 Gly Lys Val Trp Arg Phe Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser 240 tac gtg ttg acc aag gga tgg agt cga ttc gtc aag gag aag aat ctt 881 Tyr Val Leu Thr Lys Gly Trp Ser Arg Phe Val Lys Glu Lys Asn Leu . . . 255 265 260 cga gcc ggt gat gtt gtt act ttc gag aga tcg acc gga cta gag cgg 929 Arg Ala Gly Asp Val Val Thr Phe Glu Arg Ser Thr Gly Leu Glu Arg 275 270 280 cag tta tat att gat tgg aaa gtt cgg tct ggt ccg aga gaa aac ccg Gln Leu Tyr Ile Asp Trp Lys Val Arg Ser Gly Pro Arg Glu Asn Pro 290 gtt cag gtg gtg gtt cgg ctt ttc gga gtt gat atc ttt aat gtg acc Val Gln Val Val Arg Leu Phe Gly Val Asp Ile Phe Asn Val Thr 305 310 acc gtg aag cca aac gac gtc gtg gcc gtt tgc ggt gga aag aga tct Thr Val Lys Pro Asn Asp Val Val Ala Val Cys Gly Gly Lys Arg Ser 320 15. 1 . 325 . cga gat gtt gat gat atg ttt gcg tta cgg tgt tcc aag aag cag gcg 1121 Arg Asp Val Asp Asp Met Phe Ala Leu Arg Cys Ser Lys Lys Gln Ala 335 ata atc aat gct ttg tga catatttcct tttccgattt tatgctttcg 1169

Ile Ile Asn Ala Leu

350

ttttttaatt ttttttttg tcaagttgtg taggttgtga ttcatgctag gttgtattta 1229

ggaaaagaga taagacc 1246

<210> 294 <211> 352 <212> PRT <213> Arabidopsis thaliana <400>

- Met Asp Ser Ser Cys Ile Asp Glu Ile Ser Ser Ser Thr Ser Glu Ser 1 5 10 15
- Phe Ser Ala Thr Thr Ala Lys Lys Leu Ser Pro Pro Pro Ala Ala Ala 20 25 30
- Leu Arg Leu Tyr Arg Met Gly Ser Gly Gly Ser Ser Val Val Leu Asp 35 40 45
- Pro Glu Asn Gly Leu Glu Thr Glu Ser Arg Lys Leu Pro Ser Ser Lys 50 55
- Tyr Lys Gly Val Val Pro Gln Pro Asn Gly Arg Trp Gly Ala Gln Ile 65 70 75 80
- Tyr Glu Lys His Gln Arg Val Trp Leu Gly Thr Phe Asn Glu Gln Glu 85 90 95
- Glu Ala Ala Arg Ser Tyr Asp Ile Ala Ala Cys Arg Phe Arg Gly Arg 100 105 110
- Asp Ala Val Val Asn Phe Lys Asn Val Leu Glu Asp Gly Asp Leu Ala 115 120 125
- Phe Leu Glu Ala His Ser Lys Ala Glu Ile Val Asp Met Leu Arg Lys 130
- His Thr Tyr Ala Asp Glu Leu Glu Gln Asn Asn Lys Arg Gln Leu Phe 145 150 155 160
- Leu Ser Val Asp Ala Asn Gly Lys Arg Asn Gly Ser Ser Thr Thr Gln
  165 170 175
- Asn Asp Lys Val Leu Lys Thr Cys Glu Val Leu Phe Glu Lys Ala Val 180 185 190
- Thr Pro Ser Asp Val Gly Lys Leu Asn Arg Leu Val Ile Pro Lys Gln 195 200 205
- His Ala Glu Lys His Phe Pro Leu Pro Ser Pro Ser Pro Ala Val Thr 210 215 220
- Lys Gly Val Leu Ile Asn Phe Glu Asp Val Asn Gly Lys Val Trp Arg

230 225 235 240

Phe Arg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys 245 250 255

Gly Trp Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val nga panggalan di kabangan beranggalan di kabangan beranggalan b

Val Thr Phe Glu Arg Ser Thr Gly Leu Glu Arg Gln Leu Tyr Ile Asp Rya (1996) 275 february (1996) 1990 (1996) 1994 (1996) 1995 (1996) 1996

Trp Lys Val Arg Ser Gly Pro Arg Glu Asn Pro Val Gln Val Val Val 290 295 300

Arg Leu Phe Gly Val Asp Ile Phe Asn Val Thr Thr Val Lys Pro Asn 310

Asp Val Val Ala Val Cys Gly Gly Lys Arg Ser Arg Asp Val Asp Asp ารโดยสัญษา 1971 (ค.ศ. **325**) ใช้เหยานี้ยนี้ยายน้ำ เห็น **330** (กับ 1961) (ค.ศ. 1971) (ค.ศ. **335**) สัญนั้น เกาะว่า (ค.ศ. 1981) (ค.ศ. 1984) (ค.ศ.

Met Phe Ala Leu Arg Cys Ser Lys Lys Gln Ala Ile Ile Asn Ala Leu 340 - 340 - 345 - 345

<210> 295 <211> 553 <212> DNA <213> Arabidopsis thaliana <220> 

<400> 295

Markey Commission (Arthress)

grade in the

- ' y . . . . .

ctcttctgac gcacaacagt atatacacat acacagatat atg gat caa gga ggt 55

Met Asp Gln Gly Gly

THE SOLL SAN DESCRIPTION

cgt agc agt ggt agt gga gga gga gcc gag caa ggg aag tac cgt

Arg Ser Ser Gly Ser Gly Gly Gly Ala Glu Gln Gly Lys Tyr Arg 10 15 The Artistan Committee of the Committee

gga gta agg aga cga cct tgg ggt aaa tac gcc gcg gaa ata aga gat

Gly Val Arg Arg Pro Trp Gly Lys Tyr Ala Ala Glu Ile Arg Asp 25 30

tcg agg aag cac gga gag cgt gtg tgg cta ggg aca ttc gac act gcg

Ser Arg Lys His Gly Glu Arg Val Trp Leu Gly Thr Phe Asp Thr Ala 40 1 4 5 45 等 1 47 50°

gaa gac gcg gct cga gcc tat gac cga gcc gcc tat tca atg aga ggc

Glu Asp Ala Ala Arg Ala Tyr Asp Arg Ala Ala Tyr Ser Met Arg Gly 60 65

aaa get gee att ete aac tte eet eae gag tat aac atg gga ace gga 295

Lys Ala Ala Ile Leu Asn Phe Pro His Glu Tyr Asn Met Gly Thr Gly 70 75 80 85

tcc tca tcc act gcg gct aat tct tct tcc tcg tcg cag caa gtt ttt

Ser Ser Ser Thr Ala Ala Asn Ser Ser Ser Ser Ser Gln Gln Val Phe 90 95 100

gag ttt gag tac ttg gac gat agc gtt ttg gat gaa ctt ctt gaa tat 391

Glu Phe Glu Tyr Leu Asp Asp Ser Val Leu Asp Glu Leu Leu Glu Tyr 105 110 115

gga gag aac tat aac aag act cat aat atc aac atg ggc aag agg caa 439

Gly Glu Asn Tyr Asn Lys Thr His Asn Ile Asn Met Gly Lys Arg Gln 120 125 130

taa agggaataca atcggtatta actgaaagtt atgtgaaaga ccattttcag 492

ttataacaaa taaaataaaa toocaagogt acaaagotgt ttotaaaaaa aaaaaaaaaa 552

а 553

<210> 296 <211> 133 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Gln Gly Gly Arg Ser Ser Gly Ser Gly Gly Gly Ala Glu
1 5 10 15

Gln Gly Lys Tyr Arg Gly Val Arg Arg Arg Pro Trp Gly Lys Tyr Ala 20 25 30

Ala Glu Ile Arg Asp Ser Arg Lys His Gly Glu Arg Val Trp Leu Gly 35 40 45

Thr Phe Asp Thr Ala Glu Asp Ala Ala Arg Ala Tyr Asp Arg Ala Ala 50 55 60

Tyr Ser Met Arg Gly Lys Ala Ala Ile Leu Asn Phe Pro His Glu Tyr 65 70 75 80

Asn Met Gly Thr Gly Ser Ser Ser Thr Ala Ala Asn Ser Ser Ser Ser Ser 85 90 95

Ser Gln Gln Val Phe Glu Phe Glu Tyr Leu Asp Asp Ser Val Leu Asp 100 105 110

Glu Leu Leu Glu Tyr Gly Glu Asn Tyr Asn Lys Thr His Asn Ile Asn 115 120 125

Met Gly Lys Arg Gln 130

<210> 297 <211> 929 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (164)..(805) <223> G40

<400> 297

cttgaaaaag aatctacctg aaaagaaaaa aaagagagag agatataaat agctttacca 60

agacagatat actatetttt attaateeaa aaagaetgag aactetagta actaegtaet 120

acttaaacct tatccagttt cttgaaacag agtactctga tca atg aac tca ttt 175

Met Asn Ser Phe

tca gct ttt tct gaa atg ttt ggc tcc gat tac gag cct caa ggc gga 223

Ser Ala Phe Ser Glu Met Phe Gly Ser Asp Tyr Glu Pro Gln Gly Gly 5 10 15 20

gat tat tgt ccg acg ttg gcc acg agt tgt ccg aag aaa ccg gcg ggc

Asp Tyr Cys Pro Thr Leu Ala Thr Ser Cys Pro Lys Lys Pro Ala Gly 25 30

cgt aag aag ttt cgt gag act cgt cac cca att tac aga gga gtt cgt 319

Arg Lys Lys Phe Arg Glu Thr Arg His Pro Ile Tyr Arg Gly Val Arg
40 45 50

caa aga aac tcc ggt aag tgg gtt tct gaa gtg aga gag cca aac aag 367

Gln Arg Asn Ser Gly Lys Trp Val Ser Glu Val Arg Glu Pro Asn Lys 55 60 65

aaa acc agg att tgg ctc ggg act ttc caa acc gct gag atg gca gct

Lys Thr Arg Ile Trp Leu Gly Thr Phe Gln Thr Ala Glu Met Ala Ala 70 75 80

cgt gct cac gac gtc gct gca tta gcc ctc cgt ggc cga tca gca tgt

Arg Ala His Asp Val Ala Ala Leu Ala Leu Arg Gly Arg Ser Ala Cys 85 90 95 100

ctc aac ttc gct gac tcg gct tgg cgg cta cga atc ccg gag tca aca

Leu Asn Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile Pro Glu Ser Thr 105 110

tgc gcc aag gat atc caa aaa gcg gct gct gaa gcg gcg ttg gct ttt 559 Cys Ala Lys Asp Ile Gln Lys Ala Ala Glu Ala Ala Leu Ala Phe

120 125 130

caa gat gag acg tgt gat acg acg acc acg aat cat ggc ctg gac atg 607

Gln Asp Glu Thr Cys Asp Thr Thr Thr Thr Asn His Gly Leu Asp Met 135 140 145

gag gag acg atg gtg gaa gct att tat aca ccg gaa cag agc gaa ggt 655

Glu Glu Thr Met Val Glu Ala Ile Tyr Thr Pro Glu Gln Ser Glu Gly 150 155 160

gcg ttt tat atg gat gag gag aca atg ttt ggg atg ccg act ttg ttg 703

Ala Phe Tyr Met Asp Glu Glu Thr Met Phe Gly Met Pro Thr Leu Leu 165 170 175 180

gat aat atg gct gaa ggc atg ctt tta ccg ccg ccg tct gtt caa tgg 751

Asp Asn Met Ala Glu Gly Met Leu Leu Pro Pro Pro Ser Val Gln Trp 185 190 195

aat cat aat tat gac ggc gaa gga gat ggt gac gtg teg ett tgg agt 799

Asn His Asn Tyr Asp Gly Glu Gly Asp Gly Asp Val Ser Leu Trp Ser 200 205 210

tac taa tattcgatag tcgtttccat ttttgtacta tagtttgaaa atattctagt 855 Tyr

aaataattca atac 929

<210> 298 <211> 213 <212> PRT <213> Arabidopsis thaliana <400> 298

Met Asn Ser Phe Ser Ala Phe Ser Glu Met Phe Gly Ser Asp Tyr Glu
1 5 10 15

Pro Gln Gly Gly Asp Tyr Cys Pro Thr Leu Ala Thr Ser Cys Pro Lys 20 25 30

Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His Pro Ile Tyr 35 40 45

Arg Gly Val Arg Gln Arg Asn Ser Gly Lys Trp Val Ser Glu Val Arg 50 55 60

Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe Gln Thr Ala 70 75 80

Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Leu Ala Leu Arg Gly 85 90 95

Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile 100 105 110

Pro Glu Ser Thr Cys Ala Lys Asp Ile Gln Lys Ala Ala Ala Glu Ala 115 120 125

Ala Leu Ala Phe Gln Asp Glu Thr Cys Asp Thr Thr Thr Thr Asn His 130 135 140

Gly Leu Asp Met Glu Glu Thr Met Val Glu Ala Ile Tyr Thr Pro Glu 145 150 155 160

Gln. Ser Glu Gly Ala Phe Tyr Met Asp Glu Glu Thr Met Phe Gly Met

Pro Thr Leu Leu Asp Asn Met Ala Glu Gly Met Leu Leu Pro Pro Pro 180 185 185 185 190 190

Ser Val Gln Trp Asn His Asn Tyr Asp Gly Glu Gly Asp Gly Asp Val

Ser Leu Trp Ser Tyr 210

<210> 299 <211> 803 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (35)..(658) <223> G41

<400> 299

ctgatcaatg aactcatttt ctgccttttc tgaa atg ttt ggc tcc gat tac gag 55

Met Phe Gly Ser Asp Tyr Glu

tet ceg gtt tee tea gge ggt gat tae agt eeg aag ett gee aeg age 103

Ser Pro Val Ser Ser Gly Gly Asp Tyr Ser Pro Lys Leu Ala Thr Ser 10 15 20

tgc ccc aag aaa cca gcg gga agg aag aag ttt cgt gag act cgt cac

Cys Pro Lys Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His 25 30 35

cca att tac aga gga gtt cgt caa aga aac tcc ggt aag tgg gtg tgt

Pro Ile Tyr Arg Gly Val Arg Gln Arg Asn Ser Gly Lys Trp Val Cys
40 45 50 55

gag ttg aga gag cca aac aag aaa acg agg att tgg ctc ggg act ttc Glu Leu Arg Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe caa acc gct gag atg gca gct cgt gct cac gac gtc gcc gcc ata gct Gln Thr Ala Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Ile Ala 80 75 ctc cgt ggc aga tct gcc tgt ctc aat ttc gct gac tcg gct tgg cgg 343 Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg cta cga atc ccg gaa tca acc tgt gcc aag gaa atc caa aag gcg gcg Leu Arg Ile Pro Glu Ser Thr Cys Ala Lys Glu Ile Gln Lys Ala Ala 105 gct gaa gcc gcg ttg aat ttt caa gat gag atg tgt cat atg acg acg Ala Glu Ala Ala Leu Asn Phe Gln Asp Glu Met Cys His Met Thr Thr 125 130 de 120 gat gct cat ggt ctt gac atg gag gag acc ttg gtg gag gct att tat Asp Ala His Gly Leu Asp Met Glu Glu Thr Leu Val Glu Ala Ile Tyr 487 145 140 acg ccg gaa cag agc caa gat gcg ttt tat atg gat gaa gag gcg atg Thr Pro Glu Gln Ser Gln Asp Ala Phe Tyr Met Asp Glu Glu Ala Met 155 ttg ggg atg tct agt ttg ttg gat aac atg gcc gaa ggg atg ctt tta Leu Gly Met Ser Ser Leu Leu Asp Asn Met Ala Glu Gly Met Leu Leu 175 170 ceg teg ceg teg gtt caa tgg aac tat aat ttt gat gte gag gga gat 631 Pro Ser Pro Ser Val Gln Trp Asn Tyr Asn Phe Asp Val Glu Gly Asp 195 190 185 gat gac gtg tec tta tgg agc tat taa aattegattt ttatttecat Asp Asp Val Ser Leu Trp Ser Tyr 205 200 ttttggtatt atagettttt atacatttga teetttttta gaatggatet tettettttt ttggttgtga gaaacgaatg taaatggtaa aagttgttgt caaatgcaaa tgtttttgag tgcag 803

<210> 300 <211> 207 <212> PRT <213> Arabidopsis thaliana <400> 300

- Met Phe Gly Ser Asp Tyr Glu Ser Pro Val Ser Ser Gly Gly Asp Tyr

  1 10 15
- Ser Pro Lys Leu Ala Thr Ser Cys Pro Lys Lys Pro Ala Gly Arg Lys 20 25 30
- Lys Phe Arg Glu Thr Arg His Pro Ile Tyr Arg Gly Val Arg Gln Arg 35 40 45
- Asn Ser Gly Lys Trp Val Cys Glu Leu Arg Glu Pro Asn Lys Lys Thr 50 55 60
- Arg Ile Trp Leu Gly Thr Phe Gln Thr Ala Glu Met Ala Ala Arg Ala 65 70 75 80
- His Asp Val Ala Ala Ile Ala Leu Arg Gly Arg Ser Ala Cys Leu Asn 85 90 95
- Phe Ala Asp Ser Ala Trp Arg Leu Arg Ile Pro Glu Ser Thr Cys Ala 100 105 110
- Lys Glu Ile Gln Lys Ala Ala Ala Glu Ala Ala Leu Asn Phe Gln Asp 115 120 125
- Glu Met Cys His Met Thr Thr Asp Ala His Gly Leu Asp Met Glu Glu 130 135 140
- Thr Leu Val Glu Ala Ile Tyr Thr Pro Glu Gln Ser Gln Asp Ala Phe 145 150 155 160
- Tyr Met Asp Glu Glu Ala Met Leu Gly Met Ser Ser Leu Leu Asp Asn 165 170 175
- Met Ala Glu Gly Met Leu Leu Pro Ser Pro Ser Val Gln Trp Asn Tyr 180 185 190
- Asn Phe Asp Val Glu Gly Asp Asp Asp Val Ser Leu Trp Ser Tyr 195 200 205
- <210> 301 <211> 908 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (119)..(769) <223> G42
- <400> 301
  cctgaactag aacagaaaga gagagaaact attatttcag caaaccatac caacaaaaa
  60

gacagagate ttttagttae ettatecagt ttettgaaac agagtaetet tetgatea 118 atg aac toa ttt tot got ttt tot gaa atg ttt ggo too gat tac gag Met Asn Ser Phe Ser Ala Phe Ser Glu Met Phe Gly Ser Asp Tyr Glu tet teg gtt tee tea gge ggt gat tat att eeg aeg ett geg age age Ser Ser Val Ser Ser Gly Gly Asp Tyr Ile Pro Thr Leu Ala Ser Ser tgc ccc aag aaa ccg gcg ggt cgt aag aag ttt cgt gag act cgt cac 262 Cys Pro Lys Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His 35 40 cca ata tac aga gga gtt cgt cgg aga aac tcc ggt aag tgg gtt tgt 310 Pro Ile Tyr Arg Gly Val Arg Arg Arg Asn Ser Gly Lys Trp Val Cys 55 60 gag gtt aga gaa cca aac aag aaa aca agg att tgg ctc gga aca ttt 358 Glu Val Arg Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe 70 75 caa acc gct gag atg gca gct cga gct cac gac gtt gcc gct tta gcc Gln Thr Ala Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Leu Ala 85 ctt cgt ggc cga tca gcc tgt ctc aat ttc gct gac tcg gct tgg aga 454 Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg 100 105 ctc cga atc ccg gaa tca act tgc gct aag gac atc caa aag gcg gcg 502 Leu Arg Ile Pro Glu Ser Thr Cys Ala Lys Asp Ile Gln Lys Ala Ala 120 115 gct gaa gct gcg ttg gcg ttt cag gat gag atg tgt gat gcg acg acg 550 Ala Glu Ala Ala Leu Ala Phe Gln Asp Glu Met Cys Asp Ala Thr Thr 135 gat cat ggc ttc gac atg gag gag acg ttg gtg gag gct att tac acg 598 Asp His Gly Phe Asp Met Glu Glu Thr Leu Val Glu Ala Ile Tyr Thr 150 gcg gaa cag agc gaa aat gcg ttt tat atg cac gat gag gcg atg ttt 646 Ala Glu Gln Ser Glu Asn Ala Phe Tyr Met His Asp Glu Ala Met Phe 165 170 175 gag atg ccg agt ttg ttg gct aat atg gca gaa ggg atg ctt ttg ccg 694

Glu Met Pro Ser Leu Leu Ala Asn Met Ala Glu Gly Met Leu Leu Pro 180 185 190

ctt ccg tcc gta cag tgg aat cat aat cat gaa gtc gac ggc gat gat 742

Leu Pro Ser Val Gln Trp Asn His Asn His Glu Val Asp Gly Asp Asp 195 200 205

gac gac gta tcg tta tgg agt tat taa aactcagatt attatttcca

Asp Asp Val Ser Leu Trp Ser Tyr 210 215

tttttagtac gatacttttt attttattat tatttttaga tcctttttta gaatggaatc 849

tacattatgt ttgtaaaact gagaaacgag tgtaaattaa attgattcag tttcagtat 908

Ser Ser Val Ser Ser Gly Gly Asp Tyr Ile Pro Thr Leu Ala Ser Ser 20 25 30

Cys Pro Lys Lys Pro Ala Gly Arg Lys Lys Phe Arg Glu Thr Arg His  $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$ 

Pro Ile Tyr Arg Gly Val Arg Arg Arg Asn Ser Gly Lys Trp Val Cys 50 55 60

Contract of the state of the second

Glu Val Arg Glu Pro Asn Lys Lys Thr Arg Ile Trp Leu Gly Thr Phe
65 70 75 80

Gln Thr Ala Glu Met Ala Ala Arg Ala His Asp Val Ala Ala Leu Ala 85 90 95

Leu Arg Gly Arg Ser Ala Cys Leu Asn Phe Ala Asp Ser Ala Trp Arg 100 105 110

Leu Arg Ile Pro Glu Ser Thr Cys Ala Lys Asp Ile Gln Lys Ala Ala 115 120 125

Ala Glu Ala Ala Leu Ala Phe Gln Asp Glu Met Cys Asp Ala Thr Thr 130 135 140

Asp His Gly Phe Asp Met Glu Glu Thr Leu Val Glu Ala Ile Tyr Thr 145 150 155 160

Ala Glu Gln Ser Glu Asn Ala Phe Tyr Met His Asp Glu Ala Met Phe 165 170 175

Glu Met Pro Ser Leu Leu Ala Asn Met Ala Glu Gly Met Leu Leu Pro 180 185 190

Leu Pro Ser Val Gln Trp Asn His Asn His Glu Val Asp Gly Asp Asp 195 200 205

Asp Asp Val Ser Leu Trp Ser Tyr 210 215

<210> 303 <211> 959 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (50)..(733) <223> G152

<400> 303

cctagaacgc accaagatct aaaggaagat caaaataggg tttaaatta atg ggg aga 58

Met Gly Arg

ggg aag att gtg atc cag aag atc gat tcc acg agt aga caa gtc

Gly Lys Ile Val Ile Gln Lys Ile Asp Asp Ser Thr Ser Arg Gln Val 5 10 15

act ttc tcc aaa aga aga aag ggt ctc atc aag aaa gct aaa gaa ctt

Thr Phe Ser Lys Arg Arg Lys Gly Leu Ile Lys Lys Ala Lys Glu Leu 20 35 35

get att etc tgc gac gec gag gtc tgt etc atc att ttc tec aac act 202

Ala Ile Leu Cys Asp Ala Glu Val Cys Leu Ile Ile Phe Ser Asn Thr 40 45 50

gac aag ctc tat gac ttt gcc agc tcc agt gtg aaa tct act att gaa 250

Asp Lys Leu Tyr Asp Phe Ala Ser Ser Ser Val Lys Ser Thr Ile Glu 55 60 65

cga ttc aat acg gct aag atg gag gag caa gaa cta atg aac cct gca

Arg Phe Asn Thr Ala Lys Met Glu Glu Glu Leu Met Asn Pro Ala
70 75 80

tca gaa gtt aag ttt tgg cag aga gag gct gaa act cta agg caa gaa

Ser Glu Val Lys Phe Trp Gln Arg Glu Ala Glu Thr Leu Arg Gln Glu 85 90 95

ttg cac tca ttg caa gaa aat tat cgg caa cta acg gga gtg gaa tta

Leu His Ser Leu Gln Glu Asn Tyr Arg Gln Leu Thr Gly Val Glu Leu 100 105 110 115

aat ggt ttg agc gtt aag gag tta caa aac ata gag agt caa ctt gaa

Asn Gly Leu Ser Val Lys Glu Leu Gln Asn Ile Glu Ser Gln Leu Glu 120 125 130

atg agt tta cgt gga att cgt atg aaa agg gaa caa att ttg acc aat 490

Met Ser Leu Arg Gly Ile Arg Met Lys Arg Glu Gln Ile Leu Thr Asn 135 140

gaa att aaa gag cta acc aga aag agg aat ctt gtt cat cat gaa aac 538

Glu Ile Lys Glu Leu Thr Arg Lys Arg Asn Leu Val His His Glu Asn 150 155 160

ctc gaa ttg tcg aga aaa gta caa agg att cat caa gaa aat gtc gaa 586

Leu Glu Leu Ser Arg Lys Val Gln Arg Ile His Gln Glu Asn Val Glu 165 170 175

cta tac aag aag gct tat gga acg tcg aac aca aat gga ttg gga cat 634

Leu Tyr Lys Lys Ala Tyr Gly Thr Ser Asn Thr Asn Gly Leu Gly His 180 185 190 195

cat gag cta gta gat gca gtt tat gaa tcc cat gœa cag gtt agg ctg 682

His Glu Leu Val Asp Ala Val Tyr Glu Ser His Ala Gln Val Arg Leu 200 205 210

cag cta age cag cct gag cag tcc cat tat aag aca tet tca aac age 730

Gln Leu Ser Gln Pro Glu Gln Ser His Tyr Lys Thr Ser Ser Asn Ser 215 220 225

taa gatcatataa gagatatata acaaattgtt cgttcttgat tatctcaaaa 783

ccctttcaaa tatatatacg tgcatattat atatgaagac tcgtttgact atgtcaatat 843

atatytttc atgcaggagt aagtgtgagt gtaatcatgt cggagagcaa accaaaggtt 903

tgatttgtac gatatatact tatatatggt ctcaagtgaa agcaatggaa cagctt 959

<210> 304 <211> 227 <212> PRT <213> Arabidopsis thaliana <400> 304

Met Gly Arg Gly Lys Ile Val Ile Gln Lys Ile Asp Asp Ser Thr Ser 1 5 10 15

Arg Gln Val Thr Phe Ser Lys Arg Arg Lys Gly Leu Ile Lys Lys Ala

Lys Glu Leu Ala Ile Leu Cys Asp Ala Glu Val Cys Leu Ile Ile Phe

WO 02/15675

40

45

Ser Asn Thr Asp Lys Leu Tyr Asp Phe Ala Ser Ser Ser Val Lys Ser 50 55 60

Thr Ile Glu Arg Phe Asn Thr Ala Lys Met Glu Glu Glu Glu Leu Met 70 75 80

Asn Pro Ala Ser Glu Val Lys Phe Trp Gln Arg Glu Ala Glu Thr Leu 85 90 95

Arg Gln Glu Leu His Ser Leu Gln Glu Asn Tyr Arg Gln Leu Thr Gly 100 105 105

Val Glu Leu Asn Gly Leu Ser Val Lys Glu Leu Gln Asn Ile Glu Ser

Gln Leu Glu Met Ser Leu Arg Gly Ile Arg Met Lys Arg Glu Gln Ile 130 135 140

Leu Thr Asn Glu Ile Lys Glu Leu Thr Arg Lys Arg Asn Leu Val His 145 150 150 155

His Glu Asn Leu Glu Leu Ser Arg Lys Val Gln Arg Ile His Gln Glu 165 170 175

Asn Val Glu Leu Tyr Lys Lys Ala Tyr Gly Thr Ser Asn Thr Asn Gly 180 185 190

Leu Gly His His Glu Leu Val Asp Ala Val Tyr Glu Ser His Ala Gln 195 200 200 205

Val Arg Leu Gln Leu Ser Gln Pro Glu Gln Ser His Tyr Lys Thr Ser 210 215 220

Ser Asn Ser 225

<210> 305 <211> 1098 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (97)..(801) <223> G153

<400> 305
aaaaaaaaga agetteteet etteetetge ettettett ceatttattg caaaccetga
60

tcaattggtt ttggtgttag tcttttgggg agaagag atg ggg aga ggg aag ata 114 Met Gly Arg Gly Lys Ile

gtt ata cga agg atc gat aac tct aca agt aga caa gtg act ttc tcc Val Ile Arg Arg Ile Asp Asn Ser Thr Ser Arg Gln Val Thr Phe Ser aag aga agg agt ggt ttg ctt aag aag gct aaa gag tta tcg atc ctt Lys Arg Arg Ser Gly Leu Leu Lys Lys Ala Lys Glu Leu Ser Ile Leu tgt gat gca gaa gtt ggt gtt atc ata ttc tct agc acc gga aag ctc Cys Asp Ala Glu Val Gly Val Ile Ile Phe Ser Ser Thr Gly Lys Leu tac gac tac gca agc aat tca agt atg aaa aca atc att gag cgg tac Tyr Asp Tyr Ala Ser Asn Ser Ser Met Lys Thr Ile Ile Glu Arg Tyr 60 aac aga gta aaa gag gag cag cat caa ctt ctg aat cat gcc tca gag and the second of the second second second Asn Arg Val Lys Glu Glu Gln His Gln Leu Leu Asn His Ala Ser Glu 75 80 ata aag ttt tgg caa aga gag gtt gca agt ttg cag cag cag ctc caa Ile Lys Phe Trp Gln Arg Glu Val Ala Ser Leu Gln Gln Gln Leu Gln 95 cat cta caa gaa tgc cac agg aaa cta gtg gga gag gaa ctt tct gga His Leu Gln Glu Cys His Arg Lys Leu Val Gly Glu Glu Leu Ser Gly 110 atg aat gct aac gac cta caa aat ctt gaa gac cag cta gta aca agt 498 Met Asn Ala Asn Asp Leu Gln Asn Leu Glu Asp Gln Leu Val Thr Ser 120 125 130 cta aaa ggt gtt cgt ctc aaa aag gat caa ctt atg aca aat gaa atc Leu Lys Gly Val Arg Leu Lys Lys Asp Gln Leu Met Thr Asn Glu Ile 140 145 aga gaa ctt aat cgt aag gga caa atc atc caa aaa gag aat cac gag Arg Glu Leu Asn Arg Lys Gly Gln Ile Ile Gln Lys Glu Asn His Glu 155 160 cta caa aat att gta gat ata atg cgt aag gaa aat att aaa ttg caa Leu Gln Asn Ile Val Asp Ile Met Arg Lys Glu Asn Ile Lys Leu Gln aag aag gtt cat gga aga aca aat gtg att gaa ggc aat tca agt gta 690 Lys Lys Val His Gly Arg Thr Asn Val Ile Glu Gly Asn Ser Ser Val 185 190 195

gat cca ata age aat gga ace aca aca tat gca cca ccg caa ctt caa 738

Asp Pro Ile Ser Asn Gly Thr Thr Thr Tyr Ala Pro Pro Gln Leu Gln 200 205 210

ctc ata caa cta caa cca gct cct aga gaa aaa tca atc aga cta ggg 786

Leu Ile Gln Leu Gln Pro Ala Pro Arg Glu Lys Ser Ile Arg Leu Gly 215 220 225 230

cta caa ctt tcc tag caaaacatgt gggacatcga acaatatacg aaaagagttt 841 Leu Gln Leu Ser

gtatgtcatc ttcagtaaca accaagctgg atcatttcat tcttggttat gtaattctgt 901

ttactacttt ggagtttaat atgttatatg acaagtttct ctttgtcaag ttacttgtgt 961

atgtacatca taaaataatg atgtgatgtg agtgccgaac atactagaca tcattttacc 1021

gtgtgttttt ttcgggtaca ttaaatgtac aaaatccagt ctaattggca tttttataca 1081

aaaaaaaaa aaaaaaa 1098

<210> 306 <211> 234 <212> PRT <213> Arabidopsis thaliana <400> 306

Met Gly Arg Gly Lys Ile Val Ile Arg Arg Ile Asp Asn Ser Thr Ser 1 5 10 15

Arg Gln Val Thr Phe Ser Lys Arg Arg Ser Gly Leu Leu Lys Lys Ala 20 25 30

Lys Glu Leu Ser Ile Leu Cys Asp Ala Glu Val Gly Val Ile Ile Phe 35 40

Ser Ser Thr Gly Lys Leu Tyr Asp Tyr Ala Ser Asn Ser Ser Met Lys 50 55

Thr Ile Ile Glu Arg Tyr Asn Arg Val Lys Glu Glu Gln His Gln Leu 65 70 75 80

Leu Asn His Ala Ser Glu Ile Lys Phe Trp Gln Arg Glu Val Ala Ser 85 90 95

Leu Gln Gln Gln Leu Gln His Leu Gln Glu Cys His Arg Lys Leu Val

Gly Glu Glu Leu Ser Gly Met Asn Ala Asn Asp Leu Gln Asn Leu Glu 115 120 125

Asp Gln Leu Val Thr Ser Leu Lys Gly Val Arg Leu Lys Lys Asp Gln 130 135 140

Leu Met Thr Asn Glu Ile Arg Glu Leu Asn Arg Lys Gly Gln Ile Ile 145 150 155 160

Gln Lys Glu Asn His Glu Leu Gln Asn Ile Val Asp Ile Met Arg Lys 165 170 175

Glu Asn Ile Lys Leu Gln Lys Lys Val His Gly Arg Thr Asn Val Ile 180 185 190

Glu Gly Asn Ser Ser Val Asp Pro Ile Ser Asn Gly Thr Thr Thr Tyr 195 200 - 205

Ala Pro Pro Gln Leu Gln Leu Gln Leu Gln Pro Ala Pro Arg Glu 210 215 220

Lys Ser Ile Arg Leu Gly Leu Gln Leu Ser 225 230

<210> 307 <211> 1952 <212> DNA <213> Arabidopsis thaliana <220><221> CDS <222> (100)..(1761) <223> G186

.<400> 307

ctttcaacca aacccctaaa caaaaaaaa atacattttc tgatctctct aaaaatcttt

ctccttcgtt aatctcgtga tctctttctt tttctatat atg gac aga gga tgg 114

Met Asp Arg Gly Trp 1 5

tct ggt ctc act ctt gat tca tct tct ctt gat ctt tta aac cct aat 162 Ser Gly Leu Thr Leu Asp Ser Ser Ser Leu Asp Leu Leu Asn Pro Asn

cgt att tot cat aag aat cac cga cgt tto toa aat cot ttg gcg atg 210

Arg Ile Ser His Lys Asn His Arg Arg Phe Ser Asn Pro Leu Ala Met 25 30 35

tot aga att gac gaa gaa gat gat cag aag acg aga ata toa acc aac 258

Ser Arg Ile Asp Glu Glu Asp Asp Gln Lys Thr Arg Ile Ser Thr Asn 40 45 50

ggt agt gaa ttt agg ttt ccg gtg agt ctc tca ggt att cgt gat cgt Gly Ser Glu Phe Arg Phe Pro Val Ser Leu Ser Gly Ile Arg Asp Arg 55 gaa gat gaa gat ttt tca tct ggc gtt gct gga gat aat gac cgt gaa Glu Asp Glu Asp Phe Ser Ser Gly Val Ala Gly Asp Asn Asp Arg Glu gtt ccc ggc gaa gtg gat ttc ttc tcc gac aag aaa tct agg gtt tgt 402 Val Pro Gly Glu Val Asp Phe Phe Ser Asp Lys Lys Ser Arg Val Cys 95 cgt gaa gac gac gaa gga ttt cgt gtg aag aag gaa gaa caa gat gat 450 Arg Glu Asp Asp Glu Gly Phe Arg Val Lys Lys Glu Glu Gln Asp Asp 110 cga acg gac gta aat acc ggt ttg aat ctt cga aca act ggt aat aca 498 Arg Thr Asp Val Asn Thr Gly Leu Asn Leu Arg Thr Thr Gly Asn Thr -120 125 130 aag agt gat gag toa atg atc gat gat gga gaa tot too gaa atg gaa Lys Ser Asp Glu Ser Met Ile Asp Asp Gly Glu Ser Ser Glu Met Glu 140 gat aag cgt gcg aaa aat gag ttg gtg aaa tta caa gat gag ttg aag 594 Asp Lys Arg Ala Lys Asn Glu Leu Val Lys Leu Gln Asp Glu Leu Lys 150 155 aaa atg aca atg gat aat caa aag ctt aga gaa ttg ctt aca caa gtt 642 Lys Met Thr Met Asp Asn Gln Lys Leu Arg Glu Leu Leu Thr Gln Val 170 175 180 age aac agt tac act tea ett eag atg eat ett gtt tea eta atg eag 690 Ser Asn Ser Tyr Thr Ser Leu Gln Met His Leu Val Ser Leu Met Gln 185 190 caa cag caa caa cag aac aat aag gta ata gaa gct gct gag aag cct 738 Gln Gln Gln Gln Asn Asn Lys Val Ile Glu Ala Ala Glu Lys Pro 200 205 gag gag acg ata gta cca agg caa ttt att gat tta ggc cct acg aga 786 Glu Glu Thr Ile Val Pro Arg Gln Phe Ile Asp Leu Gly Pro Thr Arg 215 gca gta ggt gag gcc gag gat gtg tca aat tct tca tcc gaa gat aga 834 Ala Val Gly Glu Ala Glu Asp Val Ser Asn Ser Ser Ser Glu Asp Arg 230 235 240 245

act cgt tcg ggg ggt tct tct gca gcc gag agg cgt agt aac ggg aag Thr Arg Ser Gly Gly Ser Ser Ala Ala Glu Arg Arg Ser Asn Gly Lys aga ctt ggg cgt gaa gaa agc ccc gaa act gag tcc aac aaa att cag Arg Leu Gly Arg Glu Glu Ser Pro Glu Thr Glu Ser Asn Lys Ile Gln 265 270 275 aag gtg aat tot act acc ccg acg aca ttt gat caa acc gct gaa gct 978 Lys Val Asn Ser Thr Thr Pro Thr Thr Phe Asp Gln Thr Ala Glu Ala 280 285 acg atg agg aaa gcc cgt gtc tcc gtt cgt gcc cga tcg gaa gct ccq 1026 Thr Met Arg Lys Ala Arg Val Ser Val Arg Ala Arg Ser Glu Ala Pro 300 305 atg ata agc gat gga tgt caa tgg aga aaa tat ggc cag aag atg gcc Met Ile Ser Asp Gly Cys Gln Trp Arg Lys Tyr Gly Gln Lys Met Ala aaa ggg aat cet tgt eeg egg gea tat tae ege tge aeg atg gee aeg 1122 -Lys Gly Asn Pro Cys Pro Arg Ala Tyr Tyr Arg Cys Thr Met Ala Thr 330 335 ggc tgt ccc gtt cgc aaa caa gtt caa cgt tgc gcg gaa gac aga tca 1170 Gly Cys Pro Val Arg Lys Gln Val Gln Arg Cys Ala Glu Asp Arg Ser 350 att ctg att aca acc tac gag gga aac cat aac cat ccg ttg ccg cca 1218 Ile Leu Ile Thr Thr Tyr Glu Gly Asn His Asn His Pro Leu Pro Pro 360 365 370 gcc gcg gta gcc atg gct tct acc acc acg gcg gcg gct aac atg ttg Ala Ala Val Ala Met Ala Ser Thr Thr Thr Ala Ala Ala Asn Met Leu 380 cta tcc ggg tca atg tct agt cac gac ggg atg atg aac cct aca aat Leu Ser Gly Ser Met Ser Ser His Asp Gly Met Met Asn Pro Thr Asn 395 400 405 tta cta gct agg gct gtt ctt cct tgc tcc aca agc atg gca aca atc Leu Leu Ala Arg Ala Val Leu Pro Cys Ser Thr Ser Met Ala Thr Ile tca gcc tcc gcg ccg ttt cca acc gtc aca tta gac ctc acc cac tca . Ser Ala Ser Ala Pro Phe Pro Thr Val Thr Leu Asp Leu Thr His Ser 425 430 435

cct ccg cct cct aat ggt tcc aat cct tcc tct tcc gcg gct acc aac 1458

Pro Pro Pro Asn Gly Ser Asn Pro Ser Ser Ser Ala Ala Thr Asn 440 455 450

aac aac cac aac tca ctg atg cag cgg ccg caa caa caa caa cag caa 1506

Asn Asn His Asn Ser Leu Met Gln Arg Pro Gln Gln Gln Gln Gln Gln 455 460 465

atg acg aac tta cct ccg gga atg cta cct cat gta ata ggc cag gca 1554

Met Thr Asn Leu Pro Pro Gly Met Leu Pro His Val Ile Gly Gln Ala 470 475 480 485

ttg tat aac caa tcc aag ttc tcg ggg ctg cag ttc tct ggt ggc tct 1602

Leu Tyr Asn Gln Ser Lys Phe Ser Gly Leu Gln Phe Ser Gly Gly Ser 490 495 500

ccc tcg acg gca gcg ttt tct cag tca cac gcg gtg gct gat aca ata 1650

Pro Ser Thr Ala Ala Phe Ser Gln Ser His Ala Val Ala Asp Thr Ile
505 510 515

acg gca ctc aca gct gac ccg aat ttc acg gcg gct ctt gca gcc gtt 1698

Thr Ala Leu Thr Ala Asp Pro Asn Phe Thr Ala Ala Leu Ala Ala Val 520 525 530

att tot tot atg atc aat ggt acg aac cac cac gac ggc gaa gga aac 1746

Ile Ser Ser Met Ile Asn Gly Thr Asn His His Asp Gly Glu Gly Asn 535 540 545

aac aaa aat caa tag aaaaatatta cattttttt ttgggtatct acatttttt 1801 Asn Lys Asn Gln

tccaactggg ttataggaaa cagagagttt atttcattga ttcacatttg ttctgtttcg

taccaaaatc ccagtaaata tacaaaagca aactatactc aagttcatat tcgtaaacac 1921

tataaatagt acgttactta ataaaaaaaa a 1952

550

<210> 308 <211> 553 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Arg Gly Trp Ser Gly Leu Thr Leu Asp Ser Ser Ser Leu Asp 1 5 10 15

Leu Leu Asn Pro Asn Arg Ile Ser His Lys Asn His Arg Arg Phe Ser 20 25 30

Asn Pro Leu Ala Met Ser Arg Île Asp Glu Glu Asp Asp Gln Lys Thr 35 40 45

Arg Ile Ser Thr Asn Gly Ser Glu Phe Arg Phe Pro Val Ser Leu Ser 50 55 60

Gly Ile Arg Asp Arg Glu Asp Glu Asp Phe Ser Ser Gly Val Ala Gly 65 70 75 80

Asp Asn Asp Arg Glu Val Pro Gly Glu Val Asp Phe Phe Ser Asp Lys 85 90 95

Lys Ser Arg Val Cys Arg Glu Asp Asp Glu Gly Phe Arg Val Lys 100 105 110

Glu Glu Gln Asp Asp Arg Thr Asp Val Asn Thr Gly Leu Asn Leu Arg
115
120
125

Thr Thr Gly Asn Thr Lys Ser Asp Glu Ser Met Ile Asp Asp Gly Glu
130
135
140

Ser Ser Glu Met Glu Asp Lys Arg Ala Lys Asn Glu Leu Val Lys Leu 145 150 155 160

Gln Asp Glu Leu Lys Lys Met Thr Met Asp Asn Gln Lys Leu Arg Glu 165 170 175

Leu Leu Thr Gln Val Ser Asn Ser Tyr Thr Ser Leu Gln Met His Leu 180 185 190

Val Ser Leu Met Gln Gln Gln Gln Gln Asn Asn Lys Val Ile Glu 195 200 205

Ala Ala Glu Lys Pro Glu Glu Thr Ile Val Pro Arg Gln Phe Ile Asp 210 215 220

Leu Gly Pro Thr Arg Ala Val Gly Glu Ala Glu Asp Val Ser Asn Ser 225 230 235 240

Ser Ser Glu Asp Arg Thr Arg Ser Gly Gly Ser Ser Ala Ala Glu Arg 245 250 255

Arg Ser Asn Gly Lys Arg Leu Gly Arg Glu Glu Ser Pro Glu Thr Glu 260 265 270

Ser Asn Lys Ile Gln Lys Val Asn Ser Thr Thr Pro Thr Thr Phe Asp

275 280 285

Gln Thr Ala Glu Ala Thr Met Arg Lys Ala Arg Val Ser Val Arg Ala 290 295 300

Arg Ser Glu Ala Pro Met Ile Ser Asp Gly Cys Gln Trp Arg Lys Tyr 305 310 315 320

Gly Gln Lys Met Ala Lys Gly Asn Pro Cys Pro Arg Ala Tyr Tyr Arg 325 330 335

Cys Thr Met Ala Thr Gly Cys Pro Val Arg Lys Gln Val Gln Arg Cys 340 345 350

Ala Glu Asp Arg Ser Ile Leu Ile Thr Thr Tyr Glu Gly Asn His Asn 355 360 365

His Pro Leu Pro Pro Ala Ala Val Ala Met Ala Ser Thr Thr Thr Ala 370 375 380

Ala Ala Asn Met Leu Leu Ser Gly Ser Met Ser Ser His Asp Gly Met 385 390 395 400

Met Asn Pro Thr Asn Leu Leu Ala Arg Ala Val Leu Pro Cys Ser Thr 405 410 415

Ser Met Ala Thr Ile Ser Ala Ser Ala Pro Phe Pro Thr Val Thr Leu 420 425 430

Asp Leu Thr His Ser Pro Pro Pro Pro Asn Gly Ser Asn Pro Ser Ser 435 440 445

Ser Ala Ala Thr Asn Asn Asn His Asn Ser Leu Met Gln Arg Pro Gln 450 455 460

Gln Gln Gln Gln Gln Met Thr Asn Leu Pro Pro Gly Met Leu Pro His 465 470 475 480

Val Ile Gly Gln Ala Leu Tyr Asn Gln Ser Lys Phe Ser Gly Leu Gln 485 490 495

Phe Ser Gly Gly Ser Pro Ser Thr Ala Ala Phe Ser Gln Ser His Ala 500 505

Val Ala Asp Thr Ile Thr Ala Leu Thr Ala Asp Pro Asn Phe Thr Ala 515 520 525

Ala Leu Ala Ala Val Ile Ser Ser Met Ile Asn Gly Thr Asn His His 530 535 540

Asp Gly Glu Gly Asn Asn Lys Asn Gln 545 550

<210> 309 <211> 1136 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (118)..(1074) <223> G187

<400> 309

tagacctctt aggaaaaaaa cctaaaaacc taatccccaa acctaaaagg cttatctcat 60

ctcttcttct ttgtcttctt tactcttttt ttacctctct cttcattgtt cttcacc 117

atg tot aat gaa acc aga gat etc tac aac tac caa tac cet tca tcg 165

ttt tcg ttg cac gaa atg atg aat ctg cct act tca aat cca tct tct 213

Phe Ser Leu His Glu Met Met Asn Leu Pro Thr Ser Asn Pro Ser Ser 20 25 30

tat gga aac ctc cca tca caa aac ggt ttt aat cca tct act tat tcc 261

Tyr Gly Asn Leu Pro Ser Gln Asn Gly Phe Asn Pro Ser Thr Tyr Ser 35 40 45

ttc acc gat itgt etc caa agt tet eca gea geg tat gaa tet eta ett .

Phe Thr Asp Cys Leu Gln Ser Ser Pro Ala Ala Tyr Glu Ser Leu Leu 50 55 60

cag aaa act ttt ggt ett tet eee tet tee tea gag gtt tte aat tet 357 bestelling in terminal and tet act and terminal and te

Gln Lys Thr Phe Gly Leu Ser Pro Ser Ser Ser Glu Val Phe Asn Ser 65 70 75 80

teg ate gat caa gaa eeg aac egt gat gtt aet aat gae gta ate aat 405

Ser Ile Asp Gln Glu Pro Asn Arg Asp Val Thr Asn Asp Val Ile Asn 85 90 95

ggt ggt gca tgc aac gag act gaa act agg gtt tct cct tct aat tct

Gly Gly Ala Cys Asn Glu Thr Glu Thr Arg Val Ser Pro Ser Asn Ser 100 105 110

tee tet agt gag get gat cac eee ggt gaa gat tee ggt aag age egg

Ser Ser Ser Glu Ala Asp His Pro Gly Glu Asp Ser Gly Lys Ser Arg 115 120 125

agg aaa cga gag tta gtc ggt gaa gaa gat caa att tcc aaa aaa gtt 549 Arg Lys Arg Glu Leu Val Gly Glu Glu Asp Gln Ile Ser Lys Lys Val 130 ggg aaa acg aaa aag act gag gtg aag aaa caa aga gag cca cga gtc Gly Lys Thr Lys Lys Thr Glu Val Lys Lys Gln Arg Glu Pro Arg Val 150 155 . 145 tog tit atg act aaa agt gaa git gat cat cit gaa gat ggt tat aga Ser Phe Met Thr Lys Ser Glu Val Asp His Leu Glu Asp Gly Tyr Arg 175 tgg aga aaa tac ggc caa aag gct gta aaa aat agc cct tat cca agg Trp Arg Lys Tyr Gly Gln Lys Ala Val Lys Asn Ser Pro Tyr Pro Arg 185 agt tac tat aga tgt aca aca caa aag tgc aac gtg aag aaa cga gtg 741 Ser Tyr Tyr Arg Cys Thr Thr Gln Lys Cys Asn Val Lys Lys Arg Val 200 195 gag aga tcg ttc caa gat cca acg gtt gtg att aca act tac gag ggt Glu Arg Ser Phe Gln Asp Pro Thr Val Val Ile Thr Thr Tyr Glu Gly 210 215 caa cac aac cac ccg att ccg act aat ctt cga gga agt tct gcc gcg Gln His Asn His Pro Ile Pro Thr Asn Leu Arg Gly Ser Ser Ala Ala 235 225 gct gct atg ttc tcc gca gac ctc atg act cca aga agc ttt gca cat Ala Ala Met Phe Ser Ala Asp Leu Met Thr Pro Arg Ser Phe Ala His 245 250 gat atg ttt agg acg gca gct tat act aac ggc ggt tet gtg gcg gcg 933 Asp Met Phe Arg Thr Ala Ala Tyr Thr Asn Gly Gly Ser Val Ala Ala . 265 gct ttg gat tat gga tat gga caa agt ggt tat ggt agt gtg aat tca 981 Ala Leu Asp Tyr Gly Tyr Gly Gln Ser Gly Tyr Gly Ser Val Asn Ser 275 280 aac cct agt tct cac caa gtg tat cat caa ggg ggt gag tat gag ctc 1029 Asn Pro Ser Ser His Gln Val Tyr His Gln Gly Gly Glu Tyr Glu Leu ttg agg gag att ttt cct tca att ttc ttt aag caa gag cct tga Leu Arg Glu Ile Phe Pro Ser Ile Phe Phe Lys Gln Glu Pro 315 305 310

tegateatty ttataaetae atatattata tatattgaga gagagaggta gagaaaaaaa 1134

aa 1136

<210> 310 <211> 318 <212> PRT <213> Arabidopsis thaliana <400> 310

Met Ser Asn Glu Thr Arg Asp Leu Tyr Asn Tyr Gln Tyr Pro Ser Ser 1 5 10 15

Phe Ser Leu His Glu Met Met Asn Leu Pro Thr Ser Asn Pro Ser Ser 20 25 30

Tyr Gly Asn Leu Pro Ser Gln Asn Gly Phe Asn Pro Ser Thr Tyr Ser · 35 40 45

Phe Thr Asp Cys Leu Gln Ser Ser Pro Ala Ala Tyr Glu Ser Leu Leu 50 55 60

Gln Lys Thr Phe Gly Leu Ser Pro Ser Ser Ser Glu Val Phe Asn Ser 65 70 75 80

Ser Ile Asp Gln Glu Pro Asn Arg Asp Val Thr Asn Asp Val Ile Asn' 85 90 95

Gly Gly Ala Cys Asn Glu Thr Glu Thr Arg Val Ser Pro Ser Asn Ser 100 105 110

Ser Ser Ser Glu Ala Asp His Pro Gly Glu Asp Ser Gly Lys Ser Arg 115 120 125

Arg Lys Arg Glu Leu Val Gly Glu Glu Asp Gln Ile Ser Lys Lys Val 130 135 140

Gly Lys Thr Lys Lys Thr Glu Val Lys Lys Gln Arg Glu Pro Arg Val 145 150 155 160

Ser Phe Met Thr Lys Ser Glu Val Asp His Leu Glu Asp Gly Tyr Arg 165 170 175

Trp Arg Lys Tyr Gly Gln Lys Ala Val Lys Asn Ser Pro Tyr Pro Arg 180 185 190

Ser Tyr Tyr Arg Cys Thr Thr Gln Lys Cys Asn Val Lys Lys Arg Val 195 200 205

Glu Arg Ser Phe Gln Asp Pro Thr Val Val Ile Thr Thr Tyr Glu Gly
210 215 220

Gln His Asn His Pro Ile Pro Thr Asn Leu Arg Gly Ser Ser Ala Ala 225 230 235 240

Ala Ala Met Phe Ser Ala Asp Leu Met Thr Pro Arg Ser Phe Ala His 245 250 255

Asp Met Phe Arg Thr Ala Ala Tyr Thr Asn Gly Gly Ser Val Ala Ala 260 265 270

Ala Leu Asp Tyr Gly Tyr Gly Gln Ser Gly Tyr Gly Ser Val Asn Ser 275 280 . 285

Asn Pro Ser Ser His Gln Val Tyr His Gln Gly Gly Glu Tyr Glu Leu 290 295 300

Leu Arg Glu Ile Phe Pro Ser Ile Phe Phe Lys Gln Glu Pro 305 310 315

<210> 311 <211> 1252 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (145)..(1125) <223> G210

<400> 311 tcagaacaca aaagtttggc tacagttgtg ttctgatagt gatgatcatg atcatcacat 60

gaataagtag aagatatete ttaeettete ettettetaa taagateaga gttttggtte 120

ttatttcttt gacctctcaa aaca atg ggt aga tca ccg tgt tgt gac aaa 171

Met Gly Arg Ser Pro Cys Cys Asp Lys 1 5

ttg ggt ttg aag aaa gga cct tgg aca cca gag gag gat cag aaa ctt 219

Leu Gly Leu Lys Lys Gly Pro Trp Thr Pro Glu Glu Asp Gln Lys Leu 10 15 20 25

tta gct tat att gaa gaa cat ggt cat gga agt tgg cgt tca ttg cct 267

Leu Ala Tyr Ile Glu Glu His Gly His Gly Ser Trp Arg Ser Leu Pro 30 35 40

gag aaa gct ggt ctc cat cga tgc gga aag agt tgt aga cta aga tgg 315 Glu Lys Ala Gly Leu His Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp

50

act aac tac cta aga cct gac atc aaa aga ggc aaa ttc aac tta caa 363

WO 02/15675

· 翻译 [1] "想不使他感化此致心心意描绘是人名西伯斯 (1) \$P\$ (1) \$P\$ (1) \$P\$ Thr Asn Tyr Leu Arg Pro Asp Ile Lys Arg Gly Lys Phe Asn Leu Gln 60 65 70 gaa gaa caa acc att atc caa ctc cat gct ctg tta gga aac aga tgg 411 Glu Glu Gln Thr Ile Ile Gln Leu His Ala Leu Leu Gly Asn Arg Trp 80 tca gcg att gct act cat ttg cca aag aga aca gac aac gag atc aag Ser Ala Ile Ala Thr His Leu Pro Lys Arg Thr Asp Asn Glu Ile Lys 95 aac tat tgg aac act cat ttg aag aaa cgg tta gtg aaa atg ggg att Asn Tyr Trp Asn Thr His Leu Lys Lys Arg Leu Val Lys Met Gly Ile gat coa gtg act cat aaa coc aaa aac gag act cot tta tot tot ott 555 Asp Pro Val Thr His Lys Pro Lys Asn Glu Thr Pro Leu Ser Ser Leu the 1864 the **125**0 from the 1869 the **130** from 1869 the 1864 the ggt cta tcc aag aac gca gct ata ctt agc cac act gct caa tgg gaa 603 for a file of the are repaired by the form but again Gly Leu Ser Lys Asn Ala Ala Ile Leu Ser His Thr Ala Gln Trp Glu 節4 15 5 140 新 ( 41 ) 野 m ( 145 ) ( 20 ) ( 13 ) App (20 ) 150 ( 20 ) ( 20 ) agt gca agg ctt gaa gct gaa gca aga cta gct aga gaa tca aag ctt Ser Ala Arg Leu Glu Ala Glu Ala Arg Leu Ala Arg Glu Ser Lys Leu 160 699 The was also and the odg end of the stander with the odg and Leu His Leu Gln His Tyr Gln Thr Lys Thr Ser Ser Gln Pro His His 170 cat cat gga ttc act cac aag tca ttg tta cct aat tgg aca aca aaa and the second second His His Gly Phe Thr His Lys Ser Leu Leu Pro Asn Trp Thr Thr Lys The tree base 1 de 1901 agree but then the 1951 that the that the 200 Ber こう カード 高級権 (44年) cca cac gaa gat caa caa cag ctt gaa tot ccg aca tot aca gtg toa Country of the Carlot American Commence Pro His Glu Asp Gln Gln Gln Leu Glu Ser Pro Thr Ser Thr Val Ser The state of the 205 th in which the Act 210 the ATT 1 to the 215 th ttc tct gag atg aag gaa tca atc ccg gcg aag ata gag ttt gtc gga Phe Ser Glu Met Lys Glu Ser Ile Pro Ala Lys Ile Glu Phe Val Gly 220 225 tca tca act ggt gtg act ctg atg aaa gaa cct gaa cac gat tgg atc Ser Ser Thr Gly Val Thr Leu Met Lys Glu Pro Glu His Asp Trp Ile 240 245 aat tca acg atg cac gag ttt gaa act acg cag atg gga gaa gga atc Asn Ser Thr Met His Glu Phe Glu Thr Thr Gln Met Gly Glu Gly Ile But the Way to the English Marie Marie Marie Alter 544

 $(x,y) \in \mathcal{X}$ 

250 255 260 265

gaa gaa ggg ttc acg ggt ctc ttg ctc ggt ggt gat tca atc gac cgg 987

Glu Glu Gly Phe Thr Gly Leu Leu Gly Gly Asp Ser Ile Asp Arg 270 275 280

agt ttt tee gge gat aaa aac gag aeg gee gge gag agt agt ggt 1035

Ser Phe Ser Gly Asp Lys Asn Glu Thr Ala Gly Glu Ser Ser Gly Gly 285 290 295

gac tgc aac tac tat gag gac aac aag aac tac ttg gac agc att ttc 1083

Asp Cys Asn Tyr Tyr Glu Asp Asn Lys Asn Tyr Leu Asp Ser Ile Phe 300 305 310

aac ttt gta gat cct tca ccg tcg gat tca ccg atg ttc tga 1125

Asn Phe Val Asp Pro Ser Pro Ser Asp Ser Pro Met Phe 315 320 325

atctaagggt tgatatttgt tgggaatgtt tttgattctt tttttagttt ctagtttttg 1185 and topper film and the film at the film and the film and the film at the film and the film at the film

aaaaaaa 1252

<210> 312 <211> 326 <212> PRT <213> Arabidopsis thaliana <400> 312

2. Dept. 1. William States of the Control of the Cont

Met Gly Arg Ser Pro Cys Cys Asp Lys Leu Gly Leu Lys Lys Gly Pro 1 5 10 15

Trp Thr Pro Glu Glu Asp Gln Lys Leu Leu Ala Tyr Ile Glu Glu His 20 25 30

Gly His Gly Ser Trp Arg Ser Leu Pro Glu Lys Ala Gly Leu His Arg 35 40 45

Cys Gly Lys Ser Cys Arg Leu Arg Trp Thr Asn Tyr Leu Arg Pro Asp 50 55 60

Ile Lys Arg Gly Lys Phe Asn Leu Gln Glu Glu Gln Thr Ile Ile Gln 65 70 75 80

Leu His Ala Leu Leu Gly Asn Arg Trp Ser Ala Ile Ala Thr His Leu 85 90 95

Pro Lys Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp Asn Thr His Leu 100 105 110

Lys Lys Arg Leu Val Lys Met Gly Ile Asp Pro Val Thr His Lys Pro 115 120 125

Lys Asn Glu Thr Pro Leu Ser Ser Leu Gly Leu Ser Lys Asn Ala Ala 130 135 140

Ile Leu Ser His Thr Ala Gln Trp Glu Ser Ala Arg Leu Glu Ala Glu 145 150 155 160

Ala Arg Leu Ala Arg Glu Ser Lys Leu Leu His Leu Gln His Tyr Gln
165 170 175

Thr Lys Thr Ser Ser Gln Pro His His His His Gly Phe Thr His Lys 180 185 190

Ser Leu Leu Pro Asn Trp Thr Thr Lys Pro His Glu Asp Gln Gln Gln 195 200 - 205

Leu Glu Ser Pro Thr Ser Thr Val Ser Phe Ser Glu Met Lys Glu Ser 210 220

Ile Pro Ala LysIle Glu Phe Val Gly Ser Ser Thr Gly Val Thr Leu225230235240

Met Lys Glu Pro Glu His Asp Trp Ile Asn Ser Thr Met His Glu Phe 245 250 255

Glu Thr Thr Gln Met Gly Glu Gly Ile Glu Glu Gly Phe Thr Gly Leu 260 265 270

Leu Leu Gly Gly Asp Ser Ile Asp Arg Ser Phe Ser Gly Asp Lys Asn 275 280 285

Glu Thr Ala Gly Glu Ser Ser Gly Gly Asp Cys Asn Tyr Tyr Glu Asp 290 295 300

Asn Lys Asn Tyr Leu Asp Ser Ile Phe Asn Phe Val Asp Pro Ser Pro 305 310 315 320

Ser Asp Ser Pro Met Phe 325

<210> 313 <211> 989 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (21)..(983) <223> G227

<400> 313 gtaccgtcga cgatccggcg atg tca aac ccg acc cgt aag aat atg gag agg Met Ser Asn Pro Thr Arg Lys Asn Met Glu Arg att aaa ggt cca tgg agt cca gaa gaa gat gat ctg ttg cag agg ctt Ile Lys Gly Pro Trp Ser Pro Glu Glu Asp Asp Leu Leu Gln Arg Leu 15 gtt cag aaa cat ggt ccg agg aac tgg tct ttg att agc aaa tca atc Val Gln Lys His Gly Pro Arg Asn Trp Ser Leu Ile Ser Lys Ser Ile cct gga cgt tcc ggc aaa tct tgt cgt ctc cgg tgg tgt aac cag cta 197 Pro Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp Cys Asn Gln Leu 45 50 55 tct ccg gag gta gag cac cgt gct ttt tcg cag gaa gaa gac gag acg 245 Ser Pro Glu Val Glu His Arg Ala Phe Ser Gln Glu Glu Asp Glu Thr att att cga gct cac gct cgg ttt ggt aac aag tgg gct acg atc tct Ile Ile Arg Ala His Ala Arg Phe Gly Asn Lys Trp Ala Thr Ile Ser 80. . 85 cgt ctt ctc aat gga cga acc gat aac gct atc aag aat cat tgg aac Arg Leu Leu Asn Gly Arg Thr Asp Asn Ala Ile Lys Asn His Trp Asn tcg acg ctg aag cga aaa tgc agc gtc gaa ggg caa agt tgt gat ttt 389 Ser Thr Leu Lys Arg Lys Cys Ser Val Glu Gly Gln Ser Cys Asp Phe 115 437 Gly Gly Asn Gly Gly Tyr Asp Gly Asn Leu Gly Glu Glu Gln Pro Leu 135 125 aaa cgt acg gcg agt ggt ggt ggt gtc tcg act ggc ttg tat atg 485 Lys Arg Thr Ala Ser Gly Gly Gly Gly Val Ser Thr Gly Leu Tyr Met agt ccc gga agt cca tcg gga tct gac gtc agc gag caa tct agt ggt 533 Ser Pro Gly Ser Pro Ser Gly Ser Asp Val Ser Glu Gln Ser Ser Gly ĵ., ggt gca cac gtg ttt aaa cca acg gtt aga tct gag gtt aca gcg tca 581 Gly Ala His Val Phe Lys Pro Thr Val Arg Ser Glu Val Thr Ala Ser 180

Note that the state of the company for the contract of the specific part of the contract of th tog tot ggt gaa gat cot coa act tat ctt agt ttg tot ctt cot tgg 629 Ser Ser Gly Glu Asp Pro Pro Thr Tyr Leu Ser Leu Ser Leu Pro Trp 190 195 200 act gac gag acg gtt cga gtc aac gag ccg gtt caa ctt aac cag aat 677 Thr Asp Glu Thr Val Arg Val Asn Glu Pro Val Gln Leu Asn Gln Asn acg gtt atg gac ggt ggt tat acg gcg gag ctg ttt ccg gtt aga aag 725 Thr Val Met Asp Gly Gly Tyr Thr Ala Glu Leu Phe Pro Val Arg Lys 225 230 gaa gag caa gtg gaa gta gaa gaa gaa gag gag gag ata tct ggt 773 Glu Glu Gln Val Glu Glu Glu Glu Ala Lys Gly Ile Ser Gly 240 gga ttc ggt ggt gag ttc atg acg gtg gtt cag gag atg ata agg acg in the parameters of the east Gly Phe Gly Glu Phe Met Thr Val Val Gln Glu Met Ile Arg Thr gag gtg agg agt tac atg gcg gat tta cag cga gga aac gtc ggt ggt ing a cutter didentity in the analysis of the larger sign Glu Val Arg Ser Tyr Met Ala Asp Leu Gln Arg Gly Asn Val Gly Gly 20 July 270 (cm) (j. 1. 1907). 275 Oct. 1. 14 10 (198 280 July 20). agt agt tet gge gge gga ggt gge ggt teg tgt atg eea caa agt gta 917 Ser Ser Ser Gly Gly Gly Gly Gly Ser Cys Met Pro Gln Ser Val 285 290 295 aac agc cgt cgt gtt ggg ttt aga gag ttt ata gtg aac caa atc gga And the second Asn Ser Arg Arg Val Gly Phe Arg Glu Phe Ile Val Asn Gln Ile Gly 305 att ggg aag atg gag tag gcggcc 989 And the Agent Lawrence State State and the Agent State and the ત્વર્લાએ જાતનું ત્વારા જિલ્લો **320** પ્રાપ્ત હાલ કર્યો કરો છે. માના વારા સંવેધ કરોતા ત્વારા પ્રાપ્ત કરવા માત્ર ભાગ મુખ્ય પ્રાપ્ત કરાય હતા. ક્રિયા કરાય છે. જો માત્ર માત્ર કર્યા હતા. <210> 314 <211> 320 <212> PRT <213> Arabidopsis thaliana <400> Met Ser Asn Pro Thr Arg Lys Asn Met Glu Arg Ile Lys Gly Pro Trp 10 Ser Pro Glu Glu Asp Asp Leu Leu Gln Arg Leu Val Gln Lys His Gly

20 25

Pro Arg Asn Trp Ser Leu Ile Ser Lys Ser Ile Pro Gly Arg Ser Gly 35 45 40

Lys Ser Cys Arg Leu Arg Trp Cys Asn Gln Leu Ser Pro Glu Val Glu 55 His Arg Ala Phe Ser Gln Glu Glu Asp Glu Thr Ile Ile Arg Ala His 70 75 Ala Arg Phe Gly Asn Lys Trp Ala Thr Ile Ser Arg Leu Leu Asn Gly 85 90 Arg Thr Asp Asn Ala Ile Lys Asn His Trp Asn Ser Thr Leu Lys Arg 105 Lys Cys Ser Val Glu Gly Gln Ser Cys Asp Phe Gly Gly Asn Gly Gly 115 120 125 Tyr Asp Gly Asn Leu Gly Glu Glu Gln Pro Leu Lys Arg Thr Ala Ser 130 135 140 Gly Gly Gly Val Ser Thr Gly Leu Tyr Met Ser Pro Gly Ser Pro 145 The Control 150 Heavisian No. 155 The Education 160 Ser Gly Ser Asp Val Ser Glu Gln Ser Ser Gly Gly Ala His Val Phe 165 170 Lys Pro Thr Val Arg Ser Glu Val Thr Ala Ser Ser Ser Gly Glu Asp 180 185 Pro Pro Thr Tyr Leu Ser Leu Ser Leu Pro Trp Thr Asp Glu Thr Val 195 200 205 Arg Val Asn Glu Pro Val Gln Leu Asn Gln Asn Thr Val Met Asp Gly . 215 Gly Tyr Thr Ala Glu Leu Phe Pro Val Arg Lys Glu Glu Gln Val Glu 230 235 240 Val Glu Glu Glu Ala Lys Gly Ile Ser Gly Gly Phe Gly Gly Glu 245 250 Phe Met Thr Val Val Gln Glu Met Ile Arg Thr Glu Val Arg Ser Tyr 265 Met Ala Asp Leu Gln Arg Gly Asn Val Gly Gly Ser Ser Ser Gly Gly 280 Gly Gly Gly Ser Cys Met Pro Gln Ser Val Asn Ser Arg Arg Val

290 295 300

Gly Phe Arg Glu Phe Ile Val Asn Gln Ile Gly Ile Gly Lys Met Glu 305 310 315 320

<210> 315 <211> 920 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(852) <223> G237

<400> 315

atg gcg aag acg aaa tat gga gag aga cat agg aaa ggg tta tgg tca 48

Met Ala Lys Thr Lys Tyr Gly Glu Arg His Arg Lys Gly Leu Trp Ser 1 5 10 15

cct gaa gaa gac gag aag cta agg agc ttc atc ctc tct tat ggc cat 96

Pro Glu Glu Asp Glu Lys Leu Arg Ser Phe Ile Leu Ser Tyr Gly His
20 25 30

tct tgc tgg acc act gtt ccc atc aaa gct ggg tta caa agg aat ggg 144

Ser Cys Trp Thr Thr Val Pro Ile Lys Ala Gly Leu Gln Arg Asn Gly 35 40 45

aag agc tgc aga tta aga tgg att aat tac cta aga cca ggg tta aag 192

Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Pro Gly Leu Lys 50 55

agg gat atg att agt gca gaa gaa gag act atc ttg acg ttt cat 240

Arg Asp Met Ile Ser Ala Glu Glu Glu Glu Thr Ile Leu Thr Phe His 65 70 75 80

tct ccc ttg ggt aac aag tgg tcg caa ata gct aaa ttc tta ccg gga

Ser Pro Leu Gly Asn Lys Trp Ser Gln Ile Ala Lys Phe Leu Pro Gly 85 90 95

aga aca gac aat gag ata aag aac tat tgg cac tct cat ttg aaa aag

Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp His Ser His Leu Lys Lys
100 105 110

aaa tgg ctc aag tct cag agc tta caa gat gca aaa tct att tcc cct 384

Lys Trp Leu Lys Ser Gln Ser Leu Gln Asp Ala Lys Ser Ile Ser Pro 115 120 125

cct tcg tct tca tca tca tca ctt gtt gct tgt gga gaa aga aat ccg

Pro Ser Ser Ser Ser Ser Leu Val Ala Cys Gly Glu Arg Asn Pro 130 135 140

gaa acc ttg atc tcg aat cac gtg ttc tcc ctc cag aga ctt cta gag 480

Glu Thr Leu Ile Ser Asn His Val Phe Ser Leu Gln Arg Leu Leu Glu

aac aaa tot toa tot ooc toa caa gaa ago aac gga aat aac ago cat 528

Asn Lys Ser Ser Ser Pro Ser Gln Glu Ser Asn Gly Asn Asn Ser His 165 170 175

caa tgt tct tct gct cct gag att cca agg ctt ttc tct gaa tgg 576

Gln Cys Ser Ser Ala Pro Glu Ile Pro Arg Leu Phe Phe Ser Glu Trp 180 185 190

ctt tet tet tea tat eec cae ace gat tat tee tet gag ttt ace gae 624

Leu Ser Ser Ser Tyr Pro His Thr Asp Tyr Ser Ser Glu Phe Thr Asp 195 200 205

tct aag cac agt caa gct cca aat gtc gaa gag act ctc tca gct tat 672

Ser Lys His Ser Gln Ala Pro Asn Val Glu Glu Thr Leu Ser Ala Tyr 210 215 220

gaa gaa atg ggt gat gtt gat cag ttc cat tac aac gaa atg atc 720

Glu Glu Met Gly Asp Val Asp Gln Phe His Tyr Asn Glu Met Met Ile 225 230 240

aac aac agc aac tgg act ctt aac gac att gtg ttt ggt tcc aaa tgt 768

Asn Asn Ser Asn Trp Thr Leu Asn Asp Ile Val Phe Gly Ser Lys Cys 245 250 255

aag aag cag gag cat cat att tat aga gag gct tca gat tgt aat tct 816

Lys Lys Gln Glu His His Ile Tyr Arg Glu Ala Ser Asp Cys Asn Ser 260 265 270

tet get gaa tte ttt tet eea eea aea aeg aeg taa attgegttta

Ser Ala Glu Phe Phe Ser Pro Pro Thr Thr 275 280

ttgtaatgta aatcaaattt ctaaggcaaa accggaaaaa aaaaaaaaa aaaaaaaa 920

<210> 316 <211> 283 <212> PRT <213> Arabidopsis thaliana <400> 316

Met Ala Lys Thr Lys Tyr Gly Glu Arg His Arg Lys Gly Leu Trp Ser 1 5 10 15

Pro Glu Glu Asp Glu Lys Leu Arg Ser Phe Ile Leu Ser Tyr Gly His 20 25 30

Ser Cys Trp Thr Thr Val Pro Ile Lys Ala Gly Leu Gln Arg Asn Gly
35 40

Lys Ser Cys Arg Leu Arg Trp Ile Asn Tyr Leu Arg Pro Gly Leu Lys 50 55 60

Arg Asp Met Ile Ser Ala Glu Glu Glu Glu Thr Ile Leu Thr Phe His 70 75 80 Ser Pro Leu Gly Asn Lys Trp Ser Gln Ile Ala Lys Phe Leu Pro Gly 85 90 95 Arg Thr Asp Asn Glu Ile Lys Asn Tyr Trp His Ser His Leu Lys Lys 100 105 110 Lys Trp Leu Lys Ser Gln Ser Leu Gln Asp Ala Lys Ser Ile Ser Pro 115 120 Pro Ser Ser Ser Ser Ser Leu Val Ala Cys Gly Glu Arg Asn Pro the Res Res 130 135 140 Glu Thr Leu Ile Ser Asn His Val Phe Ser Leu Gln Arg Leu Leu Glu . Asn Lys Ser Ser Ser Pro Ser Gln Glu Ser Asn Gly Asn Asn Ser His Gln Cys Ser Ser Ala Pro Glu Ile Pro Arg Leu Phe Phe Ser Glu Trp 180 185 Leu Ser Ser Ser Tyr Pro His Thr Asp Tyr Ser Ser Glu Phe Thr Asp . 195 205 Ser Lys His Ser Gln Ala Pro Asn Val Glu Glu Thr Leu Ser Ala Tyr 1. 210 - 1. dec. dec. de 215 de 180 de 220 de 220 de 21 de 180 de Glu Glu Met Gly Asp Val Asp Gln Phe His Tyr Asn Glu Met Met Ile 225 235 230 240 Asn Asn Ser Asn Trp Thr Leu Asn Asp Ile Val Phe Gly Ser Lys Cys 245 250 255

Lys Lys Gln Glu His His Ile Tyr Arg Glu Ala Ser Asp Cys Asn Ser 260 265 270

Ser Ala Glu Phe Phe Ser Pro Pro Thr Thr 275 280

<210> 317 <211> 723 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(723) <223> G342

<400> 317 atg gac gtc tac ggc atg tct tca ccg gac ttg ctt cgt atc gac gac Met Asp Val Tyr Gly Met Ser Ser Pro Asp Leu Leu Arg Ile Asp Asp ctt ctc gat ttc tcc aac gac gaa atc ttc tct tcc tct tcc acc gtc Leu Leu Asp Phe Ser Asn Asp Glu Ile Phe Ser Ser Ser Thr Val 144 Thr Ser Ser Ala Ala Ser Ser Ala Ala Ser Ser Glu Asn Pro Phe Ser ttt cet tet tee ace tae act tet cet act ete ete ace gae tte act 192 Phe Pro Ser Ser Thr Tyr Thr Ser Pro Thr Leu Leu Thr Asp Phe Thr 60 55 cac gat ctc tgc gtt ccc agt gac gca gct cat ctc gaa tgg tta His Asp Leu Cys Val Pro Ser Asp Asp Ala Ala His Leu Glu Trp Leu 75 Att 2 - 4 - 4 - 80 70 tcg cga ttc gtt gac gat tca ttc tcc gat ttc cca gca aat cct tta Ser Arg Phe Val Asp Asp Ser Phe Ser Asp Phe Pro Ala Asn Pro Leu 90 85 acc atg acc gtt aga ecc gag att tea tte acc gga aaa eet aga agt 336 Thr Met Thr Val Arg Pro Glu Ile Ser Phe Thr Gly Lys Pro Arg Ser 110 100 cgc cga tca aga gca cca gca cct tcc gta gct gga act tgg gct ccg Arg Arg Ser Arg Ala Pro Ala Pro Ser Val Ala Gly Thr Trp Ala Pro 120 ... atg tot gaa toa gag oft tgt cac too gto get aaa cot aaa cog aag Met Ser Glu Ser Glu Leu Cys His Ser Val Ala Lys Pro Lys Pro Lys 140 135 · 130 aaa gtc tac aac gct gaa teg gtt acg gcg gat gga gcg agg cgg tgc Lys Val Tyr Asn Ala Glu Ser Val Thr Ala Asp Gly Ala Arg Arg Cys 150 acg cac tgt gcc tcg gag aaa acg cca cag tgg aga act gga ccg ctt Thr His Cys Ala Ser Glu Lys Thr Pro Gln Trp Arg Thr Gly Pro Leu 170 165 gga cct aaa aca ctt tgt aac gct tgt gga gtt cgt tac aaa tca ggg Gly Pro Lys Thr Leu Cys Asn Ala Cys Gly Val Arg Tyr Lys Ser Gly 185 180

The way are selected to the control with the

agg ctt gta ccg gaa tac aga ccg gcg tcg agt ccg acg ttt gta ttg

Arg Leu Val Pro Glu Tyr Arg Pro Ala Ser Ser Pro Thr Phe Val Leu 195 200 205

act cag cat tog aac tot cat cgg aaa gtt atg gag oto cgg cga cag

Thr Gln His Ser Asn Ser His Arg Lys Val Met Glu Leu Arg Arg Gln 210 215 220

aag gaa caa caa gaa tot tgo gtt oga att oog oog ttt oag oog oag

Lys Glu Gln Gln Glu Ser Cys Val Arg Ile Pro Pro Phe Gln Pro Gln 225 230 235 240

taa 723

<210> 318 <211> 240 <212> PRT <213> Arabidopsis thaliana <400> 318

Met Asp Val Tyr Gly Met Ser Ser Pro Asp Leu Leu Arg Ile Asp Asp 1 5 10 15

Leu Leu Asp Phe Ser Asn Asp Glu Ile Phe Ser Ser Ser Ser Thr Val 20 25 30

Thr Ser Ser Ala Ala Ser Ser Ala Ala Ser Ser Glu Asn Pro Phe Ser 35 40 45

Phe Pro Ser Ser Thr Tyr Thr Ser Pro Thr Leu Leu Thr Asp Phe Thr 50 55 60

His Asp Leu Cys Val Pro Ser Asp Asp Ala Ala His Leu Glu Trp Leu 65 70 75 80

Ser Arg Phe Val Asp Asp Ser Phe Ser Asp Phe Pro Ala Asn Pro Leu 85 90 95

Thr Met Thr Val Arg Pro Glu Ile Ser Phe Thr Gly Lys Pro Arg Ser 100 105 110

Arg Arg Ser Arg Ala Pro Ala Pro Ser Val Ala Gly Thr Trp Ala Pro 115 120 125

Met Ser Glu Ser Glu Leu Cys His Ser Val Ala Lys Pro Lys Pro Lys 130 135 140

Lys Val Tyr Asn Ala Glu Ser Val Thr Ala Asp Gly Ala Arg Arg Cys 145 150 155 160

PCT/US01/26189 WO 02/15675

Thr His Cys Ala Ser Glu Lys Thr Pro Gln Trp Arg Thr Gly Pro Leu 170

Gly Pro Lys Thr Leu Cys Asn Ala Cys Gly Val Arg Tyr Lys Ser Gly 185 180

Arg Leu Val Pro Glu Tyr Arg Pro Ala Ser Ser Pro Thr Phe Val Leu 200 195

Thr Gln His Ser Asn Ser His Arg Lys Val Met Glu Leu Arg Arg Gln 215 210

Lys Glu Gln Glu Ser Cys Val Arg Ile Pro Pro Phe Gln Pro Gln 235 230

<210> 319 <211> 932 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (43)..(759) <223> G350

<400> 319 ctttcttctc aatttagaac ttagtagcta gtcttcaaga ta atg gca ctt gaa Met Ala Leu Glu

act ctt act tot cca aga tta tot tot ccg atg ccg act ctg ttt caa Thr Leu Thr Ser Pro Arg Leu Ser Ser Pro Met Pro Thr Leu Phe Gln

gat toa goa cta ggg ttt cat gga agc aaa ggc aaa cga tot aag cga Asp Ser Ala Leu Gly Phe His Gly Ser Lys Gly Lys Arg Ser Lys Arg 30 ... 25

tca aga tct gaa ttc gac cgt cag agt ctc acg gag gat gaa tat atc 198

Ser Arg Ser Glu Phe Asp Arg Gln Ser Leu Thr Glu Asp Glu Tyr Ile 40 45

get tta tgt etc atg ett ett get ege gae gga gat aga aac egt gae 246

Ala Leu Cys Leu Met Leu Leu Ala Arg Asp Gly Asp Arg Asn Arg Asp 55

ctt gac etg eet tet tet teg tet tea eet eet etg ett eet eet ett Leu Asp Leu Pro Ser Ser Ser Ser Pro Pro Leu Leu Pro Pro Leu

80 75

cet act ceg atc tac aag tgt agc gtc tgt gac aag geg ttt teg tet Pro Thr Pro Ile Tyr Lys Cys Ser Val Cys Asp Lys Ala Phe Ser Ser 90 85

tac cag gct ctt ggt gga cac aag gca agt cac cgg aaa agc ttt tcg Tyr Gln Ala Leu Gly Gly His Lys Ala Ser His Arg Lys Ser Phe Ser 105 ctt act caa tct gcc gga gga gat gag ctg tcg aca tcg tcg gcg ata Leu Thr Gln Ser Ala Gly Gly Asp Glu Leu Ser Thr Ser Ser Ala Ile 125 acc acg tot ggt ata too ggt ggc ggg gga gga agt gtg aag tog cac Thr Thr Ser Gly Ile Ser Gly Gly Gly Gly Gly Ser Val Lys Ser His 135 140 145 gtt tgc tct atc tgt cat aaa tcg ttc gcc acc ggt caa gct ctc ggc 534 Val Cys Ser Ile Cys His Lys Ser Phe Ala Thr Gly Gln Ala Leu Gly 150 155 160 gge cac aaa egg tge cae tae gaa gga aag aac gga gge ggt gtg agt . हैं82 जिल्हा है के दिन के दिन के किया है के लिए को बाद महिला कर मुद्रा है कि की किया है के किया है कि की की की Gly His Lys Arg Cys His Tyr Glu Gly Lys Asn Gly Gly Gly Val Ser 165 To April 180 (180 April 170 April 170 April 175 April 180 Apri agt age gtg teg aat tet gaa gat gtg ggg tet aca age cae gte age 630 Ser Ser Val Ser Asn Ser Glu Asp Val Gly Ser Thr Ser His Val Ser 185 (1944) 190 (1944) 195 (1945) agt ggc cac cgt ggg ttt gac ctc aac ata ccg ccg ata ccg gaa ttc Ser Gly His Arg Gly Phe Asp Leu Asn Ile Pro Pro Ile Pro Glu Phe teg atg gte aac gga gac gaa gag gtg atg agt cet atg ceg geg aag 726 Ser Met Val Asn Gly Asp Glu Glu Val Met Ser Pro Met Pro Ala Lys 215 220 225 1.35 aaa ctc cgg ttt gac ttc ccg gag aaa ccc taa acataaacct aggaaaaact **.779** (1) 15 (1) 16 (1) 17 (1) 16 (1) 16 (1) 17 (1) 18 (1 Lys Leu Arg Phe Asp Phe Pro Glu Lys Pro 230 235 22 Files 1 ttacagaatt cattttatag gaaattgttt tactgtatat acaaatatcg attttgattg 839 The Mark Control of the Section 1997 and the Control of the Co atgttettet teactgaaaa attatgatte tttgttgtat aattgatgtt tetgaaaaag atataacttt ttattaaaaa aaaaaaaaaa aaa <210> 320 <211> 238 <212> PRT <213> Arabidopsis thaliana <400> Met Ala Leu Glu Thr Leu Thr Ser Pro Arg Leu Ser Ser Pro Met Pro

A CONTRACTOR SECURITION

5

Thr Leu Phe Gln Asp Ser Ala Leu Gly Phe His Gly Ser Lys Gly Lys
20 25 30

Arg Ser Lys Arg Ser Arg Ser Glu Phe Asp Arg Gln Ser Leu Thr Glu 35 40 45

Asp Glu Tyr Ile Ala Leu Cys Leu Met Leu Leu Ala Arg Asp Gly Asp 50 55 60

Arg Asn Arg Asp Leu Asp Leu Pro Ser Ser Ser Ser Pro Pro Leu 65 70 75 80

Leu Pro Pro Leu Pro Thr Pro Ile Tyr Lys Cys Ser Val Cys Asp Lys 85 90 95

Ala Phe Ser Ser Tyr Gln Ala Leu Gly Gly His Lys Ala Ser His Arg

Lys Ser Phe Ser Leu Thr Gln Ser Ala Gly Gly Asp Glu Leu Ser Thr 115 120 125

Ser Ser Ala Ile Thr Thr Ser Gly Ile Ser Gly Gly Gly Gly Gly Ser

Val Lys Ser His Val Cys Ser Ile Cys His Lys Ser Phe Ala Thr Gly 145 150 155 160

Gln Ala Leu Gly Gly His Lys Arg Cys His Tyr Glu Gly Lys Asn Gly 165 170 175

Gly Gly Val Ser Ser Val Ser Asn Ser Glu Asp Val Gly Ser Thr 180 185 190

Ser His Val Ser Ser Gly His Arg Gly Phe Asp Leu Asn Ile Pro Pro 195 200 205

Ile Pro Glu Phe Ser Met Val Asn Gly Asp Glu Glu Val Met Ser Pro 210 215 220

Met Pro Ala Lys Lys Leu Arg Phe Asp Phe Pro Glu Lys Pro 225 230 235

<210> 321 <211> 2940 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (336)..(2492) <223> G384

<400> 321

gttttttctt ctgaagagtg atatatattc tacctttctc tggttaaaga aactccctga 60

atccaccggt tatgtcttga ccggctttaa gcctataaac tgatgcccta agacaccttt 120

ttaggtttct caataattct ccgcatctat cttttcttct ccacaagtaa gggaaccaga 180

aaaccaggga agaatccgag caagctaggg tttcattgtg tgcacaaaat gggatataca 240

ggcagaagaa aatcgagata aatcaactaa atgatttgga taatcatctt gaagatttga 300

aggatttcga gactaagtcc ggcgcagaag tcacc atg gag aat cct tta gaa 353

Met Glu Asn Pro Leu Glu
1 5

gaa gag ctt caa gat cct aat cag cgt ccc aac aaa aag aag cgt tac 401

Glu Glu Leu Gln Asp Pro Asn Gln Arg Pro Asn Lys Lys Arg Tyr 10 15 - 20

cac cgt cac aca caa cgc cag att caa gag cta gag tcg ttc ttc aag

His Arg His Thr Gln Arg Gln Ile Gln Glu Leu Glu Ser Phe Phe Lys 25 30 35

gaa tgt cct cat cca gac gat aag caa aga aag gag ctg agt cgc gag 497

Glu Cys Pro His Pro Asp Asp Lys Gln Arg Lys Glu Leu Ser Arg Glu
40 45 50

cta agc tta gaa cct ctt caa gtc aag ttc tgg ttc caa aac aaa cgc

Leu Ser Leu Glu Pro Leu Gln Val Lys Phe Trp Phe Gln Asn Lys Arg 55 60 65 70

act caa atg aag gca caa cat gag agg cac gag aac cag ata ctg aag 593

Thr Gln Met Lys Ala Gln His Glu Arg His Glu Asn Gln Ile Leu Lys
75 80 85

tca gaa aat gac aag ctc cga gca gag aac aat agg tac aag gat gct

Ser Glu Asn Asp Lys Leu Arg Ala Glu Asn Asn Arg Tyr Lys Asp Ala 90 95 100

cta agc aac gca aca tgc cca aac tgt ggt ggt ccg gca gct ata gga 689

Leu Ser Asn Ala Thr Cys Pro Asn Cys Gly Gly Pro Ala Ala Ile Gly
105 110 115

gaa atg tcc ttc gac gaa cag cat tta agg atc gaa aat gct cgt tta 737

Glu Met Ser Phe Asp Glu Gln His Leu Arg Ile Glu Asn Ala Arg Leu 120 125 130

	gaa	gag	att	gac	aga	atc	tct	gcc	ata	gct	gct	aaa	tac	gta	gg	3
785 Arg 135	Glu	Glu	Ile	Asp	Arg 140	Ile	Ser	Ala	Ile	Ala 145	Ala	Lys	Tyr	Val	Gl <sub>2</sub>	) )
														tct		
833 Lys	Pro	Leu	Met	Ala 155	Asn	Ser	Ser	Ser	Phe 160	Pro	Gln	Leu	Ser	Ser 165	Se	r
														ttt		
His	His	Ile	Pro 170	Ser	Arg	Ser	Leu	175	Let	ı Glu	ı Val	L Gly	7 Ası 180	n Phe	. G1	.у
														t gga		
Asr	Asn	Asr 185		Ser	His	Thr	Gly 190	y Pho	e Va	l Gl	y Gl	19	t Ph 5	e Gly	y Se	er
														t aa		
977 Sea	Asp 200		e Let	a Aro	g Sei	val 205	L Se: 5	r Il	e Pr	o Se	r Gl 21	u Al O	a As	р Гу	s P:	ro
														g ag		
10 Me 21		e Va	l Gl	u Le	u Al 22	a Va 0	l Al	a Al	a Me	t G1 22	.u G1 !5	u Le	u Va	al Ar	g M 2	et 30
														et gt		
Al	a Gl	n Th	r Gl	y As 23	p Pr 5	o Le	u Tr	p Va	1 Se	er Se 10	er As	sp As	sn Se	er Va	15	ı1u
														ga at		
11	.21 Le <b>L</b> ∈	eu As	n Gl 25	u G] 50	u Gl	u Ty	r Pl	ne A	rg T 55	hr P	he P	ro A	rg G 2	ly I: 60	Le (	этÀ
														ct a		
P:	ro L	ys P	ro I:	le G	ly Le	eu A	rg S	er G 70	lu A	la S	er A	xg G 2	lu S 75	er T	hr	Val
														gat g		
	21/ al I 2		et A	sn H	is I	le A 2	sn L 85	eu I	le (	ilu J	le I	eu M 290	let <i>l</i>	Asp V	al	Asn
														ttg a		
	.265 ln T !95	rp S	er S	er V	al P	he C	ys G	ly 1	[le	/al :	Ser 1 305	Arg 1	Ala :	Leu 1	hr	Leu 310
ç	jaa g	rtt o	etc t	ca a	ict g	igc g	ta o	cga (	ggg	aac '	tac :	aat	ggg	gca 1	tg	caa
(	Glu V	/al 1	Leu S	Ser T	hr 6	Sly V	7al 2	Arg	Gly	Asn 320	Tyr .	Asn (	Gly	Ala :	ьец 325	GIN

gtg atg aca gca gag ttc caa gtc cca tcg ccg ctt gtc cct act cgt 1361 Val Met Thr Ala Glu Phe Gln Val Pro Ser Pro Leu Val Pro Thr Arg 330 335 gag aac tac ttt gta agg tac tgt aaa cag cac agt gac ggt att tgg Glu Asn Tyr Phe Val Arg Tyr Cys Lys Gln His Ser Asp Glv Ile Trp 345 350 ageg gtt gtg gat gtc tet ttg gae age eta aga eea agt eeg ate aet 1457 Ala Val Val Asp Val Ser Leu Asp Ser Leu Arg Pro Ser Pro Ile Thr 360 365 370 aga agc aga aga ccc tct ggt tgt ctg att caa gaa ttg cag aat Arg Ser Arg Arg Pro Ser Gly Cys Leu Ile Gln Glu Leu Gln Asn 385 390 ggt tac tcc aag gtg aca tgg gta gag cat att gag gtg gat gat aga Gly Tyr Ser Lys Val Thr Trp Val Glu His Ile Glu Val Asp Asp Arg 보다 하는 다음 사람이 **395** 다 나온데 집에 다고 **400** 나는 지나네. tcg gtt cac aac atg tat aaa ccg ttg gtt aat acc ggt tta gct ttc 1601 એકે દેશના દર પ્રોક્ષે કેન્સ દેવા કર્યા હતે. કર્યા કરો કરો કરો કરો કરો કરો છે. Ser Val His Asn Met Tyr Lys Pro Leu Val Asn Thr Gly Leu Ala Phe Fig. 1980 1991 410 13 1 12 2 2 3 3 4 4 15 17 17 18 18 18 1 4 20 23 18 18 1 334 ggt gca aaa cgt tgg gtg gct aca ctt gac cgc caa tgt gag cgg ctc 1649 per a la finitación de la caractería que la consecuencia de la productiva de la caractería de la caract Gly Ala Lys Arg Trp Val Ala Thr Leu Asp Arg Gln Cys Glu Arg Leu 425 430 435 gcc agt tcc atg gcc agc aac att ccg gct tgt gat ctt tcc gtg ata 1697 Ala Ser Ser Met Ala Ser Asn Ile Pro Ala Cys Asp Leu Ser Val Ile [44] 440 Prop. Rev. 1 (1997) 445 (2007) 10 Prop. 450 (1997) 10 Prop. 2007 acg agt cct gag ggg aga aag agc atg ctg aaa cta gcg gag aga atg 化多烷基 电线电流 经产品的 医二氏 Thr Ser Pro Glu Gly Arg Lys Ser Met Leu Lys Leu Ala Glu Arg Met 460 465 470 gtg atg age tte tgt ace gga gte gge geg tea ace gee gat gee tgg No tate of a rest of the Val Met Ser Phe Cys Thr Gly Val Gly Ala Ser Thr Ala Asp Ala Trp 475 480 485 act aca ttg tcg acc aca gga tcc gac gac gtt cgg gtc atg acc cga Thr Thr Leu Ser Thr Thr Gly Ser Asp Asp Val Arg Val Met Thr Arg 495 aag agc atg gat gat eeg gga aga eet eea gge ate gtt ete age gee Lys Ser Met Asp Asp Pro Gly Arg Pro Pro Gly Ile Val Leu Ser Ala 1,2 505 510

. .

. . . . . .

get act tet tte tgg ate eet gta get eea aaa ega gtg tte gat ttt 1937 Ala Thr Ser Phe Trp Ile Pro Val Ala Pro Lys Arg Val Phe Asp Phe 525 530 ctc aga gat gaa aac tca aga agc gag tgg gat ata ctt tcc aat gga 1985 Leu Arg Asp Glu Asn Ser Arg Ser Glu Trp Asp Ile Leu Ser Asn Gly 550 ggc ttg gtt caa gaa atg gct cat atc gca aat ggt cgt gat cct ggg 2033 Gly Leu Val Gln Glu Met Ala His Ile Ala Asn Gly Arg Asp Pro Gly aat agt gtc tcc ttg ctt cga gtc aat agt ggg aac tca ggg cag agc Asn Ser Val Ser Leu Leu Arg Val Asn Ser Gly Asn Ser Gly Gln Ser 575 580 aac atg ttg atc tta caa gaa agt tgt acg gac gca tca ggg tcc tat ga kiring arman dalam dalam 2129 Asn Met Leu Ile Leu Gln Glu Ser Cys Thr Asp Ala Ser Gly Ser Tyr 590 : -595 585 gtg ata tac gca cca gtt gat ata ata gct atg aac gtt gtc ctg agt 2177 Val Ile Tyr Ala Pro Val Asp Ile Ile Ala Met Asn Val Val Leu Ser And the state of 610 ggt ggt gat ccg gat tat gtc gct ttg tta cca tcc gga ttc gct att 2225 Gly Gly Asp Pro Asp Tyr Val Ala Leu Leu Pro Ser Gly Phe Ala Ile 615 ttg ccg gat ggc tct gct aga gga gga ggt agt gct aat gcc agt 2273 Leu Pro Asp Gly Ser Ala Arg Gly Gly Gly Ser Ala Asn Ala Ser 645 635 640 2321 Ala Gly Ala Gly Val Glu Gly Gly Glu Gly Asn Asn Leu Glu Val 655 gtt act act ggg agt tgt ggc ggt tca cta ctc aca gtt gcg ttt 2369 Val Thr Thr Thr Gly Ser Cys Gly Gly Ser Leu Leu Thr Val Ala Phe 665 670 675 cag ata ctt gtt gac tct gtt cct acc gct aaa ctc tct ctc ggt tca 2417 Gln Ile Leu Val Asp Ser Val Pro Thr Ala Lys Leu Ser Leu Gly Ser gtt gct aca gtc aat agt ctg atc aaa tgc act gtc gag cgg att aaa 2465 Val Ala Thr Val Asn Ser Leu Ile Lys Cys Thr Val Glu Arg Ile Lys 705 700

gcc gct ctg gcc tgc gac gga gcc taa tcgatgtttt cggaaggtaa 2512 Ala Ala Leu Ala Cys Asp Gly Ala

gagtgaaagg ggaggtttag ggagtttatg ataatgtttg tgttcttttg gtttttaaag 2572

tcttttgaga ttctccaaag gaagtcaaga acgctccttt ttgcgtttaa tctcatttcc 2632

gcgtttgtta gcggacgggc caaagaaaga ggcttgagaa agaaaaggta aagaggttcg 2692

ggtattgact tctgctggaa ccaaaaaaa aggaatcggg tttgttgtgt ttcggcggtt 2752

tagcattitg cgttttcttt gttattattt atcattgact agtgaacagt ttagcgttct 2812

gettttegeg tetaetgtga aacteettgt tattaageea etetagtggt aetgteatta 2872

tatattatga atctatgaaa ctgtgtttat tagtttgttt ctttaatcca aacttgagat 2932

tctcttct 2940

**715** .

<210> 322 <211> 718 <212> PRT <213> Arabidopsis thaliana <400> 322

Met Glu Asn Pro Leu Glu Glu Glu Leu Gln Asp Pro Asn Gln Arg Pro 1 5 10 15

Asn Lys Lys Lys Arg Tyr His Arg His Thr Gln Arg Gln Ile Gln Glu 20 25 30

Leu Glu Ser Phe Phe Lys Glu Cys Pro His Pro Asp Asp Lys Gln Arg
35 40 45

Lys Glu Leu Ser Arg Glu Leu Ser Leu Glu Pro Leu Gln Val Lys Phe 50 55 60

Trp Phe Gln Asn Lys Arg Thr Gln Met Lys Ala Gln His Glu Arg His 65 70 , 75 80

Glu Asn Gln Ile Leu Lys Ser Glu Asn Asp Lys Leu Arg Ala Glu Asn 85 90 95

Asn Arg Tyr Lys Asp Ala Leu Ser Asn Ala Thr Cys Pro Asn Cys Gly
100 105 110

Gly Pro Ala Ala Ile Gly Glu Met Ser Phe Asp Glu Gln His Leu Arg 115 120 125

- Ile Glu Asn Ala Arg Leu Arg Glu Glu Ile Asp Arg Ile Ser Ala Ile 130 135 140
- Ala Ala Lys Tyr Val Gly Lys Pro Leu Met Ala Asn Ser Ser Phe 145 150 155 160
- Pro Gln Leu Ser Ser Ser His His Ile Pro Ser Arg Ser Leu Asp Leu 165 170 175
- Glu Val Gly Asn Phe Gly Asn Asn Asn Ser His Thr Gly Phe Val 180 185 190
- Gly Glu Met Phe Gly Ser Ser Asp Ile Leu Arg Ser Val Ser Ile Pro 195 200 205
- Ser Glu Ala Asp Lys Pro Met Ile Val Glu Leu Ala Val Ala Ala Met 210 215 220
- Glu Glu Leu Val Arg Met Ala Gln Thr Gly Asp Pro Leu Trp Val Ser 225 230 235 240
- Ser Asp Asn Ser Val Glu Ile Leu Asn Glu Glu Glu Tyr Phe Arg Thr 245 250 255
- Phe Pro Arg Gly Ile Gly Pro Lys Pro Ile Gly Leu Arg Ser Glu Ala 260 265 270
- Ser Arg Glu Ser Thr Val Val Ile Met Asn His Ile Asn Leu Ile Glu 275 280 285
- Ile Leu Met Asp Val Asn Gln Trp Ser Ser Val Phe Cys Gly Ile Val 290 295 300
- Ser Arg Ala Leu Thr Leu Glu Val Leu Ser Thr Gly Val Arg Gly Asn 305 310 315 320
- Tyr Asn Gly Ala Leu Gln Val Met Thr Ala Glu Phe Gln Val Pro Ser 325 330 335
- Pro Leu Val Pro Thr Arg Glu Asn Tyr Phe Val Arg Tyr Cys Lys Gln 340 345 350
- His Ser Asp Gly Ile Trp Ala Val Val Asp Val Ser Leu Asp Ser Leu

365 360° 365

Arg Pro Ser Pro Ile Thr Arg Ser Arg Arg Arg Pro Ser Gly Cys Leu 370 380

Ile Gln Glu Leu Gln Asn Gly Tyr Ser Lys Val Thr Trp Val Glu His 385 390 395 400

Ile Glu Val Asp Asp Arg Ser Val His Asn Met Tyr Lys Pro Leu Val 405 410 415

Asn Thr Gly Leu Ala Phe Gly Ala Lys Arg Trp Val Ala Thr Leu Asp 420 425 430

Arg Gln Cys Glu Arg Leu Ala Ser Ser Met Ala Ser Asn Ile Pro Ala 435 440 445

Cys Asp Leu Ser Val Ile Thr Ser Pro Glu Gly Arg Lys Ser Met Leu 450 455 460

Lys Leu Ala Glu Arg Met Val Met Ser Phe Cys Thr Gly Val Gly Ala 465 Heb Com Ala Heb Arg Met Val Met Ser Phe Cys Thr Gly Val Gly Ala 465 Heb Com Arg Arg Met Val Met Va

Ser Thr Ala Asp Ala Trp Thr Thr Leu Ser Thr Thr Gly Ser Asp Asp 485 490 495

Val Arg Val Met Thr Arg Lys Ser Met Asp Asp Pro Gly Arg Pro Pro 500 505 510

Gly Ile Val Leu Ser Ala Ala Thr Ser Phe Trp Ile Pro Val Ala Pro 515 520 525

Lys Arg Val Phe Asp Phe Leu Arg Asp Glu Asn Ser Arg Ser Glu Trp 530 540

Asp Ile Leu Ser Asn Gly Gly Leu Val Gln Glu Met Ala His Ile Ala 545 550 550 560

Asn Gly Arg Asp Pro Gly Asn Ser Val Ser Leu Leu Arg Val Asn Ser 575

Gly Asn Ser Gly Gln Ser Asn Met Leu Ile Leu Gln Glu Ser Cys Thr 580 585 590

Asp Ala Ser Gly Ser Tyr Val Ile Tyr Ala Pro Val Asp Ile Ile Ala 595 600 605

Met Asn Val Val Leu Ser Gly Gly Asp Pro Asp Tyr Val Ala Leu Leu 610 620

Pro Ser Gly Phe Ala Ile Leu Pro Asp Gly Ser Ala Arg Gly Gly 625 630 635 640

Gly Ser Ala Asn Ala Ser Ala Gly Ala Gly Val Glu Gly Gly Glu 645 655

Gly Asn Asn Leu Glu Val Val Thr Thr Thr Gly Ser Cys Gly Gly Ser 660 665 670

Leu Leu Thr Val Ala Phe Gln Ile Leu Val Asp Ser Val Pro Thr Ala 675 680 685

Lys Leu Ser Leu Gly Ser Val Ala Thr Val Asn Ser Leu Ile Lys Cys 690 695 700

Thr Val Glu Arg Ile Lys Ala Ala Leu Ala Cys Asp Gly Ala 705 710 715

<210> 323 <211> 1262 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (217)..(957) <223> G463

tetttettte tttgtettee ttteecaggt tgttttttt tgetetetet geettettga 120

ctttcaaaag actctttctt tcttttggat tgattttgga ttctagggct ctctttcttt 180

tagtgggttt ttgttgttgt tgttgtggtc tctctg atg att act gaa ctt gag 234 Met Ile Thr Glu Leu Glu

atg ggg aaa ggt gag agt gag ctt gag ctt ggt cta ggg ctg agt ctt 282 Met Gly Lys Gly Glu Ser Glu Leu Glu Leu Gly Leu Gly Leu Ser Leu 10 15 20

ggc ggt gga acg gcg gcc aag att ggt aaa tca ggt ggt ggt ggc gcg 330 Gly Gly Gly Thr Ala Ala Lys Ile Gly Lys Ser Gly Gly Gly Ala

tgg gga gag cgt gga agg ctt ttg acg gct aag gat ttt cct tct gtt 378 Trp Gly Glu Arg Gly Arg Leu Leu Thr Ala Lys Asp Phe Pro Ser Val 40 45 50

ggt tot aaa cgt gct gct gat tot gct tot cat gct ggt toa tot cct Gly Ser Lys Arg Ala Ala Asp Ser Ala Ser His Ala Gly Ser Ser Pro 65

cct cgt tca agt caa gtt gtt gga tgg cct cct ata ggg tca cac agg 474

Pro Arg Ser Ser Gln Val Val Gly Trp Pro Pro Ile Gly Ser His Arg

atg aac agt ttg gtt aat aac caa gct aca aag tca gca aga gaa 522

Met Asn Ser Leu Val Asn Asn Gln Ala Thr Lys Ser Ala Arg Glu Glu 95 100

gaa gaa gct ggt aag aag aaa gtg aaa gat gat gaa cct aaa gat gtg 570

Glu Glu Ala Gly Lys Lys Lys Val Lys Asp Asp Glu Pro Lys Asp Val 110

aca aag aaa gtg aat ggg aaa gta caa gtt gga ttt att aag gtg aac

Thr Lys Lys Val Asn Gly Lys Val Gln Val Gly Phe Ile Lys Val Asn 120 125 130

atg gat gga gtt gct ata gga aga aaa gtg gat ttg aat gct cat tct

Met Asp Gly Val Ala Ile Gly Arg Lys Val Asp Leu Asn Ala His Ser 145

tct tac gag aat ttg gcg caa aca ttg gaa gat atg ttc ttt cgc act 714

Ser Tyr Glu Asn Leu Ala Gln Thr Leu Glu Asp Met Phe Phe Arg Thr 155 160

aat ccg ggt act gtc ggg tta acc agt cag ttc act aaa ccg ttg agg

Asn Pro Gly Thr Val Gly Leu Thr Ser Gln Phe Thr Lys Pro Leu Arg 170 175

ctt tta gat gga tcg tct gag ttt gta ctt act tat gaa gat aag gaa

Leu Leu Asp Gly Ser Ser Glu Phe Val Leu Thr Tyr Glu Asp Lys Glu 185 190

gga gat tgg atg ctt gtt ggt gat gtt cca tgg aga atg ttc atc aac

Gly Asp Trp Met Leu Val Gly Asp Val Pro Trp Arg Met Phe Ile Asn

teg gtg aaa agg eta egt gtg atg aaa ace tet gaa get aat gga ete

Ser Val Lys Arg Leu Arg Val Met Lys Thr Ser Glu Ala Asn Gly Leu 220

215

225 ·

Ala Ala Arg Asn Gln Glu Pro Asn Glu Arg Gln Arg Lys Gln Pro Val 240

tag atctcttttc gacgttacgg tgttacaggt tttatatttt ggggttttgc 1007

aagtetgaga taettetgaa gcaagcataa gctagattga tettatatee agtttgtgta

ttttcttggt tcttataatg gtttttactg gttttcttta gtttttttt ttgctgtctt 1127

ttaattttcg gttgcgattt cactatatac tatggatgga agagaatgct ctttatatct

tttactacac tgtaaatatt tgaagcttat ctaatatcgt ttttaagggt taaaaaaccc

tgacgtagcc tcgag 1262

<210> 324 <211> 246 <212> PRT <213> Arabidopsis thaliana <400>

Construction and French with

The same of the second of the Met Ile Thr Glu Leu Glu Met Gly Lys Gly Glu Ser Glu Leu Glu Leu 10 area leading that is the companies of the entire of the contraction of the contract of the con

Gly Leu Gly Leu Ser Leu Gly Gly Gly Thr Ala Ala Lys Ile Gly Lys 

Ser Gly Gly Gly Gly Ala Trp Gly Glu Arg Gly Arg Leu Leu Thr Ala 40

Lys Asp Phe Pro Ser Val Gly Ser Lys Arg Ala Ala Asp Ser Ala Ser 50 55 60

His Ala Gly Ser Ser Pro Pro Arg Ser Ser Gln Val Val Gly Trp Pro 70 65

Pro Ile Gly Ser His Arg Met Asn Ser Leu Val Asn Asn Gln Ala Thr Burn and the Jan 85 Cather Residue 90: 1. Garage at 1956 at

Lys Ser Ala Arg Glu Glu Glu Glu Ala Gly Lys Lys Lys Val Lys Asp 110 100 105

Asp Glu Pro Lys Asp Val Thr Lys Lys Val Asn Gly Lys Val Gln Val 120 115

Gly Phe Ile Lys Val Asn Met Asp Gly Val Ala Ile Gly Arg Lys Val . 135

Asp Leu Asn Ala His Ser Ser Tyr Glu Asn Leu Ala Gln Thr Leu Glu 150 155 145

Control with the transfer of

Asp Met Phe Phe Arg Thr Asn Pro Gly Thr Val Gly Leu Thr Ser Gln 165 170 175

Phe Thr Lys Pro Leu Arg Leu Leu Asp Gly Ser Ser Glu Phe Val Leu 180 185 190

Thr Tyr Glu Asp Lys Glu Gly Asp Trp Met Leu Val Gly Asp Val Pro 195 200 205

Trp Arg Met Phe Ile Asn Ser Val Lys Arg Leu Arg Val Met Lys Thr 210 215 220

Ser Glu Ala Asn Gly Leu Ala Ala Arg Asn Glu Glu Pro Asn Glu Arg 225 230 235 240

Gln Arg Lys Gln Pro Val 245

Argonius II orași și cur productivi de la cultura de l

<210> 325 <211> 2580 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(2580) <223> G470

<400> 325

atg gcg agt tcg gag gtt tca atg aaa ggt aat cgt gga gga gat aac 48 Met Ala Ser Ser Glu Val Ser Met Lys Gly Asn Arg Gly Gly Asp Asn

Met Ala Ser Ser Glu Val Ser Met Lys Gly Asn Arg Gly Gly Asp Asn 1 10 · 15

ttc tcc tcc tct ggt ttt agt gac cct aag gag act aga aat gtc tcc 96

Phe Ser Ser Ser Gly Phe Ser Asp Pro Lys Glu Thr Arg Asn Val Ser 20 25 30

gtc gcc ggc gag ggg caa aaa agt aat tct acc cga tcc gct gcg gct 144

Val Ala Gly Glu Gly Gln Lys Ser Asn Ser Thr Arg Ser Ala Ala Ala 35 40 45

gag cgt gct ttg gac cct gag gct gct ctt tac aga gag cta tgg cac 192

Glu Arg Ala Leu Asp Pro Glu Ala Ala Leu Tyr Arg Glu Leu Trp His
50 55 60

gct tgt gct ggt ccg ctt gtg acg gtt cct aga caa gac gac cga gtc 240

Ala Cys Ala Gly Pro Leu Val Thr Val Pro Arg Gln Asp Asp Arg Val 65 70 75 80

ttc tat ttt cct caa gga cac atc gag cag gtg gag gct tcg acg aac 288.

Phe Tyr Phe Pro Gln Gly His Ile Glu Gln Val Glu Ala Ser Thr Asn 85 90 95

cag gcg gca gaa caa cag atg cct ctc tat gat ctt ccg tca aag ctt 336 Gln Ala Ala Glu Gln Gln Met Pro Leu Tyr Asp Leu Pro Ser Lys Leu 105 ctc tgt cga gtt att aat gta gat tta aag gca gag gca gat aca gat Leu Cys Arg Val Ile Asn Val Asp Leu Lys Ala Glu Ala Asp Thr Asp 120 gaa gtt tat gcg cag att act ctt ctt cct gag gct aat caa gac gag 432 Glu Val Tyr Ala Gln Ile Thr Leu Leu Pro Glu Ala Asn Gln Asp Glu 130 aat gca att gag aaa gaa gcg cct ctt cct cca cct ccg agg ttc cag Asn Ala Ile Glu Lys Glu Ala Pro Leu Pro Pro Pro Pro Arg Phe Gln 155 gtg cat tcg ttc tgc aaa acc ttg act gca tcc gac aca agt aca cat 528 Val His Ser Phe Cys Lys Thr Leu Thr Ala Ser Asp Thr Ser Thr His 175 cm (170 cm) (170 cm) 165. Cm (175 cm) ggt gga ttt tet gtt ett agg ega eat geg gat gaa tgt ete eea eet New York age 576 Gly Gly Phe Ser Val Leu Arg Arg His Ala Asp Glu Cys Leu Pro Pro 185 180 ctg gat atg tct cga cag cct ccc act caa gag tta gtt gca aag gat Leu Asp Met Ser Arg Gln Pro Pro Thr Gln Glu Leu Val Ala Lys Asp 200 195 ttg cat gca aat gag tgg cga ttc aga cat ata ttc cgg ggt caa cca Leu His Ala Asn Glu Trp Arg Phe Arg His Ile Phe Arg Gly Gln Pro 220 215 cgg agg cat ttg cta cag agt ggg tgg agt gtg ttt gtt agc tcc aaa 720 Arg Arg His Leu Leu Gln Ser Gly Trp Ser Val Phe Val Ser Ser Lys 235 agg cta gtt gca ggc gat gcg ttt ata ttt cta agg ggc gag aat gga Arg Leu Val Ala Gly Asp Ala Phe Ile Phe Leu Arg Gly Glu Asn Gly 245 250 gaa tta aga gtt ggt gta agg cgt gcg atg cga caa caa gga aac gtg 816 Glu Leu Arg Val Gly Val Arg Arg Ala Met Arg Gln Gln Gly Asn Val 265 ccg tct tct gtt ata tct agc cat agc atg cat ctt gga gta ctg gcc Pro Ser Ser Val Ile Ser Ser His Ser Met His Leu Gly Val Leu Ala 285 280

acc gca tgg cat gcc att tca aca ggg act atg ttt aca gtc tac tac Thr Ala Trp His Ala Ile Ser Thr Gly Thr Met Phe Thr Val Tyr Tyr 290 aaa ccc agg acg agc cca tct gag ttt att gtt ccg ttc gat cag tat Lys Pro Arg Thr Ser Pro Ser Glu Phe Ile Val Pro Phe Asp Gln Tyr 315 atg gag tot gtt aag aat aac tac tot att ggc atg aga ttc aaa atg 1008 Met Glu Ser Val Lys Asn Asn Tyr Ser Ile Gly Met Arg Phe Lys Met 325 aga ttt gaa ggc gaa gag gct cct gag cag agg ttt act ggc aca atc 1056 Arg Phe Glu Gly Glu Glu Ala Pro Glu Gln Arg Phe Thr Gly Thr Ile 340 345 gtt ggg att gaa gag tot gat oot act agg tgg ooa aaa toa aag tgg 1104 Val Gly Ile Glu Glu Ser Asp Pro Thr Arg Trp Pro Lys Ser Lys Trp 355 360 365 aga too etc aag gtg aga tgg gat gag act tot agt att cet ega cet 1152 Arg Ser Leu Lys Val Arg Trp Asp Glu Thr Ser Ser Ile Pro Arg Pro . 370 375 gat aga gta tet eeg tgg aaa gta gag eea get ett get eet eet get Asp Arg Val Ser Pro Trp Lys Val Glu Pro Ala Leu Ala Pro Pro Ala 390 395 ttg agt cct gtt cca atg cct agg cct aag agg ccc aga tca aat ata 1248 Leu Ser Pro Val Pro Met Pro Arg Pro Lys Arg Pro Arg Ser Asn Ile 415 405 410 . . gca cct tca tct cct gac tct tcg atg ctt acc aga gaa ggt aca act. Ala Pro Ser Ser Pro Asp Ser Ser Met Leu Thr Arg Glu Gly Thr Thr 420 425 aag gca aac atg gac cct tta cca gca agc gga ctt tca agg gtc ttg Lys Ala Asn Met Asp Pro Leu Pro Ala Ser Gly Leu Ser Arg Val Leu 435 440 445 caa ggt caa gaa tac tcg acc ttg agg acg aaa cat act gag agt gta Gln Gly Gln Glu Tyr Ser Thr Leu Arg Thr Lys His Thr Glu Ser Val gag tgt gat gct cct gag aat tct gtt gtc tgg caa tct tca gcg gat 1440 Glu Cys Asp Ala Pro Glu Asn Ser Val Val Trp Gln Ser Ser Ala Asp 465 475 480

gat gat aag gtt gac gtg gtt tcg ggt tct aga aga tat gga tct gag Asp Asp Lys Val Asp Val Val Ser Gly Ser Arg Arg Tyr Gly Ser Glu 485 aac tgg atg tcc tca gcc agg cat gaa cct act tac aca gat ttg ctc Asn Trp Met Ser Ser Ala Arg His Glu Pro Thr Tyr Thr Asp Leu Leu 505 tcc ggc ttt ggg act aac ata gat cca tcc cat ggt cag cgg ata cct 1584 Ser Gly Phe Gly Thr Asn Ile Asp Pro Ser His Gly Gln Arg Ile Pro 515 520 ttt tat gac cat tca tca tca cct tct atg cct gca aag aga atc ttg Phe Tyr Asp His Ser Ser Ser Pro Ser Met Pro Ala Lys Arg Ile Leu 530 540 agt gat toa gaa ggc aag tto gat tat ott got aac cag tgg cag atg 11.3 12.2 Ser Asp Ser Glu Gly Lys Phe Asp Tyr Leu Ala Asn Gln Trp Gln Met 550 555 ata cac tet ggt etc tee etg aag tta cat gaa tet eet aag gta eet Marie Toronto de Ile His Ser Gly Leu Ser Leu Lys Leu His Glu Ser Pro Lys Val Pro 4. # 565 LA HA T - HA 570 Tem (No. 1) - 41 575 Tem gca gca act gat gcg tct ctc caa ggg cga tgc aat gtt aaa tac agc 1 495 2 3 Ala Ala Thr Asp Ala Ser Leu Gln Gly Arg Cys Asn Val Lys Tyr Ser . 580 585 gaa tat cct gtt ctt aat ggt cta tcg act gag aat gct ggt ggt aac 1824 Glu Tyr Pro Val Leu Asn Gly Leu Ser Thr Glu Asn Ala Gly Gly Asn 600 tgg cca ata cgt cca cgt gct ttg aat tat tat gag gaa gtg gtc aat 1872 Trp Pro Ile Arg Pro Arg Ala Leu Asn Tyr Tyr Glu Glu Val Val Asn 610 620 get caa geg caa get cag get agg gag caa gta aca aaa caa eec tte Ala Gln Ala Gln Ala Gln Ala Arg Glu Gln Val Thr Lys Gln Pro Phe 625 630 635 acg ata caa gag gag aca gca aag tca aga gaa ggg aac tgc agg ctc Thr Ile Gln Glu Glu Thr Ala Lys Ser Arg Glu Gly Asn Cys Arg Leu 650 ttt ggc att cet etg acc aac atg aat ggg aca gac tea acc atg Phe Gly Ile Pro Leu Thr Asn Asn Met Asn Gly Thr Asp Ser Thr Met 660 665

tet cag aga aac aac ttg aat gat get geg ggg ett aca eaq ata qea Ser Gln Arg Asn Asn Leu Asn Asp Ala Ala Gly Leu Thr Gln Ile Ala tca cca aag gtt cag gac ctt tca gat cag tca aaa ggg tca aaa tca Ser Pro Lys Val Gln Asp Leu Ser Asp Gln Ser Lys Gly Ser Lys Ser aca aac gat cat cgt gaa cag gga aga cca ttc cag act aat aat cct 2160 Thr Asn Asp His Arg Glu Gln Gly Arg Pro Phe Gln Thr Asn Asn Pro 710 715 cat ccg aag gat gct caa acg aaa acc aac tca agt agg agt tgc aca His Pro Lys Asp Ala Gln Thr Lys Thr Asn Ser Ser Arg Ser Cys Thr 725 735 aag gtt cac aag cag gga att gca ctt ggc cgt tca gtg gat ctt tca **2256** Reg. Proc. of Corp. 1780 1781 1888 1790 1792 2004 1750 1880 1880 1882 1883 Lys Val His Lys Gln Gly Ile Ala Leu Gly Arg Ser Val Asp Leu Ser aag ttc caa aac tat gag gag tta gtc gct gag ctg gac agg ctg ttt 2304 7.7.5 Lys Phe Gln Asn Tyr Glu Glu Leu Val Ala Glu Leu Asp Arg Leu Phe 760 gag tto aat gga gag ttg atg got oot aag aaa gat tgg ttg ata gtt 2352 Glu Phe Asn Gly Glu Leu Met Ala Pro Lys Lys Asp Trp Leu Ile Val 780 775 tac aca gat gaa gag aat gat atg atg ctt gtt ggt gac gat cct tgg Tyr Thr Asp Glu Glu Asn Asp Met Met Leu Val Gly Asp Asp Pro Trp 790 795 cag gag ttt tgt tgc atg gtt cgc aaa atc ttc ata tac acg aaa gag 2448 18 1. 28 Jan 21 185 Gln Glu Phe Cys Cys Met Val Arg Lys Ile Phe Ile Tyr Thr Lys Glu THE TO BOS AND THE ALT THE BIO THE TOWN TO ME A ... 815, A ... gaa gtg agg aag atg aac ccg ggg act tta agc tgt agg agc gag gaa Glu Val Arg Lys Met Asn Pro Gly Thr Leu Ser Cys Arg Ser Glu Glu 825 820 gaa gca gtt gtt ggg gaa gga tca gat gca aag gac gcc aag tct gca Glu Ala Val Val Gly Glu Gly Ser Asp Ala Lys Asp Ala Lys Ser Ala 835 840 tca aat cct tca ttg tcc agc gct ggg aac tct taa 2580 Ser Asn Pro Ser Leu Ser Ser Ala Gly Asn Ser 850 855

<210> 326 <211> 859 <212> PRT <213> Arabidopsis thaliana <400> 326

- Met Ala Ser Ser Glu Val Ser Met Lys Gly Asn Arg Gly Gly Asp Asn 1 5 10 15
- Phe Ser Ser Ser Gly Phe Ser Asp Pro Lys Glu Thr Arg Asn Val Ser 20 25 30
- Val Ala Gly Glu Gly Gln Lys Ser Asn Ser Thr Arg Ser Ala Ala Ala 35 40 45
- Glu Arg Ala Leu Asp Pro Glu Ala Ala Leu Tyr Arg Glu Leu Trp His 50 55 60
- Ala Cys Ala Gly Pro Leu Val Thr Val Pro Arg Gln Asp Asp Arg Val 65 70 75 80
- Phe Tyr Phe Pro Gln Gly His Ile Glu Gln Val Glu Ala Ser Thr Asn 85 90 95
- Gln Ala Ala Glu Gln Gln Met Pro Leu Tyr Asp Leu Pro Ser Lys Leu 100 105 110
- Leu Cys Arg Val Ile Asn Val Asp Leu Lys Ala Glu Ala Asp Thr Asp 115 22 120 25
- Glu Val Tyr Ala Gln Ile Thr Leu Leu Pro Glu Ala Asn Gln Asp Glu 130 135 140
- Asn Ala Ile Glu Lys Glu Ala Pro Leu Pro Pro Pro Pro Arg Phe Gln 145 150 155 160
- Val His Ser Phe Cys Lys Thr Leu Thr Ala Ser Asp Thr Ser Thr His 165 170 175
- Gly Gly Phe Ser Val Leu Arg Arg His Ala Asp Glu Cys Leu Pro Pro 180 185 190
- Leu Asp Met Ser Arg Gln Pro Pro Thr Gln Glu Leu Val Ala Lys Asp 195 200 205
- Leu His Ala Asn Glu Trp Arg Phe Arg His Ile Phe Arg Gly Gln Pro 210 215 220
- Arg Arg His Leu Leu Gln Ser Gly Trp Ser Val Phe Val Ser Ser Lys 225 230 235 240

Arg Leu Val Ala Gly Asp Ala Phe Ile Phe Leu Arg Gly Glu Asn Gly 245 250 255 Glu Leu Arg Val Gly Val Arg Arg Ala Met Arg Gln Gln Gly Asn Val 260 265 270 Pro Ser Ser Val Ile Ser Ser His Ser Met His Leu Gly Val Leu Ala 275 280 285 Thr Ala Trp His Ala Ile Ser Thr Gly Thr Met Phe Thr Val Tyr Tyr 290 Lys Pro Arg Thr Ser Pro Ser Glu Phe Ile Val Pro Phe Asp Gln Tyr 305 310 315 320 Met Glu Ser Val Lys Asn Asn Tyr Ser Ile Gly Met Arg Phe Lys Met 330 335 325 Arg Phe Glu Gly Glu Glu Ala Pro Glu Gln Arg Phe Thr Gly Thr Ile 345 . 350 Val Gly Ile Glu Glu Ser Asp Pro Thr Arg Trp Pro Lys Ser Lys Trp 360 Arg Ser Leu Lys Val Arg Trp Asp Glu Thr Ser Ser Ile Pro Arg Pro 370 375 380 Asp Arg Val Ser Pro Trp Lys Val Glu Pro Ala Leu Ala Pro Pro Ala 395 400 390 405 410 Arg Pro Lys Arg Pro Arg Ser Asn Ile Leu Ser Pro Val Pro Met Pro Arg Pro Lys Arg Pro Arg Ser Asn Ile Ala Pro Ser Ser Pro Asp Ser Ser Met Leu Thr Arg Glu Gly Thr Thr 425 430 420 Lys Ala Asn Met Asp Pro Leu Pro Ala Ser Gly Leu Ser Arg Val Leu 440

- Gln Gly Gln Glu Tyr Ser Thr Leu Arg Thr Lys His Thr Glu Ser Val 450 455 460
- Glu Cys Asp Ala Pro Glu Asn Ser Val Val Trp Gln Ser Ser Ala Asp 465 470 475 480

Asp Asp Lys Val Asp Val Val Ser Gly Ser Arg Arg Tyr Gly Ser Glu 485 490 Asn Trp Met Ser Ser Ala Arg His Glu Pro Thr Tyr Thr Asp Leu Leu 505 Ser Gly Phe Gly Thr Asn Ile Asp Pro Ser His Gly Gln Arg Ile Pro 520 Phe Tyr Asp His Ser Ser Ser Pro Ser Met Pro Ala Lys Arg Ile Leu 535 Ser Asp Ser Glu Gly Lys Phe Asp Tyr Leu Ala Asn Gln Trp Gln Met 545 550 555 Ile His Ser Gly Leu Ser Leu Lys Leu His Glu Ser Pro Lys Val Pro 21 1 1 1 1 2 1 565 1 2 2 2 570 1 2 4 5 570 1 5 57.5 Ala Ala Thr Asp Ala Ser Leu Gln Gly Arg Cys Asn Val Lys Tyr Ser 580 585 590 Glu Tyr Pro Val Leu Asn Gly Leu Ser Thr Glu Asn Ala Gly Gly Asn 595 600 605 2.0 Trp Pro Ile Arg Pro Arg Ala Leu Asn Tyr Tyr Glu Glu Val Val Asn 610 615 620 Ala Gln Ala Gln Ala Gln Ala Arg Glu Gln Val Thr Lys Gln Pro Phe 625 630 635 640 Thr Ile Gln Glu Glu Thr Ala Lys Ser Arg Glu Gly Asn Cys Arg Leu 645 650 . 655 Phe Gly Ile Pro Leu Thr Asn Asn Met Asn Gly Thr Asp Ser Thr Met 660 665 Ser Gln Arg Asn Asn Leu Asn Asp Ala Ala Gly Leu Thr Gln Ile Ala 675 680 685 Ser Pro Lys Val Gln Asp Leu Ser Asp Gln Ser Lys Gly Ser Lys Ser 695 Thr Asn Asp His Arg Glu Gln Gly Arg Pro Phe Gln Thr Asn Asn Pro 705 710 715

His Pro Lys Asp Ala Gln Thr Lys Thr Asn Ser Ser Arg Ser Cys Thr 725 730 735

. :

Lys Val His Lys Gln Gly Ile Ala Leu Gly Arg Ser Val Asp Leu Ser 740 745 750

Lys Phe Gln Asn Tyr Glu Glu Leu Val Ala Glu Leu Asp Arg Leu Phe 755 760 765

Glu Phe Asn Gly Glu Leu Met Ala Pro Lys Lys Asp Trp Leu Ile Val 770 780

Tyr Thr Asp Glu Glu Asn Asp Met Met Leu Val Gly Asp Asp Pro Trp 785 790 795 800

Gin Glu Phe Cys Cys Met Val Arg Lys Ile Phe Ile Tyr Thr Lys Glu

Glu Val Arg Lys Met Asn Pro Gly Thr Leu Ser Cys Arg Ser Glu Glu 820 825 830

Glu Ala Val Val Gly Glu Gly Ser Asp Ala Lys Asp Ala Lys Ser Ala 835 840 845

Ser Asn Pro Ser Leu Ser Ser Ala Gly Asn Ser 850 855

<210> 327 <211> 2292 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (288)..(2204) <223> G472

<400> 327

gacgatagaa gctggtttta cgggagagaa attagagagg ttacagttac agagcaggaa 60

ggattgcgtt gcgttacgat tcagatctct ctcgatcgtt acttacatgc attagagaac 120

aagaaaacgt ggagacggaa tocaagggac ottottotto aatttaatto otoactttat 180

tacgcaccct tcttttattt tcgactgttt cagcttccgg ttcttcatcg gagagagata

gagagactgt gtgttttggt gtgactgata gaagatttaa tcagctg atg gca aat 296

Met Ala Asn

cgc gga ggt gaa tat ctg tac gat gag tta tgg aaa tta tgc gcg gga 344 Arg Gly Glu Tyr Leu Tyr Asp Glu Leu Trp Lys Leu Cys Ala Gly 5

cct ctt gtt gat gtt cct caa gct caa gaa aga gtt tat tat ttt cct Pro Leu Val Asp Val Pro Gln Ala Gln Glu Arg Val Tyr Tyr Phe Pro 25 caa ggt cac atg gaa caa ctc gaa gcg tca acg caa caa gtc gac tta Gln Gly His Met Glu Gln Leu Glu Ala Ser Thr Gln Gln Val Asp Leu aat acg atg aag cet ett tit git ett eet eet aag att ete tge aat Asn Thr Met Lys Pro Leu Phe Val Leu Pro Pro Lys Ile Leu Cys Asn gtt atg aac gtt agt ctt cag gcg gag aaa gat acg gat gag gtc tat 536 Val Met Asn Val Ser Leu Gln Ala Glu Lys Asp Thr Asp Glu Val Tyr 75 80 get cag att act ttg atc eet gtt gga act gaa gtt gat gaa eet atg Ala Gln Ile Thr Leu Ile Pro Val Gly Thr Glu Val Asp Glu Pro Met 90 95 agt cct gat ccc tct cct cct gag ttg caa agg ccg aaa gtt cac tct Ser Pro Asp Pro Ser Pro Pro Glu Leu Gln Arg Pro Lys Val His Ser 105 110 ttc agc aag gtt ttg aca gcg tct gat aca agc acc cat ggt ggc ttt Phe Ser Lys Val Leu Thr Ala Ser Asp Thr Ser Thr His Gly Gly Phe 120 tet gtt eta agg aaa cat gee aeg gaa tgt ett eet eeg etg gat atg 728 Ser Val Leu Arg Lys His Ala Thr Glu Cys Leu Pro Pro Leu Asp Met 135 140 act cag caa acc ccg acc cag gag tta gta gcc gaa gat gtg cac ggt Thr Gln Gln Thr Pro Thr Gln Glu Leu Val Ala Glu Asp Val His Gly 150 155 160 tat cag tgg aaa ttc aag cat att ttt aga ggc caa cca cgg agg cat Tyr Gln Trp Lys Phe Lys His Ile Phe Arg Gly Gln Pro Arg Arg His 165 170 cta ttg acg aca ggg tgg agc acc ttt gtt aca tca aag aga ttg gtt Leu Leu Thr Thr Gly Trp Ser Thr Phe Val Thr Ser Lys Arq Leu Val 185 get ggg gac acc ttt gta ttc ctg aga ggg gag aac gga gag ttg cga 920 Ala Gly Asp Thr Phe Val Phe Leu Arg Gly Glu Asn Gly Glu Leu Arg 200 205

gtt gga gtc aga cgt gct aat ctt caa cag agc agt atg cct tca tcc Val Gly Val Arg Arg Ala Asn Leu Gln Gln Ser Ser Met Pro Ser Ser 215 220 gtt ata tca agt cat agt atg cat ctg gga gtg ctt gct act gca cgc Val Ile Ser Ser His Ser Met His Leu Gly Val Leu Ala Thr Ala Arq 230 235 cat gct act caa acg aaa act atg ttc att gta tac tat aaa cca agg His Ala Thr Gln Thr Lys Thr Met Phe Ile Val Tyr Tyr Lys Pro Arq 245 250 255 aca ago caa tto ato att ago ttg aac aaa tat cta gaa goo atg ago Thr Ser Gln Phe Ile Ile Ser Leu Asn Lys Tyr Leu Glu Ala Met Ser 260 270 aat aag ttc tct gta ggg atg aga ttt aag atg cgt ttt gag gga gag Asn Lys Phe Ser Val Gly Met Arg Phe Lys Met Arg Phe Glu Gly Glu 280 gat tee eet gaa aga aga tat tet gge aeg gtt att ggt gtg aaa gae Asp Ser Pro Glu Arg Arg Tyr Ser Gly Thr Val Ile Gly Val Lys Asp 295 300 tgc tcc cct cac tgg aaa gac tca aaa tgg cga tgc tta gaa gtt cat 1256 Cys Ser Pro His Trp Lys Asp Ser Lys Trp Arg Cys Leu Glu Val His 315 tgg gat gag cct gca tcg att tca aga ccc aat aag gtt tca cca tgg 1304 Trp Asp Glu Pro Ala Ser Ile Ser Arg Pro Asn Lys Val Ser Pro Trp 325 330 335 gaa att gaa ccg ttt gta aat tca gaa aac gtt ccc aaa tca gtt atg 1352 Glu Ile Glu Pro Phe Val Asn Ser Glu Asn Val Pro Lys Ser Val Met 345 350 ctg aag aac aaa agg ccc cgt caa gtt agt gaa gta tct gca ctt gat 1400 : ... Leu Lys Asn Lys Arg Pro Arg Gln Val Ser Glu Val Ser Ala Leu Asp 365 360 370 gta ggc ata aca gct tca aac ctt tgg agc tct gtt ttg acg caa ccc Val Gly Ile Thr Ala Ser Asn Leu Trp Ser Ser Val Leu Thr Gln Pro 375 380 cat gag ttt gca caa tcg tgc atc acc tca cag tgg agt tct cct cag 1496 His Glu Phe Ala Gln Ser Cys Ile Thr Ser Gln Trp Ser Ser Pro Gln 390 395 400

caa tgt cat cgt gat gca aat gag gat gct aag aaa tct gac tgg cta 1544 Gln Cys His Arg Asp Ala Asn Glu Asp Ala Lys Lys Ser Asp Trp Leu aat aac tot tac tot gtg toa aat gta goa aaa gac toa aca otg aac 1592 Asn Asn Ser Tyr Ser Val Ser Asn Val Ala Lys Asp Ser Thr Leu Asn 425 420 gac caa atg gtt tcc cca gtc gag cag aag aag cct gag aca acc gct 1640 Asp Gln Met Val Ser Pro Val Glu Gln Lys Lys Pro Glu Thr Thr Ala aat tat aga tta ttt gga att gat ctg atg agt tcc tcc cta gcg gtt Asn Tyr Arg Leu Phe Gly Ile Asp Leu Met Ser Ser Ser Leu Ala Val 460 cct gag gag aaa act gca ccc atg cga cca atc aac ata tcc aaa ccg Pro Glu Glu Lys Thr Ala Pro Met Arg Pro Ile Asn Ile Ser Lys Pro 480 475 470 act atg gac agc cac tca gac cca aaa tca gag att tca aaa gta tca Thr Met Asp Ser His Ser Asp Pro Lys Ser Glu Ile Ser Lys Val Ser 495 490 gaa gag aaa aag cag gaa cct gcg gag gga tca cca aaa gag gtc caa 1832 Glu Glu Lys Lys Gln Glu Pro Ala Glu Gly Ser Pro Lys Glu Val Gln 505 age aag caa age agt tet aca aga age egt ace aag gtg cag atg caa Ser Lys Gln Ser Ser Ser Thr Arg Ser Arg Thr Lys Val Gln Met Gln 520 525 ggc gta cct gtg ggc agg gct gtg gat tta aat gcg cta aag ggg tac 1928 Gly Val Pro Val Gly Arg Ala Val Asp Leu Asn Ala Leu Lys Gly Tyr 545 540 535 aac gag ctc ata gat gac att gag aag ctg ttt gac ata aaa ggg gaa 1976 Asn Glu Leu Ile Asp Asp Ile Glu Lys Leu Phe Asp Ile Lys Gly Glu 550 555 ctg cgg agt cgc aat caa tgg gaa ata gtg ttc aca gac gat gag gga 2024 Leu Arg Ser Arg Asn Gln Trp Glu Ile Val Phe Thr Asp Asp Glu Gly 570 gat atg atg ctt gtc ggt gat gac cca tgg cct gag ttc tgc aac atg 2072 Asp Met Met Leu Val Gly Asp Asp Pro Trp Pro Glu Phe Cys Asn Met 590 580 585

gtg aag aga ata ttc ata tgg tcg aaa gag gaa gtg aag aaa atg acg 2120

Val Lys Arg Ile Phe Ile Trp Ser Lys Glu Glu Val Lys Lys Met Thr
600 605 610

cct ggg aac caa ctc cgg atg ctg tta agg gaa gtt gaa aca aca cta 2168

Pro Gly Asn Gln Leu Arg Met Leu Leu Arg Glu Val Glu Thr Thr Leu 615 620 625

aca aca act tcc aaa aca gat aat cat tcc aac taa tttttattct 2214

Thr Thr Ser Lys Thr Asp Asn His Ser Asn 630 635

attetetate agtettegte teettettat ttgetttgte ttteggaatt atettgtttg 2274

tgtctgtgtt ttgttgcg

Commence of the second second

<210> 328 <211> 638 <212> PRT <213> Arabidopsis thaliana <400> 328

人名英格兰人姓氏 医克里氏试验

14、 一概的 15.00mm (14.00mm)。

Met Ala Asn Arg Gly Gly Glu Tyr Leu Tyr Asp Glu Leu Trp Lys Leu 10 15

Cys Ala Gly Pro Leu Val Asp Val Pro Gln Ala Gln Glu Arg Val Tyr 20 25 30

Tyr Phe Pro Gln Gly His Met Glu Gln Leu Glu Ala Ser Thr Gln Gln 35 40 45

Val Asp Leu Asn Thr Met Lys Pro Leu Phe Val Leu Pro Pro Lys Ile 50 55 60

Leu Cys Asn Val Met Asn Val Ser Leu Gln Ala Glu Lys Asp Thr Asp 65 70 75 80

Glu Val Tyr Ala Gln Ile Thr Leu Ile Pro Val Gly Thr Glu Val Asp

Glu Pro Met Ser Pro Asp Pro Ser Pro Pro Glu Leu Gln Arg Pro Lys
100 105 110

Val His Ser Phe Ser Lys Val Leu Thr Ala Ser Asp Thr Ser Thr His 115 120 125

Gly Gly Phe Ser Val Leu Arg Lys His Ala Thr Glu Cys Leu Pro Pro 130 135 140 Leu Asp Met Thr Gln Gln Thr Pro Thr Gln Glu Leu Val Ala Glu Asp 145 150 155 160

- Val His Gly Tyr Gln Trp Lys Phe Lys His Ile Phe Arg Gly Gln Pro 165 170 175
- Arg Arg His Leu Leu Thr Thr Gly Trp Ser Thr Phe Val Thr Ser Lys 180 185 190
- Arg Leu Val Ala Gly Asp Thr Phe Val Phe Leu Arg Gly Glu Asn Gly 195 200 205
- Glu Leu Arg Val Gly Val Arg Arg Ala Asn Leu Gln Gln Ser Ser Met 210 215 220
- Pro Ser Ser Val Ile Ser Ser His Ser Met His Leu Gly Val Leu Ala 225 230 235 240
- Thr Ala Arg His Ala Thr Gln Thr Lys Thr Met Phe Ile Val Tyr Tyr 245 250 255
- Lys Pro Arg Thr Ser Gln Phe Ile Ile Ser Leu Asn Lys Tyr Leu Glu 260 265 270
- Ala Met Ser Asn Lys Phe Ser Val Gly Met Arg Phe Lys Met Arg Phe 275 280 285
- Glu Gly Glu Asp Ser Pro Glu Arg Arg Tyr Ser Gly Thr Val Ile Gly 290 295 300
- Val Lys Asp Cys Ser Pro His Trp Lys Asp Ser Lys Trp Arg Cys Leu 305 310 315 , 320
- Glu Val His Trp Asp Glu Pro Ala Ser Ile Ser Arg Pro Asn Lys Val 325 330 335
- Ser Pro Trp Glu Ile Glu Pro Phe Val Asn Ser Glu Asn Val Pro Lys 340 345 350
- Ser Val Met Leu Lys Asn Lys Arg Pro Arg Gln Val Ser Glu Val Ser 355 360 365
- Ala Leu Asp Val Gly Ile Thr Ala Ser Asn Leu Trp Ser Ser Val Leu 370 375 380
- Thr Gln Pro His Glu Phe Ala Gln Ser Cys Ile Thr Ser Gln Trp Ser

385 390 395 Ser Pro Gln Gln Cys His Arg Asp Ala Asn Glu Asp Ala Lys Lys Ser 405 410 Asp Trp Leu Asn Asn Ser Tyr Ser Val Ser Asn Val Ala Lys Asp Ser 425 430 Thr Leu Asn Asp Gln Met Val Ser Pro Val Glu Gln Lys Lys Pro Glu 440 Thr Thr Ala Asn Tyr Arg Leu Phe Gly Ile Asp Leu Met Ser Ser Ser 455 460 Leu Ala Val Pro Glu Glu Lys Thr Ala Pro Met Arg Pro Ile Asn Ile 470 475 480 Ser Lys Pro Thr Met Asp Ser His Ser Asp Pro Lys Ser Glu Ile Ser 490 495 Lys Val Ser Glu Glu Lys Lys Gln Glu Pro Ala Glu Gly Ser Pro Lys 500 ... 500 ... 505 ... 505 ... 510 ... Glu Val Gln Ser Lys Gln Ser Ser Ser Thr Arg Ser Arg Thr Lys Val 515 520 525 Gln Met Gln Gly Val Pro Val Gly Arg Ala Val Asp Leu Asn Ala Leu 530 535 540 Lys Gly Tyr Asn Glu Leu Ile Asp Asp Ile Glu Lys Leu Phe Asp Ile 545 550 555 560 Lys Gly Glu Leu Arg Ser Arg Asn Gln Trp Glu Ile Val Phe Thr Asp 44 (1) 1 (1) 565 (4) (4) (570 (4) (4) (4) (4) (575 (4) Asp Glu Gly Asp Met Met Leu Val Gly Asp Asp Pro Trp Pro Glu Phe 580 585 590 Cys Asn Met Val Lys Arg Ile Phe Ile Trp Ser Lys Glu Glu Val Lys 595 600 605

Thr Thr Leu Thr Thr Ser Lys Thr Asp Asn His Ser Asn 625 630 635

615

610

Lys Met Thr Pro Gly Asn Gln Leu Arg Met Leu Leu Arg Glu Val Glu

<210> 329 <211> 1394 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (168)..(1121) <223> G596

<400> 329

taatttetet aetteagatt ttttteteet tagattaatt taattgagtt attgtacate 60

cctcaagcta agattctggt tttgtgagtt gagtggatga gaagaggaga gattaactaa 120

attagggttt caattgttta ctttttgttt gctttttata tcaagta atg gat cag 176

Met Asp Gln

gtc tct cgc tct ctt cct cca cct ttt ctc tca aga gat ctc cat ctt 224

Val Ser Arg Ser Leu Pro Pro Pro Phe Leu Ser Arg Asp Leu His Leu 5 10 15

cac cca cac cat caa ttc cag cat cag cag cag cag cag cag cag aat 272

His Pro His His Gln Phe Gln His Gln Gln Gln Gln Gln Gln Gln Asn 20 25 30

cac ggc cac gat ata gac cag cac cga atc ggt ggg cta aaa cgt gac 320

His Gly His Asp Ile Asp Gln His Arg Ile Gly Gly Leu Lys Arg Asp 40 45 50

cga gat gct gat atc gat ccc aac gag cac tct tca gcc gga aaa gat 368

Arg Asp Ala Asp Ile Asp Pro Asn Glu His Ser Ser Ala Gly Lys Asp 55 60 65

caa agt act cet ggc tcc ggt gga gaa agc ggc ggc gga gga gga 416

Gln Ser Thr Pro Gly Ser Gly Gly Glu Ser Gly Gly Gly Gly Gly Gly 70 75 80

gat aat cac atc acg aga agg cca cgt ggc aga cca gcg gga tct aag

Asp Asn His Ile Thr Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys 85 90 95

aac aaa cca aaa ccg cca atc atc atc act cga gac agc gca aac gct 512

Asn Lys Pro Lys Pro Pro Ile Ile Ile Thr Arg Asp Ser Ala Asn Ala 100 105 110 115

ctc aaa tct cat gtc atg gaa gta gca aac gga tgt gac gtc atg gaa 560

Leu Lys Ser His Val Met Glu Val Ala Asn Gly Cys Asp Val Met Glu 120 125 130

agt gtc acc gtc ttc gct cgc cgt cgc caa cgt ggc atc tgc gtt ttg

Ser Val Thr Val Phe Ala Arg Arg Gln Arg Gly Ile Cys Val Leu 135 140 145

age gga aac gge gee gtt ace aac gtt ace ata aga caa cea get tea Ser Gly Asn Gly Ala Val Thr Asn Val Thr Ile Arg Gln Pro Ala Ser 155 160 gta cct ggt ggt ggc tca tct gtc gtt aac tta cac gga cgt ttc gag 704 Val Pro Gly Gly Gly Ser Ser Val Val Asn Leu His Gly Arg Phe Glu 170 att ctt tct ctc tcg gga tca ttc ctt cct ccg gct cca cca gct 752 Ile Leu Ser Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro Pro Ala 180 185 gcg tca ggt cta acg att tac tta gcc ggt ggt cag gga cag gtt gtt Ala Ser Gly Leu Thr Ile Tyr Leu Ala Gly Gly Gln Gly Gln Val Val 200 gga gga agc gtg gtt ggt cca ctc atg gct tca gga cct gta gtg att Gly Gly Ser Val Val Gly Pro Leu Met Ala Ser Gly Pro Val Val Ile
215 220 220 atg gca gct tcg ttt gga aac gct gcg tat gag aga ctg ccg ttg gag Met Ala Ala Ser Phe Gly Asn Ala Ala Tyr Glu Arg Leu Pro Leu Glu 230 235 gaa gac gat caa gaa gag caa aca gct gga gcg gtt gct aat aat atc Glu Asp Asp Gln Glu Glu Gln Thr Ala Gly Ala Val Ala Asn Asn Ile 245 255 250 gat gga aac gca aca atg ggt ggt gga acg caa acg caa act cag acg Asp Gly Asn Ala Thr Met Gly Gly Gly Thr Gln Thr Gln Thr 265 270 275 cag cag caa cag caa cag ttg atg caa gat ccg acg tcg ttt ata 1040 Gln Gln Gln Gln Gln Gln Leu Met Gln Asp Pro Thr Ser Phe Ile 数例 等級 引い 音楽 280. (2) [ イー道(4) 日 285 イル (b) (85) (4) 290 caa ggg ttg cct ccg aat ctt atg aat tct gtt caa ttg cca gct gaa Gln Gly Leu Pro Pro Asn Leu Met Asn Ser Val Gln Leu Pro Ala Glu 300 gct tat tgg gga act ccg aga cca tct ttc taa atcgcgaaga aaaaacaagt 1141 Ala Tyr Trp Gly Thr Pro Arg Pro Ser Phe 315

tagatacgtt cgttgttttt aatttataat ctctcttctg tcaagtttta attttctttt 1201

tcttcttctt tgttttctaa agataattgt agtctttgac gaagattcgt ggtacgtatg 1261

aatcgaagag aatcgttttg gtcatgggat tgctcgatct attaggtttg agagggggtt 1321

tgtgttttgc gttgactagc agattataaa attgttgatt ttcgagtttt tattttcatg

tgttggtgat aaa 1394

<210> 330 <211> 317 <212> PRT <213> Arabidopsis thaliana <400> 330

Met Asp Gln Val Ser Arg Ser Leu Pro Pro Pro Phe Leu Ser Arg Asp 1 5 10 15

Leu His Leu His Pro His His Gln Phe Gln His Gln Gln Gln Gln 20 25 30

Gln Gln Asn His Gly His Asp Ile Asp Gln His Arg Ile Gly Gly Leu 35 40 45

Lys Arg Asp Arg Asp Ala Asp Ile Asp Pro Asn Glu His Ser Ser Ala 50 55 60

Gly Lys Asp Gln Ser Thr Pro Gly Ser Gly Glu Ser Gly Gly Gly 65 70 75 80

Gly Gly Gly Asp Asn His Ile Thr Arg Arg Pro Arg Gly Arg Pro Ala 85 90 95

Gly Ser Lys Asn Lys Pro Lys Pro Pro Ile Ile Ile Thr Arg Asp Ser 100 105 110

Ala Asn Ala Leu Lys Ser His Val Met Glu Val Ala Asn Gly Cys Asp 115 120 125

Val Met Glu Ser Val Thr Val Phe Ala Arg Arg Arg Gln Arg Gly Ile 130 135 140

Cys Val Leu Ser Gly Asn Gly Ala Val Thr Asn Val Thr Ile Arg Gln 145 150 155 160

Pro Ala Ser Val Pro Gly Gly Gly Ser Ser Val Val Asn Leu His Gly 165 170 175

Arg Phe Glu Ile Leu Ser Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala 180 185 190

Pro Pro Ala Ala Ser Gly Leu Thr Ile Tyr Leu Ala Gly Gly Gln Gly 195 200 205

Gln Val Val Gly Gly Ser Val Val Gly Pro Leu Met Ala Ser Gly Pro
210 220 220

Val Val Ile Met Ala Ala Ser Phe Gly Asn Ala Ala Tyr Glu Arg Leu 225 230 235 240

Pro Leu Glu Glu Asp Asp Gln Glu Glu Gln Thr Ala Gly Ala Val Ala 245 250 255

Asn Asn Ile Asp Gly Asn Ala Thr Met Gly Gly Gly Thr Gln Thr Gln 260 265 270

Thr Gln Thr Gln Gln Gln Gln Gln Gln Leu Met Gln Asp Pro Thr 275 280 285

Ser Phe Ile Gln Gly Leu Pro Pro Asn Leu Met Asn Ser Val Gln Leu 290 295 300

Pro Ala Glu Ala Tyr Trp Gly Thr Pro Arg Pro Ser Phe 305 310 315

<210> 331 <211> 2311 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (137)..(2059) <223> G610

<400> 331

tottaatcag agattegtga gaggtaaagg tagegtaatt atteagtttg egtgatetat 60

aatttaactg gcgccagatt gtgatccagg aatcgttggc ttgttaggtt gttgttttgt 120

tatgcataat tgagag atg gtg gtc aaa agg aag tta aat tgt ggt ggc tct 172

Met Val Val Lys Arg Lys Leu Asn Cys Gly Gly Ser 1 5 10

gat ggt ttt gat ttc ccc aat att ccc aag gct cct cgt tca agc agg 220

Asp Gly Phe Asp Phe Pro Asn Ile Pro Lys Ala Pro Arg Ser Ser Arg
15 20 25

agg aag gtc tca ggt aag aga tct gat gat gaa agt gag atc tgt gca 268

Arg Lys Val Ser Gly Lys Arg Ser Asp Asp Glu Ser Glu Ile Cys Ala 30 35 40

att gat ttg cta gct tct ctt gct gga aag ttg ttg gaa gaa agt gaa 316

Ile Asp Leu Leu Ala Ser Leu Ala Gly Lys Leu Leu Glu Glu Ser Glu

45					50					55			•		60
364	tcc	tca	acg	tct	acc	tat	gca	tct	gaa	gct	gat	aat	ctt	gat	cat
	Ser	Ser	Thr	Ser 65	Thr	Tyr	Ala	Ser	Glu 70	Ala	Asp	Asn	Leu	Asp 75	His
ttg	ggt	gga	ctg	att	aag	caa	gaa	ctt	gaa	gat	ggc	tat	act	act	aag
412 Leu	Gly	Gly	Leu 80	Ile	ГЛЗ	Gln	Glu	Leu 85	Glu	Asp	Gly	Tyr	Thr 90	Thr	Lуз
cct	tgt	aaa	tcc	gag	ttt	ttc	gat	cca	gga	aac	cct	gct	tca	aag	tcc.
460 Pro	Суѕ	Lys 95	Ser	Glu	Phe	Phe	Asp 100	Pro	Gly	Asn	Pro	Ala 105	Ser	Lys	Ser
				act	agc	gtg	act	tgt	ttg	cca	ttt	tcg	tct	ttc	gaa
508 Thr	Ser 110		Asn	Thr	Ser	Val 115	Thr	Суз	Leu	Pro	Phe 120	Ser	Ser	Phe	Glu
					gag	caa	aca	ccg	gtt	tct	gat	tgt	aag	agg	gca
556 Asn 125	Asp	Cys	Ile	Leu	Glu 130	Gln	Thr		Va]	. Ser 135	Asp	суз	Lys	Arg	Ala 140
tct	ggt	: ttç	aag	tcc	ctg	gta	ggg	ago	ato	act	gaç	gaç	g aca	ı tgt	gtt
Sei	Gl	у Ьеι	ı Lys	Ser 145	Leu	Val	Gly	Sei	110 150	e Thi	c Glu	ı Glı	ı Thi	Cys 15!	val
		t gad	g gat	t ge	gga	tct	gaa	caa	a gg	t gc	t aat	act	t tte	c age	c tta
65: Va.	2 l As	n Gl	u Asp 160	p Ala	a Gly		r Glı	Gli 16	n Gl; 5	y Al	a Ası	n Th	r Ph	e Se: O	r Leu
		t cc	a ag	t caa	a tta	a caf	t to	g ca	g tc	t cc	a ga	a tc	g gt	c ct	t ctg
70 Ly	0 s As	p Pr 17	o Se 5	r Gl	n Lei	ı Hi	s Se:	r G1	n Se	r Pr	o Gl	u Se 18	r Va 5	l Le	u Leu
ga	t gg	c ga	t gt	g aa	a tta	a gc	a cc	a tg	c ac	g ga	t ca	a gt	c cc	t aa	t gat
74 As	8 p Gl 19		p Va	1 Ly	s Le	u Al 19	a Pr 5	о Су	s Th	r As	p G1 20	n Va 0	l Pr	o As	n Asp
		t aa	a gg	a ta	t ag	g aa	t ca	t to	t aa	ıg tt	a gt	t to	c ag	ja ga	t gat
Se	)6 er Pl )5	ne Ly	rs Gl	у Ту	r Ar 21	g As 0	n Hi	s Se	r Ly	/s Le 21	u Va 15	ıl Cy	/s Ai	g As	p Asp 220
ga	ac ga	aa aa	ac ta	at to	rt aa	g ta	it ta	t aa	a ti	t a	gt ga	ac aa	aa to	gt aa	g tca
•	14 sp G:				s Ly				ıs Pl					ys Ly	ys Ser 35
ta	at a	gg c	ct cl	to to	ငင ငင္	ıg gt	t g	jc a	at a	ga a	ga at	ta at	tg c	ag t	cg gtg
			ro Le					Ly A					et G		er Val

aga gca atc tcc aag ttg aag tgt ttt gaa gac act aga aca gat ggt 940 Arg Ala Ile Ser Lys Leu Lys Cys Phe Glu Asp Thr Arg Thr Asp Gly 260 265 cgt ttg aag get etc tac ege aag aga aaa tta tgt tat ggt tac aac Arg Leu Lys Ala Leu Tyr Arg Lys Arg Lys Leu Cys Tyr Gly Tyr Asn 275 280 cca tgg aag cgt gag acc att cat agg aag aga aga ttg tct gac aaa 1036 Pro Trp Lys Arg Glu Thr Ile His Arg Lys Arg Arg Leu Ser Asp Lys 285 290 ggt ttg gtc gta aat tat gat ggt ggg ctc agt agt gaa agt gtt tcc Gly Leu Val Val Asn Tyr Asp Gly Gly Leu Ser Ser Glu Ser Val Ser 305 310 315 aat toa oot gaa aag gga gaa toa gaa aat ggt gat tto tot got goa 1132 Asn Ser Pro Glu Lys Gly Glu Ser Glu Asn Gly Asp Phe Ser Ala Ala 100 **320** Jan 1960 i e **325** March , in the extra **330** can be a aaa ata ggt ctt ctt tcg aaa gac tcc cgt gta aag ttc agc atc aag Lys Ile Gly Leu Leu Ser Lys Asp Ser Arg Val Lys Phe Ser Ile Lys 340 tee ett agg att eeg gag ett gta att gaa gtt eea gaa aca gea aca Ser Leu Arg Ile Pro Glu Leu Val Ile Glu Val Pro Glu Thr Ala Thr 355 360 gta ggc tta ctg aag agg acg gtg aag gag gcg gtt act gct tta ctc 1276 Val Gly Leu Leu Lys Arg Thr Val Lys Glu Ala Val Thr Ala Leu Leu 370 375 % 3 3 3 3 3 6 6 6 ggt ggt gga ata cgt att ggg gtg tta gtc caa ggg aaa aaa gtt aga 1324 Gly Gly Gly Ile Arg Ile Gly Val Leu Val Gln Gly Lys Lys Val Arg 385 . 390 395 · gat gac aac act cta tca cag act ggt ctt tcg tgt aga gaa aat 1372 Asp Asp Asn Asn Thr Leu Ser Gln Thr Gly Leu Ser Cys Arg Glu Asn 400 . . 405 ctt ggc aac ctt ggc ttc acc tta gag cct ggt ttg gaa aca ctg cct Leu Gly Asn Leu Gly Phe Thr Leu Glu Pro Gly Leu Glu Thr Leu Pro 420 gta cet ett tgt tet gaa act eet gte ett tet etg eea act gae tet 1468 Val Pro Leu Cys Ser Glu Thr Pro Val Leu Ser Leu Pro Thr Asp Ser 430 435 . 440

484. 15

aca aag ttg tca gaa agg tcc gca gct tct cca gcg tta gag act gga 1516 Thr Lys Leu Ser Glu Arg Ser Ala Ala Ser Pro Ala Leu Glu Thr Gly 445 450 att cct ctc cct ccc caa gat gaa gat tac ttg att aat ttg gga aat Ile Pro Leu Pro Pro Gln Asp Glu Asp Tyr Leu Ile Asn Leu Gly Asn 470 agt gtg gag aac aat gat gaa tta gtc cca cat ctg agt gac ata cca 1612 Ser Val Glu Asn Asn Asp Glu Leu Val Pro His Leu Ser Asp Ile Pro gct gat gaa caa cct tca tca gat tca aga gcg ctg gtt cca gtt ttg Ala Asp Glu Gln Pro Ser Ser Asp Ser Arg Ala Leu Val Pro Val Leu 500 505 gcc ttg gag tcc gac gct ctt gca ctt gtt cca gtt aac gag aaa cct 1708 Ala Leu Glu Ser Asp Ala Leu Ala Leu Val Pro Val Asn Glu Lys Pro 520 515 510 aag cgt aca gag ctt tca caa cgc aga acc agg aga cca ttc tct gtt 1756 Lys Arg Thr Glu Leu Ser Gln Arg Arg Thr Arg Arg Pro Phe Ser Val 535 540 530 40.100 aca gag gta gaa gct cta gta agc gca gtt gaa gaa gtt ggg act gga 1804 Thr Glu Val Glu Ala Leu Val Ser Ala Val Glu Glu Val Gly Thr Gly 550 545 aga tgg cgt gat gtg aag ttg cgt tct ttt gag aat gca agt cat cga 1852 Arg Trp Arg Asp Val Lys Leu Arg Ser Phe Glu Asn Ala Ser His Arg 565 560 acc tat gtg gac ttg aag gac aaa tgg aaa acg ttg gtt cac aca gca 1900 Thr Tyr Val Asp Leu Lys Asp Lys Trp Lys Thr Leu Val His Thr Ala 580 agt ata toa coa cag caa cga aga gga gaa coa gtg cot caa gaa ctg : 1948 Ser Ile Ser Pro Gln Gln Arg Arg Gly Glu Pro Val Pro Gln Glu Leu 595 cta gac aga gtc tta gga gca cat agg tac tgg aca cag cac caa atg Leu Asp Arg Val Leu Gly Ala His Arg Tyr Trp Thr Gln His Gln Met 615 aaa cag aac ggg aaa cat cag gtg gct aca aca atg gtg gtt gaa gca 2044 Lys Gln Asn Gly Lys His Gln Val Ala Thr Thr Met Val Val Glu Ala 630 635 625

ggt tcg tcc atg taa agaaggagaa tggtaataac aataactttc acttgacgac 2099

Gly Ser Ser Met 640

taaggaacca aagtgggcaa ctgtacaaag ggaaacaaca aaatacagaa acatacttaa 2159

tttctgaaaa gaagagtcta tatttttatt ttttttaaat catagccggt agaaacaaga 2219

cgttccttga cacttttggt tacttttatg gtaggtctgt tcattccaaa tttctaattg 2279

atttgattat gtaatttggt ggtaggacca tg 2311

<210> 332 <211> 640 <212> PRT <213> Arabidopsis thaliana <400> 332

Met Val Val Lys Arg Lys Leu Asn Cys Gly Gly Ser Asp Gly Phe Asp 1 5 10 15

Phe Pro Asn Ile Pro Lys Ala Pro Arg Ser Ser Arg Arg Lys Val Ser 20 25 30

Gly Lys Arg Ser Asp Asp Glu Ser Glu Ile Cys Ala Ile Asp Leu Leu 35 40 45

Ala Ser Leu Ala Gly Lys Leu Leu Glu Glu Ser Glu Ser Ser Ser Thr 50 55 60

Ser Thr Tyr Ala Ser Glu Ala Asp Asn Leu Asp His Leu Gly Gly Leu 65 70 75 80

Ile Lys Gln Glu Leu Glu Asp Gly Tyr Thr Thr Lys Pro Cys Lys Ser 85 90 95

Glu Phe Phe Asp Pro Gly Asn Pro Ala Ser Lys Ser Thr Ser Glu Asn 100 105 110

Thr Ser Val Thr Cys Leu Pro Phe Ser Ser Phe Glu Asn Asp Cys Ile 115 120 125

Leu Glu Gln Thr Pro Val Ser Asp Cys Lys Arg Ala Ser Gly Leu Lys 130 135 140

Ser Leu Val Gly Ser Ile Thr Glu Glu Thr Cys Val Val Asn Glu Asp 145 150 155 160

Ala Gly Ser Glu Gln Gly Ala Asn Thr Phe Ser Leu Lys Asp Pro Ser 165

- Gln Leu His Ser Gln Ser Pro Glu Ser Val Leu Leu Asp Gly Asp Val 180 185 190
- Lys Leu Ala Pro Cys Thr Asp Gln Val Pro Asn Asp Ser Phe Lys Gly 195
- Tyr Arg Asn His Ser Lys Leu Val Cys Arg Asp Asp Glu Asn Tyr 210 215
- Cys Lys Tyr Tyr Lys Phe Ser Asp Lys Cys Lys Ser Tyr Arg Pro Leu 225 235 240
- Ser Arg Val Gly Asn Arg Arg Ile Met Gln Ser Val Arg Ala Ile Ser 245 250 255
- Lys Leu Lys Cys Phe Glu Asp Thr Arg Thr Asp Gly Arg Leu Lys Ala 260 265 270
- Leu Tyr Arg Lys Arg Lys Leu Cys Tyr Gly Tyr Asn Pro Trp Lys Arg 275 280 285
- Glu Thr Ile His Arg Lys Arg Arg Leu Ser Asp Lys Gly Leu Val Val 290 295 300
- Asn Tyr Asp Gly Gly Leu Ser Ser Glu Ser Val Ser Asn Ser Pro Glu 305 310 315 320
- Lys Gly Glu Ser Glu Asn Gly Asp Phe Ser Ala Ala Lys Ile Gly Leu 325
- Leu Ser Lys Asp Ser Arg Val Lys Phe Ser Ile Lys Ser Leu Arg Ile 340 345
- Pro Glu Leu Val Ile Glu Val Pro Glu Thr Ala Thr Val Gly Leu Leu 355 360 365
- Lys Arg Thr Val Lys Glu Ala Val Thr Ala Leu Leu Gly Gly Gly Ile 370 375 380
- Arg Ile Gly Val Leu Val Gln Gly Lys Lys Val Arg Asp Asp Asn Asn 385 395 400
- Thr Leu Ser Gln Thr Gly Leu Ser Cys Arg Glu Asn Leu Gly Asn Leu

405 410

Gly Phe Thr Leu Glu Pro Gly Leu Glu Thr Leu Pro Val Pro Leu Cys
420 425 430

Ser Glu Thr Pro Val Leu Ser Leu Pro Thr Asp Ser Thr Lys Leu Ser 435 440 445

Glu Arg Ser Ala Ala Ser Pro Ala Leu Glu Thr Gly Ile Pro Leu Pro
450 455 460

Pro Gln Asp Glu Asp Tyr Leu Ile Asn Leu Gly Asn Ser Val Glu Asn 465 470 475 480

Asn Asp Glu Leu Val Pro His Leu Ser Asp Ile Pro Ala Asp Glu Gln 485 490 495

Pro Ser Ser Asp Ser Arg Ala Leu Val Pro Val Leu Ala Leu Glu Ser 500 505 510

Asp Ala Leu Ala Leu Val Pro Val Asn Glu Lys Pro Lys Arg Thr Glu 515 520 525

Leu Ser Gln Arg Arg Thr Arg Arg Pro Phe Ser Val Thr Glu Val Glu 530 535 540

Ala Leu Val Ser Ala Val Glu Glu Val Gly Thr Gly Arg Trp Arg Asp 555 550 560

Val Lys Leu Arg Ser Phe Glu Asn Ala Ser His Arg Thr Tyr Val Asp 565 570 575

Leu Lys Asp Lys Trp Lys Thr Leu Val His Thr Ala Ser Ile Ser Pro 580 585 590

Gln Gln Arg Arg Gly Glu Pro Val Pro Gln Glu Leu Leu Asp Arg Val 595 600 605

Leu Gly Ala His Arg Tyr Trp Thr Gln His Gln Met Lys Gln Asn Gly 610 620

Lys His Gln Val Ala Thr Thr Met Val Val Glu Ala Gly Ser Ser Met 625 630 635 640

<210> 333 <211> 1242 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (59)..(1141) <223> G617

<400> 333 cagatctgtt ctttacacca aattgagtac tgaagatctt gttgagtgaa ttaaagag atg aga tca gga gaa tgt gat gaa gag gag att caa gca aag caa gaa Met Arg Ser Gly Glu Cys Asp Glu Glu Glu Ile Gln Ala Lys Gln Glu 5 aga gat caa aat caa aat cat caa gta aac tta aac cac atg ttg caa Arg Asp Gln Asn Gln Asn His Gln Val Asn Leu Asn His Met Leu Gln caa caa cag ccg agt tcg gta tca tct tca agg caa tgg act tca gct Gln Gln Gln Pro Ser Ser Val Ser Ser Ser Arg Gln Trp Thr Ser Ala ttt agg aat cca aga atc gtt cga gtc tca aga aca ttc ggt ggc aaa Phe Arg Asn Pro Arg Ile Val Arg Val Ser Arg Thr Phe Gly Gly Lys 60 55 gac aga cac agc aaa gta tgt aca gtc cgt ggt ctt cga gac cgg agg Asp Arg His Ser Lys Val Cys Thr Val Arg Gly Leu Arg Asp Arg Arg 75 ata agg ttg tcc gta cct aca gct att caa ctc tac gac ctt caa gat Ile Arg Leu Ser Val Pro Thr Ala Ile Gln Leu Tyr Asp Leu Gln Asp cga tta ggg ctg agt cag cca agc aaa gtc att gat tgg tta ctc gaa Arg Leu Gly Leu Ser Gln Pro Ser Lys Val Ile Asp Trp Leu Leu Glu 105 100 gca gca aaa gat gac gta gac aag cta cct cct cta caa ttc cca cat Ala Ala Lys Asp Asp Val Asp Lys Leu Pro Pro Leu Gln Phe Pro His 120 115 gga ttt aac cag atg tat cca aat ctc atc ttc gga aac tcc ggg ttt Gly Phe Asn Gln Met Tyr Pro Asn Leu Ile Phe Gly Asn Ser Gly Phe . 135 gga gaa tet eca tet tea act aca tea aca acg ttt eca gga ace aat Gly Glu Ser Pro Ser Ser Thr Thr Ser Thr Thr Phe Pro Gly Thr Asn 155 ctc ggg ttc ttg gaa aat tgg gat ctt ggt ggt tct tca aga aca aga Leu Gly Phe Leu Glu Asn Trp Asp Leu Gly Gly Ser Ser Arg Thr Arg 170 165

gca aga tta acc gat aca act acg acc caa aga gaa agt ttt gat ctt 634 Ala Arg Leu Thr Asp Thr Thr Thr Gln Arg Glu Ser Phe Asp Leu 180 185 gat aaa gga aaa tgg atc aaa aac gac gag aat agt aat caa gat cat Asp Lys Gly Lys Trp Ile Lys Asn Asp Glu Asn Ser Asn Gln Asp His 200 caa ggg ttt aac acc aat cat caa caa caa ttt cct ctg acc aat ccg 730 Gln Gly Phe Asn Thr Asn His Gln Gln Gln Phe Pro Leu Thr Asn Pro 210 tac aac act tca gct tat tac aac ctt gga cat ctt caa caa tcg Tyr Asn Asn Thr Ser Ala Tyr Tyr Asn Leu Gly His Leu Gln Gln Ser 235 tta gac caa tct ggt aat aac gtt act gtc gca ata tct aat gtt gct Leu Asp Gln Ser Gly Asn Asn Val Thr Val Ala Ile Ser Asn Val Ala 245 250 get aat aat aac aat aat etc aat ttg cat eet eet tee teg tet gee 874 Ala Asn Asn Asn Asn Leu Asn Leu His Pro Pro Ser Ser Ser Ala 265 1.3 gga gat gga tot cag ott ttt tto ggt cot act cot cog gca atg ago 922 Gly Asp Gly Ser Gln Leu Phe Phe Gly Pro Thr Pro Pro Ala Met Ser tet eta tte eeg aca tae eet teg ttt ett gga get tet eat eat eat 970 Ser Leu Phe Pro Thr Tyr Pro Ser Phe Leu Gly Ala Ser His His His 295 290 300 cat gtc gtc gat gga gcc ggt cat ctt cag ctc ttt agc tcg aat tca His Val Val Asp Gly Ala Gly His Leu Gln Leu Phe Ser Ser Asn Ser 310 315 aat acc gca tcg cag caa cac atg atg ccg ggt aat acg agt ttg att Asn Thr Ala Ser Gln Gln His Met Met Pro Gly Asn Thr Ser, Leu Ile 325 330 aga cca ttt cat cat ttg atg agc tcg aat cat gat acg gat cat cat Arg Pro Phe His His Leu Met Ser Ser Asn His Asp Thr Asp His His 340 345 agt agc gat aat gaa toa gat tot tga atgattttat atatotacac 1161 Ser Ser Asp Asn Glu Ser Asp Ser 355 360

tatacattga aaatgttata tgtatacgta ttcttctata ttttgatata tatgcgtatt . 1221

gttggattgg tttatgtatc t 1242

<210> 334 <211> 360 <212> PRT <213> Arabidopsis thaliana <400> 334

Met Arg Ser Gly Glu Cys Asp Glu Glu Glu Ile Gln Ala Lys Gln Glu 1 5 10 15

Arg Asp Gln Asn Gln Asn His Gln Val Asn Leu Asn His Met Leu Gln 20 25 30

Gln Gln Gln Pro Ser Ser Val Ser Ser Ser Arg Gln Trp Thr Ser Ala 35 40 45

Phe Arg Asn Pro Arg Ile Val Arg Val Ser Arg Thr Phe Gly Gly Lys 50 55

Asp Arg His Ser Lys Val Cys Thr Val Arg Gly Leu Arg Asp Arg Arg 65 70 80

Ile Arg Leu Ser Val Pro Thr Ala Ile Gln Leu Tyr Asp Leu Gln Asp 85 90 95

Arg Leu Gly Leu Ser Gln Pro Ser Lys Val Ile Asp Trp Leu Leu Glu 100 105 110

Ala Ala Lys Asp Asp Val Asp Lys Leu Pro Pro Leu Gln Phe Pro His 115

Gly Phe Asn Gln Met Tyr Pro Asn Leu Ile Phe Gly Asn Ser Gly Phe 130 135 140

Gly Glu Ser Pro Ser Ser Thr Thr Ser Thr Thr Phe Pro Gly Thr Asn 145 150 160

Leu Gly Phe Leu Glu Asn Trp Asp Leu Gly Gly Ser Ser Arg Thr Arg 165 170 170

Ala Arg Leu Thr Asp Thr Thr Thr Thr Gln Arg Glu Ser Phe Asp Leu 180

Asp Lys Gly Lys Trp Ile Lys Asn Asp Glu Asn Ser Asn Gln Asp His 195 200 205

Gln Gly Phe Asn Thr Asn His Gln Gln Gln Phe Pro Leu Thr Asn Pro 215 Tyr Asn Asn Thr Ser Ala Tyr Tyr Asn Leu Gly His Leu Gln Gln Ser 230 235 240 Leu Asp Gln Ser Gly Asn Asn Val Thr Val Ala Ile Ser Asn Val Ala 245 250 255 Ala Asn Asn Asn Asn Leu Asn Leu His Pro Pro Ser Ser Ser Ala 260 265 Gly Asp Gly Ser Gln Leu Phe Phe Gly Pro Thr Pro Pro Ala Met Ser 275 280 Ser Leu Phe Pro Thr Tyr Pro Ser Phe Leu Gly Ala Ser His His 300 m 300 m 300 m 295 m 300 m His Val Val Asp Gly Ala Gly His Leu Gln Leu Phe Ser Ser Asn Ser 305 1/2 / Fig. 1/2 310 1/2 / Fig. 2/3 315 224 1/2 1/2 320 Asn Thr Ala Ser Gln Gln His Met Met Pro Gly Asn Thr Ser Leu Ile 335 Arg Pro Phe His His Leu Met Ser Ser Asn His Asp Thr Asp His His Ser Ser Asp Asn Glu Ser Asp Ser 355 360 <210> 335 <211> 2157 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)...(2157) <223> G644 <400> 335 atg att act gaa cca agt cta acc ggg att tca ggt atg gtt aat cgg Met Ile Thr Glu Pro Ser Leu Thr Gly Ile Ser Gly Met Val Asn Arg 1 5 10 aac cgt tta tcc ggt tta ccc gat caa cct tct tcg cat agc ttc act Asn Arg Leu Ser Gly Leu Pro Asp Gln Pro Ser Ser His Ser Phe Thr 25 ccg gta aca cta tac gac ggt ttc aat tac aat ctc tcc tcc gat cat Pro Val Thr Leu Tyr Asp Gly Phe Asn Tyr Asn Leu Ser Ser Asp His 40 35

ata aac acc gtt gta gca gcg ccg gag aat tca gtt ttt atc cgg gaa Ile Asn Thr Val Val Ala Ala Pro Glu Asn Ser Val Phe Ile Arg Glu 50 gaa gaa gaa gag gat cca gct gat gat ttc gat ttc tct gac gct Glu Glu Glu Glu Glu Asp Pro Ala Asp Asp Phe Asp Phe Ser Asp Ala gtt tta gga tac att agt cag atg ttg aat gag gaa gac atg gat gat Val Leu Gly Tyr Ile Ser Gln Met Leu Asn Glu Glu Asp Met Asp Asp 85 aaa gtc tgc atg ctt caa gag tct cta gat ctc gaa gct gct gag aga 336 Lys Val Cys Met Leu Gln Glu Ser Leu Asp Leu Glu Ala Ala Glu Arg 100 105 110 tcg tta tac gaa gct att ggt aag aag tat cct cca tct cca gaa cga Ser Leu Tyr Glu Ala Ile Gly Lys Lys Tyr Pro Pro Ser Pro Glu Arg 125 120 115 aac tta gct ttc gct gaa cga aac agc gag aat ctt gac cgt gtg gtt 432 Asn Leu Ala Phe Ala Glu Arg Asn Ser Glu Asn Leu Asp Arg Val Val cca gga aac tac act gga gga gat tgt ata ggt ttt ggg aac ggt gga .Pro Gly Asn Tyr Thr Gly Gly Asp Cys Ile Gly Phe Gly Asn Gly Gly atc aag cct ttg agt agt ggt ttt act ttg gat ttt cga aat cct cag 528 Ile Lys Pro Leu Ser Ser Gly Phe Thr Leu Asp Phe Arg Asn Pro Gln 170 175 165 agt tgt tct tcg att cta agt gtt cca caa tct aat ggt tta att act 576 Ser Cys Ser Ser Ile Leu Ser Val Pro Gln Ser Asn Gly Leu Ile Thr 185 180 atc tac gga gat gga att gat gaa tcg tcg aag aac aat cgg gag aat 624 Ile Tyr Gly Asp Gly Ile Asp Glu Ser Ser Lys Asn Asn Arg Glu Asn 200 . 195 cat caa tot gtt tgg ttg ttt agg cgt gag att gaa gaa gct aat agg His Gln Ser Val Trp Leu Phe Arg Arg Glu Ile Glu Glu Ala Asn Arg 215 ttt aat oot gaa gaa aac gag ttg att gtg aat tto aga gag gag aat Phe Asn Pro Glu Glu Asn Glu Leu Ile Val Asn Phe Arg Glu Glu Asn 235 240 225 230

tgt gtg agc aaa gca agg aag aac tct agc cgt gat gag att tgt gtt Cys Val Ser Lys Ala Arg Lys Asn Ser Ser Arg Asp Glu Ile Cys Val 245 250 255 gaa gaa gag agg agt agt aaa tta cct gca gtg ttt ggt gag gat att Glu Glu Glu Arg Ser Ser Lys Leu Pro Ala Val Phe Glv Glu Asp Ile 260 . . 265 ttg agg tca gat gtt gta gat aag atc ttg gtt cat gta cca gga gga 864 Leu Arg Ser Asp Val Val Asp Lys Ile Leu Val His Val Pro Gly Gly 275 280 gag agc atg aag gag ttt aat gcg ttg cgt gac gtt ttg aag aaa gga 912 Glu Ser Met Lys Glu Phe Asn Ala Leu Arg Asp Val Leu Lys Lys Gly 295 300 gtg gag aag aaa gct tca gat gct caa ggt ggg aag aga cga gcc 960 Val Glu Lys Lys Lys Ala Ser Asp Ala Gln Gly Gly Lys Arg Arg Ala 310 315 aga gga aga gga cgt gga aga gga aga gga gga gga ggg caa aat Arg Gly Arg Gly Arg Gly Arg Gly Gly Gly Gly Gly Gln Asn 325 ggg aaa aaa gaa gtt gtg gat ttg aga agt tta ttg ata cat tgt gct 1056 Gly Lys Lys Glu Val Val Asp Leu Arg Ser Leu Leu Ile His Cys Ala 345 caa gct gtt gca gct gat gat cgt agg tgt gca ggt cag ttg tta aaa 1104 Gln Ala Val Ala Ala Asp Asp Arg Arg Cys Ala Gly Gln Leu Leu Lys 355 360 365 cag ata aga ttg cat tct acg ccg ttt ggt gat ggg aat cag agg ttg 1152 Gln Ile Arg Leu His Ser Thr Pro Phe Gly Asp Gly Asn Gln Arg Leu 375 380 : get cat tgt ttt get aat ggt ete gag geg agg tta gee ggt aet gga Ala His Cys Phe Ala Asn Gly Leu Glu Ala Arg Leu Ala Gly Thr Gly 385 390 395 400 age cag att tac aaa ggg att gtg agt aaa ccg aga tcc gct gca gct Ser Gln Ile Tyr Lys Gly Ile Val Ser Lys Pro Arg Ser Ala Ala Ala gtg ttg aag get cae cag ett ttt ett geg tgt tgt eet ttt aga aag 1296 Val Leu Lys Ala His Gln Leu Phe Leu Ala Cys Cys Pro Phe Arg Lys 420 430

ctc tct tat ttc ata act aat aag acg ata cgt gat ctt gtt ggg aac 1344 Leu Ser Tyr Phe Ile Thr Asn Lys Thr Ile Arg Asp Leu Val Gly Asn 435 tot cag ege gtt cat gtt att gat ttt ggt att ctt tac ggt ttc caa Ser Gln Arg Val His Val Ile Asp Phe Gly Ile Leu Tyr Gly Phe Gln 455 450 tgg cca act ctt att cac cgg ttt tcg atg tat gga tca ccg aag gtt Trp Pro Thr Leu Ile His Arg Phe Ser Met Tyr Gly Ser Pro Lys Val 475 agg atc acc ggg att gag ttt ccg cag ccc ggg ttt cgt ccg gca cag 1488 Arg Ile Thr Gly Ile Glu Phe Pro Gln Pro Gly Phe Arg Pro Ala Gln 485 490 cgg gtt gaa gaa act ggt caa agg tta gca gcg tat gcc aaa ctc ttt of the second of the second of the Arg Val Glu Glu Thr Gly Gln Arg Leu Ala Ala Tyr Ala Lys Leu Phe ggg gtg cca ttt gag tat aaa gca att gct aag aag tgg gat gca att 1584 Gly Val Pro Phe Glu Tyr Lys Ala Ile Ala Lys Lys Trp Asp Ala Ile 515 520 525 caa ctt gaa gat ctt gat atc gac agg gat gag att act gtt gtt aat Gln Leu Glu Asp Leu Asp Ile Asp Arg Asp Glu Ile Thr Val Val Asn 535 tgc ctg tac cgg gct gag aat ttg cat gat gag tca gtc aaa gta gaa Cys Leu Tyr Arq Ala Glu Asn Leu His Asp Glu Ser Val Lys Val Glu 555 agt tgt aga gac act gtt ctc aat ttg atc ggg aag atc aat cct gat 1. 1. 1. 1. - 1. 9.1.1. 1728 Ser Cys Arg Asp Thr Val Leu Asn Leu Ile Gly Lys Ile Asn Pro Asp 575 565 570 ...: ctc ttt gtc ttt ggc att gtg aat ggt gca tac aac gca ccg ttt ttc Leu Phe Val Phe Gly Ile Val Asn Gly Ala Tyr Asn Ala Pro Phe Phe 580 585 gta aca cgg ttt cgc gaa gct cta ttt cat ttc tcc tcg att ttt gac 1824 Val Thr Arg Phe Arg Glu Ala Leu Phe His Phe Ser Ser Ile Phe Asp atq ctt gag aca att gtg cca cga gaa gac gaa gag agg atg ttc ctt Met Leu Glu Thr Ile Val Pro Arg Glu Asp Glu Glu Arg Met Phe Leu 610 615 620

gag atg gag gtc ttt ggg aga gag gca ctg aat gtg att gct tgc gaa 1920 Glu Met Glu Val Phe Gly Arg Glu Ala Leu Asn Val Ile Ala Cys Glu

Glu Met Glu Val Phe Gly Arg Glu Ala Leu Asn Val Ile Ala Cys Glu 625 630 635 640

ggt tgg gaa aga gtg gag agg cct gag aca tac aag cag tgg cac gta 1968 Gly Trp Glu Arg Val Glu Arg Pro Glu Thr Tyr Lys Gln Trp His Val 645 650 655

cgg gct atg agg tca ggg ttg gtg cag gtt cca ttt gac cca agc att 2016

Arg Ala Met Arg Ser Gly Leu Val Gln Val Pro Phe Asp Pro Ser Ile 660 665 670

atg aag aca tcg ctg cat aag gtc cac aca ttc tac cac aag gat ttt 2064

Met Lys Thr Ser Leu His Lys Val His Thr Phe Tyr His Lys Asp Phe 675 680 685

gtg atc gat caa gat aac egg tgg etc ttg caa gge tgg aag gga aga 2112:

Val Ile Asp Gln Asp Asn Arg Trp Leu Leu Gln Gly Trp Lys Gly Arg
690 - 700

<210> 336 <211> 718 <212> PRT <213> Arabidopsis thaliana <400>

Met Ile Thr Glu Pro Ser Leu Thr Gly Ile Ser Gly Met Val Asn Arg

1 5 10 15

Asn Arg Leu Ser Gly Leu Pro Asp Gln Pro Ser Ser His Ser Phe Thr 20 25 30

Pro Val Thr Leu Tyr Asp Gly Phe Asn Tyr Asn Leu Ser Ser Asp His
35 40 45

Ile Asn Thr Val Val Ala Ala Pro Glu Asn Ser Val Phe Ile Arg Glu
50 55 60

Glu Glu Glu Glu Glu Asp Pro Ala Asp Asp Phe Asp Phe Ser Asp Ala 65 70 75 80

Val Leu Gly Tyr Ile Ser Gln Met Leu Asn Glu Glu Asp Met Asp Asp 85 90 95

Lys Val Cys Met Leu Gln Glu Ser Leu Asp Leu Glu Ala Ala Glu Arg
100 105 110

Ser Leu Tyr Glu Ala Ile Gly Lys Lys Tyr Pro Pro Ser Pro Glu Arg 115 120 125

- Asn Leu Ala Phe Ala Glu Arg Asn Ser Glu Asn Leu Asp Arg Val Val 130 135 140
- Pro Gly Asn Tyr Thr Gly Gly Asp Cys Ile Gly Phe Gly Asn Gly Gly 145 150 155 160
- Ile Lys Pro Leu Ser Ser Gly Phe Thr Leu Asp Phe Arg Asn Pro Gln 165 170 175
- Ser Cys Ser Ser Ile Leu Ser Val Pro Gln Ser Asn Gly Leu Ile Thr 180 185 190
- Ile Tyr Gly Asp Gly Ile Asp Glu Ser Ser Lys Asn Asn Arg Glu Asn 195 200 205
- His Gln Ser Val Trp Leu Phe Arg Arg Glu Ile Glu Glu Ala Asn Arg 210 215 220
- Phe Asn Pro Glu Glu Asn Glu Leu Ile Val Asn Phe Arg Glu Glu Asn 225 230 235 240
- Cys Val Ser Lys Ala Arg Lys Asn Ser Ser Arg Asp Glu Ile Cys Val 245 250 255
- Glu Glu Glu Arg Ser Ser Lys Leu Pro Ala Val Phe Gly Glu Asp Ile 260 265 270
- Leu Arg Ser Asp Val Val Asp Lys Ile Leu Val His Val Pro Gly Gly 275 280 285
- Glu Ser Met Lys Glu Phe Asn Ala Leu Arg Asp Val Leu Lys Lys Gly 290 295 300
- Val Glu Lys Lys Lys Ala Ser Asp Ala Gln Gly Gly Lys Arg Arg Ala 305 310 315 320
- Arg Gly Arg Gly Arg Gly Arg Gly Gly Gly Gly Gly Gln Asn 325 330 . 335
- Gly Lys Lys Glu Val Val Asp Leu Arg Ser Leu Leu Ile His Cys Ala 340 345 350

Gln Ala Val Ala Ala Asp Asp Arg Arg Cys Ala Gly Gln Leu Lys 355 360 365 Gln Ile Arg Leu His Ser Thr Pro Phe Gly Asp Gly Asn Gln Arg Leu 370 375 380 Ala His Cys Phe Ala Asn Gly Leu Glu Ala Arg Leu Ala Gly Thr Gly 390 395 400 Ser Gln Ile Tyr Lys Gly Ile Val Ser Lys Pro Arg Ser Ala Ala Ala 405 Val Leu Lys Ala His Gln Leu Phe Leu Ala Cys Cys Pro Phe Arg Lys 420 425 430 Leu Ser Tyr Phe Ile Thr Asn Lys Thr Ile Arg Asp Leu Val Gly Asn 435 440 Ser Gln Arg Val His Val Ile Asp Phe Gly Ile Leu Tyr Gly Phe Gln 455 460 Trp Pro Thr Leu Ile His Arg Phe Ser Met Tyr Gly Ser Pro Lys Val 465 470 470 475 480 Arg Ile Thr Gly Ile Glu Phe Pro Gln Pro Gly Phe Arg Pro Ala Gln 485 490 495 Arg Val Glu Glu Thr Gly Gln Arg Leu Ala Ala Tyr Ala Lys Leu Phe 505 500 Gly Val Pro Phe Glu Tyr Lys Ala Ile Ala Lys Lys Trp Asp Ala Ile 520 525 Gln Leu Glu Asp Leu Asp Ile Asp Arg Asp Glu Ile Thr Val Val Asn 530 535 540 Cys Leu Tyr Arg Ala Glu Asn Leu His Asp Glu Ser Val Lys Val Glu 550 555 Ser Cys Arg Asp Thr Val Leu Asn Leu Ile Gly Lys Ile Asn Pro Asp 565 570 575 Leu Phe Val Phe Gly Ile Val Asn Gly Ala Tyr Asn Ala Pro Phe Phe

580 585

Val Thr Arg Phe Arg Glu Ala Leu Phe His Phe Ser Ser Ile Phe Asp

595

600

605

Met Leu Glu Thr Ile Val Pro Arg Glu Asp Glu Glu Arg Met Phe Leu 610 615 620

Glu Met Glu Val Phe Gly Arg Glu Ala Leu Asn Val Ile Ala Cys Glu 625 630 635 640

Gly Trp Glu Arg Val Glu Arg Pro Glu Thr Tyr Lys Gln Trp His Val 645 650 655

Arg Ala Met Arg Ser Gly Leu Val Gln Val Pro Phe Asp Pro Ser Ile 660 665 670

Met Lys Thr Ser Leu His Lys Val His Thr Phe Tyr His Lys Asp Phe 675 680 685

Val Ile Asp Gln Asp Asn Arg Trp Leu Leu Gln Gly Trp Lys Gly Arg 690 695 700

Thr Val Met Ala Leu Ser Val Trp Lys Pro Glu Ser Lys Ala
705 710 715

<210> 337 <211> 612 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(612) <223> G676

aag aaa ggt ttg tgg aca gta gaa gac aaa atc ctc atg gat tat 96 Lys Lys Gly Leu Trp Thr Val Glu Glu Asp Lys Ile Leu Met Asp Tyr 20 25 30

gtc aaa gct cat ggc aaa ggt cac tgg aat cgt att gcc aaa aag act 144

Val Lys Ala His Gly Lys Gly His Trp Asn Arg Ile Ala Lys Lys Thr 35 40 45

ggt tta aag aga tgt gga aag agt tgt aga ttg agg tgg atg aat tat 192 Gly Leu Lys Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Met Asn Tyr

ctc agc cct aat gtg aaa aga ggc aat ttc acc gag caa gaa gag gat 240 Leu Ser Pro Asn Val Lys Arg Gly Asn Phe Thr Glu Glu Glu Glu Asp

Leu Ser Pro Ash vai Lys Arg Gly Ash Fhe in Glu Glu Glu Glu Glu Asp
65 70 75 80

ctt atc att agg ctc cac aag ttg ctt ggt aat agg tgg tct tta att Leu Ile Ile Arg Leu His Lys Leu Leu Gly Asn Arg Trp Ser Leu Ile gct aaa aga gtg ccg ggt cga acg gat aat caa gtg aag aac tat tgg 336 Ala Lys Arg Val Pro Gly Arg Thr Asp Asn Gln Val Lys Asn Tyr Trp 105 100 110 aac acg cat ctt agt aag aaa ctc gga atc aaa gat cag aaa acc aaa Asn Thr His Leu Ser Lys Lys Leu Gly Ile Lys Asp Gln Lys Thr Lys 115 cag age aat aget gat att gtt tat caa ate aat ete eeg aat eet ace 432 Gln Ser Asn Gly Asp Ile Val Tyr Gln Ile Asn Leu Pro Asn Pro Thr 130 135 140 gaa aca tca gaa gaa acg aaa atc tcg aat att gtc gat aac aat aat All All the second of the second Glu Thr Ser Glu Glu Thr Lys Ile Ser Asn Ile Val Asp Asn Asn Asn 145 150 155 atc ctc gga gat gaa att caa gaa gat cat caa gga agt aac tac ttg 528 राज र है कर दूरिक पूर्व पुरस्की बन्धर अन्तर बन्ध अनुस्कार पुरस्क प्रदेश प्रदेश राजित प्रदेश राजित प्रदेश Ile Leu Gly Asp Glu Ile Gln Glu Asp His Gln Gly Ser Asn Tyr Leu agt tca ctt tgg gtt cat gag gat gag ttt gag ctt agc aca ctc acc THE RESERVE OF THE PARTY 1.1 (3.3 ) (3.34) Ser Ser Leu Trp Val His Glu Asp Glu Phe Glu Leu Ser Thr Leu Thr 180 aac atg atg gac ttt ata gat gga cac tgt ttt tga Asn Met Met Asp Phe Ile Asp Gly His Cys Phe 195 200

<210> 338 <211> 203 <212> PRT <213> Arabidopsis thaliana <400> 338

THE HOLDING STORY OF SHEET

Met Arg Lys Lys Val Ser Ser Gly Asp Glu Gly Asn Asn Glu Tyr

1 5 10 15

15.3

Lys Lys Gly Leu Trp Thr Val Glu Glu Asp Lys Ile Leu Met Asp Tyr 20 25 30

Val Lys Ala His Gly Lys Gly His Trp Asn Arg Ile Ala Lys Lys Thr 35 40 45

Gly Leu Lys Arg Cys Gly Lys Ser Cys Arg Leu Arg Trp Met Asn Tyr ; 50 55 60

Leu Ser Pro Asn Val Lys Arg Gly Asn Phe Thr Glu Glu Glu Asp

80 75 70 65

Leu Ile Ile Arg Leu His Lys Leu Leu Gly Asn Arg Trp Ser Leu Ile 90 85

Ala Lys Arg Val Pro Gly Arg Thr Asp Asn Gln Val Lys Asn Tyr Trp 105

Asn Thr His Leu Ser Lys Lys Leu Gly Ile Lys Asp Gln Lys Thr Lys 115

Gln Ser Asn Gly Asp Ile Val Tyr Gln Ile Asn Leu Pro Asn Pro Thr 135 130

Glu Thr Ser Glu Glu Thr Lys Ile Ser Asn Ile Val Asp Asn Asn Asn 155 145 150

Ile Leu Gly Asp Glu Ile Gln Glu Asp His Gln Gly Ser Asn Tyr Leu 170

Ser Ser Leu Trp Val His Glu Asp Glu Phe Glu Leu Ser Thr Leu Thr 190 . 185 180

Asn Met Met Asp Phe Ile Asp Gly His Cys Phe 195 200

<210> 339 <211> 705 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(705) <223> G715

<400> 339 atg gat acc aac aac cag caa cca cct ccc tcc gcc gcc gga atc cct Met Asp Thr Asn Asn Gln Gln Pro Pro Pro Ser Ala Ala Gly Ile Pro 10

cet cea cea cet gga ace ace ate tee gee gea gga gga gga get tet

Pro Pro Pro Gly Thr Thr Ile Ser Ala Ala Gly Gly Ala Ser

Tyr His His Leu Leu Gln Gln Gln Gln Gln Leu Gln Leu Phe Trp 40 -35

ace tac caa ege caa gag ate gaa caa gtt aac gat tte aaa aac cat 192 Thr Tyr Gln Arg Gln Glu Ile Glu Gln Val Asn Asp Phe Lys Asn His 55

cag ctt cca cta gct agg ata aaa aag atc atg aaa gcc gat gaa gat 240

Gln Leu Pro Leu Ala Arg Ile Lys Lys Ile Met Lys Ala Asp Glu Asp 70 75 gtt cgt atg atc tcc gca gaa gca ccg att ctc ttc gcg aaa gct tgt Val Arg Met Ile Ser Ala Glu Ala Pro Ile Leu Phe Ala Lys Ala Cys 90 gag ctt ttc att ctc gag ctc acg atc aga tct tgg ctt cac gct gag Glu Leu Phe Ile Leu Glu Leu Thr Ile Arg Ser Trp Leu His Ala Glu 100 105 gag aat aaa cgt cgt acg ctt cag aaa aac gat atc gct gcg att 384 Glu Asn Lys Arg Arg Thr Leu Gln Lys Asn Asp Ile Ala Ala Ile act agg act gat atc ttc gat ttc ctt gtt gat att gtt cct aga gat 432 Thr Arg Thr Asp Ile Phe Asp Phe Leu Val Asp Ile Val Pro Arg Asp 130 135 gag att aag gac gaa gcc gca gtc ctc ggt ggt gga atg gtg gtg gct 480 Glu Ile Lys Asp Glu Ala Ala Val Leu Gly Gly Met Val Val Ala 155 cct acc gcg agc gtg cct tac tat tat ccg ccg atg gga caa cca Pro Thr Ala Ser Gly Val Pro Tyr Tyr Tyr Pro Pro Met Gly Gln Pro 170 165 gct ggt cct gga ggg atg atg att ggg aga cca gct atg gat ccg aat 576 Ala Gly Pro Gly Gly Met Met Ile Gly Arg Pro Ala Met Asp Pro Asn 180 185 ggt gtt tat gtc cag cct ccg tct cag gcg tgg cag agt gtt tgg cag 624 Gly Val Tyr Val Gln Pro Pro Ser Gln Ala Trp Gln Ser Val Trp Gln 195 200 205 act tog acg ggg acg gga gat gat gtc tot tat ggt agt ggt gga agt Thr Ser Thr Gly Thr Gly Asp Asp Val Ser Tyr Gly Ser Gly Gly Ser 210 215 220 tcc ggt caa ggg aat ctc gac ggc caa ggg taa Ser Gly Gln Gly Asn Leu Asp Gly Gln Gly 230 <210> 340 <211> 234 <212> PRT <213> Arabidopsis thaliana <400> Met Asp Thr Asn Asn Gln Gln Pro Pro Pro Ser Ala Ala Gly Ile Pro

10

15

Pro Pro Pro Gly Thr Thr Ile Ser Ala Ala Gly Gly Gly Ala Ser 20 25 30

- Tyr His His Leu Eu Gln Gln Gln Gln Gln Gln Leu Gln Leu Phe Trp 35 40 45
- Thr Tyr Gln Arg Gln Glu Ile Glu Gln Val Asn Asp Phe Lys Asn His 50 55 60
- Gln Leu Pro Leu Ala Arg Ile Lys Lys Ile Met Lys Ala Asp Glu Asp 65 70 75 80
- Val Arg Met Ile Ser Ala Glu Ala Pro Ile Leu Phe Ala Lys Ala Cys 85 90 95
- Glu Leu Phe Ile Leu Glu Leu Thr Ile Arg Ser Trp Leu His Ala Glu 100 105 110
- Glu Asn Lys Arg Arg Thr Leu Gln Lys Asn Asp Ile Ala Ala Ile 115 120 125
- Thr Arg Thr Asp Ile Phe Asp Phe Leu Val Asp Ile Val Pro Arg Asp 130 135 140
- Glu Ile Lys Asp Glu Ala Ala Val Leu Gly Gly Gly Met Val Val Ala 145 150 155 160
- Pro Thr Ala Ser Gly Val Pro Tyr Tyr Tyr Pro Pro Met Gly Gln Pro 165 170 175
- Ala Gly Pro Gly Gly Met Met Ile Gly Arg Pro Ala Met Asp Pro Asn 180 185 190
- Gly Val Tyr Val Gln Pro Pro Ser Gln Ala Trp Gln Ser Val Trp Gln 195 200 205
- Thr Ser Thr Gly Thr Gly Asp Asp Val Ser Tyr Gly Ser Gly Gly Ser 210 215 220
- Ser Gly Gln Gly Asn Leu Asp Gly Gln Gly 225 230
- <210> 341 <211> 1824 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (521)..(1549) <223> G761

<400> 341

ggggccgacc ggccgcccgg gcaggtċtag gttcaaaagg actcacaaga gagagatagt

atgattgata gggaaagaga gagagatgaa agaaagtaaa atatataata gattattagg 120

acacgagtgt catcttttga tttgtgtctt gtgtgctctc tctttcttct cttcctcgaa

tgatcatett tatataacce tactetettt etettttece attettteat atcattetee 240

ctttetetet egggatetga tetetette eagtaaceta tteeegagga geaetgteaa 300

atettgteca etetttgate ttatetegat etetttetet ttetagtett gtgtagtett 360

caaacttgtg\_atgttatcta tatagtaatc acgagagaga atcatacaat agctgaaaca 420

taaagettte ttagaagett taaaaaggte teatetggat tateetgttt aatttetaga 480

gtttcttcag gcagattatt aaccgatcaa gaagacaaac atg aat tca ttt tcc 😣 535

Met Asn Ser Phe Ser

cac gtc cct ccg ggt ttt aga ttt cac ccg aca gat gaa gaa ctt gta

His Val Pro Pro Gly Phe Arg Phe His Pro Thr Asp Glu Glu Leu Val 10 15 20

gac tac tac ctg agg aaa aaa gtc gca tcg aag aga ata gaa att gat . 631

Asp Tyr Tyr Leu Arg Lys Lys Val Ala Ser Lys Arg Ile Glu Ile Asp

ttc ata aag gac att gat ctt tac aag att gag cca tgg gac ctt caa 679

Phe Ile Lys Asp Ile Asp Leu Tyr Lys Ile Glu Pro Trp Asp Leu Gln
40 45 50

gag ttg tgc aaa att ggg cat gaa gag cag agt gat tgg tac ttc ttt 727...

Glu Leu Cys Lys Ile Gly His Glu Glu Gln Ser Asp Trp Tyr Phe Phe
55 60 65

age cat aaa gac aag aag tat eee aca ggg act ega ace aat aga gea

Ser His Lys Asp Lys Lys Tyr Pro Thr Gly Thr Arg Thr Asn Arg Ala
70 75 80 85

aca aaa gca ggg ttt tgg aaa gcc acc gga aga gat aag gct atc tat 823

Thr Lys Ala Gly Phe Trp Lys Ala Thr Gly Arg Asp Lys Ala Ile Tyr
90 95 100

ttg agg cat agt cta att ggc atg agg aaa aca ctt gtg ttt tac aag 871

Leu Arq His Ser Leu Ile Gly Met Arq Lys Thr Leu Val Phe Tyr Lys 110 gga aga gcc cca aat gga caa aag tct gat tgg atc atg cac gaa tac 919 Gly Arg Ala Pro Asn Gly Gln Lys Ser Asp Trp Ile Met His Glu Tyr 120 cgc tta gaa acc gat gaa aac gga act cct cag gaa gaa gga tgg gtt Arg Leu Glu Thr Asp Glu Asn Gly Thr Pro Gln Glu Glu Gly Trp Val 135 gtg tgt agg gtt ttc aag aag aga ttg gct gca gtt aga cga atg gga 1015 Val Cys Arg Val Phe Lys Lys Arg Leu Ala Ala Val Arg Arg Met Gly 155 gat tac gac tca tcc cct tca cat tgg tac gat gat caa ctt tct ttt 1063 Asp Tyr Asp Ser Ser Pro Ser His Trp Tyr Asp Asp Gln Leu Ser Phe 175 170 180 atg gcc tcc gag ctc gag aca aac ggt caa cga cgg att ctc ccc aat 1111 Met Ala Ser Glu Leu Glu Thr Asn Gly Gln Arg Arg Ile Leu Pro Asn 190 cat cat cag cag cag cac gag cac caa caa cat atg cca tat ggc His His Gln Gln Gln His Glu His Gln Gln His Met Pro Tyr Gly 205 210 200 ctc aat gca tct gct tac gct ctc aac aac cct aac ttg caa tgc aag Leu Asn Ala Ser Ala Tyr Ala Leu Asn Asn Pro Asn Leu Gln Cys Lys 215 220 caa gag cta gaa cta cac tac aac cac ctg caa tca aat atc gcg cat 1255 Gln Glu Leu Glu Leu His Tyr Asn His Leu Gln Ser Asn Ile Ala His 235 240 gag gaa caa ttg aat caa gga aat cag aac ttc agc tct cta tac atg 1303 Glu Glu Gln Leu Asn Gln Gly Asn Gln Asn Phe Ser Ser Leu Tyr Met . 250 260 aac agc ggc aac gag caa gtg atg gac caa gtc aca gac tgg aga gtt 1351 Asn Ser Gly Asn Glu Gln Val Met Asp Gln Val Thr Asp Trp Arg Val 270 ctc gat aaa ttt gtt gct tct cag cta agc aac gag gag gct gcc aca 1399 Leu Asp Lys Phe Val Ala Ser Gln Leu Ser Asn Glu Glu Ala Ala Thr 285 290 get tet gea tet ata eag aat aat gee aag gae aca age aat get gag 1447 Ala Ser Ala Ser Ile Gln Asn Asn Ala Lys Asp Thr Ser Asn Ala Glu

295 300 305

tac caa gtt gat gaa gaa aaa gat ccg aaa agg gct tca gac atg gga 1495 Tyr Gln Val Asp Glu Glu Lys Asp Pro Lys Arg Ala Ser Asp Met Gly

gaa gaa tat act gct tct act tct tcg agt tgt cag att gat cta tgg 1543

Glu Glu Tyr Thr Ala Ser Thr Ser Ser Ser Cys Gln Ile Asp Leu Trp
330 335 340

aag tga gctgaaagag aagacatata aatgcatata tacatatata tatatacgta 1599 Lys

cacacgaaca ctaatcaagt gtagatgatg atgatggtac agatttatat ttgctttgat 1659

tgattettae tacattattg aacttatgte atatgeatat atacattgeg tatetatgea 1719

aatattttt aaatagacaa ttgtctcttc ttattagaaa aaaaa 1824

<210> 342 <211> 342 <212> PRT <213> Arabidopsis thaliana <400> 342

Met Asn Ser Phe Ser His Val Pro Pro Gly Phe Arg Phe His Pro Thr 1  $\phantom{\bigg|}$  5  $\phantom{\bigg|}$  15

Asp Glu Glu Leu Val Asp Tyr Tyr Leu Arg Lys Lys Val Ala Ser Lys 20 25 30

Arg Ile Glu Ile Asp Phe Ile Lys Asp Ile Asp Leu Tyr Lys Ile Glu 35 40 45

Pro Trp Asp Leu Gln Glu Leu Cys Lys Ile Gly His Glu Glu Gln Ser 50 60

Asp Trp Tyr Phe Phe Ser His Lys Asp Lys Lys Tyr Pro Thr Gly Thr 65. 70 75 80

Arg Thr Asn Arg Ala Thr Lys Ala Gly Phe Trp Lys Ala Thr Gly Arg 85 90 95

Asp Lys Ala Ile Tyr Leu Arg His Ser Leu Ile Gly Met Arg Lys Thr 100 105 110

PCT/US01/26189 WO 02/15675

Leu Val Phe Tyr Lys Gly Arg Ala Pro Asn Gly Gln Lys Ser Asp Trp 120 . Ile Met His Glu Tyr Arg Leu Glu Thr Asp Glu Asn Gly Thr Pro Gln 135 Glu Glu Gly Trp Val Val Cys Arg Val Phe Lys Lys Arg Leu Ala Ala 150 155 Val Arg Arg Met Gly Asp Tyr Asp Ser Ser Pro Ser His Trp Tyr Asp 165 Asp Gln Leu Ser Phe Met Ala Ser Glu Leu Glu Thr Asn Gly Gln Arg 180 185 . 190 Arg Ile Leu Pro Asn His His Gln Gln Gln His Glu His Gln Gln 195 200 205 His Met Pro Tyr Gly Leu Asn Ala Ser Ala Tyr Ala Leu Asn Asn Pro 220 210 215 Asn Leu Gln Cys Lys Gln Glu Leu Glu Leu His Tyr Asn His Leu Gln 240 225 230 235 Ser Asn Ile Ala His Glu Glu Gln Leu Asn Gln Gly Asn Gln Asn Phe 245 Ser Ser Leu Tyr Met Asn Ser Gly Asn Glu Gln Val Met Asp Gln Val 270 260 265

Thr Asp Trp Arg Val Leu Asp Lys Phe Val Ala Ser Gln Leu Ser Asn 280 275

Glu Glu Ala Ala Thr Ala Ser Ala Ser Ile Gln Asn Asn Ala Lys Asp 295

Thr Ser Asn Ala Glu Tyr Gln Val Asp Glu Glu Lys Asp Pro Lys Arg 315

Ala Ser Asp Met Gly Glu Glu Tyr Thr Ala Ser Thr Ser Ser Ser Cys 330

Gln Ile Asp Leu Trp Lys 340

<210> 343 <211> 1008 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (110)..(790) <223> G792

<400> 343

tetttttet teegttttte cacacattgt etetacettt ecetttttea gatttgacee 60

tttgttttca aaagaaacga tttttagtag ccgccgggga atcaggaga atg gtg tct 118

Met Val Ser

ccg gag aat acg aac tgg.ctt agt gat tac cct ttg att gaa ggt gct 166

Pro Glu Asn Thr Asn Trp Leu Ser Asp Tyr Pro Leu Ile Glu Gly Ala 5 10 15

ttc tct gat cag aac ccc act ttc cct tgg cag ata gat ggc tca gct 214

Phe Ser Asp Gln Asn Pro Thr Phe Pro Trp Gln Ile Asp Gly Ser Ala 20 25 30 35

act gtc agt gtt gaa gtg gat ggc ttc ctt tgt gat gca gat gtg atc 262

ThreVal Ser Val Glu Val Asp Gly Phe Leu Cys Asp Ala Asp Val Ile

aaa gaa cca agt tca agg aag agg atc aaa act gaa tct tgc act ggt 310 .min mus mid Mark um a diseasante men magamas men angamas men angamas a

Lys Glu Pro Ser Ser Arg Lys Arg Ile Lys Thr Glu Ser Cys Thr Gly 55 60 65

tct aac tcg aaa gct tgt agg gag aaa caa aga cgt gat aga cta aat

Ser Asn Ser Lys Ala Cys Arg Glu Lys Gln Arg Arg Asp Arg Leu Asn 70 75 80

gac aag ttt acg gag ttg agt tcc gta ttg gaa cct ggg aga act cca

Asp Lys Phe Thr Glu Leu Ser Ser Val Leu Glu Pro Gly Arg Thr Pro 85

aaa aca gac aag gtt gct att atc aat gat gca att cgc atg gtg aat 454

Lys Thr Asp Lys Val Ala Ile Ile Asn Asp Ala Ile Arg Met Val Asn 100 105 110 115

caa gca aga gat gaa gcg cag aaa cta aag gac ttg aac tca agc ctc 502

Gln Ala Arg Asp Glu Ala Gln Lys Leu Lys Asp Leu Asn Ser Ser Leu 120 125 130

cag gag aaa atc aag gag ttg aag gat gag aag aac gag ctg cgt gat 550

Gln Glu Lys Ile Lys Glu Leu Lys Asp Glu Lys Asn Glu Leu Arg Asp 135 140 145

gag aaa cag aag ctt aag gtc gag aag gag aga atc gat cag caa ctg

Glu Lys Gln Lys Leu Lys Val Glu Lys Glu Arg Ile Asp Gln Gln Leu 150 155 160

aaa gct att aag aca cag cct cag cct caa cct tgt ttc tta cca aat 646

Lys Ala Ile Lys Thr Gln Pro Gln Pro Gln Pro Cys Phe Leu Pro Asn 165 170 175

ccg caa aca ctc tct caa gct caa gct cct gga agc aag ctt gtc cct

Pro Gln Thr Leu Ser Gln Ala Gln Ala Pro Gly Ser Lys Leu Val Pro 180 185 190 195

ttc aca act tat ccc ggc ttt gca atg tgg caa ttc atg cct cct gct 742

Phe Thr Thr Tyr Pro Gly Phe Ala Met Trp Gln Phe Met Pro Pro Ala 200 205 210

gct gtt gat acc tca cag gac cat gtc ctt cgt cct cca gtt gct taa 790

Ala Val Asp Thr Ser Gln Asp His Val Leu Arg Pro Pro Val Ala 215 220 225

agetgetget tetetetaet actattaacg gttetgtaag attacttett aegegetttt 850

ttctgatgta atgattctca cattctgtga ttggtgacat agtccactgc aacttaaaat 910

gtaaaattga aataagcttg cactaaaaat caaatctcat tgtgcaaaaa gttggataat 970

ttggaaatca ttgttttaca aaaaaaaaac cccccgag 1008

<210> 344 <211> 226 <212> PRT <213> Arabidopsis thaliana <400> 344

Met Val Ser Pro Glu Asn Thr Asn Trp Leu Ser Asp Tyr Pro Leu Ile 1 5 10 15

Glu Gly Ala Phe Ser Asp Gln Asn Pro Thr Phe Pro Trp Gln Ile Asp 20 25 30

Gly Ser Ala Thr Val Ser Val Glu Val Asp Gly Phe Leu Cys Asp Ala 35 40 45

Asp Val Ile Lys Glu Pro Ser Ser Arg Lys Arg Ile Lys Thr Glu Ser 50 60

Cys Thr Gly Ser Asn Ser Lys Ala Cys Arg Glu Lys Gln Arg Arg Asp 65 70 75 80

Arg Leu Asn Asp Lys Phe Thr Glu Leu Ser Ser Val Leu Glu Pro Gly 85 90 95

Arg Thr Pro Lys Thr Asp Lys Val Ala Ile Ile Asn Asp Ala Ile Arg 100 105 110

Met Val Asn Gln Ala Arg Asp Glu Ala Gln Lys Leu Lys Asp Leu Asn 115 120 125

Ser Ser Leu Gln Glu Lys Ile Lys Glu Leu Lys Asp Glu Lys Asn Glu 130 135 140

Leu Arg Asp Glu Lys Gln Lys Leu Lys Val Glu Lys Glu Arg Ile Asp 145 150 155 160

Gln Gln Leu Lys Ala Ile Lys Thr Gln Pro Gln Pro Gln Pro Cys Phe 165 170 175

Leu Pro Asn Pro Gln Thr Leu Ser Gln Ala Gln Ala Pro Gly Ser Lys 180 185 190

Leu Val Pro Phe Thr Thr Tyr Pro Gly Phe Ala Met Trp Gln Phe Met 195 200 205

Pro Pro Ala Ala Val Asp Thr Ser Gln Asp His Val Leu Arg Pro Pro 210 215 220

Val Ala

<210> 345 <211> 2079 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (92)..(1987) <223> G831

<400> 345
ttcttcatc gttgtgtcta ttataaatat atgtcaattt ggtttctaaa aaattctacc

attgattgat tgatttttt ttctttaaga g atg aat tta ttt aca aga atc 112

Met Asn Leu Phe Thr Arg Ile
1 5

tca tct cgg act aag aag gcc aat ctt tac tac gta acc cta gtt gct 160

Ser Ser Arg Thr Lys Lys Ala Asn Leu Tyr Tyr Val Thr Leu Val Ala 10 15 20

ctt ctc tgc atc gct agc tac ctt ctc ggt att tgg caa aac acg gcg 208

Leu Leu Cys Ile Ala Ser Tyr Leu Leu Gly Ile Trp Gln Asn Thr Ala 25 30 35

gtt aat cea ege gee tte gat gat tea gae ggt aca eeg tge gag 256

10					43					50					<b>J</b> J
	ttc	acc	aga	cct	aat	tct	acg	aaa	gat	ctc	gac	ttc	gac	gcg	cat
304 Sly	Phe	Thr	_	Pro 60	Asn	Ser	Thr	Lys	Asp 65	Leu	Asp	Phe	Asp	Ala 70	His
cac 352	aac	att	caa	gat	cca	cct	ccg	gtg	acg	gaa	acc	gcc	gtt	agt	ttc
	Asn	Ile	Gln 75	Asp	Pro	Pro	Pro	Val 80	Thr	Glu	Thr	Ala	Val 85	Ser	Phe
ccg 400	tcg	tgt	gcc	gcc	gcg	ttg	agc	gag	cac	acg	cca	tgc	gaa	gac	gcg
	Ser	Cys 90	Ala	Ala	Ala	Leu	Ser 95	Glu	His	Thr	Pro	Cys 100	Glu	Asp	Ala
aag 448	cga	tcg	ttg	aaa	ttc	tcg	agg	gag	aga	ttg	gag	tat	agg	caa	agg
	Arg 105	Ser	Leu	Lys	Phe	Ser 110	Arg	Glu	Arg	Leu	Glu 115	Tyr	Arg	Gln	Arg
cat 496	tgt ::	CCC	gag	aga	gaa	gaa	atc	ttg	aag	tgc	aga	att	ccg	gcg	ccg
	Cys	Pro	Glu	Arg	Glu 125	Glu	Ile	Leu	Lys	Cys 130	Arg	Ile	Pro	Ala	Pro 135
tac 544	ggt	tac	aaa	acg	ccg	ttc	cga	tgg	ccg	gcg	agt	cgt	gac	gtg	gcg
Tyr	Gly	Tyr	Lys	Thr 140	Pro	Phe	Arg	Trp	Pro 145	Ala	Ser	Arg	Asp	Val 150	Ala
tgg 592	ttc	gct	aat	·gtg	cct	cac	acg	gag	ctt	acg	gtt	gag	aaa	aag	aat
Trp	Phe	Ala			Pro		Thr	Glu 160	Leu	Thr	Val	Glu	Lys 165	Lys	Asn
cag 640	aat	tgg	gtc	cgg	tac	gag	aat	gat	cgg	ttt	tgg	ttc	cct	ggt	gga
Gln	Asn	Trp 170	Val	Arg	Tyr	Glu	Asn 175		Arg	Phe	Trp	Phe 180	Pro	Gly	Gly
ggit 688	acg	atg	ttt	cca	cgt	ggc	gct	gat	gct	tac	att	gat	gat	atc	gga
	Thr 185		Phe	Pro	Arg	Gly 190		Asp		Tyr		Asp	Asp	Ile	Gly
cgg 736		att	gat	ctc	agc	gac	ggc	tct	atc	cgt	aca	gcc	ato	gat	acc
	Leu	Ile	Asp	Leu	Ser 205		Gly			Arg 210		Ala	Ile	Asp	Thr 215
ggt 784		ggg	gtg	gct	agc	ttc	ggt	gca	tat	ctt	tta	tca	aga	aac	att
		Gly	Val	Ala 220	Ser	Phe	Gly	Ala	Tyr 225		Leu	Ser	Arg	Asn 230	
	acg	atg	tca	ttt	gca	сса	aga	gac	aca	cac	gaa	gct	caa	gto	cag
Thr	Thr	Met	Ser 235		Ala	Pro	Arg	Asp 240		His	: Glu		Gln 245		Glr

tto gca ctc gag cgt ggt gtg ccg gcg atg atc gga atc atg gct aca Phe Ala Leu Glu Arg Gly Val Pro Ala Met Ile Gly Ile Met Ala Thr 255 260 atc ego cta eeg tac eet tet aga gee tit gat tia gea eat tge tet Ile Arg Leu Pro Tyr Pro Ser Arg Ala Phe Asp Leu Ala His Cys Ser 270 cgt tgc ctt att ccg tgg ggc caa aac gat ggg gct tac ttg atg gag Arg Cys Leu Ile Pro Trp Gly Gln Asn Asp Gly Ala Tyr Leu Met Glu 280 -285 290 gtg gat agg gtt tta aga cca gga ggg tac tgg ata ctt tct gga ccg Val Asp Arg Val Leu Arg Pro Gly Gly Tyr Trp Ile Leu Ser Gly Pro 300 305 ccg att aat tgg cag aaa cgg tgg aaa ggg tgg gaa cgg acc atg gat 1072 Pro Ile Asn Trp Gln Lys Arg Trp Lys Gly Trp Glu Arg Thr Met Asp The Park Carl 315 high side if the gray 320 has a sheet that \$25 day sign gat ttg aat gca gag cag act cag atc gag cag gtc gcg aga agc ttg Asp Leu Asn Ala Glu Gln Thr Gln Ile Glu Gln Val Ala Arg Ser Leu 330 335 340 tgt tgg aag aaa gtt gtt caa aga gat gat ctt gct att tgg caa aaa 1168 Cys Trp Lys Lys Val Val Gln Arg Asp Asp Leu Ala Ile Trp Gln Lys 350 345 ccc ttt aac cac att gac tgt aag aaa acc aga gag gtt ttg aaa aat 1216 Pro Phe Asn His Ile Asp Cys Lys Lys Thr Arg Glu Val Leu Lys Asn 370 365 ccg gag ttt tgt cgt cat gat caa gat ccc gac atg gcc tgg tat acg 1264 Pro Glu Phe Cys Arg His Asp Gln Asp Pro Asp Met Ala Trp Tyr Thr 14 : 17 **380** : 14 , 75 + 1 **385** : 15 : 15 : 390 aag atg gat tet tgt ttg aca eca tta eet gaa gtt gat gae get gag 1312 Lys Met Asp Ser Cys Leu Thr Pro Leu Pro Glu Val Asp Asp Ala Glu 395 400 gat cta aag acg gtg gcc gga ggg aag gta gaa aag tgg ccg gct aga Asp Leu Lys Thr Val Ala Gly Gly Lys Val Glu Lys Trp Pro Ala Arg 415 tta aac gcg att cct ccg aga gta aac aaa ggc gct ctc gag gaa atc 1408 Leu Asn Ala Ile Pro Pro Arg Val Asn Lys Gly Ala Leu Glu Glu Ile 435 425 430

aca cct gaa gct ttc ttg gag aac acg aaa ctg tgg aaa cag aga gtt 1456 Thr Pro Glu Ala Phe Leu Glu Asn Thr Lys Leu Trp Lys Gln Arg Val 445 tot tat tac aag aag tta gat tac cag ttg ggt gaa acc ggg aga tac 1504 Ser Tyr Tyr Lys Lys Leu Asp Tyr Gln Leu Gly Glu Thr Gly Arg Tyr 465 460 aga aac tta gtc gac atg aac gct tac ctc ggt gga ttc gcg gcg gct 1552 Arg Asn Leu Val Asp Met Asn Ala Tyr Leu Gly Gly Phe Ala Ala Ala cta gcg gat gat ccg gtc tgg gtc atg aac gtt gtc ccg gtc gag gct 1600 Leu Ala Asp Asp Pro Val Trp Val Met Asn Val Val Pro Val Glu Ala 490 aag ctc aat acg ctc ggt gtc atc tac gag cgt ggt cta atc gga acg Lys Leu Asn Thr Leu Gly Val Ile Tyr Glu Arg Gly Leu Ile Gly Thr 515 510 505 tat caa aac tgg tgt gaa gcc atg tcg acg tat cca aga acg tat gat 1696 Tyr Gln Asn Trp Cys Glu Ala Met Ser Thr Tyr Pro Arg Thr Tyr Asp 530 525 520 ttt atc cat gct gac tcg gtt ttc aca ttg tac caa ggt caa tgt gaa Phe Ile His Ala Asp Ser Val Phe Thr Leu Tyr Gln Gly Gln Cys Glu 545 540 . ccg gag gag ata ttg ttg gag atg gac cga att ctt aga ccg ggt ggt 1792 Pro Glu Glu Ile Leu Leu Glu Met Asp Arg Ile Leu Arg Pro Gly Gly 565 560 ggt gtg att ata aga gat gac gtg gac gtt ttg atc aag gtt aag gaa 1840 Gly Val Ile Ile Arg Asp Val Asp Val Leu Ile Lys Val Lys Glu 575 570 tta acc aaa gga tta gaa tgg gaa ggt aga att gct gac cac gag aag 1888 Leu Thr Lys Gly Leu Glu Trp Glu Gly Arg Ile Ala Asp His Glu Lys 595 590 ggt cct cat gaa aga gag aag att tac tat gcg gtg aaa cag tat tgg 1936 Gly Pro His Glu Arg Glu Lys Ile Tyr Tyr Ala Val Lys Gln Tyr Trp 605 600 acc gtt cet geg cet gat gaa gat aaa aac aac act agt get etc tee 1984 Thr Val Pro Ala Pro Asp Glu Asp Lys Asn Asn Thr Ser Ala Leu Ser 625 620

tga tttttgagtt ttttttttt tacaatgttt tttttttt tttttcaatt 2037

ttttatacaa caataaatto tcaataattg ttgtcgcggc cg 2079

<210> 346 <211> 631 <212> PRT <213> Arabidopsis thaliana <400> 346

Met Asn Leu Phe Thr Arg Ile Ser Ser Arg Thr Lys Lys Ala Asn Leu
1 5 10 15

Tyr Tyr Val Thr Leu Val Ala Leu Leu Cys Ile Ala Ser Tyr Leu Leu 20 25 30

Gly Ile Trp Gln Asn Thr Ala Val Asn Pro Arg Ala Ala Phe Asp Asp 35 40 45

Ser Asp Gly Thr Pro Cys Glu Gly Phe Thr Arg Pro Asn Ser Thr Lys 50 - 60

Asp Leu Asp Phe Asp Ala His His Asn Ile Gln Asp Pro Pro Val 65 70 75 80

Thr Glu Thr Ala Val Ser Phe Pro Ser Cys Ala Ala Ala Leu Ser Glu 85 90 95

His Thr Pro Cys Glu Asp Ala Lys Arg Ser Leu Lys Phe Ser Arg Glu 100 105 110

Arg Leu Glu Tyr Arg Gln Arg His Cys Pro Glu Arg Glu Glu Ile Leu 115 120 125

Lys Cys Arg Ile Pro Ala Pro Tyr Gly Tyr Lys Thr Pro Phe Arg Trp 130 135

Pro Ala Ser Arg Asp Val Ala Trp Phe Ala Asn Val Pro His Thr Glu 145 150 155 160

Leu Thr Val Glu Lys Lys Asn Gln Asn Trp Val Arg Tyr Glu Asn Asp 165 170 175

Arg Phe Trp Phe Pro Gly Gly Gly Thr Met Phe Pro Arg Gly Ala Asp 180 185 190

Ala Tyr Ile Asp Asp Ile Gly Arg Leu Ile Asp Leu Ser Asp Gly Ser 195 200 205 PCT/US01/26189 WO 02/15675

Ile Arg Thr Ala Ile Asp Thr Gly Cys Gly Val Ala Ser Phe Gly Ala 210 215 220

- Tyr Leu Leu Ser Arg Asn Ile Thr Thr Met Ser Phe Ala Pro Arg Asp 240
- Thr His Glu Ala Gln Val Gln Phe Ala Leu Glu Arg Gly Val Pro Ala 245 250 250
- Met Ile Gly Ile Met Ala Thr Ile Arg Leu Pro Tyr Pro Ser Arg Ala 260 265 270
- Phe Asp Leu Ala His Cys Ser Arg Cys Leu Ile Pro Trp Gly Gln Asn 275 280 280 .
- Asp Gly Ala Tyr Leu Met Glu Val Asp Arg Val Leu Arg Pro Gly Gly 290 295 300
- Tyr Trp Ile Leu Ser Gly Pro Pro Ile Asn Trp Gln Lys Arg Trp Lys 305 310 315 320
- Gly Trp Glu Arg Thr Met Asp Asp Leu Asn Ala Glu Gln Thr Gln Ile 325 330 335
- Glu Gln Val Ala Arg Ser Leu Cys Trp Lys Lys Val Val Gln Arg Asp 340 345
- Asp Leu Ala Ile Trp Gln Lys Pro Phe Asn His Ile Asp Cys Lys Lys 355 360 365
- Thr Arg Glu Val Leu Lys Asn Pro Glu Phe Cys Arg His Asp Gln Asp 370 375 380
- Pro Asp Met Ala Trp Tyr Thr Lys Met Asp Ser Cys Leu Thr Pro Leu 385 390 400
- Pro Glu Val Asp Asp Ala Glu Asp Leu Lys Thr Val Ala Gly Gly Lys
  405 410 415
- Val Glu Lys Trp Pro Ala Arg Leu Asn Ala Ile Pro Pro Arg Val Asn 420 425 430
- Lys Gly Ala Leu Glu Glu Ile Thr Pro Glu Ala Phe Leu Glu Asn Thr 435 440 445

Lys Leu Trp Lys Gln Arg Val Ser Tyr Tyr Lys Lys Leu Asp Tyr Gln 450 455 460 Leu Gly Glu Thr Gly Arg Tyr Arg Asn Leu Val Asp Met Asn Ala Tyr 465 470 475 480 Leu Gly Gly Phe Ala Ala Ala Leu Ala Asp Asp Pro Val Trp Val Met 485 490 495 Asn Val Val Pro Val Glu Ala Lys Leu Asn Thr Leu Gly Val Ile Tyr 505 Glu Arg Gly Leu Ile Gly Thr Tyr Gln Asn Trp Cys Glu Ala Met Ser 515 520 Thr Tyr Pro Arg Thr Tyr Asp Phe Ile His Ala Asp Ser Val Phe Thr 3 530 km (18) 75 40 535 km (18) 1 540 km (18) 450 km Leu Tyr Gln Gly Gln Cys Glu Pro Glu Glu Ile Leu Leu Glu Met Asp 545 550 555 560 ·. Arg Ile Leu Arg Pro Gly Gly Gly Val Ile Ile Arg Asp Asp Val Asp Val Leu Ile Lys Val Lys Glu Leu Thr Lys Gly Leu Glu Trp Glu Gly 580 7 585 590 Arg Ile Ala Asp His Glu Lys Gly Pro His Glu Arg Glu Lys Ile Tyr 595 600 Tyr Ala Val Lys Gln Tyr Trp Thr Val Pro Ala Pro Asp Glu Asp Lys 610 620 14 1 Asn Asn Thr Ser Ala Leu Ser 625

<210> 347 <211> 2276 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (238)..(2010) <223> G833

<400> 347
gccagcttta tctctctt tttcacatcc catggctaga tggtgacgac gattcacgca
60

taaactaggg ttcccccaca aatcatetta cacgtateet etatteette etteettet

ccgtcatcat catttttccc accgacaaca atctctcgga gtttgggtat tattacttct 180

ctcatcaacc aattgtacca ctagatetee cagatteett cattatetet atcaata

atg gcg ttg aag tct agt tct gct gat ggt aaa acc aga agc tct gtt 285 Met Ala Leu Lys Ser Ser Ser Ala Asp Gly Lys Thr Arg Ser Ser Val

cag atc ttc att gtg ttt agt tta tgt tgc ttc ttt tac att ttg gga 333

Gln Ile Phe Ile Val Phe Ser Leu Cys Cys Phe Phe Tyr Ile Leu Gly
20 25 30

gca tgg caa cga agt ggt ttt ggt aaa gga gac agt att gct ctt gag 381

Ala Trp Gln Arg Ser Gly Phe Gly Lys Gly Asp Ser Ile Ala Leu Glu 35 40 45

atg acc aac agt gga gct gat tgc aac att gtt cct age ttg aat ttc

Met Thr Asn Ser Gly Ala Asp Cys Asn Ile Val Pro Ser Leu Asn Phe 50 55 60

gag act cat cac gct ggc gaa tea agt ett gtt ggt get tet gaa gct

Glu Thr His His Ala Gly Glu Ser Ser Leu Val Gly Ala Ser Glu Ala 65 70 75 80

gca aag gtc aag gct ttc gag ccc tgt gat ggt cgt tac acg gat tac 525

Ala Lys Val Lys Ala Phe Glu Pro Cys Asp Gly Arg Tyr Thr Asp Tyr 85 90 95

act cet tgt caa gat cag aga cgt gee atg act tte eeg aga gat agt 573

Thr Pro Cys Gln Asp Gln Arg Arg Ala Met Thr Phe Pro Arg Asp Ser

atg att tac cga gaa agg cat tgc gct cct gag aat gag aag ctc cat 621

Met Ile Tyr Arg Glu Arg His Cys Ala Pro Glu Asn Glu Lys Leu His 115 120 125

tgt ctt ata ccg gct cct aaa gga tat gtg aca cct ttc tct tgg cct 669

Cys Leu Ile Pro Ala Pro Lys Gly Tyr Val Thr Pro Phe Ser Trp Pro 130 135 140

aag agt cga gac tat gtg cct tat gct aat gcg ccg tat aaa gca ttg

Lys Ser Arg Asp Tyr Val Pro Tyr Ala Asn Ala Pro Tyr Lys Ala Leu 145 150 155 160

act gtt gag aag gct att cag aat tgg att cag tat gag gga gac gtt 765

Thr Val Glu Lys Ala Ile Gln Asn Trp Ile Gln Tyr Glu Gly Asp Val 165 170 175

ttt aga ttc cct ggt ggt gga act cag ttc cct caa ggt gct gat aag 813

Phe Arg Phe Pro Gly Gly Gly Thr Gln Phe Pro Gln Gly Ala Asp Lys

180 185 190 tat atc gat cag ctt gct tcc gtg ata cct atg gag aac gga act gtt Tyr Ile Asp Gln Leu Ala Ser Val Ile Pro Met Glu Asn Gly Thr Val . 200 agg act gct ttg gac act ggt tgt ggg gtt gca agt tgg gga gcg tac 909 Arg Thr Ala Leu Asp Thr Gly Cys Gly Val Ala Ser Trp Gly Ala Tyr tta tgg agc aga aat gtg cgt gca atg tct ttt gca cca aga gat tca 957 Leu Trp Ser Arg Asn Val Arg Ala Met Ser Phe Ala Pro Arg Asp Ser 225 230 235 240 cac gag gct cag gtc cag ttt gct ctc gag aga ggt gtt ccc gct gtt 1005 His Glu Ala Gln Val Gln Phe Ala Leu Glu Arg Gly Val Pro Ala Val att ggt gtt ctt ggt acc ata aag ttg cca tac cca aca cgt gct ttc 1053-Ile Gly Val Leu Gly Thr Ile Lys Leu Pro Tyr Pro Thr Arg Ala Phe 260 265 gac atg gct cat tgc tct cgg tgt ttg att cca tgg gga gca aat gat Asp Met Ala His Cys Ser Arg Cys Leu Ile Pro Trp Gly Ala Asn Asp 275 280 ggg atg tac ttg atg gaa gtt gac cgt gtg ctt aga cct ggt ggg tac 1149 Gly Met Tyr Leu Met Glu Val Asp Arg Val Leu Arg Pro Gly Gly Tyr 295 300 tgg att ctg tct ggt cct cca atc aac tgg aaa gtc aac tac aag gca 1197 Trp Ile Leu Ser Gly Pro Pro Ile Asn Trp Lys Val Asn Tyr Lys Ala 305 310 315 320 tgg caa cgt ccc aag gag gac ctt caa gag gaa caa aga aag att gag 1245 Trp Gln Arg Pro Lys Glu Asp Leu Gln Glu Glu Gln Arg Lys Ile Glu . 330 gaa gct gct aaa ctt ctt tgt tgg gag aaa aag tat gaa cac ggt gag 1293 Glu Ala Ala Lys Leu Leu Cys Trp Glu Lys Lys Tyr Glu His Gly Glu 340 345 350 att gca att tgg cag aag aga gtc aat gat gag gca tgc cga tca aga 1341 Ile Ala Ile Trp Gln Lys Arg Val Asn Asp Glu Ala Cys Arg Ser Arg 355 360

caa gat gat cct aga gcc aat ttc tgc aaa acc gat gat acc gat gat 1389 Gln Asp Asp Pro Arg Ala Asn Phe Cys Lys Thr Asp Asp Thr Asp Asp 370 375 380

gtc tgg tac aag aaa atg gag gca tgt att aca ccg tat ccg gag aca 1437 Val Trp Tyr Lys Lys Met Glu Ala Cys Ile Thr Pro Tyr Pro Glu Thr 395 agt agc tca gat gaa gta gct ggt ggt gag ctt cag gct ttc cca gat 1485 Ser Ser Ser Asp Glu Val Ala Gly Gly Glu Leu Gln Ala Phe Pro Asp agg ctc aat gca gtg ccg ccc agg atc tct agc ggt tcg atc tct ggt 1533 Arg Leu Asn Ala Val Pro Pro Arg Ile Ser Ser Gly Ser Ile Ser Gly 425 gtt act gtt gat gcc tat gaa gac gat aac aga cag tgg aaa aaa cat 1581 Val Thr Val Asp Ala Tyr Glu Asp Asp Asn Arg Gln Trp Lys Lys His 435 gtg aaa gcc tac aag aga atc aac agt cta ctt gac act gga agg tac 1629 tips of the last one one only the last last last a second of Val Lys Ala Tyr Lys Arg Ile Asn Ser Leu Leu Asp Thr Gly Arg Tyr 455 460 cgt aac atc atg gac atg aac gca ggg ttt ggt gga ttt gct gct Arg Asn Ile Met Asp Met Asn Ala Gly Phe Gly Gly Phe Ala Ala Ala 470 475 ctt gaa too caa aag ctt tgg gtt atg aat gtt gtt coc aca att gcc Leu Glu Ser Gln Lys Leu Trp Val Met Asn Val Val Pro Thr Ile Ala 495 490 485 gaa aag aac aga ctc gga gtt gta tat gaa cga gga ctc atc ggt atc 1773 Glu Lys Asn Arg Leu Gly Val Val Tyr Glu Arg Gly Leu Ile Gly Ile 505 tac cat gac tgg tgt gag gct ttc tct aca tat cca aga aca tat gac 1821 Tyr His Asp Trp Cys Glu Ala Phe Ser Thr Tyr Pro Arg Thr Tyr Asp 525 515 520 +31 ctg atc cac gcg aac cac ctc ttc agt cta tac aag aac aag tgc aat 1869 Leu Ile His Ala Asn His Leu Phe Ser Leu Tyr Lys Asn Lys Cys Asn 540 535 gcg gat gat att ctt cta gag atg gat aga att ctc cga cca gaa gga Ala Asp Asp Ile Leu Leu Glu Met Asp Arg Ile Leu Arg Pro Glu Gly 555 gcg gtt ata atc cgg gat gat gtg gat aca ttg atc aag gtg aag aga 1965 Ala Val Ile Ile Arg Asp Asp Val Asp Thr Leu Ile Lys Val Lys Arg 570 565

atc atc gct tgg aat gag atg gga tgc gaa gct tgt cga tca tga

Ile Ile Ala Trp Asn Glu Met Gly Cys Glu Ala Cys Arg Ser 580 585 590

ggatggtcct ttagttcctg agaaggtttt gattgccgtg aagcagtatt gggtcaccaa

ctccacctcg actcactgaa gttactttat ttccggtgtg acctgacatt ttgatcaaat 2130 .

gatagagett tegteettag ggaatgtgag agagetgeaa atettgtett taaacaettt

ttgaagtatc tatttattga tgttatagtt tatttttgtt tcccaatcca aaagcttgga 2250

actitgtggt gtaccattga attetc 2276

<210> 348 <211> 590 <212> PRT <213> Arabidopsis thaliana <400>

电微点 电流通讯器

Met Ala Leu Lys Ser Ser Ser Ala Asp Gly Lys Thr Arg Ser Ser Val 5 人名意克 特别使的对象的复数形式 经营品的证据 化氯基氯镁矿

Gln Ile Phe Ile Val Phe Ser Leu Cys Cys Phe Phe Tyr Ile Leu Gly the control of the second seco

Ala Trp Gln Arg Ser Gly Phe Gly Lys Gly Asp Ser Ile Ala Leu Glu 👃 35 40

Met Thr Asn Ser Gly Ala Asp Cys Asn Ile Val Pro Ser Leu Asn Phe 55

Glu Thr His His Ala Gly Glu Ser Ser Leu Val Gly Ala Ser Glu Ala 75

Ala Lys Val Lys Ala Phe Glu Pro Cys Asp Gly Arg Tyr Thr Asp Tyr 85 90 95

Thr Pro Cys Gln Asp Gln Arg Arg Ala Met Thr Phe Pro Arg Asp Ser . 100 105 110

Met Ile Tyr Arg Glu Arg His Cys Ala Pro Glu Asn Glu Lys Leu His 115 120 125

Cys Leu Ile Pro Ala Pro Lys Gly Tyr Val Thr Pro Phe Ser Trp Pro 135 140 130

Lys Ser Arg Asp Tyr Val Pro Tyr Ala Asn Ala Pro Tyr Lys Ala Leu 

160

150	1	L <b>55</b> .
-----	---	---------------

Thr Val Glu Lys Ala Ile Gln Asn Trp Ile Gln Tyr Glu Gly Asp Val 165 170 175

Phe Arg Phe Pro Gly Gly Gly Thr Gln Phe Pro Gln Gly Ala Asp Lys 180 185 190

Tyr Ile Asp Gln Leu Ala Ser Val Ile Pro Met Glu Asn Gly Thr Val 195 200 205

Arg Thr Ala Leu Asp Thr Gly Cys Gly Val Ala Ser Trp Gly Ala Tyr 210 215 220

Leu Trp Ser Arg Asn Val Arg Ala Met Ser Phe Ala Pro Arg Asp Ser 225 230 235 240

His Glu Ala Gln Val Gln Phe Ala Leu Glu Arg Gly Val Pro Ala Val 245 250 255

Ile Gly Val Leu Gly Thr Ile Lys Leu Pro Tyr Pro Thr Arg Ala Phe 260 265 270

Asp Met Ala His Cys Ser Arg Cys Leu Ile Pro Trp Gly Ala Asn Asp 275 280 285

Gly Met Tyr Leu Met Glu Val Asp Arg Val Leu Arg Pro Gly Gly Tyr 290 295 300

Trp Ile Leu Ser Gly Pro Pro Ile Asn Trp Lys Val Asn Tyr Lys Ala 305 310 315 320

Trp Gln Arg Pro Lys Glu Asp Leu Gln Glu Glu Gln Arg Lys Ile Glu 325 330 335

Glu Ala Ala Lys Leu Leu Cys Trp Glu Lys Lys Tyr Glu His Gly Glu 340 345 350

Ile Ala Ile Trp Gln Lys Arg Val Asn Asp Glu Ala Cys Arg Ser Arg 355 360 365

Gln Asp Asp Pro Arg Ala Asn Phe Cys Lys Thr Asp Asp Thr Asp Asp 370 375 380

Val Trp Tyr Lys Lys Met Glu Ala Cys Ile Thr Pro Tyr Pro Glu Thr 385 390 395 400

Ser Ser Ser Asp Glu Val Ala Gly Gly Glu Leu Gln Ala Phe Pro Asp
405
410
415

- Arg Leu Asn Ala Val Pro Pro Arg Ile Ser Ser Gly Ser Ile Ser Gly 420 425 430
- Val Thr Val Asp Ala Tyr Glu Asp Asp Asn Arg Gln Trp Lys Lys His 435 440 445
- Val Lys Ala Tyr Lys Arg Ile Asn Ser Leu Leu Asp Thr Gly Arg Tyr 450 455 460
- Arg Asn Ile Met Asp Met Asn Ala Gly Phe Gly Gly Phe Ala Ala Ala 4465 470 475 480
- Leu Glu Ser Gln Lys Leu Trp Val Met Asn Val Val Pro Thr Ile Ala 485 490 495
- Glu Lys Asn Arg Leu Gly Val Val Tyr Glu Arg Gly Leu Ile Gly Ile 500 505 510
- Tyr His Asp Trp Cys Glu Ala Phe Ser Thr Tyr Pro Arg Thr Tyr Asp 515 520 525
- Leu Ile His Ala Asn His Leu Phe Ser Leu Tyr Lys Asn Lys Cys Asn 530 535 540
- Ala Asp Asp Ile Leu Leu Glu Met Asp Arg Ile Leu Arg Pro Glu Gly 545 550 555 560
- Ala Val Ile Ile Arg Asp Asp Val Asp Thr Leu Ile Lys Val Lys Arg 565 570 575
- Ile Ile Ala Trp Asn Glu Met Gly Cys Glu Ala Cys Arg Ser 580 585 590
- <210> 349 <211> 2196 <212> DNA <213> Arabidopsis thaliana <220>
  <221> CDS <222> (379)..(1980) <223> G839

<400> 349

tctcaatttg gttcttttgc cttctctttg atcttatctc ttacgattgt gcagatctca 60

atototatat cottggttgt gtcagattot ottagggttt attttctctc ccaattttgt 120

ttgattcctt gtccaaagtt tcttcctttc cttttgactt ttttttgtgg tacattgaat 180

cagaggtgta agagtaatag tttcataact caaatcccca agtgtacaaa ttttcctctt 240

ttggttctgg gtttggttga ttccttgtta gaaatgtaaa tttagggctt ttgtatctga 300

aaccgatctt cagacttgtg taatcttctt gatcttcatg caagattgat aattctacaa 360

gaagaagaag aagagaaa atg get act ttg act gag eea tea tea tet ttg 411

Met Ala Thr Leu Thr Glu Pro Ser Ser Leu 1 5 10

agt tte aca tet tet cat tte tet tat ggt tet att ggg tee aat cac 459

Ser Phe Thr Ser Ser His Phe Ser Tyr Gly Ser Ile Gly Ser Asn His 15 20 25

ttc tca tca age tca get tct aat cet gaa gtt gtt agt cta ace aaa 507

Phe Ser Ser Ser Ser Ala Ser Asn Pro Glu Val Val Ser Leu Thr Lys 30 35 40

ctc ago too aat ott gag cag ott ott agt aat toa gat tgt gat tac 555

Leu Ser Ser Asn Leu Glu Gln Leu Leu Ser Asn Ser Asp Cys Asp Tyr 45 50 55

agt gat gca gag atc att gtt gat ggt gtt cca gtt ggt gtt cat aga

Ser Asp Ala Glu Ile Ile Val Asp Gly Val Pro Val Gly Val His Arg 60 65 70 75

tgc att tta gct gca aga agt aag ttt ttc caa gat ttg ttt aag aaa 651

Cys Ile Leu Ala Ala Arg Ser Lys Phe Phe Gln Asp Leu Phe Lys Lys 80 85 90

gaa aag aaa att tog aaa act gag aaa coa aag tat cag ttg aga gag

Glu Lys Lys Ile Ser Lys Thr Glu Lys Pro Lys Tyr Gln Leu Arg Glu 95 100 105

atg tta cct tat gga gct gtt gct cat gaa gct ttc ttg tat ttc ttg

Met Leu Pro Tyr Gly Ala Val Ala His Glu Ala Phe Leu Tyr Phe Leu 110 115 120

agt tat ata tat act ggg aga tta aag cct ttt cca ttg gag gtt tcg

Ser Tyr Ile Tyr Thr Gly Arg Leu Lys Pro Phe Pro Leu Glu Val Ser 125 130 135

act tgt gtt gat cca gtt tgt tct cat gat tgt tgt cga cct gcc att

843 Thr Cys Val Asp Pro Val Cys Ser His Asp Cys Cys Arg Pro Ala Ile 140 145 150 155

gat ttt gtt gtt caa ttg atg tat gct tcc tct gtt ctc caa gtg cct Asp Phe Val Val Gln Leu Met Tyr Ala Ser Ser Val Leu Gln Val Pro 160 gag cta gtt tca tct ttt cag cgg cgg ctt tgt aac ttt gtg gag aag 939 Glu Leu Val Ser Ser Phe Gln Arg Arg Leu Cys Asn Phe Val Glu Lys 175 180 185 acc ctt gtt gag aat gtt ctt ccc att ctt atg gtt gct ttc aat tgt 987 Thr Leu Val Glu Asn Val Leu Pro Ile Leu Met Val Ala Phe Asn Cys 190 195 aag ttg act cag ctt ctt gat cag tgt att gag aga gtg gcg agg tca 1035 Lys Leu Thr Gln Leu Leu Asp Gln Cys Ile Glu Arg Val Ala Arg Ser 205 210 215 gat ctt tac agg ttc tgt att gaa aag gaa gtt cct ccc gaa gta gca Asp Leu Tyr Arg Phe Cys Ile Glu Lys Glu Val Pro Pro Glu Val Ala gag aag att aaa cag ctt cga ctt ata tcc ccg caa gac gaa gaa acc 1131 The read of the week of the way was a set out. Glu Lys Ile Lys Gln Leu Arg Leu Ile Ser Pro Gln Asp Glu Glu Thr 30 September 2018 (240) The DMS Average 245 of Average September 250 (1998) agt eee aag att teg gag aaa ttg ett gaa aga ate ggt aaa att ete 1179 Ser Pro Lys Ile Ser Glu Lys Leu Leu Glu Arg Ile Gly Lys Ile Leu 255 260 265 aag goo ttg gat toa tat gat gtt ott cat ttt got gog atg ogt aga Lys Ala Leu Asp Ser Tyr Asp Val Leu His Phe Ala Ala Met Arg Arg 270 275 280 gag eca teg ate att ata teg ett ate gat aaa gge gee aat gea tet 1275 Glu Pro Ser Ile Ile Ile Ser Leu Ile Asp Lys Gly Ala Asn Ala Ser 285 1, 1, 1, 1 et 290 de la company de la co 295 gag ttt aca tct gac gga cgt agc gca gtt aat ata tta aga aga ctg Glu Phe Thr Ser Asp Gly Arg Ser Ala Val Asn Ile Leu Arg Arg Leu 310 305 aca aat cca aag gat tat cat acc aaa aca gct aaa ggg cgt gaa tct Thr Asn Pro Lys Asp Tyr His Thr Lys Thr Ala Lys Gly Arg Glu Ser 320 325 agt aaa gcc agg tta tgc atc gat atc ttg gaa aga gaa atc agg aag 1419 Ser Lys Ala Arg Leu Cys Ile Asp Ile Leu Glu Arg Glu Ile Arg Lys 335 340 345

aac ccc atg gtt cta gat aca cca atg tgt tcc att tct atg cct gaa 1467 Asn Pro Met Val Leu Asp Thr Pro Met Cys Ser Ile Ser Met Pro Glu 350 gat ctc cag atg aga ctg ttg tac cta gaa aag aga gtg ggg ctt gct 1515 Asp Leu Gln Met Arg Leu Leu Tyr Leu Glu Lys Arg Val Gly Leu Ala 365 cag ttg ttc ttt cca acg gaa gct aaa gtt gct atg gac att ggt aac Gln Leu Phe Phe Pro Thr Glu Ala Lys Val Ala Met Asp Ile Gly Asn 395 gta gaa ggt aca agt gag ttc acg ggt ttg tca cct cct tcg agt ggg Val Glu Gly Thr Ser Glu Phe Thr Gly Leu Ser Pro Pro Ser Ser Gly tta acc gga aac ttg agt cag gtt gat tta aac gaa act cct cat atg 1659 Leu Thr Gly Asn Leu Ser Gln Val Asp Leu Asn Glu Thr Pro His Met 420 415 caa acc caa aga ctt ctt act cgt atg gtg gct cta atg aaa aca gtt 1707 Gln Thr Gln Arg Leu Leu Thr Arg Met Val Ala Leu Met Lys Thr Val 435 · gag act ggt cga agg ttt ttt cca tat ggt tca gag gtt cta gat aag Glu Thr Gly Arg Arg Phe Phe Pro Tyr Gly Ser Glu Val Leu Asp Lys 455 450 tac atg gct gag tat ata gac gac gac atc ctc gac gat ttc cat ttt Tyr Met Ala Glu Tyr Ile Asp Asp Ile Leu Asp Asp Phe His Phe 470 465 gag aag gga tot aca cat gaa aga aga ttg aaa aga atg aga tat aga 1851 Glu Lys Gly Ser Thr His Glu Arg Arg Leu Lys Arg Met Arg Tyr Arg 485 480 gag ctt aag gat gat gtc caa aag gca tat agc aaa gac aaa gag tct 1899 Glu Leu Lys Asp Asp Val Gln Lys Ala Tyr Ser Lys Asp Lys Glu Ser 500 495 aag att geg egg tet tgt ett tet get tea tet tet eet tet tet tet Lys Ile Ala Arg Ser Cys Leu Ser Ala Ser Ser Ser Pro Ser Ser Ser 520 515 510 tcc ata aga gat gac ctg cac aac aca aca tga aactgcacca taagtcaaat Ser Ile Arg Asp Asp Leu His Asn Thr Thr

530

525

gtaattagat atctttgtta aaagggtttt ttctttatgg atgttactca gattttatac 2060

agatgcttta ggttcagttt caataaagag agatggatag atagatgtac aagattagga 2120

gtgctgatta acccaaaacg ttctaactat acgcaatctt ttgttttcaa tacaaaaatc 2180

taatatttag gttaaa . 2196

<210> 350 <211> 533 <212> PRT <213> Arabidopsis thaliana <400> 350

Met Ala Thr Leu Thr Glu Pro Ser Ser Ser Leu Ser Phe Thr Ser Ser 1 5 10 15

His Phe Ser Tyr Gly Ser Ile Gly Ser Asn His Phe Ser Ser Ser Ser 20 25 30

Ala Ser Asn Pro Glu Val Val Ser Leu Thr Lys Leu Ser Ser Asn Leu 35 40 45

Glu Gln Leu Leu Ser Asn Ser Asp Cys Asp Tyr Ser Asp Ala Glu Ile 50 55 60

Ile Val Asp Gly Val Pro Val Gly Val His Arg Cys Ile Leu Ala Ala 65 70 75 80

Arg Ser Lys Phe Phe Gln Asp Leu Phe Lys Lys Glu Lys Lys Ile Ser 85 90 95

Lys Thr Glu Lys Pro Lys Tyr Gln Leu Arg Glu Met Leu Pro Tyr Gly 100 105 110

Ala Val Ala His Glu Ala Phe Leu Tyr Phe Leu Ser Tyr Ile Tyr Thr 115 120 125

Gly Arg Leu Lys Pro Phe Pro Leu Glu Val Ser Thr Cys Val Asp Pro 130 135 140

Val Cys Ser His Asp Cys Cys Arg Pro Ala Ile Asp Phe Val Val Gln 145 150 155 160

Leu Met Tyr Ala Ser Ser Val Leu Gln Val Pro Glu Leu Val Ser Ser 165 170 175

Phe Gln Arg Arg Leu Cys Asn Phe Val Glu Lys Thr Leu Val Glu Asn

180 185 190

Val Leu Pro Ile Leu Met Val Ala Phe Asn Cys Lys Leu Thr Gln Leu 195 200 205

Leu Asp Gln Cys Ile Glu Arg Val Ala Arg Ser Asp Leu Tyr Arg Phe 210 220

Cys Ile Glu Lys Glu Val Pro Pro Glu Val Ala Glu Lys Ile Lys Gln 225 230 235 240

Leu Arg Leu Ile Ser Pro Gln Asp Glu Glu Thr Ser Pro Lys Ile Ser 245 250 255

\*Glu Lys Leu Glu Arg Ile Gly Lys Ile Leu Lys Ala Leu Asp Ser 260 265 270

Tyr Asp Val Leu His Phe Ala Ala Met Arg Arg Glu Pro Ser Ile Ile 275 280 285

Ile Ser Leu Ile Asp Lys Gly Ala Asn Ala Ser Glu Phe Thr Ser Asp 290 295 300

Gly Arg Ser Ala Val Asn Ile Leu Arg Arg Leu Thr Asn Pro Lys Asp 305 310 315 320

Tyr His Thr Lys Thr Ala Lys Gly Arg Glu Ser Ser Lys Ala Arg Leu 325 330 335

Cys Ile Asp Ile Leu Glu Arg Glu Ile Arg Lys Asn Pro Met Val Leu 340 345 350

Asp Thr Pro Met Cys Ser Ile Ser Met Pro Glu Asp Leu Gln Met Arg 355 360 365

Leu Leu Tyr Leu Glu Lys Arg Val Gly Leu Ala Gln Leu Phe Pro 370 375 380

Thr Glu Ala Lys Val Ala Met Asp Ile Gly Asn Val Glu Gly Thr Ser 385 390 395 400

Glu Phe Thr Gly Leu Ser Pro Pro Ser Ser Gly Leu Thr Gly Asn Leu
405 410 415

Ser Gln Val Asp Leu Asn Glu Thr Pro His Met Gln Thr Gln Arg Leu 420 425 430

Leu Thr Arg Met Val Ala Leu Met Lys Thr Val Glu Thr Gly Arg Arg 435 440 445

Phe Phe Pro Tyr Gly Ser Glu Val Leu Asp Lys Tyr Met Ala Glu Tyr 450 455 460

Ile Asp Asp Asp Ile Leu Asp Asp Phe His Phe Glu Lys Gly Ser Thr 475 470 475

His Glu Arg Arg Leu Lys Arg Met Arg Tyr Arg Glu Leu Lys Asp Asp
485
490
495

Val Gln Lys Ala Tyr Ser Lys Asp Lys Glu Ser Lys Ile Ala Arg Ser 500 505 510

Cys Leu Ser Ala Ser Ser Ser Pro Ser Ser Ser Ser Ile Arg Asp Asp 515 520 525

<210> 351 <211> 1210 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (117)...(839) <223> G860

<400> 351

acaaaaccac atctctgaac tgaaccaatt tetettetee eeetteeggt tateggatta

ccagateteg tttcccgcga tctagtttat tctttgaaaa agtgatagaa gcagaa atg 119

Met 1

gga agg ggc aag atc gcg att aag agg atc aat aac tct acg agc cgt 167

Gly Arg Gly Lys Ile Ala Ile Lys Arg Ile Asn Asn Ser Thr Ser Arg
5 10 15

cag gtt acg ttc tcg aag cga agg aat gga ttg ttg aag aaa gct aag 215

Gln Val Thr Phe Ser Lys Arg Arg Asn Gly Leu Leu Lys Lys Ala Lys 20 25 30

gag ctt gcg att ctc tgc gat gct gag gtt ggt gtc atc atc ttc tcc 263

Glu Leu Ala Ile Leu Cys Asp Ala Glu Val Gly Val Ile Ile Phe Ser 35 40 45

age ace ggt agg etc tae gat tte tee age tee age atg aaa teg gte 311

Ser Thr Gly Arg Leu Tyr Asp Phe Ser Ser Ser Ser Met Lys Ser Val 50 55 60 65

ata gag aga tac agc gat gcc aaa gga gaa acc agt tca gaa aat gat Ile Glu Arg Tyr Ser Asp Ala Lys Gly Glu Thr Ser Ser Glu Asn Asp ccc gct tca gaa att cag ttc tgg caa aag gag gct gcg att cta aag 407 Pro Ala Ser Glu Ile Gln Phe Trp Gln Lys Glu Ala Ala Ile Leu Lys cgt cag cta cat aac ttg caa gaa aac cac cgg caa atg atg ggg gag Arg Gln Leu His Asn Leu Gln Glu Asn His Arg Gln Met Met Gly Glu gag ctc tct gga cta agt gta gaa gct tta cag aat ttg gaa aat cag 503 Glu Leu Ser Gly Leu Ser Val Glu Ala Leu Gln Asn Leu Glu Asn Gln 115 120 125 ctt gaa ttg agc ctt cgt ggc gtt cga atg aaa aag gat caa atg tta Leu Glu Leu Ser Leu Arg Gly Val Arg Met Lys Lys Asp Gln Met Leu 135 140 atc gaa gaa ata caa gta ctt aac cga gag ggg aat ctc gtt cac caa Ile Glu Glu Ile Gln Val Leu Asn Arg Glu Gly Asn Leu Val His Gln 155 150 gag aat tta gac ctc cac aag aaa gta aac cta atg cac caa cag aac 647 Glu Asn Leu Asp Leu His Lys Lys Val Asn Leu Met His Gln Gln Asn 165 atg gaa cta cat gaa aag gtt tca gag gtc gag ggt gtg aaa atc gca Met Glu Leu His Glu Lys Val Ser Glu Val Glu Gly Val Lys Ile Ala 190 185 aac aag aat tot ott otc aca aat ggt ota gac atg aga gat acc tog Asn Lys Asn Ser Leu Leu Thr Asn Gly Leu Asp Met Arg Asp Thr Ser 205 200 195 aac gaa cat gtc cat ctt cag ctc agc caa ccg cag cat gat cat gag Asn Glu His Val His Leu Gln Leu Ser Gln Pro Gln His Asp His Glu 210 220 acg cat tca aaa gct atc caa ctc aac tat ttt tcc ttc att gca taa Thr His Ser Lys Ala Ile Gln Leu Asn Tyr Phe Ser Phe Ile Ala 235 tataattcgg tgtgccaaca cacttatgtt gacctcgtcg gaatcatatc acaattcact

gtgtcagctt gcctctgcat aagcgaaaat aaaaacataa acatgatcag tttgcattcc 959

atatctatca aacaccagct ttgtaacttt taaaactttt tctccgtgca aagacctttg 1019

gtttggcgct taagcatgta gtttgatgat caaaggaaat gggtgtttta gcataaagtt 1079

gtcaccette cgttgcattt tagetteeca tecaaateaa tttgtaaaat gtgagttagt 1139

ttgcagcatg aaagctgatt aaatatcagt cccgttatca caagaggtaa aaaaaaaaa 1199

aaaaaaaaa a 1210

<210> 352 <211> 240 <212> PRT <213> Arabidopsis thaliana <400> 352

Met Gly Arg Gly Lys Ile Ala Ile Lys Arg Ile Asn Asn Ser Thr Ser 1 5 10 15

Arg Gln Val Thr Phe Ser Lys Arg Arg Asn Gly Leu Leu Lys Lys Ala 20 25 30

Lys Glu Leu Ala Ile Leu Cys Asp Ala Glu Val Gly Val Ile Ile Phe 35 40 45

Ser Ser Thr Gly Arg Leu Tyr Asp Phe Ser Ser Ser Ser Met Lys Ser 50 55 60

Val Ile Glu Arg Tyr Ser Asp Ala Lys Gly Glu Thr Ser Ser Glu Asn 65 70 75 80

Asp Pro Ala Ser Glu Ile Gln Phe Trp Gln Lys Glu Ala Ala Ile Leu 85 90 95

Lys Arg Gln Leu His Asn Leu Gln Glu Asn His Arg Gln Met Met Gly
100 105 110

Glu Glu Leu Ser Gly Leu Ser Val Glu Ala Leu Gln Asn Leu Glu Asn 115 120 125

Gln Leu Glu Leu Ser Leu Arg Gly Val Arg Met Lys Lys Asp Gln Met 130 135 140

Leu Ile Glu Glu Ile Gln Val Leu Asn Arg Glu Gly Asn Leu Val His 145 150 155 160

Gln Glu Asn Leu Asp Leu His Lys Lys Val Asn Leu Met His Gln Gln

165 170 175

Asn Met Glu Leu His Glu Lys Val Ser Glu Val Glu Gly Val Lys Ile 180 185 190

Ala Asn Lys Asn Ser Leu Leu Thr Asn Gly Leu Asp Met Arg Asp Thr 195 200 205

Ser Asn Glu His Val His Leu Gln Leu Ser Gln Pro Gln His Asp His 210 215 220

Glu Thr His Ser Lys Ala Ile Gln Leu Asn Tyr Phe Ser Phe Ile Ala 225 230 235 240

<210> 353 <211> 1797 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (59)..(1645) <223> G916

<400> 353

aaaaaaaaa acaatctaag atatctatca agatcttaag atatctacat ttatagag 58

atg ttt cgt ttt ccg gta agt ctt gga gga ggt cca cgt gag aat ctg

Met Phe Arg Phe Pro Val Ser Leu Gly Gly Gly Pro Arg Glu Asn Leu 1 5 10 15

aag cca tca gat gag cag cat caa cgt gcg gtg gtg aat gag gtt gac 154

Lys Pro Ser Asp Glu Gln His Gln Arg Ala Val Val Asn Glu Val Asp 20 25 30

ttt ttc cga tca gcg gag aag aga gat agg gtt tca cgt gaa gaa caa 202

Phe Phe Arg Ser Ala Glu Lys Arg Asp Arg Val Ser Arg Glu Glu Gln 35 40 45

aac att atc gcc gat gag act cat agg gtt cat gtc aaa agg gag aat 250

Asn Ile Ile Ala Asp Glu Thr His Arg Val His Val Lys Arg Glu Asn 50 55 60

tca cgt gtt gat gat cat gac gat cgt tct act gat cac atc aat att

Ser Arg Val Asp Asp His Asp Asp Arg Ser Thr Asp His Ile Asn Ile 65 70 75 80

gga ctt aat ctt ctc act gcg aat acg gga agc gac gag tca atg gtg 346

Gly Leu Asn Leu Leu Thr Ala Asn Thr Gly Ser Asp Glu Ser Met Val 85 90 95

gat gat gga ttg tct gtg gat atg gaa gag aaa cgt aca aag tgt gag 394

Asp Asp Gly Leu Ser Val Asp Met Glu Glu Lys Arg Thr Lys Cys Glu 100 105 110

aat gca caa ctt cgc gaa gag cta aag aag gcg agt gaa gat aat caa Asn Ala Gln Leu Arg Glu Glu Leu Lys Lys Ala Ser Glu Asp Asn Gln 120 aga cta aag caa atg cta agt caa aca acc aac aac ttc aat tcc ttg 4.90 Arg Leu Lys Gln Met Leu Ser Gln Thr Thr Asn Asn Phe Asn Ser Leu 135 cag atg caa ctt gtt gct gtc atg agg caa caa gaa gat cat cat cac Gln Met Gln Leu Val Ala Val Met Arg Gln Glu Asp His His His 150 155 cta gct acg acc gag aac aat gac aat gta aag aac cga cat gaa gtg Leu Ala Thr Thr Glu Asn Asn Asp Asn Val Lys Asn Arg His Glu Val cct gaa atg gtt cca aga cag ttc atc gat ttg gga ccg cat tct gac 634、2000年 2018年 日本社会会社会会 na saa ng gale gikk gebouwa Pro Glu Met Val Pro Arq Gln Phe Ile Asp Leu Gly Pro His Ser Asp 144. – 17. u. v. 180. Art. (1984) – 185. – 17. u. d. i. d. r. 190. Sage de gaa gtg tcg tcc gag gag agg acg acg gtt cgg tcg gga tct cct ccc Glu Val Ser Ser Glu Glu Arg Thr Thr Val Arg Ser Gly Ser Pro Pro The first 195 for a set fact Sec 200 february of the 205 february tog ett eta gag aaa tet age tea egt eaa aac gga aag aga gtg ett 4730 BERTHER OF A RESPECTIVE FOR STORY OF THE SERVICE AND SERVICES. Ser Leu Leu Glu Lys Ser Ser Ser Arg Gln Asn Gly Lys Arg Val Leu 215 220 gta aga gaa agc ccg gaa acc gaa tcc aac ggc tgg aga aac cct 778 Burgara Barra and the second of the seco Val Arg Glu Glu Ser Pro Glu Thr Glu Ser Asn Gly Trp Arg Asn Pro 235 - 4 A 2 4 A 4 7 2 240 230 aac aaa gtt cct aaa cac cat gca tca tcc agc att tgc ggt ggc aat the second of th 826 でも、これを表現します。 Asn Lys Val Pro Lys His His Ala Ser Ser Ser Ile Cys Gly Gly Asn 245 frag 122 2 250 m 251 No. 255 as ggc agt gaa aat gca agt agc aag gtc att gag caa gcg gcc gcc gaa Gly Ser Glu Asn Ala Ser Ser Lys Val Ile Glu Gln Ala Ala Glu gcc acc atg cgt aaa gcc cgt gtc tcg gtt cgt gct cga tcc gaa gct Ala Thr Met Arg Lys Ala Arg Val Ser Val Arg Ala Arg Ser Glu Ala 280 90 10 10 285 ccc atg tta agc gat gga tgt caa tgg aga aaa tac gga caa aaa atg Pro Met Leu Ser Asp Gly Cys Gln Trp Arg Lys Tyr Gly Gln Lys Met 290 295 300

gcg aaa gga aac ccg tgc cct cga gct tat tac cgt tgc aca atg gct 1018 Ala Lys Gly Asn Pro Cys Pro Arg Ala Tyr Tyr Arg Cys Thr Met Ala gtt gga tgt cct gtt cgc aag caa gtg caa cgt tgc gcg gaa gat aga Val Gly Cys Pro Val Arg Lys Gln Val Gln Arg Cys Ala Glu Asp Arg 330 325 acc att ctc ata aca acc tac gaa gga aac cat aac cat cca tta cct 1114 Thr Ile Leu Ile Thr Thr Tyr Glu Gly Asn His Asn His Pro Leu Pro 340 cet geg get atg aac atg get tea act aca aca gea gee gea age atg Pro Ala Ala Met Asn Met Ala Ser Thr Thr Thr Ala Ala Ala Ser Met 360 ctt ctc tca ggc tcc acc atg tcg aac caa gac ggt tta atg aac cca 1210 Leu Leu Ser Gly Ser Thr Met Ser Asn Gln Asp Gly Leu Met Asn Pro : 380 370 375 aca aat ctc ttg gct cga acc ata tta ccg tgt tcc tca agc atg gct Thr Asn Leu Leu Ala Arg Thr Ile Leu Pro Cys Ser Ser Ser Met Ala 395 390 act atc tca gcc tct gca cca ttc cca acc att aca tta gac ctc aca 1306 Thr Ile Ser Ala Ser Ala Pro Phe Pro Thr Ile Thr Leu Asp Leu Thr 410 405 gag toa coc aac ggg aac aat coa acc aat aac cog ctg atg caa ttc Glu Ser Pro Asn Gly Asn Asn Pro Thr Asn Asn Pro Leu Met Gln Phe 425 420 tot caa egg tot ggt ttg gtg gag ttg aac caa teg gtt ttg eet cat 1402 Ser Gln Arg Ser Gly Leu Val Glu Leu Asn Gln Ser Val Leu Pro His 440 445 435 atg atg ggt cag gct ttg tac tac aac caa cag tct aag ttt tcg ggt 1450 Met Met Gly Gln Ala Leu Tyr Tyr Asn Gln Gln Ser Lys Phe Ser Gly 450 455 tta cat atg ccg tct cag ccg cta aac gct ggt gag agt gtt agc gcc Leu His Met Pro Ser Gln Pro Leu Asn Ala Gly Glu Ser Val Ser Ala 475 480 get act gee gea ate gee tee aat eee aac tit gee geg get eta get

490 -

Ala Thr Ala Ala Ile Ala Ser Asn Pro Asn Phe Ala Ala Ala Leu Ala

485

gca gcc ata act tcg att atc aac ggt tcg aac aat cag cag aat ggg

Ala Ala Ile Thr Ser Ile Ile Asn Gly Ser Asn Asn Gln Gln Asn Gly 500 505 510

aac aac aat aac agt aat gtt aca acg agc aac gtt gac aat agg caa 1642

Asn Asn Asn Ser Asn Val Thr Thr Ser Asn Val Asp Asn Arg Gln
515 520 525

taa catttttta taagttttag ttagggactt tttatcggtc gattttgttt 1695

tgtttttctt ttattacatt attttttagt tacggctttt ttttgttttt tctttcttt 1755

cccaaacaac aagtattgag agcaattccc cccccccc ct 1797

<210> 354 <211> 528 <212> PRT <213> Arabidopsis thaliana <400> 354

Met Phe Arg Phe Pro Val Ser Leu Gly Gly Gly Pro Arg Glu Asn Leu
1 5 10 15

Lys Pro Ser Asp Glu Gln His Gln Arg Ala Val Val Asp 20 25 30

Phe Phe Arg Ser Ala Glu Lys Arg Asp Arg Val Ser Arg Glu Glu Gln 35 40

Asn Ile Ile Ala Asp Glu Thr His Arg Val His Val Lys Arg Glu Asn 50 60

Ser Arg Val Asp Asp His Asp Asp Arg Ser Thr Asp His Ile Asn Ile 65 70 75 80

Gly Leu Asn Leu Leu Thr Ala Asn Thr Gly Ser Asp Glu Ser Met Val 85 90 95

Asp Asp Gly Leu Ser Val Asp Met Glu Glu Lys Arg Thr Lys Cys Glu
100 105 110

Asn Ala Gln Leu Arg Glu Glu Leu Lys Lys Ala Ser Glu Asp Asn Gln 115 120 125

Arg Leu Lys Gln Met Leu Ser Gln Thr Thr Asn Asn Phe Asn Ser Leu 130 135 140

Gln Met Gln Leu Val Ala Val Met Arg Gln Gln Glu Asp His His 145 150 155 160

Leu Ala Thr Thr Glu Asn Asn Asp Asn Val Lys Asn Arg His Glu Val 165 . 170 Pro Glu Met Val Pro Arg Gln Phe Ile Asp Leu Gly Pro His Ser Asp Glu Val Ser Ser Glu Glu Arg Thr Thr Val Arg Ser Gly Ser Pro Pro 200 205 Ser Leu Leu Glu Lys Ser Ser Ser Arg Gln Asn Gly Lys Arg Val Leu 210 215 220 Val Arg Glu Glu Ser Pro Glu Thr Glu Ser Asn Gly Trp Arg Asn Pro 225 Asn Lys Val Pro Lys His His Ala Ser Ser Ser Ile Cys Gly Gly Asn 19 July 20 19 245 120 131 142 250 1 144 145 1 255 115 Gly Ser Glu Asn Ala Ser Ser Lys Val Ile Glu Gln Ala Ala Ala Glu Ala Thr Met Arg Lys Ala Arg Val Ser Val Arg Ala Arg Ser Glu Ala Pro Met Leu Ser Asp Gly Cys Gln Trp Arg Lys Tyr Gly Gln Lys Met 290 295 Ala Lys Gly Asn Pro Cys Pro Arg Ala Tyr Tyr Arg Cys Thr Met Ala 310 315 Val Gly Cys Pro Val Arg Lys Gln Val Gln Arg Cys Ala Glu Asp Arg 325 330 335 大大 大大 大大 (1) Thr Ile Leu Ile Thr Thr Tyr Glu Gly Asn His Asn His Pro Leu Pro 340 345 Pro Ala Ala Met Asn Met Ala Ser Thr Thr Thr Ala Ala Ala Ser Met 360 Leu Leu Ser Gly Ser Thr Met Ser Asn Gln Asp Gly Leu Met Asn Pro 380 375 Thr Asn Leu Leu Ala Arg Thr Ile Leu Pro Cys Ser Ser Ser Met Ala 385 390 395

Thr Ile Ser Ala Ser Ala Pro Phe Pro Thr Ile Thr Leu Asp Leu Thr 405 410 415

Glu Ser Pro Asn Gly Asn Asn Pro Thr Asn Asn Pro Leu Met Gln Phe
420 425 430

Ser Gln Arg Ser Gly Leu Val Glu Leu Asn Gln Ser Val Leu Pro His 435 440 445

Met Met Gly Gln Ala Leu Tyr Tyr Asn Gln Gln Ser Lys Phe Ser Gly 450 455

Leu His Met Pro Ser Gln Pro Leu Asn Ala Gly Glu Ser Val Ser Ala 465 470 475 480

Ala Thr Ala Ala Ile Ala Ser Asn Pro Asn Phe Ala Ala Ala Leu Ala 485 490 495

Ala Ala Ile Thr Ser Ile Ile Asn Gly Ser Asn Asn Gln Gln Asn Gly 500 505 510

Asn Asn Asn Ser Asn Val Thr Thr Ser Asn Val Asp Asn Arg Gln
515
520
525

<210> 355 <211> 1755 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)...(1755) <223> G938

<400> 355

atg atg atg ttt aac gag atg gga atg tat gga aac atg gat ttc ttc 48

Met Met Met Phe Asn Glu Met Gly Met Tyr Gly Asn Met Asp Phe Phe 1 5 10 15

tet tee tee aca tet ete gat gtg tgt eea tta eea caa get gaa caa 96

Ser Ser Ser Thr Ser Leu Asp Val Cys Pro Leu Pro Gln Ala Glu Gln 20 25 30

gaa cct gta gtt gaa gat gtc gac tac acc gat gat gag atg gat gtg 144

Glu Pro Val Val Glu Asp Val Asp Tyr Thr Asp Asp Glu Met Asp Val 35 40 45

gat gag ctt gag aag agg atg tgg aga gac aaa atg cgt ttg aaa cgt 192

Asp Glu Leu Glu Lys Arg Met Trp Arg Asp Lys Met Arg Leu Lys Arg
50 60

ctc aag gag caa cag agt aag tgt aaa gaa ggc gtc gat ggt tcg aaa 240

Leu Lys Glu Gln Gln Ser Lys Cys Lys Glu Gly Val Asp Gly Ser Lys 65 70 75 80

cag agg cag tcg caa gag caa gct agg agg aag aaa atg tct aga gcc Gln Arg Gln Ser Gln Glu Gln Ala Arg Arg Lys Lys Met Ser Arg Ala caa gat ggg atc ttg aag tat atg ttg aag atg atg gaa gtt tgt aaa 336 Gln Asp Gly Ile Leu Lys Tyr Met Leu Lys Met Met Glu Val Cys Lys gct caa ggc ttt gtt tat ggt att att cct gag aag ggt aag cct gtg Ala Gln Gly Phe Val Tyr Gly Ile Ile Pro Glu Lys Gly Lys Pro Val 120 act ggt gct tcg gat aat ttg agg gaa tgg tgg aaa gat aag gtt agg Thr Gly Ala Ser Asp Asn Leu Arg Glu Trp Trp Lys Asp Lys Val Arg 135 140 130 ttt gat cgt aat ggt cca gct gct att gct aag tat cag tca gag aat Phe Asp Arg Asn Gly Pro Ala Ala Ile Ala Lys Tyr Gln Ser Glu Asn 150 aat att tot gga ggg agt aat gat tgt aac agc ttg gtt ggt cca aca Asn Ile Ser Gly Gly Ser Asn Asp Cys Asn Ser Leu Val Gly Pro Thr 165 ccg cat acg ctt cag gag ctt cag gac acg act ctt ggt tcg ctt tta Pro His Thr Leu Gln Glu Leu Gln Asp Thr Thr Leu Gly Ser Leu Leu 185 180 tcg gct ttg atg caa cat tgt gat cca ccg cag aga cgg ttt cct ttg 624 Ser Ala Leu Met Gln His Cys Asp Pro Pro Gln Arg Arg Phe Pro Leu 195 gag aaa gga gtt tct cca cct tgg tgg cct aat ggg aat gaa gag tgg Glu Lys Gly Val Ser Pro Pro Trp Trp Pro Asn Gly Asn Glu Glu Trp 215 220 210 tgg cct cag ctt ggt tta cca aat gag caa ggt cct cct cct tat aag Trp Pro Gln Leu Gly Leu Pro Asn Glu Gln Gly Pro Pro Pro Tyr Lys 225 230 aag oot cat gat ttg aag aaa got tgg aaa gto ggt gtt tta act gog Lys Pro His Asp Leu Lys Lys Ala Trp Lys Val Gly Val Leu Thr Ala gtg atc aag cat atg tcg ccg gat att gcg aag atc cgt aag ctt gtg 816 Val Ile Lys His Met Ser Pro Asp Ile Ala Lys Ile Arg Lys Leu Val 260

agg caa tca aaa tgc ttg cag gat aag atg acg gcg aaa gag agt gct 864 Arg Gln Ser Lys Cys Leu Gln Asp Lys Met Thr Ala Lys Glu Ser Ala 280 act tgg ctt gcc att att aac caa gaa gag gtt gtg gct cgg gag ctt Thr Trp Leu Ala Ile Ile Asn Gln Glu Glu Val Val Ala Arg Glu Leu tat ccc gag tca tgc cct cct ctt tct tct tca tca tta gga agc Tyr Pro Glu Ser Cys Pro Pro Leu Ser Ser Ser Ser Leu Gly Ser 305 310 315 ggg tcg ctt ctc att aat gat tgt agc gag tat gac gtt gaa ggt ttc Gly Ser Leu Leu Ile Asn Asp Cys Ser Glu Tyr Asp Val Glu Gly Phe 330 gag aag gaa caa cat ggt ttc gat gtg gaa gag cgg aaa cca gag ata 1056 Glu Lys Glu Gln His Gly Phe Asp Val Glu Glu Arg Lys Pro Glu Ile 340 345 gtg atg atg cat cct cta gca agc ttt ggg gtt gct aaa atg caa cat Val Met Met His Pro Leu Ala Ser Phe Gly Val Ala Lys Met Gln His ttt ccc ata aag gag gag gtc gcc acc acg gta aac tta gag ttc acg 1152 Phe Pro Ile Lys Glu Glu Val Ala Thr Thr Val Asn Leu Glu Phe Thr 375 380 aga aag agg aag cag aac aat gat atg aat gtt atg gta atg gac aga 1200 Arg Lys Arg Lys Gln Asn Asn Asp Met Asn Val Met Val Met Asp Arg 390 395 400 tca gca ggt tac act tgt gag aat ggt cag tgt cct cac agc aaa atg 1248 Ser Ala Gly Tyr Thr Cys Glu Asn Gly Gln Cys Pro His Ser Lys Met 405 410 aat ctt gga ttt caa gac agg agt tca agg gac aac cac cag atg gtt Asn Leu Gly Phe Gln Asp Arg Ser Ser Arg Asp Asn His Gln Met Val 420 425 430 tgt cca tat aga gac aat cgt tta gcg tat gga gca tcc aag ttt cat 1344 Cys Pro Tyr Arg Asp Asn Arg Leu Ala Tyr Gly Ala Ser Lys Phe His 435 440 atg ggt gga atg aaa cta gta gtt cct cag caa cca gtc caa ccg atc Met Gly Gly Met Lys Leu Val Val Pro Gln Gln Pro Val Gln Pro Ile 450 455 460

PCT/US01/26189 WO 02/15675

gac cta tog ggc gtt gga gtt ccg gaa aac ggg cag aag atg atc acc Asp Leu Ser Gly Val Gly Val Pro Glu Asn Gly Gln Lys Met Ile Thr

gag ctt atg gcc atg tac gac aga aat gtc caa agc aac caa acg cct 1488 Glu Leu Met Ala Met Tyr Asp Arg Asn Val Gln Ser Asn Gln Thr Pro 490 485

cct act ttg atg gaa aac caa agc atg gtc att gat gca aaa gca gct Pro Thr Leu Met Glu Asn Gln Ser Met Val Ile Asp Ala Lys Ala Ala

cag aat cag cag ctg aat ttc aac agt ggc aat caa atg ttt atg caa

Gln Asn Gln Gln Leu Asn Phe Asn Ser Gly Asn Gln Met Phe Met Gln 520 515

caa ggg acg aac aac ggg gtt aac aat cgg ttc cag atg gtg ttt gat Gln Gly Thr Asn Asn Gly Val Asn Asn Arg Phe Gln Met Val Phe Asp 535 540

teg aca eca tte gat atg gea gea tte gat tae aga gat gat tgg caa Ser Thr Pro Phe Asp Met Ala Ala Phe Asp Tyr Arg Asp Asp Trp Gln 550 / 1888 3 5 555 3 7

acc gga gca atg gaa gga atg ggg aag cag cag cag cag cag cag Thr Gly Ala Met Glu Gly Met Gly Lys Gln Gln Gln Gln Gln Gln 570 565

cag caa gat gta tca ata tgg ttc tga Gln Gln Asp Val Ser Ile Trp Phe 580

<210> 356 <211> 584 <212> PRT <213> Arabidopsis thaliana: <400> 356

Met Met Met Phe Asn Glu Met Gly Met Tyr Gly Asn Met Asp Phe Phe 10 - 5

Ser Ser Ser Thr Ser Leu Asp Val Cys Pro Leu Pro Gln Ala Glu Gln 20 25

Glu Pro Val Val Glu Asp Val Asp Tyr Thr Asp Asp Glu Met Asp Val 40

Asp Glu Leu Glu Lys Arg Met Trp Arg Asp Lys Met Arg Leu Lys Arg 55

Leu Lys Glu Gln Gln Ser Lys Cys Lys Glu Gly Val Asp Gly Ser Lys

44 AM 1914 M and the second of the second of the second 70 75 Gln Arg Gln Ser Gln Glu Gln Ala Arg Arg Lys Lys Met Ser Arg Ala 90 Gln Asp Gly Ile Leu Lys Tyr Met Leu Lys Met Met Glu Val Cys Lys 105 Ala Gln Gly Phe Val Tyr Gly Ile Ile Pro Glu Lys Gly Lys Pro Val 120 125 Thr Gly Ala Ser Asp Asn Leu Arg Glu Trp Trp Lys Asp Lys Val Arg 135 140 and a stead 人名英格兰 海绵 医二氏病 Phe Asp Arg Asn Gly Pro Ala Ala Ile Ala Lys Tyr Gln Ser Glu Asn 145 150 155 160 Asn Ile Ser Gly Gly Ser Asn Asp Cys Asn Ser Leu Val Gly Pro Thr 165 170 175 Pro His Thr Leu Gln Glu Leu Gln Asp Thr Thr Leu Gly Ser Leu Leu 180 185 190 Ser Ala Leu Met Gln His Cys Asp Pro Pro Gln Arg Arg Phe Pro Leu 195 200 205 Glu Lys. Gly Val Ser Pro Pro Trp Trp Pro Asn Gly Asn Glu Glu Trp 210 215 220 Trp Pro Gln Leu Gly Leu Pro Asn Glu Gln Gly Pro Pro Pro Tyr Lys 225 Harris Reprinted to the 230 to the control of the 235 to the 646 and 1741, 240. Lys Pro His Asp Leu Lys Lys Ala Trp Lys Val Gly Val Leu Thr Ala 245 250 250 255 Val Ile Lys His Met Ser Pro Asp Ile Ala Lys Ile Arg Lys Leu Val 260 265 270 Arg Gln Ser Lys Cys Leu Gln Asp Lys Met Thr Ala Lys Glu Ser Ala 275 280 285 Thr Trp Leu Ala Ile Ile Asn Gln Glu Glu Val Val Ala Arg Glu Leu 290 Tyr Pro Glu Ser Cys Pro Pro Leu Ser Ser Ser Ser Leu Gly Ser

305 (4) (22) (310) (4)

12.00

315

Gly Ser Leu Leu Ile Asn Asp Cys Ser Glu Tyr Asp Val Glu Gly Phe 325 330 335

- Glu Lys Glu Gln His Gly Phe Asp Val Glu Glu Arg Lys Pro Glu Ile 340 345, 350
- Val Met Met His Pro Leu Ala Ser Phe Gly Val Ala Lys Met Gln His 355 360 365
- Phe Pro Ile Lys Glu Glu Val Ala Thr Thr Val Asn Leu Glu Phe Thr 370 375 380
- Arg Lys Arg Lys Gln Asn Asn Asp Met Asn Val Met Val Met Asp Arg 385 390 395 400
- Ser Ala Gly Tyr Thr Cys Glu Asn Gly Gln Cys Pro His Ser Lys Met 405 410 415
- Asn Leu Gly Phe Gln Asp Arg Ser Ser Arg Asp Asn His Gln Met Val
- Cys Pro Tyr Arg Asp Asn Arg Leu Ala Tyr Gly Ala Ser Lys Phe His 435 440 445
- Met Gly Gly Met Lys Leu Val Val Pro Gln Gln Pro Val Gln Pro Ile 450 455 460
- Asp Leu Ser Gly Val Gly Val Pro Glu Asn Gly Gln Lys Met Ile Thr 465 470 475 480
- Glu Leu Met Ala Met Tyr Asp Arg Asn Val Gln Ser Asn Gln Thr Pro 485 490 495
- Pro Thr Leu Met Glu Asn Gln Ser Met Val Ile Asp Ala Lys Ala Ala 500 505 510
- Gln Asn Gln Gln Leu Asn Phe Asn Ser Gly Asn Gln Met Phe Met Gln 515 520 525
- Gln Gly Thr Asn Asn Gly Val Asn Asn Arg Phe Gln Met Val Phe Asp 530 535 540
- Ser Thr Pro Phe Asp Met Ala Ala Phe Asp Tyr Arg Asp Asp Trp Gln 555 550 560

Thr Gly Ala Met Glu Gly Met Gly Lys Gln Gln Gln Gln Gln Gln 565 575

Gln Gln Asp Val Ser Ile Trp Phe 580

<210> 357 <211> 2310 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (179)..(2065) <223> G941

<400> 357

tettettett etteetette eteatetegt atetetaaet titigtegaag tiettitgat 60

gaaactaggg tttattatct teteettett ttteecatca eeatagaaaa ggeagagaee 120

tttttcttca tcatttttat tctccttctt cttctgctgt tcatttctcc aggttaca 178

atg atg ttt aat gag atg gga atg tgt gga aac atg gat ttc ttc tct 226

Met Met Phe Asn Glu Met Gly Met Cys Gly Asn Met Asp Phe Phe Ser 1 5 10 15

tct gga tca ctt ggt gaa gtt gat ttc tgt cct gtt cca caa gct gag 274

Ser Gly Ser Leu Gly Glu Val Asp Phe Cys Pro Val Pro Gln Ala Glu 20 25 30

cct gat tcc att gtt gaa gat gac tat act gat gat gag att gat gtt 322

Pro Asp Ser Ile Val Glu Asp Asp Tyr Thr Asp Asp Glu Ile Asp Val 35 40 45

gat gaa ttg gag agg atg tgg aga gac aaa atg cgg ctt aaa cgt . 370

Asp Glu Leu Glu Arg Arg Met Trp Arg Asp Lys Met Arg Leu Lys Arg 50 55 60

ctc aag gag cag gat aag ggt aaa gaa ggt gtt gat gct gct aaa cag 418

Leu Lys Glu Gln Asp Lys Gly Lys Glu Gly Val Asp Ala Ala Lys Gln 65 70 75 80

agg cag tot caa gag caa got agg agg aag aaa atg tot aga got caa 466

Arg Gln Ser Gln Glu Gln Ala Arg Arg Lys Lys Met Ser Arg Ala Gln 85 90 95

gat ggg atc ttg aag tat atg ttg aag atg atg gaa gtt tgt aaa gct 514

Asp Gly Ile Leu Lys Tyr Met Leu Lys Met Met Glu Val Cys Lys Ala 100 105 110

caa ggc ttt gtt tat ggg att att ccg gag aat ggg aag cct gtg act 562

Gln Gly Phe Val Tyr Gly Ile Ile Pro Glu Asn Gly Lys Pro Val Thr 115 120 125

ggt gct tct gat aat tta agg gag tgg tgg aaa gat aag gtt agg ttt 610 Gly Ala Ser Asp Asn Leu Arg Glu Trp Trp Lys Asp Lys Val Arg Phe 135 130 gat cgt aat ggt cct gcg gct att acc aag tat caa gcg gag aat aat 658 Asp Arg Asn Gly Pro Ala Ala Ile Thr Lys Tyr Gln Ala Glu Asn Asn 145 atc ccg ggg att cat gaa ggt aat aac ccg att gga ccg act cct cat Ile Pro Gly Ile His Glu Gly Asn Asn Pro Ile Gly Pro Thr Pro His 165 acc ttg caa gag ctt caa gac acg act ctt gga tcg ctt ttg tct gcg 754 Thr Leu Gln Glu Leu Gln Asp Thr Thr Leu Gly Ser Leu Leu Ser Ala 190 ttg atg caa cac tgt gat cct cct cag aga cgt ttt cct ttg gag aaa . . . . . . . . . . . . . Leu Met Gln His Cys Asp Pro Pro Gln Arg Arg Phe Pro Leu Glu Lys 200 gga gtt cct cct ccg tgg tgg cct aat ggg aaa gag gat tgg tgg cct 2.0 850 Gly Val Pro Pro Pro Trp Trp Pro Asn Gly Lys Glu Asp Trp Trp Pro 210 caa ctt ggt ttg cct aaa gat caa ggt cct gca cct tac aag aag cct Gln Leu Gly Leu Pro Lys Asp Gln Gly Pro Ala Pro Tyr Lys Lys Pro 235 - 240 230 cat gat ttg aag aag gcg tgg aaa gtc ggc gtt ttg act gcg gtt atc His Asp Leu Lys Lys Ala Trp Lys Val Gly Val Leu Thr Ala Val Ile 250 245 aag cat atg ttt cct gat att gct aag atc cgt aag ctc gtg agg caa 994 Lys His Met Phe Pro Asp Ile Ala Lys Ile Arg Lys Leu Val Arg Gln 270 265 260 tot aaa tgt ttg cag gat aag atg act gct aaa gag agt gct acc tgg 1042 Ser Lys Cys Leu Gln Asp Lys Met Thr Ala Lys Glu Ser Ala Thr Trp 280 285 275 ctt gct att att aac caa gaa gag tcc ttg gct aga gag ctt tat ccc 1090 Leu Ala Ile Ile Asn Gln Glu Glu Ser Leu Ala Arg Glu Leu Tyr Pro 300 295 290 gag toa tgt coa cot ott tot otg tot ggt gga agt tgc tog ott otg Glu Ser Cys Pro Pro Leu Ser Leu Ser Gly Gly Ser Cys Ser Leu Leu 315 305

atg aat gat tgc agt caa tac gat gtt gaa ggt ttc gag aag gag tct 1186 Met Asn Asp Cys Ser Gln Tyr Asp Val Glu Gly Phe Glu Lys Glu Ser 325 330 335 cac tat gaa gtg gaa gag ctc aag cca gaa aaa gtt atg aat tct tca His Tyr Glu Val Glu Glu Leu Lys Pro Glu Lys Val Met Asn Ser Ser 340 345 aac ttt ggg atg gtt gct aaa atg cat gac ttt cct gtc aaa gaa gaa 1282 Asn Phe Gly Met Val Ala Lys Met His Asp Phe Pro Val Lys Glu Glu 355 360 gtc cca gca gga aac tcg gaa ttc atg aga aag aga aag cca aac aga 1330 Val Pro Ala Gly Asn Ser Glu Phe Met Arg Lys Arg Lys Pro Asn Arg gat ctg aac act att atg gac aga acc gtt ttc acc tgc gag aat ctt 1378 and good fight was the free first good good tags the the good first the contract of the c Asp Leu Asn Thr Ile Met Asp Arg Thr Val Phe Thr Cys Glu Asn Leu 385 (894) 美丽 新聞 244 390 歌《 384 (886) [44] 395 (44) 236 (24) (40) ggg tgt gcg cac agc gaa atc agc cgg gga ttt ctg gat agg aat tcg 化二二酰胺 电流流 经银行证据 Gly Cys Ala His Ser Glu Ile Ser Arg Gly Phe Leu Asp Arg Asn Ser State 80.00 at 1 405 50.50 day seven by 410 at 150.00 Hell 50.6 415 aga gac aac cat caa ctg gca tgt cca cat cga gac agt cgc tta ccg 1474 Arg Asp Asn His Gln Leu Ala Cys Pro His Arg Asp Ser Arg Leu Pro 420 425 tat gga gca gca cca tcc agg ttt cat gtc aat gaa gtt aag cct gta 1522 Tyr Gly Ala Ala Pro Ser Arg Phe His Val Asn Glu Val Lys Pro Val Fig. 16 435 (20) 40 390 42 440 590 (20) 201 445 Fig. 18 4 25 Fig. gtt gga ttt cct cag cca agg cca gtg aac tca gta gcc caa cca att Val Gly Phe Pro Gln Pro Arg Pro Val Asn Ser Val Ala Gln Pro Ile #1881-450 (A. 1871) The risk 455 replace the Fig. (460 to February Fig.) and 460 to February Fig. (A. 1881) And Fig. (A. 1881) gac tta acg ggt ata gtt cct gaa gat gga cag aag atg atc tca gag Asp Leu Thr Gly Ile Val Pro Glu Asp Gly Gln Lys Met Ile Ser Glu 470 475 465 480 ctc atg tcc atg tac gac aga aat gtc cag agc aac caa acc tct atg Leu Met Ser Met Tyr Asp Arg Asn Val Gln Ser Asn Gln Thr Ser Met 485 490 495 gtc atg gaa aat caa agc gtg tca ctg ctt caa ccc aca gtc cat aac Val Met Glu Asn Gln Ser Val Ser Leu Leu Gln Pro Thr Val His Asn 500 505 510

cat caa gaa cat ctc cag ttc cca gga aac atg gtg gaa gga agt ttc 1762

His Gln Glu His Leu Gln Phe Pro Gly Asn Met Val Glu Gly Ser Phe 515 520 525

Phe Glu Asp Leu Asn Ile Pro Asn Arg Ala Asn Asn Asn Asn Ser Ser 530 535 540

aac aat caa acg ttt ttt caa ggg aac aac aac aac aac aat gtg ttt 1858

Asn Asn Gln Thr Phe Phe Gln Gly Asn Asn Asn Asn Asn Asn Val Phe 545 550 560

aag tto gac act gca gat cac aac aac ttt gaa gct gca cat aac aac 1906

Lys Phe Asp Thr Ala Asp His Asn Asn Phe Glu Ala Ala His Asn Asn 565 570 575

aac aat aac agt agc ggc aac agg ttc cag ctt gtg ttt gat tcc aca 1954

Asn Asn Asn Ser Ser Gly Asn Arg Phe Gln Leu Val Phe Asp Ser Thr 580 585 590

ccg ttc gac atg gcg tca ttc gat tac aga gat gat atg tcg atg cca 2002

Pro Phe Asp Met Ala Ser Phe Asp Tyr Arg Asp Asp Met Ser Met Pro 595 600 605

gga gta gta gga acg atg gat gga atg cag cag aag cag caa gat gta 2050

Gly Val Val Gly Thr Met Asp Gly Met Gln Gln Lys Gln Gln Asp Val 610 620

tcc ata tgg ttc taa agtcttggta gtagatttca tcttctctta tttttatctt 2105 Ser Ile Trp Phe

ttgtgttett acatteacte aaccatgtaa tatttttee tgggtetete tgtetetate 2165

gcttgttatg atgtgtctgt aagagtctct aaaaactctc tgttactgtg tgtctttgtc 2225

teggettggt gaatetetet gteateatea gettttagtt acacaceega ettggggatg 2285

aacgaacact aaatgtaagt tttca 2310

625

<210> 358 <211> 628 <212> PRT <213> Arabidopsis thaliana <400> 358

Met Met Phe Asn Glu Met Gly Met Cys Gly Asn Met Asp Phe Phe Ser 1 5 10 15

Ser Gly Ser Leu Gly Glu Val Asp Phe Cys Pro Val Pro Gln Ala Glu

20 25 30

Pro Asp Ser Ile Val Glu Asp Asp Tyr Thr Asp Asp Glu Ile Asp Val 35 40 45

Asp Glu Leu Glu Arg Arg Met Trp Arg Asp Lys Met Arg Leu Lys Arg 50 55 60

Leu Lys Glu Gln Asp Lys Gly Lys Glu Gly Val Asp Ala Ala Lys Gln 65 70 75 80

Asp Gly Ile Leu Lys Tyr Met Leu Lys Met Met Glu Val Cys Lys Ala 100 105 110

Gln Gly Phe Val Tyr Gly Ile Ile Pro Glu Asn Gly Lys Pro Val Thr 115 120 125

Gly Ala Ser Asp Asn Leu Arg Glu Trp Trp Lys Asp Lys Val Arg Phe
130 135 140

Asp Arg Asn Gly Pro Ala Ala Ile Thr Lys Tyr Gln Ala Glu Asn Asn 145 150 155 160

Ile Pro Gly Ile His Glu Gly Asn Asn Pro Ile Gly Pro Thr Pro His 165 170 175

Thr Leu Gln Glu Leu Gln Asp Thr Thr Leu Gly Ser Leu Leu Ser Ala 180 185 190

Leu Met Gln His Cys Asp Pro Pro Gln Arg Arg Phe Pro Leu Glu Lys
195 200 205

Gly Val Pro Pro Pro Trp Trp Pro Asn Gly Lys Glu Asp Trp Trp Pro 210 215 220

Gln Leu Gly Leu Pro Lys Asp Gln Gly Pro Ala Pro Tyr Lys Lys Pro 225 230 235 240

His Asp Leu Lys Lys Ala Trp Lys Val Gly Val Leu Thr Ala Val Ile 245 250 255

Lys His Met Phe Pro Asp Ile Ala Lys Ile Arg Lys Leu Val Arg Gln 260 265 270

Ser Lys Cys Leu Gln Asp Lys Met Thr Ala Lys Glu Ser Ala Thr Trp
275 280 285

- Leu Ala Ile Ile Asn Gln Glu Glu Ser Leu Ala Arg Glu Leu Tyr Pro 290 295 300
- Glu Ser Cys Pro Pro Leu Ser Leu Ser Gly Gly Ser Cys Ser Leu Leu 305 310 315 320
- Met Asn Asp Cys Ser Gln Tyr Asp Val Glu Gly Phe Glu Lys Glu Ser 325 330 335
- His Tyr Glu Val Glu Glu Leu Lys Pro Glu Lys Val Met Asn Ser Ser 340 345 350
- Asn Phe Gly Met Val Ala Lys Met His Asp Phe Pro Val Lys Glu Glu 355 360 365
- Val Pro Ala Gly Asn Ser Glu Phe Met Arg Lys Arg Lys Pro Asn Arg 370 375 380
- Asp Leu Asn Thr Ile Met Asp Arg Thr Val Phe Thr Cys Glu Asn Leu 385 390 395 400
- Gly Cys Ala His Ser Glu Ile Ser Arg Gly Phe Leu Asp Arg Asn Ser 405 410 415
- Arg Asp Asn His Gln Leu Ala Cys Pro His Arg Asp Ser Arg Leu Pro 420 425 430
- Tyr Gly Ala Ala Pro Ser Arg Phe His Val Asn Glu Val Lys Pro Val 435 440 445
- Val Gly Phe Pro Gln Pro Arg Pro Val Asn Ser Val Ala Gln Pro Ile 450 455 460
- Asp Leu Thr Gly Ile Val Pro Glu Asp Gly Gln Lys Met Ile Ser Glu 465 470 475 480
- Leu Met Ser Met Tyr Asp Arg Asn Val Gln Ser Asn Gln Thr Ser Met 485 490 495
- Val Met Glu Asn Gln Ser Val Ser Leu Leu Gln Pro Thr Val His Asn 500 505 510

His Gln Glu His Leu Gln Phe Pro Gly Asn Met Val Glu Gly Ser Phe 515 520 525

Phe Glu Asp Leu Asn Ile Pro Asn Arg Ala Asn Asn Asn Asn Ser Ser 530 540

Asn Asn Gln Thr Phe Phe Gln Gly Asn Asn Asn Asn Asn Asn Val Phe 545 550 555 555

Lys Phe Asp Thr Ala Asp His Asn Asn Phe Glu Ala Ala His Asn Asn 565 570 575

Asn Asn Asn Ser Ser Gly Asn Arg Phe Gln Leu Val Phe Asp Ser Thr 580 585 590

Pro Phe Asp Met Ala Ser Phe Asp Tyr Arg Asp Asp Met Ser Met Pro

Gly Val Val Gly Thr Met Asp Gly Met Gln Gln Lys Gln Gln Asp Val 610 615 620

Ser Ile Trp Phe 625 (4) 10 (4) 11 (4) 14 (4) 15 (4) 16 (4)

<210> 359 <211> 963 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (69)..(815) <223> G976

<400> 359

cttatatata acaaataaac acataagttg acatatatac tatatacaag tatattaatt 60

atacatat atg gct gac cct aac aat cct atc act gaa cct aaa gct ata 110

Met Ala Asp Pro Asn Asn Pro Ile Thr Glu Pro Lys Ala Ile
1 5 10

atc caa tot tot act toa tog toa gtt act att gtg coa gtt coc acg

Ile Gln Ser Ser Thr Ser Ser Ser Val Thr Ile Val Pro Val Pro Thr 15 20 25 30

tgc ggt gac agc ctc tct gac tct gcc acg tgt gaa aac cct tgt cca 206

Cys Gly Asp Ser Leu Ser Asp Ser Ala Thr Cys Glu Asn Pro Cys Pro 35 40 45

ctt gat act atc act act act act act gtt tgt ttt gcg gct cct 254

Leu Asp Thr Ile Thr Thr Thr Thr Thr Thr Val Cys Phe Ala Ala Pro 50 55 60

tet tet act gea agt ggt aat gat att aat act tta atg gee act gae 302 Ser Ser Thr Ala Ser Gly Asn Asp Ile Asn Thr Leu Met Ala Thr Asp acc gac atc tct cgc cgg aaa aag aat ccg gtt tat cgg gga att cgt Thr Asp Ile Ser Arg Arg Lys Lys Asn Pro Val Tyr Arg Gly Ile Arg tgt cgg agt gga aaa tgg gtg tct gaa atc cga gag cct aaa aag act Cys Arg Ser Gly Lys Trp Val Ser Glu Ile Arg Glu Pro Lys Lys Thr 100 aca cgt gtc tgg ctt ggg act tat ccg acg ccg gag atg gct gcc Thr Arg Val Trp Leu Gly Thr Tyr Pro Thr Pro Glu Met Ala Ala Ala 120 gca tat gac gtg gcg gcg tta gct ctt aaa ggt gga gac act ctc ttg 494 Ala Tyr Asp Val Ala Ala Leu Ala Leu Lys Gly Gly Asp Thr Leu Leu 135 224 Telegraph 2 .140 5 5 5 6 130 aac ttc ccg gat tcc ctg gga tct tac ccc att ccc ctt tcc tct tcc 542 Asn Phe Pro Asp Ser Leu Gly Ser Tyr Pro Ile Pro Leu Ser Ser Ser : 145 150 gea get cat atc aga tge get gea get geg get get geg act agg ggt Ala Ala His Ile Arg Cys Ala Ala Ala Ala Ala Ala Ala Thr Arg Gly 165 gcg gct gga gcg gcc gtg aag gta ggt caa aag aag gaa gat aaa gtt 638 Ala Ala Gly Ala Ala Val Lys Val Gly Gln Lys Lys Glu Asp Lys Val . . 180 185 tat gat acg gcg gaa tct tca act atg ggg ttt gtg gat gaa gaa gag Tyr Asp Thr Ala Glu Ser Ser Thr Met Gly Phe Val Asp Glu Glu Glu 195 200 cta ttg aac atg cct ggt ttg cta gcg gat atg gcc aaa ggg atg atg Leu Leu Asn Met Pro Gly Leu Leu Ala Asp Met Ala Lys Gly Met Met 210 gtg gct cca ccg tgg atg gga tct cca ccg tca gat gat tcg cca gag 782 Val Ala Pro Pro Trp Met Gly Ser Pro Pro Ser Asp Asp Ser Pro Glu aat tot gat gga gag ago ttg tgg ago tat tga togattgaaa goagtttaat Asn Ser Asp Gly Glu Ser Leu Trp Ser Tyr 240

atcttttttg gatcctttgt tcacgtttat gctagtcatc tttgtttctt tatcctatga 895

ttgttagaga tgatttgtta aatatataat cgtaatgatt ttcacttttt tttattcaaa 955

aaaaaaaa 963

<210> 360 <211> 248 <212> PRT <213> Arabidopsis thaliana <400> 360

Met Ala Asp Pro Asn Asn Pro Ile Thr Glu Pro Lys Ala Ile Ile Gln 1 5 10 15

Ser Ser Thr Ser Ser Ser Val Thr Ile Val Pro Val Pro Thr Cys Gly
20 25 30

Asp Ser Leu Ser Asp Ser Ala Thr Cys Glu Asn Pro Cys Pro Leu Asp 35 40 45

Thr Ile Thr Thr Thr Thr Thr Val Cys Phe Ala Ala Pro Ser Ser 50 55 60

Thr Ala Ser Gly Asn Asp Ile Asn Thr Leu Met Ala Thr Asp Thr Asp 65 70 75 80

Ile Ser Arg Arg Lys Lys Asn Pro Val Tyr Arg Gly Ile Arg Cys Arg 85 90 95

Ser Gly Lys Trp Val Ser Glu Ile Arg Glu Pro Lys Lys Thr Thr Arg 100 105 110

Val Trp Leu Gly Thr Tyr Pro Thr Pro Glu Met Ala Ala Ala Tyr 115 120 125

Asp Val Ala Ala Leu Ala Leu Lys Gly Gly Asp Thr Leu Leu Asn Phe 130 135 140

Pro Asp Ser Leu Gly Ser Tyr Pro Ile Pro Leu Ser Ser Ser Ala Ala 145 150 155 160

His Ile Arg Cys Ala Ala Ala Ala Ala Ala Ala Thr Arg Gly Ala Ala 165 170 175

Gly Ala Ala Val Lys Val Gly Gln Lys Lys Glu Asp Lys Val Tyr Asp 180 185 190

Thr Ala Glu Ser Ser Thr Met Gly Phe Val Asp Glu Glu Glu Leu Leu 195 200 205

Asn Met Pro Gly Leu Leu Ala Asp Met Ala Lys Gly Met Met Val Ala 210 215 220

Pro Pro Trp Met Gly Ser Pro Pro Ser Asp Asp Ser Pro Glu Asn Ser 225 230 235 240

Asp Gly Glu Ser Leu Trp Ser Tyr
245

<210> 361 <211> 1239 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (6)..(1091) <223> G993

<400> 361

6

caaat atg gaa tac age tgt gta gac gac agt agt aca acg tca gaa tct 50

Met Glu Tyr Ser Cys Val Asp Asp Ser Ser Thr Thr Ser Glu Ser
1 5 10 15

ctc tcc atc tct act cca aag ccg aca acg acg acg gag aag aaa 98  $\,$ 

Leu Ser Ile Ser Thr Thr Pro Lys Pro Thr Thr Thr Thr Glu Lys Lys
20 25 30

ctc tet tet eeg eeg geg aeg teg atg egt etc tac aga atg gga age 146

Leu Ser Ser Pro Pro Ala Thr Ser Met Arg Leu Tyr Arg Met Gly Ser

ggc gga agc agc gtc gtt ttg gat tca gag aac ggc gtc gag acc gag

Gly Gly Ser Ser Val Val Leu Asp Ser Glu Asn Gly Val Glu Thr Glu 50 60

tca cgt aag ctt cct tcg tcg aaa tat aaa ggc gtt gtg cct cag cct 242

Ser Arg Lys Leu Pro Ser Ser Lys Tyr Lys Gly Val Val Pro Gln Pro 65 70 75

aac gga aga tgg gga gct cag att tac gag aag cat cag cga gtt tgg

Asn Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys His Gln Arg Val Trp 80 85 90 95

ctc ggt act ttc aac gag gaa gaa gct gcg tct tct tac gac atc 338

Leu Gly Thr Phe Asn Glu Glu Glu Glu Ala Ala Ser Ser Tyr Asp Ile 100 105 110

gec gtg agg aga tte ege gge ege gae gee gte aet aae tte aaa tet 386

Ala Val Arg Arg Phe Arg Gly Arg Asp Ala Val Thr Asn Phe Lys Ser 115 120 125

caa gtt gat gga aac gac gcc gaa tcg gct ttt ctt gac gct cat tct Gln Val Asp Gly Asn Asp Ala Glu Ser Ala Phe Leu Asp Ala His Ser 130 135 aaa got gag ato gtg gat atg ttg agg aaa cac act tac goo gat gag Lys Ala Glu Ile Val Asp Met Leu Arg Lys His Thr Tyr Ala Asp Glu 150 ttt gag cag agt aga cgg aag ttt gtt aac ggc gac gga aaa cgc tct Phe Glu Gln Ser Arg Arg Lys Phe Val Asn Gly Asp Gly Lys Arg Ser 165 ggg ttg gag acg gcg acg tac gga aac gac gct gtt ttg aga gcg cgt 578 Gly Leu Glu Thr Ala Thr Tyr Gly Asn Asp Ala Val Leu Arg Ala Arg gag gtt ttg ttc gag aag act gtt acg ccg agc gac gtc ggg aag ctg 626 Glu Val Leu Phe Glu Lys Thr Val Thr Pro Ser Asp Val Gly Lys Leu কলে উপ্তিলেজ্য **195** জন্ম উদ্ধিত্তীৰ জুক্ত **200** জনি প্ৰচল্ড জনি সভা **205** জীৱন জন্ম aac cgt tta gtg ata ccg aaa caa cac gcg gag aag cat ttt ccg tta Asn Arg Leu Val Ile Pro Lys Gln His Ala Glu Lys His Phe Pro Leu 210 215 ccg gcg atg acg acg gcg atg ggg atg aat ccg tct ccg acg aaa ggc Pro Ala Met Thr Thr Ala Met Gly Met Asn Pro Ser Pro Thr Lys Gly 230 gtt ttg att aac ttg gaa gat aga aca ggg aaa gtg tgg cgg ttc cgt 770 Val Leu Ile Asn Leu Glu Asp Arg Thr Gly Lys Val Trp Arg Phe Arg 245 250 4 . . . . 240 tac agt tac tgg aac agt caa agt tac gtg ttg acc aag ggc tgg Tyr Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly Trp 265 es vi 10 m 4255 MGC 医黄斑 人名德 age egg tte gtt aaa gag aag aat ett ega gee ggt gat gtg gtt tgt Ser Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val Val Cys 275 280 ttc gag aga tca acc gga cca gac cgg caa ttg tat atc cac tgg aaa Phe Glu Arg Ser Thr Gly Pro Asp Arg Gln Leu Tyr Ile His Trp Lys 295 290 gtc cgg tct agt ccg gtt cag act gtg gtt agg cta ttc gga gtc aac 962 Val Arg Ser Ser Pro Val Gln Thr Val Val Arg Leu Phe Gly Val Asn 305 310 315

att ttc aat gtg agt aac gag aaa cca aac gac gtc gca gta gag tgt 1010

Ile Phe Asn Val Ser Asn Glu Lys Pro Asn Asp Val Ala Val Glu Cys 320 325 330 335

gtt ggc aag aag aga tct egg gaa gat gat ttg ttt tcg tta ggg tgt 1058 Val Gly Lys Lys Arg Ser Arg Glu Asp Asp Leu Phe Ser Leu Gly Cys 340

tcc aag aag cag gcg att atc aac atc ttg tga caaattcttt tttttttggtt 1111 Ser Lys Lys Gln Ala Ile Ile Asn Ile Leu 355 360

tttttcttca atttgtttct cctttttcaa tattttgtat tgaaatgaca agttgtaaat 1171

aaaaaaaa 1239

<210> 362 <211> 361 <212> PRT <213> Arabidopsis thaliana <400> 362

Met Glu Tyr Ser Cys Val Asp Asp Ser Ser Thr Thr Ser Glu Ser Leu 1 5 10 15

Ser Ile Ser Thr Thr Pro Lys Pro Thr Thr Thr Thr Glu Lys Lys Leu 20 25 30

Ser Ser Pro Pro Ala Thr Ser Met Arg Leu Tyr Arg Met Gly Ser Gly 35 40

Gly Ser Ser Val Val Leu Asp Ser Glu Asn Gly Val Glu Thr Glu Ser 50 55 60

Arg Lys Leu Pro Ser Ser Lys Tyr Lys Gly Val Val Pro Gln Pro Asn 65 70 75 80

Gly Arg Trp Gly Ala Gln Ile Tyr Glu Lys His Gln Arg Val Trp Leu 85 90 95

Gly Thr Phe Asn Glu Glu Glu Glu Ala Ala Ser Ser Tyr Asp Ile Ala 100 105 110

Val Arg Arg Phe Arg Gly Arg Asp Ala Val Thr Asn Phe Lys Ser Gln 115 120 125

Val Asp Gly Asn Asp Ala Glu Ser Ala Phe Leu Asp Ala His Ser Lys

130 135 140

Ala Glu Ile Val Asp Met Leu Arg Lys His Thr Tyr Ala Asp Glu Phe 145 150 155 160

Glu Gln Ser Arg Arg Lys Phe Val Asn Gly Asp Gly Lys Arg Ser Gly
165 170 175

Leu Glu Thr Ala Thr Tyr Gly Asn Asp Ala Val Leu Arg Ala Arg Glu 180 185 190

Val Leu Phe Glu Lys Thr Val Thr Pro Ser Asp Val Gly Lys Leu Asn 195 200 205

Arg Leu Val Ile Pro Lys Gln His Ala Glu Lys His Phe Pro Leu Pro 210 215 220

Ala Met Thr Thr Ala Met Gly Met Asn Pro Ser Pro Thr Lys Gly Val 225 230 235 240

Leu Ile Asn Leu Glu Asp Arg Thr Gly Lys Val Trp Arg Phe Arg Tyr 245 250 255

Ser Tyr Trp Asn Ser Ser Gln Ser Tyr Val Leu Thr Lys Gly Trp Ser 260 265 270

Arg Phe Val Lys Glu Lys Asn Leu Arg Ala Gly Asp Val Val Cys Phe 275 280 285

Glu Arg Ser Thr Gly Pro Asp Arg Gln Leu Tyr Ile His Trp Lys Val 290 295 300

Arg Ser Ser Pro Val Gln Thr Val Val Arg Leu Phe Gly Val Asn Ile 305 310 315 320

Phe Asn Val Ser Asn Glu Lys Pro Asn Asp Val Ala Val Glu Cys Val 325 330 335

Gly Lys Lys Arg Ser Arg Glu Asp Asp Leu Phe Ser Leu Gly Cys Ser 340 345 350

Lys Lys Gln Ala Ile Ile Asn Ile Leu 355 360

<210> 363 <211> 913 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (52)..(783) <223> G1006

<400> 363 gataaatcaa tcaacaaaac aaaaaaaact ctatagttag tttctctgaa a atg tac Met Tyr gga cag tgc aat ata gaa tcc gac tac gct ttg ttg gag tcg ata aca Gly Gln Cys Asn Ile Glu Ser Asp Tyr Ala Leu Leu Glu Ser Ile Thr cgt cac ttg cta gga gga gga gga gag aac gag ctg cga ctc aat gag 153 Arg His Leu Leu Gly Gly Gly Glu Asn Glu Leu Arg Leu Asn Glu tca aca ccg agt tcg tgt ttc aca gag agt tgg gga ggt ttg cca ttg 201 Ser Thr Pro Ser Ser Cys Phe Thr Glu Ser Trp Gly Gly Leu Pro Leu aaa gag aat gat toa gag gac atg ttg gtg tac gga ctc ctc aaa gat Lys Glu Asn Asp Ser Glu Asp Met Leu Val Tyr Gly Leu Leu Lys Asp 55 65 gcc ttc cat ttt gac acg tca tcg gac ttg agc tgt ctt ttt gat 297 Ala Phe His Phe Asp Thr Ser Ser Ser Asp Leu Ser Cys Leu Phe Asp · 70 . 75 80 ttt ccg gcg gtt aaa gtc gag cca act gag aac ttt acg gcg atg gag Phe Pro Ala Val Lys Val Glu Pro Thr Glu Asn Phe Thr Ala Met Glu 90 gag aaa cca aag aaa gcg ata ccg gtt acg gag acg gca gtg aag gcg 393 Glu Lys Pro Lys Lys Ala Ile Pro Val Thr Glu Thr Ala Val Lys Ala 100 105 110 aag cat tac aga gga gtg agg cag aga ccg tgg ggg aaa ttc gcg gcg 441 Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe Ala Ala gag ata cgt gat ccg gcg aag aat gga gct agg gtt tgg tta ggg acg Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu Gly Thr 135 ttt gag acg gcg gaa gat gcg gct tta gct tac gat ata gct gct ttt Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Ile Ala Ala Phe agg atg cgt ggt tcc cgc gct tta ttg aat ttt ccg ttg agg gtt aat 585 Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg Val Asn

170

165

tcc ggt gaa cct gac ccg gtt cgg atc acg tct aag aga tct tct tcg Ser Gly Glu Pro Asp Pro Val Arg Ile Thr Ser Lys Arg Ser Ser Ser 185 teg teg teg teg tee tet tet aeg teg teg tet gaa aac ggg aag Ser Ser Ser Ser Ser Ser Ser Thr Ser Ser Ser Glu Asn Gly Lys 200 205 ttg aaa cga agg aga aaa gca gag aat ctg acg tcg gag gtg gtg cag 729 Leu Lys Arg Arg Arg Lys Ala Glu Asn Leu Thr Ser Glu Val Val Gln 220 215 gtg aag tgt gag gtt ggt gat gag aca cgt gtt gat gag tta ttg gtt Val Lys Cys Glu Val Gly Asp Glu Thr Arg Val Asp Glu Leu Leu Val 230 235 tca taa gtttgatctt gtgtgttttg tagttgaata gttttgctat aaatgttgag 833 Bergangan Bress, Br Ser The American State (Carlotter) and the American State (State ) and the State (State ) and t gcaccaagta aaagtgttcc cgtgatgtaa attagttact aaacagagcc atatatettc 893 a global och lage till bladet og dil tid og gren det gjalen. <210> 364 <211> 243 <212> PRT <213> Arabidopsis thaliana <400> 364 Met Tyr Gly Gln Cys Asn Ile Glu Ser Asp Tyr Ala Leu Leu Glu Ser 1. The value 5 may be seen 10 to study the 15st of Ile Thr Arg His Leu Leu Gly Gly Gly Glu Asn Glu Leu Arg Leu 20 25 **沙楼** 医克朗氏病 Asn Glu Ser Thr Pro Ser Ser Cys Phe Thr Glu Ser Trp Gly Gly Leu 35 40 45 Pro Leu Lys Glu Asn Asp Ser Glu Asp Met Leu Val Tyr Gly Leu Leu 55 60 50 Lys Asp Ala Phe His Phe Asp Thr Ser Ser Ser Asp Leu Ser Cys Leu 70 75 · Phe Asp Phe Pro Ala Val Lys Val Glu Pro Thr Glu Asn Phe Thr Ala

Met Glu Glu Lys Pro Lys Lys Ala Ile Pro Val Thr Glu Thr Ala Val

90 95

100 105 110

Lys Ala Lys His Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Phe 115 120 125

Ala Ala Glu Ile Arg Asp Pro Ala Lys Asn Gly Ala Arg Val Trp Leu 130 135 140

Gly Thr Phe Glu Thr Ala Glu Asp Ala Ala Leu Ala Tyr Asp Ile Ala 145 150 155 160

Ala Phe Arg Met Arg Gly Ser Arg Ala Leu Leu Asn Phe Pro Leu Arg 165 170 175

Val Asn Ser Gly Glu Pro Asp Pro Val Arg Ile Thr Ser Lys Arg Ser 180 185 190

Gly Lys Leu Lys Arg Arg Lys Ala Glu Asn Leu Thr Ser Glu Val 210 215 220

Val Gln Val Lys Cys Glu Val Gly Asp Glu Thr Arg Val Asp Glu Leu 225 230 235 240

Leu Val Ser

<210> 365 <211> 1291 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (66)..(1031) <223> G1051

<400> 365
cctgtaaatt cagatttgct ttctttggta atcttttgga tcaagatcca tctattttt
60

cttca atg gca caa ctc cct cct aaa atc ccc aac atg aca caa cat tgg

Met Ala Gln Leu Pro Pro Lys Ile Pro Asn Met Thr Gln His Trp
1 5 10 15

cet gat the tet tee caa aag ete tet eet the tet ace eea ace gea

Pro Asp Phe Ser Ser Gln Lys Leu Ser Pro Phe Ser Thr Pro Thr Ala 20 25 30

acc gct gtc gcc acc gct aca acc acc gta caa aac ccc tca tgg gtc 206

Thr Ala Val Ala Thr Ala Thr Thr Thr Val Gln Asn Pro Ser Trp Val
35 40 45

gac gaa tto ctc gac ttc tca gcg tct cgc cgt ggc aac cac cgt cgt Asp Glu Phe Leu Asp Phe Ser Ala Ser Arg Arg Gly Asn His Arg Arg 50 1. 1. 2. 55 tcc atc age gac tct atc gca ttc ctc gaa gct cca aca gtc age atc Ser Ile Ser Asp Ser Ile Ala Phe Leu Glu Ala Pro Thr Val Ser Ile . 70 gaa gac cac caa ttc gac agg ttc gat gac gaa cag ttc atg tcg atg Glu Asp His Gln Phe Asp Arg Phe Asp Asp Glu Gln Phe Met Ser Met tte ace gae gae gae aae ett cat age aat eet tee cat ate aae aae 398 Phe Thr Asp Asp Asp Asn Leu His Ser Asn Pro Ser His Ile Asn Asn 100 aaa aat aac aat gtg ggg ccc acg gga tot toc tog aac aca toc acg 446 Lys Asn Asn Asn Val Gly Pro Thr Gly Ser Ser Ser Asn Thr Ser Thr 115 120 1.25 ccg tcc aat agc ttc aac gac gat aac aaa gaa tta cca ccg tcc gat 494 Pro Ser Asn Ser Phe Asn Asp Asp Asn Lys Glu Leu Pro Pro Ser Asp 130 135 140 cat aac atg aac aat aat atc aac aac tat aac gat gaa gtc caa THE RESERVE His Asn Met Asn Asn Asn Ile Asn Asn Asn Tyr Asn Asp Glu Val Gln . 150 155 age caa tge aag atg gag eea gaa gat ggt acg geg teg aat aac aat 590 Ser Gln Cys Lys Met Glu Pro Glu Asp Gly Thr Ala Ser Asn Asn 170 . . 160 165 175 tcc ggt gat agc tcc ggc aac cgg att ctc gat ccc aaa agg gtt aag Ser Gly Asp Ser Ser Gly Asn Arg Ile Leu Asp Pro Lys Arg Val Lys 185 aga ata tta gca aat cgg caa tca gca cag aga tca agg gtg agg aaa 686 Arg Ile Leu Ala Asn Arg Gln Ser Ala Gln Arg Ser Arg Val Arg Lys 195 ctg caa tac ata tca gag ctc gaa cgt agc gtc act tcg ttg cag gcg 734 Leu Gln Tyr Ile Ser Glu Leu Glu Arg Ser Val Thr Ser Leu Gln Ala 215 gaa gtg tca gtg tta tcg cca aga gtt gca ttc ttg gat cat caa cgt 782 Glu Val Ser Val Leu Ser Pro Arg Val Ala Phe Leu Asp His Gln Arg 225 235 230

ttg ctt ctt aac gtt gac aac agc gct ctc aag caa cga atc gct gct 830  $\cdot$ 

Leu Leu Leu Asn Val Asp Asn Ser Ala Leu Lys Gln Arg Ile Ala Ala 240 245 250 255

tta tct caa gac aag ctt ttc aaa gac gca cat caa gaa gca ttg aag 878

Leu Ser Gln Asp Lys Leu Phe Lys Asp Ala His Gln Glu Ala Leu Lys 260 265 270

aga gaa ata gag aga ctt cga caa gtg tat aat caa caa agc ctc acg 926

Arg Glu Ile Glu Arg Leu Arg Gln Val Tyr Asn Gln Gln Ser Leu Thr 275 280 285

aat gtg gaa aat gca aat cat tta tcg gcg acc gga gcc ggt gct act 974

Asn Val Glu Asn Ala Asn His Leu Ser Ala Thr Gly Ala Gly Ala Thr 290 295 300

ccg gcc gtc gac atc aag tcg tcc gtt gaa aca gag cag ctc ctc aat 1022

Pro Ala Val Asp Ile Lys Ser Ser Val Glu Thr Glu Gln Leu Leu Asn 305 310 315

gtc tca taa attaaccatc atgcatcatc atcaacattt ctctcttta 1071 Val Ser

gcttcttggc aaaagttctt gactataaaa tctctttcgg gtaagaaatt caggagatat

acattittta tictaateae attgiittia agitgigaig aatteagiit gaigtaiett 1191

atttattttg tttatgtcgt ctttttttct tggggttgat ggaagggaat catcaattgt 1251

tgtttgtaca aagaactagt tgaatttttt ttttttttt 1291

<210> 366 <211> 321 <212> PRT <213> Arabidopsis thaliana <400> 366

Met Ala Gln Leu Pro Pro Lys Ile Pro Asn Met Thr Gln His Trp Pro 1 5 10 15

Asp Phe Ser Ser Gln Lys Leu Ser Pro Phe Ser Thr Pro Thr Ala Thr 20 25 30

Ala Val Ala Thr Ala Thr Thr Val Gln Asn Pro Ser Trp Val Asp 35 40 45

Glu Phe Leu Asp Phe Ser Ala Ser Arg Arg Gly Asn His Arg Arg Ser 50 60

Ile 65	Ser	Asp		Ile		Phe	Leu :	Glu							Glu 80.
Asp	His	Gln	Phe	Asp 85	Arg	Phe	Asp	Asp	Glu 90	Gln	Phe	Met	Ser	Met 95	Phe
Thr	Asp	Asp	Asp 100	Asn	Leu	His	Ser	Asn 105	Pro	Ser	His	Ile	Asn 110	Asn	Lys
Asn	Asn	Asn 115	Val	Gly	Pro	Thr	Gly 120	Ser	Ser	Ser	Asn	Thr 125	Ser	Thr	Pro
Ser	Asn 130		Phe	Asn	Asp	Asp 135	Asn	Lys	Glu	Leu	Pro 140	Pro	Ser	Asp	His
145	: .				150		Asn			155		are.		1.	Ser 160
Gln	Суз	Гуз		Glu 165	Pro	Glu	Asp	Gly				,*	Asn		Ser
															Arg
	Leu			Arg				Gln							Leu
	Tyr 210	Ile	Ser	Glu	Leu	Glu 215	Arg	Ser	Val	Thr		Leu	Gln	Ala	Glu ?
	Ser	Val		Ser		Arg		Ala	Phe		Asp			_	Leu 240
Leu	Leu	Asn	Val	Asp 245	Asn	Ser	Ala	Leu	Lys 250	Gln	Arg	Ile	Ala	Ala 255	Leu
Ser	Gln	255.	Lys 260		T 4 :	Lys		Ala 265		Gln	Glu	$z_{2,\frac{1}{2}}$	Leu 270		Arg
Glu	Ile	Glu	Arg	Leu	Arg	Gln 	Val 280	Tyr	Asn	Gln	Gln	Ser 285	Leu	Thr	Asn
Val	Glu 290	Asn	Ala		His				Thr			Gly	Ala	Thr	Pro

Ala Val Asp Ile Lys Ser Ser Val Glu Thr Glu Gln Leu Leu Asn Val 305 310 315 320

Ser

<210> 367 <211> 1342 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (198) .(1076) <223> G1076

<400> 367

attitagtot tootataact tottotoaat cotototoat atottttto ttagtttaaa 60

tttcaataaa atagaaaaaa acatatacaa atctacagag aagagaagct ttattttaat 120

cttgtgtgtg tgtgtgtt ttatataatt tttatttttt ttcaaattaa aatctcttct 180

ttgcttttga tgtgggc atg gct ggt ctt gat cta ggc aca gct ttt cgt 230

Met Ala Gly Leu Asp Leu Gly Thr Ala Phe Arg
1 5 10

tac gtt aat cac cag ctc cat cgt ccc gat ctc cac ctt cac cac aat 278

Tyr Val Asn His Gln Leu His Arg Pro Asp Leu His Leu His Asn 15 20 25

tcc tcc tcc gat gac gtc act ccc gga gcc ggg atg ggt cat ttc acc 326

Ser Ser Ser Asp Asp Val Thr Pro Gly Ala Gly Met Gly His Phe Thr 30 35 40

gtc gac gac gac aac aac aac cat caa ggt ctt gac tta gcc 374

Val Asp Asp Glu Asp Asn Asn Asn His Gln Gly Leu Asp Leu Ala
45 50 55

tct ggt gga gga tca gga agc tct gga gga gga ggt cac ggc ggg

Ser Gly Gly Gly Ser Gly Ser Ser Gly Gly Gly Gly Gly His Gly Gly 65 70 75

gga gga gac gtc gtt ggt cgt cgt cca cgt ggc aga cca ccg gga tcc 470

Gly Gly Asp Val Val Gly Arg Pro Arg Gly Arg Pro Pro Gly Ser

aag aac aaa ccg aaa cct ccg gta att atc acg cgc gag agc gca aac 518

Lys Asn Lys Pro Lys Pro Pro Val Ile Ile Thr Arg Glu Ser Ala Asn 95 100 105

act cta aga gct cac att ctt gaa gta aca aac ggc tgc gat gtt ttc 566

Thr Leu Arg Ala His Ile Leu Glu Val Thr Asn Gly Cys Asp Val Phe 110 115 120

gac tgc gtt gcg act tat gct cgt cgg aga cag cga ggg atc tgc gtt Asp Cys Val Ala Thr Tyr Ala Arg Arg Arg Gln Arg Gly Ile Cys Val 125 ctg age ggt age gga aeg gte aeg aae gte age ata egt eag eea tet Leu Ser Gly Ser Gly Thr Val Thr Asn Val Ser Ile Arg Gln Pro Ser 145 150 gcg gct gga gcg gtt gtg acg cta caa gga acg ttc gag att ctt tct 710 Ala Ala Gly Ala Val Val Thr Leu Gln Gly Thr Phe Glu Ile Leu Ser 160 165 ctc tcc gga tcg ttt ctt cct cct ccg gca cct ccc gga gca acg agt Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro Pro Gly Ala Thr Ser ttg aca att ttc tta gcc gga gga caa ggt cag gtg gtt gga gga agc Leu Thr Ile Phe Leu Ala Gly Gly Gln Gly Gln Val Val Gly Gly Ser 195 gtt gtg ggt gag ctt acg gcg gct gga ccg gtg att gtg att gca gct Val Val Gly Glu Leu Thr Ala Ala Gly Pro Val Ile Val Ile Ala Ala 205 tcg ttt act aat gtt gct tat gag aga ctt cct tta gaa gaa gat gag 902 Ser Phe Thr Asn Val Ala Tyr Glu Arg Leu Pro Leu Glu Glu Asp Glu 225 230 cag cag caa cag ctt gga gga gga tct aac ggc gga ggt aat ttg ttt 950 Gln Gln Gln Leu Gly Gly Gly Ser Asn Gly Gly Gly Asn Leu Phe 240 ccg gag gtg gca gct gga gga gga gga gga ctt ccg ttc ttt aat tta 998 Pro Glu Val Ala Ala Gly Gly Gly Gly Leu Pro Phe Phe Asn Leu 260 255 ccg atg aat atg caa cca aat gtg caa ctt ccg gtg gaa ggt tgg ccg 1046 Pro Met Asn Met Gln Pro Asn Val Gln Leu Pro Val Glu Gly Trp Pro 270 275 280 ggg aat too ggt gga aga ggt cot tto tga tgtgtatata ttgataatca Gly Asn Ser Gly Gly Arg Gly Pro Phe

ttatatatat accggcggag aagcttttcc ggcgaagaat ttgcgagagt gaagaaaggt

285

tagaaaagct tttaatggac taatgaattt caaattatca tcgtgatttc ggacattgtc 1216

ttgttcatca tgttaagctt aggtttattt tttgtcgttt gtagaatttt atgtttgaat 1276

ccttttttt ttctgtgaaa ctctattgtg ttcgtctgcg aaggaaaaaa aaattctcaa 1336

aaaaaa 1342

<210> 368 <211> 292 <212> PRT <213> Arabidopsis thaliana <400> 368

Met Ala Gly Leu Asp Leu Gly Thr Ala Phe Arg Tyr Val Asn His Gln 1 5 10 15

Leu His Arg Pro Asp Leu His Leu His His Asn Ser Ser Ser Asp Asp 20 25 30

Val: Thr Pro Gly: Ala Gly Met Gly His Phe Thr Val Asp Asp Glu Asp 35 40 45

Asn Asn Asn His Gln Gly Leu Asp Leu Ala Ser Gly Gly Gly Ser
50 55 60

Gly Ser Ser Gly Gly Gly Gly Gly His Gly Gly Gly Gly Asp Val. Val 65 70 75 80

Gly Arg Arg Pro Arg Gly Arg Pro Pro Gly Ser Lys Asn Lys Pro Lys 85 90 95

Pro Pro Val Ile Ile Thr Arg Glu Ser Ala Asn Thr Leu Arg Ala His
100 105 110

Ile Leu Glu Val Thr Asn Gly Cys Asp Val Phe Asp Cys Val Ala Thr
115 120 125

Tyr Ala Arg Arg Gln Arg Gly Ile Cys Val Leu Ser Gly Ser Gly 130 135 140

Thr Val Thr Asn Val Ser Ile Arg Gln Pro Ser Ala Ala Gly Ala Val 145 150 155 160

Val Thr Leu Gln Gly Thr Phe Glu Ile Leu Ser Leu Ser Gly Ser Phe 165 170 175

Leu Pro Pro Pro Ala Pro Pro Gly Ala Thr Ser Leu Thr Ile Phe Leu 180 185 190

Ala Gly Gly Gln Gly Gln Val Val Gly Gly Ser Val Val Gly Glu Leu 195 200 205

Thr Ala Ala Gly Pro Val Ile Val Ile Ala Ala Ser Phe Thr Asn Val 210 215

Ala Tyr Glu Arg Leu Pro Leu Glu Glu Asp Glu Gln Gln Gln Leu 230 235 240

Gly Gly Gly Ser Asn Gly Gly Gly Asn Leu Phe Pro Glu Val Ala Ala 245 250

Gly Gly Gly Gly Leu Pro Phe Phe Asn Leu Pro Met Asn Met Gln 260 265 270

Pro Asn Val Gln Leu Pro Val Glu Gly Trp Pro Gly Asn Ser Gly Gly 11. 1 1 1 1 275 4/14 4 2 4 1 1 1 280 1 A 1 1 1 1 1 1 1 1 285 4 4 4 1 1 1 1 1 1 1

Arg Gly Pro Phe 7 ft | **290** | 7 He km | 1987 | # 12 12 7 He | 1 Tu # 1 Tu

<210> 369 <211> 1556 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> D(1) V. (1260) 6 < 223> G1128 Holist St. Colors St. Colors

<400> 369

• . •

223

atg gag gag aga gaa gga act aac atc aac atc cca acc agt ttt 48 it it is the Proposition of

Met Glu Glu Arg Glu Gly Thr Asn Ile Asn Asn Ile Pro Thr Ser Phe 10

ggt ctg aaa caa cat gaa act cct ctt cct cct cct ggt tac cca cca

Gly Leu Lys Gln His Glu Thr Pro Leu Pro Pro Pro Gly Tyr Pro Pro 20 25 30 14

cgg tot gaa aac cot aat ott ttt ccg gtg ggt caa toc agc act toc

Arg Ser Glu Asn Pro Asn Leu Phe Pro Val Gly Gln Ser Ser Thr Ser 35 40

tee gee gee geg gtg aaa eet tet gag aat gtt get eet eet ttt

Ser Ala Ala Ala Val Lys Pro Ser Glu Asn Val Ala Pro Pro Phe 55 1

age tta aca atg ccg gtg gag aat tet tet tet gag ttg aag aag

Ser Leu Thr Met Pro Val Glu Asn Ser Ser Ser Glu Leu Lys Lys 75 80 7.0

aga ggg aga cca aga aag tat aac cct gac ggc tca ctc gct gtg act

Arg Gly Arg Pro Arg Lys Tyr Asn Pro Asp Gly Ser Leu Ala Val Thr . 90 85

ctc tct cct atg cct atc tca tcc tcc gtt ccg ttg acg tcg gag ttt 336 Leu Ser Pro Met Pro Ile Ser Ser Ser Val Pro Leu Thr Ser Glu Phe 105 100 qqt tct cqq aaa cga gga aga ggt cga gga aga ggc aga gga aga gga 384 Gly Ser Arg Lys Arg Gly Arg Gly Arg Gly Arg Gly Arg Gly cga gga cgt gga caa gga caa gga agc aga gag ccc aat aac aac aac 432 Arg Gly Arg Gly Gln Gly Gln Gly Ser Arg Glu Pro Asn Asn Asn aac gac aac aat tgg ctc aag aat cct cag atg ttc gaa ttt aac aac Asn Asp Asn Asn Trp Leu Lys Asn Pro Gln Met Phe Glu Phe Asn Asn aac act cct act tct ggt gga gga gct gct gaa att gtc agt cca 528 Asn Thr Pro Thr Ser Gly Gly Gly Pro Ala Glu Ile Val Ser Pro 170 165 agt ttt aca cct cat gtg ctc aca gta aat gcc ggt gag gat gtg aca Ser Phe Thr Pro His Val Leu Thr Val Asn Ala Gly Glu Asp Val Thr 180 atg aag ata atg aca tto tot caa caa ggc tcg cgt gct att tgt att Met Lys Ile Met Thr Phe Ser Gln Gln Gly Ser Arg Ala Ile Cys Ile ctt tca gcg aac ggt ccc ata tcc aat gtt aca ctt cgt caa tct atg Leu Ser Ala Asn Gly Pro Ile Ser Asn Val Thr Leu Arg Gln Ser Met 215 220 aca tot ggt ggt act oto act tat gag ggt cat ttt gag att ott tot Thr Ser Gly Gly Thr Leu Thr Tyr Glu Gly His Phe Glu Ile Leu Ser 235 230 ttg acg ggt tcg ttt ata cca agc gag agt gga gga acc cga agc aga 768 Leu Thr Gly Ser Phe Ile Pro Ser Glu Ser Gly Gly Thr Arg Ser Arg gct ggt ggg atg agt gtc tct ctt gca gga caa gat ggt cgt gtc ttt 816 Ala Gly Gly Met Ser Val Ser Leu Ala Gly Gln Asp Gly Arg Val Phe 260 ggt ggt gga ctt gct ggt ctc ttt att gcc gct ggt cct gtt cag gta 864 Gly Gly Gly Leu Ala Gly Leu Phe Ile Ala Ala Gly Pro Val Gln Val 280 285

atg gta ggg agt ttt ata gcg ggt cag gag gaa tcg cag cag cag 912 Met Val Gly Ser Phe Ile Ala Gly Gln Glu Glu Ser Gln Gln Gln

Met Val Gly Ser Phe Ile Ala Gly Gln Glu Glu Ser Gln Gln Gln Gln 290 295 300

cag cag ata aag aag caa aga agg gaa aga ctc ggg atc ccg aca aca

Gln Gln Ile Lys Lys Gln Arg Arg Glu Arg Leu Gly Ile Pro Thr Thr 305 310 315 320

aca caa gct tct aat atc tca ttc ggt ggc tca gcg gaa gat cct aag 1008

Thr Gln Ala Ser Asn Ile Ser Phe Gly Gly Ser Ala Glu Asp Pro Lys 325 330 335

gct aga tac ggg ctc aac aag cct gtt gtt att cag cca cca ccg gtg 1056

Ala Arg Tyr Gly Leu Asn Lys Pro Val Val Ile Gln Pro Pro Val 340 345 350

tot goa coa cot gtg too ttt tog cat gaa coa agt act aac acc gtc 1104.

Ser Ala Pro Pro Val Ser Phe Ser His Glu Pro Ser Thr Asn Thr Val 355 360 365

cat ggt tac tat gca aat aac aca gct aac cat atc aag gat ctc ttc 1152

His Gly Tyr Tyr Ala Asn Asn Thr Ala Asn His Ile Lys Asp Leu Phe 370 375 380

tct tcc ctc cct gga gaa gat agg gaa gaa gat gat gat tta gaa 1200

Ser Ser Leu Pro Gly Glu Asp Arg Glu Glu Asp Glu Asp Asp Leu Glu 385 390 395

ggt gaa gat gat gaa ttc gga ggc cat agc gaa tct gac acc gag 1248

Gly Glu Asp Asp Glu Glu Phe Gly Gly His Ser Glu Ser Asp Thr Glu 405 410 415

gtt cca agc tga tgatcgatgg aaagaatccg acatatatgt gttatgaatc 1300 Val Pro Ser

ttgagttgtt ttatttcggt gtcttcagat ttttttagag cgtaatggta tttttttct 1360

ttcagattgt tagttgttaa agtcttaaac agagatattt cactaaaagt tagggtttac 1420

tagaggatgt aatctttagg gttctttgac ttgtgtcttt cttttaatcc tcagatggtt 1480

gttgtagget tgtageeaat ettagtgtgt gtteaaacte teteetteaa teaaacteee 1540

caatgacttc attttg 1556

<210> 370 <211> 419 <212> PRT <213> Arabidopsis thaliana <400> 370

- Met Glu Glu Arg Glu Gly Thr Asn Ile Asn Asn Ile Pro Thr Ser Phe 1 5 10 15
- Gly Leu Lys Gln His Glu Thr Pro Leu Pro Pro Pro Gly Tyr Pro Pro 20 25 30
- Arg Ser Glu Asn Pro Asn Leu Phe Pro Val Gly Gln Ser Ser Thr Ser 35 40  $\cdot$  45
- Ser Ala Ala Ala Ala Val Lys Pro Ser Glu Asn Val Ala Pro Pro Phe 50 55 60
- Ser Leu Thr Met Pro Val Glu Asn Ser Ser Ser Glu Leu Lys Lys 65 70 75 80
- Arg Gly Arg Pro Arg Lys Tyr Asn Pro Asp Gly Ser Leu Ala Val Thr 85 90 95
- Leu Ser Pro Met Pro Ile Ser Ser Ser Val Pro Leu Thr Ser Glu Phe 100 105 110
- Gly Ser Arg Lys Arg Gly Arg Gly Arg Gly Arg Gly Arg Gly 115 120 125
- Arg Gly Arg Gly Gln Gly Gln Ser Arg Glu Pro Asn Asn Asn 130 140
- Asn Asp Asn Asn Trp Leu Lys Asn Pro Gln Met Phe Glu Phe Asn Asn 145 150 155 160
- Asn Thr Pro Thr Ser Gly Gly Gly Gly Pro Ala Glu Ile Val Ser Pro 165 170 175
- Ser Phe Thr Pro His Val Leu Thr Val Asn Ala Gly Glu Asp Val Thr 180 185 190
- Met Lys Ile Met Thr Phe Ser Gln Gln Gly Ser Arg Ala Ile Cys Ile 195 200 205
- Leu Ser Ala Asn Gly Pro Ile Ser Asn Val Thr Leu Arg Gln Ser Met 210 215 220
- Thr Ser Gly Gly Thr Leu Thr Tyr Glu Gly His Phe Glu Ile Leu Ser 225 230 235 240

Leu Thr Gly Ser Phe Ile Pro Ser Glu Ser Gly Gly Thr Arg Ser Arg  $\phantom{\bigg|}245\phantom{\bigg|}250\phantom{\bigg|}255\phantom{\bigg|}$ 

Ala Gly Gly Met Ser Val Ser Leu Ala Gly Gln Asp Gly Arg Val Phe 260 265 270

Gly Gly Gly Leu Ala Gly Leu Phe Ile Ala Ala Gly Pro Val Gln Val 275 280 285

Met Val Gly Ser Phe Ile Ala Gly Gln Glu Glu Ser Gln Gln Gln Gln 290 295 300

Gln Gln Ile Lys Lys Gln Arg Arg Glu Arg Leu Gly Ile Pro Thr Thr 305 310 315 320

Thr Gln Ala Ser Asn Ile Ser Phe Gly Gly Ser Ala Glu Asp Pro Lys 325 330 335

Ala Arg Tyr Gly Leu Asn Lys Pro Val Val Ile Gln Pro Pro Val 340 345 350

Ser Ala Pro Pro Val Ser Phe Ser His Glu Pro Ser Thr Asn Thr Val 355 360 365

His Gly Tyr Tyr Ala Asn Asn Thr Ala Asn His Ile Lys Asp Leu Phe 370 380

Ser Ser Leu Pro Gly Glu Asp Arg Glu Glu Asp Glu Asp Asp Leu Glu 385 390 395 400

Gly Glu Asp Asp Glu Glu Phe Gly Gly His Ser Glu Ser Asp Thr Glu 405 410 415

Val Pro Ser

<210> 371 <211> 1322 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (104)..(1084) <223> G1133

<400> 371
ttcaagaaag aatcaccaag tgttgcgttc cacacatttg agcaacagct tccacaatcg

tattgtattc ctgtaaagtt cccttggctt aaactgcaag agc atg cct ctt gat 115

Met Pro Leu Asp

acc aaa cag cag aaa tgg ttg cca tta ggc tta aat cct caa gct tgt Thr Lys Gln Gln Lys Trp Leu Pro Leu Gly Leu Asn Pro Gln Ala Cys gtc cag gac aag gcg act gag tat ttc cgt cct gga att cct ttt ccg Val Gln Asp Lys Ala Thr Glu Tyr Phe Arg Pro Gly Ile Pro Phe Pro gaa ctc ggt aaa gtt tat gca gct gag cat cag ttt cgc tat ttg cag 259 Glu Leu Gly Lys Val Tyr Ala Ala Glu His Gln Phe Arg Tyr Leu Gln cca ccg ttc caa gcc tta ttg tct aga tat gat cag cag tct tgt gga Pro Pro Phe Gln Ala Leu Leu Ser Arg Tyr Asp Gln Gln Ser Cys Gly aaa caa gtt tca tgt ttg aat ggg cga tct agc aac ggt gct gct cca Lys Gln Val Ser Cys Leu Asn Gly Arg Ser Ser Asn Gly Ala Ala Pro 75 gag ggg gca ctc aag tct tct cgg aaa aga ttt ata gta ttc gat cag - 1. Lag 1917 Glu Gly Ala Leu Lys Ser Ser Arg Lys Arg Phe Ile Val Phe Asp Gln 90 95 tcg gga gag cag act cgt ttg tta caa tgt gga ttt cct ctg cgg ttt 451 Ser Gly Glu Gln Thr Arg Leu Leu Gln Cys Gly Phe Pro Leu Arg Phe 105 110 cct tct tct atg gat gca gag cga ggg aac att ctc ggt gcc cta cac 499 Pro Ser Ser Met Asp Ala Glu Arg Gly Asn Ile Leu Gly Ala Leu His cca gag aaa ggg ttt agt aaa gat cat gcc att caa gaa aag ata ttg 547 Pro Glu Lys Gly Phe Ser Lys Asp His Ala Ile Gln Glu Lys Ile Leu 135 caa cat gaa gat cat gaa aat ggc gaa gaa gac tcg gaa atg cac gaa Gln His Glu Asp His Glu Asn Gly Glu Glu Asp Ser Glu Met His Glu 155 gac act gag gaa atc aac gcg tta ctg tat tct gat gat gac gat aat 643 Asp Thr Glu Glu Ile Asn Ala Leu Leu Tyr Ser Asp Asp Asp Asn 170 gat gat tgg gaa agt gat gat gaa gta atg agc act ggt cac tct cca 691 Asp Asp Trp Glu Ser Asp Asp Glu Val Met Ser Thr Gly His Ser Pro 185 190

tte aca gtt gaa caa caa geg tge aac ata aca aca gaa gag etg gat 739

Phe Thr Val Glu Gln Gln Ala Cys Asn Ile Thr Thr Glu Glu Leu Asp 200 205 210

gaa act gaa agc act gtt gat ggt cca ctt ctt aaa aga cag aaa cta 787

Glu Thr Glu Ser Thr Val Asp Gly Pro Leu Leu Lys Arg Gln Lys Leu 215 220 225

ctg gac cat tcg tac aga gac tca tca cca tcc ctt gtg ggc acc act 835

Leu Asp His Ser Tyr Arg Asp Ser Ser Pro Ser Leu Val Gly Thr Thr 230 235 240

aaa gtc aaa ggc tta tca gat gaa aac ctt cct gaa tca aac att tca 883

Lys Val Lys Gly Leu Ser Asp Glu Asn Leu Pro Glu Ser Asn Ile Ser 245 250 255 260

age aaa caa gaa aeg ggt tet ggt ttg age gae gag eag tea aga aaa 931

Ser Lys Gln Glu Thr Gly Ser Gly Leu Ser Asp Glu Gln Ser Arg Lys 265 270 275

gac aag att cac acc gct ctg aga atc ctg gag agt gta gtt cca ggg 979

Asp Lys Ile His Thr Ala Leu Arg Ile Leu Glu Ser Val Val Pro Gly 280 285 290

gca aag gga aaa gaa gct ctt tta cta cta gac gaa gcc att gat tac 1027

Ala Lys Gly Lys Glu Ala Leu Leu Leu Leu Asp Glu Ala Ile Asp Tyr 295 300 305

ctc aag ttg ctg aag caa agc tta aac tca tca aag ggt ttg aat aac 1075

Leu Lys Leu Leu Lys Gln Ser Leu Asn Ser Ser Lys Gly Leu Asn Asn 310 315 320

cat tgg tga aaaacctaca accccttttg tectattgat aaggeatgtt 1124

His Trp

325

tggttggtta aagagaagac atgggacaaa agataatcaa tgaggtaaag gactgatgaa 1184

gaagattoto toaaattoat taacgtgggt ttgaaacaat tagaacacgo ctggtgacco 1244

tagtgggacc gtatccactg ttcatctagc tggatcaata gtggtttact tttggatttg 1304

gcatgctctc tcaaaaaa 1322

<210> 372 <211> 326 <212> PRT <213> Arabidopsis thaliana <400> 372

Met Pro Leu Asp Thr Lys Gln Gln Lys Trp Leu Pro Leu Gly Leu Asn 1 5 10 15

- Pro Gln Ala Cys Val Gln Asp Lys Ala Thr Glu Tyr Phe Arg Pro Gly 20 25 30
- Ile Pro Phe Pro Glu Leu Gly Lys Val Tyr Ala Ala Glu His Gln Phe 35 40 45
- Arg Tyr Leu Gln Pro Pro Phe Gln Ala Leu Leu Ser Arg Tyr Asp Gln 50 55 60
- Gln Ser Cys Gly Lys Gln Val Ser Cys Leu Asn Gly Arg Ser Ser Asn 65' 70 75 80
- Gly Ala Ala Pro Glu Gly Ala Leu Lys Ser Ser Arg Lys Arg Phe Ile 85 90 95
- Val Phe Asp Gln Ser Gly Glu Gln Thr Arg Leu Leu Gln Cys Gly Phe 100 105 110
- Pro Leu Arg Phe Pro Ser Ser Met Asp Ala Glu Arg Gly Asn Ile Leu 115 120 125
- Gly Ala Leu His Pro Glu Lys Gly Phe Ser Lys Asp His Ala Ile Gln 130 135 140
- Glu Lys Ile Leu Gln His Glu Asp His Glu Asn Gly Glu Glu Asp Ser 145 150 155 160
- Glu Met His Glu Asp Thr Glu Glu Ile Asn Ala Leu Leu Tyr Ser Asp 165 170 175
- Asp Asp Asp Asp Asp Trp Glu Ser Asp Asp Glu Val Met Ser Thr 180 185 190
- Gly His Ser Pro Phe Thr Val Glu Gln Gln Ala Cys Asn Ile Thr Thr 195 200 205
- Glu Glu Leu Asp Glu Thr Glu Ser Thr Val Asp Gly Pro Leu Leu Lys 210 215 220
- Arg Gln Lys Leu Leu Asp His Ser Tyr Arg Asp Ser Ser Pro Ser Leu 225 230 235 240
- Val Gly Thr Thr Lys Val Lys Gly Leu Ser Asp Glu Asn Leu Pro Glu

245

250

255

Ser Asn Ile Ser Ser Lys Gln Glu Thr Gly Ser Gly Leu Ser Asp Glu 260 265 270

Gln Ser Arg Lys Asp Lys Ile His Thr Ala Leu Arg Ile Leu Glu Ser 275 280 285

Val Val Pro Gly Ala Lys Gly Lys Glu Ala Leu Leu Leu Asp Glu 290 295 300

Ala Ile Asp Tyr Leu Lys Leu Leu Lys Gln Ser Leu Asn Ser Ser Lys 305 310 315 320

Gly Leu Asn Asn His Trp 325

<210> 373 <211> 2153 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (89)..(2008) <223> G1186

<400> 373

tttccaccac cttacaaaag attttagctt tttgtgttac taattgaagt cagaacaaaa 60

gttgcaagtc tttcatctct atgcacaa atg gcg aaa gag aac agt agt cat 112

Met Ala Lys Glu Asn Ser Ser His 1

agc ctt gca gaa gca aag aga aag aga ctc act tgg att ctt tgt gta 160

Ser Leu Ala Glu Ala Lys Arg Lys Arg Leu Thr Trp Ile Leu Cys Val 10 15 20

agt gga ctt tgc ata ttg tct tat gtt ctt gga tct tgg caa acc aac 208

Ser Gly Leu Cys Ile Leu Ser Tyr Val Leu Gly Ser Trp Gln Thr Asn 30 35 40

act gtc cca act tct tcc tct gag gct tac tca aga atg gga tgt gat 256

Thr Val Pro Thr Ser Ser Ser Glu Ala Tyr Ser Arg Met Gly Cys Asp
45 50 55

gaa aca tca aca acc act cgg gct cag act act cag act caa aca aat 304

Glu Thr Ser Thr Thr Thr Arg Ala Gln Thr Thr Gln Thr Gln Thr Asn 60 65 70

cct tct tct gac gat act tct tcc tct ttg tct tcc tca gaa cca gtt 352

Pro Ser Ser Asp Asp Thr Ser Ser Ser Leu Ser Ser Ser Glu Pro Val
75 80 85

gag tta gat ttc gaa agc cat cac aaa ctc gag ctg aag att acg aat Glu Leu Asp Phe Glu Ser His His Lys Leu Glu Leu Lys Ile Thr Asn caa acc gta aag tac ttt gag cca tgt gac atg tct ttg agt gag tac Gln Thr Val Lys Tyr Phe Glu Pro Cys Asp Met Ser Leu Ser Glu Tyr 110 act cca tgt gaa gat cga gag aga aga aga ttt gat agg aac atg 496 Thr Pro Cys Glu Asp Arg Glu Arg Gly Arg Arg Phe Asp Arg Asn Met atg aag tac aga gag aga cat tgt cct tct aaa gat gag ctt ctt tat 544 Met Lys Tyr Arg Glu Arg His Cys Pro Ser Lys Asp Glu Leu Leu Tyr tgt ctg att cct cct cca cca aac tac aag att cca ttc aag tgg cct 592 Cys Leu Ile Pro Pro Pro Pro Asn Tyr Lys Ile Pro Phe Lys Trp Pro 165 155 caa agt aga gat tat gct tgg tac gac aac att cca cac aag gag ctt Gln Ser Arg Asp Tyr Ala Trp Tyr Asp Asn Ile Pro His Lys Glu Leu 175 180 agt att gag aaa gct atc cag aac tgg att caa gta gaa ggg gaa aga Ser Ile Glu Lys Ala Ile Gln Asn Trp Ile Gln Val Glu Gly Glu Arg 190 ttc agg ttc cct ggt ggt ggc aca atg ttt cca cgt gga gct gat gct Phe Arg Phe Pro Gly Gly Gly Thr Met Phe Pro Arg Gly Ala Asp Ala 215 205 210 tac att gat gat att gct aga ctc att cct ctt act gat gga gcc att Tyr Ile Asp Asp Ile Ala Arg Leu Ile Pro Leu Thr Asp Gly Ala Ile aga aca gct att gat aca gga tgt ggt gtg gcg agt ttt ggt gca tac 832 Arg Thr Ala Ile Asp Thr Gly Cys Gly Val Ala Ser Phe Gly Ala Tyr 235 245 ttg ttg aag agg gat att gtg get atg tca ttt get eca agg gac act 880 Leu Leu Lys Arg Asp Ile Val Ala Met Ser Phe Ala Pro Arg Asp Thr cat.gaa gct caa gtt caa ttt gcg ttg gaa cgt gga gtt cct gcg att His Glu Ala Gln Val Gln Phe Ala Leu Glu Arg Gly Val Pro Ala Ile 270 275 280 265

atc ggg att atg gga tca aga agg ctt cct tat cca gct aga gct ttt Ile Gly Ile Met Gly Ser Arg Arg Leu Pro Tyr Pro Ala Arg Ala Phe 285 295 gat ctt gct cac tgt tct cgt tgt ttg att cct tgg ttt caa aat gat Asp Leu Ala His Cys Ser Arg Cys Leu Ile Pro Trp Phe Gln Asn Asp 305 ggt ttg tac ttg acc gaa gtg gac cgg gtt tta aga ccg ggc ggt tat 1072 Gly Leu Tyr Leu Thr Glu Val Asp Arg Val Leu Arg Pro Gly Gly Tyr 315 320 325 tgg atc ctt tcg ggt cca ccg atc aac tgg aag aaa tac tgg aaa ggc 1120 Trp Ile Leu Ser Gly Pro Pro Ile Asn Trp Lys Lys Tyr Trp Lys Gly 330 335 tgg gaa aga tca caa gag gat ttg aag caa gag caa gat tct ata gaa Trp Glu Arg Ser Gln Glu Asp Leu Lys Gln Glu Gln Asp Ser Ile Glu 345 350 355 gat gca gca aga agt ctt tgt tgg aag aaa gtt aca gaa aag ggt gat Asp Ala Ala Arg Ser Leu Cys Trp Lys Lys Val Thr Glu Lys Gly Asp 365 . . 370 375 tta tca att tgg caa aag cct atc aat cac gtt gag tgt aac aaa ctc Leu Ser Ile Trp Gln Lys Pro Ile Asn His Val Glu Cys Asn Lys Leu 380 385 aaa cga gtt cac aaa act cct cct cta tgc agt aaa tca gat tta ccc 1312 Lys Arg Val His Lys Thr Pro Pro Leu Cys Ser Lys Ser Asp Leu Pro 395 400 405 gat ttt gct tgg tac aaa gat ttg gaa tct tgt gta aca cca tta cca 1360 Asp Phe Ala Trp Tyr Lys Asp Leu Glu Ser Cys Val Thr Pro Leu Pro 415 gaa gca aac agt tca gac gaa ttc gca ggc ggt gca ttg gag gat tgg Glu Ala Asn Ser Ser Asp Glu Phe Ala Gly Gly Ala Leu Glu Asp Trp 430 cca aac cga gct ttt gcg gtg cca cct agg ata atc ggg gga acc att 1456 Pro Asn Arg Ala Phe Ala Val Pro Pro Arg Ile Ile Gly Gly Thr Ile 445 450 ccg gac att aat gct gag aaa ttc aga gaa gac aat gaa gtg tgg aag 1504 Pro Asp Ile Asn Ala Glu Lys Phe Arg Glu Asp Asn Glu Val Trp Lys 460 465 470

gag aga ata tca tat tac aaa cag ata atg cca gag ctt tca aga gga 1552

Glu Arg Ile Ser Tyr Tyr Lys Gln Ile Met Pro Glu Leu Ser Arg Gly
475 480 485

aga ttt agg aac ata atg gac atg aat gca tac ttg gga gga ttt gct 1600

Arg Phe Arg Asn Ile Met Asp Met Asn Ala Tyr Leu Gly Gly Phe Ala 490 495 . 500

gcg gca atg atg aaa tat cca tot tgg gtt atg aat gtg gtt cct gtg 1648

Ala Ala Met Met Lys Tyr Pro Ser Trp Val Met Asn Val Val Pro Val 505 510 515 520

gat gct gag aag caa acg tta ggg gtt atc ttt gaa cga gga ttt ata 1696

Asp Ala Glu Lys Gln Thr Leu Gly Val Ile Phe Glu Arg Gly Phe Ile 525  $\phantom{000}535\phantom{000}$ 

ggg act tat caa gat tgg tgt gaa gga ttc tct acg tat ccg aga act 1744

Gly Thr Tyr Gln Asp Trp Cys Glu Gly Phe Ser Thr Tyr Pro Arg Thr 540 545 550

tat gat ttg att cat gct ggt gga ttg ttc agc att tat gag aac agg 1792

Tyr Asp Leu Ile His Ala Gly Gly Leu Phe Ser Ile Tyr Glu Asn Arg 555 560 565

tgt gat gtt aca tta ata cta ctt gag atg gat aga att ttg aga cca 1840

Cys Asp Val Thr Leu Ile Leu Leu Glu Met Asp Arg Ile Leu Arg Pro 570 575 580

gaa gga acc gtg gtg ttt aga gac act gtg gaa atg ttg acg aag ata 1888

Glu Gly Thr Val Val Phe Arg Asp Thr Val Glu Met Leu Thr Lys Ile 585 590 595 600

caa agc ata acc aat gga atg agg tgg aag agt cgg att ttg gat cat 1936

Gln Ser Ile Thr Asn Gly Met Arg Trp Lys Ser Arg Ile Leu Asp His
605 610 615

gag aga ggt cct ttt aat cct gag aag atc ctt ctc gct gta aaa tcc 1984

Glu Arg Gly Pro Phe Asn Pro Glu Lys Ile Leu Leu Ala Val Lys Ser 620 625 630

tat tgg acc ggt cet tet tet tag ctagttetag etttettgga actetetaet 2038

Tyr Trp Thr Gly Pro Ser Ser 635

ctaatctttt tettatettg tgbgteteat etttgtttta tttttaattg tttgttttaa 2098

aagatttota tgattatata agaaaataca gggaggatca acatottoag agaaa 2153

<210> 374 <211> 639 <212> PRT <213> Arabidopsis thaliana <400> 374

- Met Ala Lys Glu Asn Ser Ser His Ser Leu Ala Glu Ala Lys Arg Lys
  1 10 15
- Arg Leu Thr Trp Ile Leu Cys Val Ser Gly Leu Cys Ile Leu Ser Tyr 20 25 30
- Val Leu Gly Ser Trp Gln Thr Asn Thr Val Pro Thr Ser Ser Glu 35 40 45
- Ala Tyr Ser Arg Met Gly Cys Asp Glu Thr Ser Thr Thr Thr Arg Ala 50 55 60
- Gln Thr Thr Gln Thr Gln Thr Asn Pro Ser Ser Asp Asp Thr Ser Ser 65 70 75 80
- Ser Leu Ser Ser Ser Glu Pro Val Glu Leu Asp Phe Glu Ser His His
- Lys Leu Glu Leu Lys Ile Thr Asn Gln Thr Val Lys Tyr Phe Glu Pro
  100 105 110
- Cys Asp Met Ser Leu Ser Glu Tyr Thr Pro Cys Glu Asp Arg Glu Arg 115 120 125
- Gly Arg Arg Phe Asp Arg Asn Met Met Lys Tyr Arg Glu Arg His Cys 130 135 140
- Pro Ser Lys Asp Glu Leu Leu Tyr Cys Leu Ile Pro Pro Pro Pro Asn 145 150 155 160
- Tyr Lys Ile Pro Phe Lys Trp Pro Gln Ser Arg Asp Tyr Ala Trp Tyr 165 170 175
- Asp Asn Ile Pro His Lys Glu Leu Ser Ile Glu Lys Ala Ile Gln Asn 180 185 190
- Trp Ile Gln Val Glu Gly Glu Arg Phe Arg Phe Pro Gly Gly Gly Thr 195 200 205
- Met Phe Pro Arg Gly Ala Asp Ala Tyr Ile Asp Asp Ile Ala Arg Leu 210 215 220
- Ile Pro Leu Thr Asp Gly Ala Ile Arg Thr Ala Ile Asp Thr Gly Cys

225 230 235 240

Gly Val Ala Ser Phe Gly Ala Tyr Leu Leu Lys Arg Asp Ile Val Ala 245 250 255

Met Ser Phe Ala Pro Arg Asp Thr His Glu Ala Gln Val Gln Phe Ala 260 265 270

Leu Glu Arg Gly Val Pro Ala Ile Ile Gly Ile Met Gly Ser Arg Arg 275 280 285

Leu Pro Tyr Pro Ala Arg Ala Phe Asp Leu Ala His Cys Ser Arg Cys 290 295 300

Leu Ile Pro Trp Phe Gln Asn Asp Gly Leu Tyr Leu Thr Glu Val Asp 305 310 315 320

Arg Val Leu Arg Pro Gly Gly Tyr Trp Ile Leu Ser Gly Pro Pro Ile 325 330 335

Asn Trp Lys Lys Tyr Trp Lys Gly Trp Glu Arg Ser Gln Glu Asp Leu 340 345

Lys Gln Glu Gln Asp Ser Ile Glu Asp Ala Ala Arg Ser Leu Cys Trp 355 360 365

Lys Lys Val Thr Glu Lys Gly Asp Leu Ser Ile Trp Gln Lys Pro Ile 370 380

Asn His Val Glu Cys Asn Lys Leu Lys Arg Val His Lys Thr Pro Pro 385 390 395 400

Leu Cys Ser Lys Ser Asp Leu Pro Asp Phe Ala Trp Tyr Lys Asp Leu 405 410 415

Glu Ser Cys Val Thr Pro Leu Pro Glu Ala Asn Ser Ser Asp Glu Phe
420 425 430

Ala Gly Gly Ala Leu Glu Asp Trp Pro Asn Arg Ala Phe Ala Val Pro 435 440 445

Pro Arg Ile Ile Gly Gly Thr Ile Pro Asp Ile Asn Ala Glu Lys Phe 450 455 460

Arg Glu Asp Asn Glu Val Trp Lys Glu Arg Ile Ser Tyr Tyr Lys Gln 465 470 475 480

Ile Met Pro Glu Leu Ser Arg Gly Arg Phe Arg Asn Ile Met Asp Met 485 490 495

Asn Ala Tyr Leu Gly Gly Phe Ala Ala Ala Met Met Lys Tyr Pro Ser 500 505 510

Trp Val Met Asn Val Val Pro Val Asp Ala Glu Lys Gln Thr Leu Gly 515 520 525

Val Ile Phe Glu Arg Gly Phe Ile Gly Thr Tyr Gln Asp Trp Cys Glu 530 535 540

Gly Phe Ser Thr Tyr Pro Arg Thr Tyr Asp Leu Ile His Ala Gly Gly 545 550 560

Leu Phe Ser Ile Tyr Glu Asn Arg Cys Asp Val Thr Leu Ile Leu Leu 565 570 575

Glu Met Asp Arg Ile Leu Arg Pro Glu Gly Thr Val Val Phe Arg Asp 580 585 590

Thr Val Glu Met Leu Thr Lys Ile Gln Ser Ile Thr Asn Gly Met Arg
595 600 605

Trp Lys Ser Arg Ile Leu Asp His Glu Arg Gly Pro Phe Asn Pro Glu 610 620

Lys Ile Leu Leu Ala Val Lys Ser Tyr Trp Thr Gly Pro Ser Ser 625 630 635

<210> 375 <211> 3834 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)...(3834) <223> G1210

<400> 375

atg gcc att gtt gat gac gca gag atg cgg tta acc gaa tcc gaa gct 48

Met Ala Ile Val Asp Asp Ala Glu Met Arg Leu Thr Glu Ser Glu Ala 1 5 10 15

gtt teg agt tee gat egt agg ate gtt gea gat aet eee gat ttt 96

Val Ser Ser Ser Asp Asp Arg Lys Ile Val Ala Asp Thr Pro Asp Phe 20 25 30

ata gac gaa too tot ota gto ato aga aca aco act gga gto oga ato

Ile Asp Glu Ser Ser Leu Val Ile Arg Thr Thr Thr Gly Val Arg Ile 35 40 45

tca gct cta ccg gcg gag caa agc ctt gtt gac tcc gat gga tct aac Ser Ala Leu Pro Ala Glu Gln Ser Leu Val Asp Ser Asp Gly Ser Asn 50 tcg gag gtt acg ctt ccg gcg aaa gac gag gta att agt gat ggt ttt Ser Glu Val Thr Leu Pro Ala Lys Asp Glu Val Ile Ser Asp Gly Phe act tgt gtg aac aaa gag att gta gaa tct gat tca ttt agg gag cag Thr Cys Val Asn Lys Glu Ile Val Glu Ser Asp Ser Phe Arg Glu Gln 85 aat cta gag att gga gaa cct gat tta gat gtt gag aat cgc aaa gaa 336 Asn Leu Glu Ile Gly Glu Pro Asp Leu Asp Val Glu Asn Arg Lys Glu gcg atg att att gat tcg ata gaa aat tct gtg gtt gaa att gtt tca 384 \$Q., ... Ala Met Ile Ile Asp Ser Ile Glu Asn Ser Val Val Glu Ile Val Ser 115 1:20 125 agt gct tct ggt gat gat tgt aat gtt aag gta gag gta gtg gaa cct 432 Ser Ala Ser Gly Asp Asp Cys Asn Val Lys Val Glu Val Val Glu Pro 130 135 140 gaa ttg ctt gtt gag aat ctg gtg gtt gct aaa gaa gaa gaa atg 480 · Glu Leu Leu Val Glu Asn Leu Val Val Ala Lys Glu Glu Glu Met 150 att gtt gat tot ata gaa gat tot gtt gtt gaa att gtt toa act got 528 Ile Val Asp Ser Ile Glu Asp Ser Val Val Glu Ile Val Ser Thr Ala 170 · 170 175 tcg ggt tgt gat tgt aat gtg aag gtt gag gta gtg gac cct gaa ttg Ser Gly Cys Asp Cys Asn Val Lys Val Glu Val Val Asp Pro Glu Leu 180 185 tgt gtt gat aat ctg gtg gtt gtt aaa gaa gaa gaa atg att gct gat 624 Cys Val Asp Asn Leu Val Val Val Lys Glu Glu Met Ile Ala Asp 195 200 teg ata geg gaa tet gtg gtt gaa act gtt teg aga ggt tta gat tat 672 . Ser Ile Ala Glu Ser Val Val Glu Thr Val Ser Arg Gly Leu Asp Tyr gag tgt gtt gat gtc aag gtg aaa gaa cct gat tta ggt aca aaa 720 Glu Cys Val Asp Val Lys Val Lys Glu Glu Pro Asp Leu Gly Thr Lys 225 230 235

ttg gaa gaa gat tot gtt ttt ccg aat gtg ctt gag aag aag gat gag Leu Glu Glu Asp Ser Val Phe Pro Asn Val Leu Glu Lys Lys Asp Glu 245 250 255 gta atc aaa gtc ctg gaa gac cag cca agt gag att aat aag aag cta 816 Val Ile Lys Val Leu Glu Asp Gln Pro Ser Glu Ile Asn Lys Lys Leu 260 265 270 gag caa gag aat gat gat ctc ttt tcg tct gga gat tca gat ggt aca 864 Glu Glu Asn Asp Asp Leu Phe Ser Ser Gly Asp Ser Asp Gly Thr 275 280 tca gcc aag aga agg aaa atg gag atg gaa tca tat gca cca gtc ggt Ser Ala Lys Arg Arg Lys Met Glu Met Glu Ser Tyr Ala Pro Val Gly 295 gtg gaa agc tgt atc ctg gcg ccg acg cct ctt cga gtt gtg aaa cca Val Glu Ser Cys Ile Leu Ala Pro Thr Pro Leu Arg Val Val Lys Pro 305 G. 19 19 19 19 310 graph of the 315 for any order 320. gag aag ttg gat acc cct gaa gtt att gat ctg gaa tca gag aaa agt 1008 Glu Lys Leu Asp Thr Pro Glu Val Ile Asp Leu Glu Ser Glu Lys Ser tat act cat gtg aag atg gaa cct gtt gag gaa ata aag gtg gaa gct 1056 Tyr Thr His Val Lys Met Glu Pro Val Glu Glu Ile Lys Val Glu Ala 50 5 5 340 February 345 5 5 350 4 7 34 gtt aag atg agt tct caa gtg gaa gat gtg aaa ttt agc cgt gag cag 1104 Val Lys Met Ser Ser Gln Val Glu Asp Val Lys Phe Ser Arg Glu Gln 355 360 365 aaa tot gtg tat gtg aag aag gaa coa gtt gga goa aga aag gtg aaa Lys Ser Val Tyr Val Lys Lys Glu Pro Val Gly Ala Arg Lys Val Lys \*\*\*: **370**: 台野 (1177) - 14: **375**: 11 (1174) - 12: 380 gtg gaa gat gga gat ttt ccg gtg gag aaa gat tgg tat ttg gtt ggg 1200 Val Glu Asp Gly Asp Phe Pro Val Glu Lys Asp Trp Tyr Leu Val Gly 390 -395 agg toa ctt gtt act gct act tot acq agt aaa gga agg aaa tta gaa and the state of the state of Arg Ser Leu Val Thr Ala Thr Ser Thr Ser Lys Gly Arg Lys Leu Glu 4.05 410 . . . gat aat gag att gtg aat ttc aca ttt tct tct gtt gca aaa tgg aaa Asp Asn Glu Ile Val Asn Phe Thr Phe Ser Ser Val Ala Lys Trp Lys ... . 430 420 425

gtc cca aac att gtt cgt ttc tct acc aaa aga tgt gga gag att ggt 1344 Val Pro Asn Ile Val Arg Phe Ser Thr Lys Arg Cys Gly Glu Ile Gly 435 445 aga ctt ccg atg gag tgg tca aat tgg gct gtg agc ctt tta aga tct 1392 Arg Leu Pro Met Glu Trp Ser Asn Trp Ala Val Ser Leu Leu Arg Ser 455 460 ggt aag gtc aag atg tta ggc aga tgt gta gcg gcg cca cca ttt ctt Gly Lys Val Lys Met Leu Gly Arg Cys Val Ala Ala Pro Pro Phe Leu aca atg atg caa gaa att atg cta tat gtc agt ttt tac att cac agc Thr Met Met Gln Glu Ile Met Leu Tyr Val Ser Phe Tyr Ile His Ser 485 490 tcg ata ttc act gat gtt agc aaa tcc act tgg cgg att ggt tct tcc **1536** Ser Ile Phe Thr Asp Val Ser Lys Ser Thr Trp Arg Ile Gly Ser Ser 500 500 5 4 5 505 505 6 4 4 5 5 9 5 10 1 1 1 cca aac ctt gag tcc acc ctt cat cct ctc cag ctt ttc aaa cac 1584 Pro Asn Leu Glu Ser Thr Leu His Pro Leu Leu Gln Leu Phe Lys His 520 ttg aca atc aaa cct tat caa aag gcg gag ttt act cct gag gaa ctc Leu Thr Ile Lys Pro Tyr Gln Lys Ala Glu Phe Thr Pro Glu Glu Leu 535 aac tot ogt aaa ogt toa otg aat ttg gag gat gac tat gat gaa aga Asn Ser Arg Lys Arg Ser Leu Asn Leu Glu Asp Asp Tyr Asp Glu Arg 550 555 gea gea ttg ttg gee ata gea aaa aga aga aaa ggt tgt caa cag tet 1728 Ala Ala Leu Leu Ala Ile Ala Lys Arg Arg Lys Gly Cys Gln Gln Ser 565 570 1. 1. 1. 2. ctg gag cag aac aaa gat gaa gaa gag gct cct gag tca tat atg aat 1776

Leu Glu Gln Asn Lys Asp Glu Glu Glu Ala Pro Glu Ser Tyr Met Asn 580 585 590

egg gtt gte gge get gee gat tea tae aac ett gag gaa at $\dot{g}$  gaa get 1824

Arg Val Val Gly Ala Ala Asp Ser Tyr Asn Leu Glu Glu Met Glu Ala 595 600 605

cca agt aca ctc acg tgt aac ctg aga ccg tac cag aaa caa gct ctc 1872 Pro Ser Thr Leu Thr Cys Asn Leu Arg Pro Tyr Gln Lys Gln Ala Leu

610 615 620

tac tgg atg tcg gaa tct gag aaa gga att gat gtt gaa aag gca gct Tyr Trp Met Ser Glu Ser Glu Lys Gly Ile Asp Val Glu Lys Ala Ala gaa act cta cat cct tgc tgg gag gct tat cga atc tgt gac gag agg Glu Thr Leu His Pro Cys Trp Glu Ala Tyr Arg Ile Cys Asp Glu Arg qua cot tot att tat ttg aac atc ttt agt ggt gaa goa aca atc cag 2016 Ala Pro Ser Ile Tyr Leu Asn Ile Phe Ser Gly Glu Ala Thr Ile Gln 670 660 · 665 ttt cca aca gca acg cag atg gca aga ggc gga ata ttg gca gat gcc Phe Pro Thr Ala Thr Gln Met Ala Arg Gly Gly Ile Leu Ala Asp Ala 680 atg gga ctt ggt aaa act gtg atg aca att gca cta ata ctt gca cgg 2112 Met Gly Leu Gly Lys Thr Val Met Thr Ile Ala Leu Ile Leu Ala Arg 690 695 cca ggc cga ggt aac ccg gaa aat gaa gat gtc ttg gtg gca gat gtt Pro Gly Arg Gly Asn Pro Glu Asn Glu Asp Val Leu Val Ala Asp Val 715 710 aat gca gat aaa cgc aat agg aag gag att cat atg gca cta acg act Asn Ala Asp Lys Arg Asn Arg Lys Glu Ile His Met Ala Leu Thr Thr 725 730 gtg aag gca aaa gga ggc act ctt att att tgt ccc atg gca ttg tta 2256 Val Lys Ala Lys Gly Gly Thr Leu Ile Ile Cys Pro Met Ala Leu Leu 740 745 age caa tgg aag gac gag ett gag act cat tea aag eet gac act gtg 2304 Ser Gln Trp Lys Asp Glu Leu Glu Thr His Ser Lys Pro Asp Thr Val 7.60 765 tot gtg tta gtt tac tat gga ggg gat agg aca cat gac gcg aaa gca 2352 Ser Val Leu Val Tyr Tyr Gly Gly Asp Arg Thr His Asp Ala Lys Ala · 770 ata gcg agt cat gat gtg gtt ttg aca act tat ggt gtt tta acc tca Ile Ala Ser His Asp Val Val Leu Thr Thr Tyr Gly Val Leu Thr Ser 790 795 get tac aag cag gat atg gea aac agt att ttc cac agg att gat tgg 2448 Ala Tyr Lys Gln Asp Met Ala Asn Ser Ile Phe His Arg Ile Asp Trp 805 810

tat agg att gtt ctt gat gaa gct cac acg atc aaa tca tgg aaa act 2496 Tyr Arg Ile Val Leu Asp Glu Ala His Thr Ile Lys Ser Trp Lys Thr 830 caa gct gct aaa gcc aca ttt gag tta tct tca cat tgc aga tgg tgt Gln Ala Ala Lys Ala Thr Phe Glu Leu Ser Ser His Cys Arg Trp Cys 840 ctg act ggg act ccc tta caa aac aag ctc gaa gat cta tac agt ctt Leu Thr Gly Thr Pro Leu Gln Asn Lys Leu Glu Asp Leu Tyr Ser Leu 850 cta tgt ttc ctg cat gtt gaa cca tgg tgc aat tgg gct tgg tgg agt Leu Cys Phe Leu His Val Glu Pro Trp Cys Asn Trp Ala Trp Trp Ser 870 aag ttg ata cag aag cct tat gaa aat ggt gat cca cga gga ctg aag Lys Leu Ile Gln Lys Pro Tyr Glu Asn Gly Asp Pro Arg Gly Leu Lys 885 890 ctg atc aag gcg att ttg agg cca ttg atg ctg aga aga aca aag gaa 2736 网络大大大大学的 网络大大大大大战 化二氯化二氯化二氯化二氯化二氯化 Leu Ile Lys Ala Ile Leu Arg Pro Leu Met Leu Arg Arg Thr Lys Glu 900 905 aca agg gac aaa gga agt cta att ctt gaa ctt cct cca acc gac Thr Arg Asp Lys Glu Gly Ser Leu Ile Leu Glu Leu Pro Pro Thr Asp 920 gtc caa gtc att gaa tgt gaa caa tct gaa gca gaa cgt gac ttc tat 2832 Val Gln Val Ile Glu Cys Glu Gln Ser Glu Ala Glu Arg Asp Phe Tyr 940 930 935 aca goo ttg tto aag aga too aaa gto caa ttt gao cag ttt gtg goa 2880 Thr Ala Leu Phe Lys Arg Ser Lys Val Gln Phe Asp Gln Phe Val Ala 950 955 caa gga aaa gtt ctt cac aac tat gca aac atc ctc gag ctc ctc ctc Gln Gly Lys Val Leu His Asn Tyr Ala Asn Ile Leu Glu Leu Leu 965 970 cgt cta cgc caa tgt tgt aac cac cct ttt cta gtt atg agc cga gca Arg Leu Arg Gln Cys Cys Asn His Pro Phe Leu Val Met Ser Arg Ala 980 985 gat toa caa dag tac got gac tta gat ago ctt goa agg agg ttt ctt Asp Ser Gln Gln Tyr Ala Asp Leu Asp Ser Leu Ala Arg Arg Phe Leu 995 1000 . 1005

3069	•										cct			
Asp	1010	ASN	PIO	Asp	ser	1015	ser	GIN	Asn	Ala	Pro 1020	Ser	Arg	Ala
3114	1	• •									ggc	2.0		
Tyr	Ile 1025	Glu	Glu	Val	Ile	Gln 1030	Asp	Leu	Arg	Asp	Gly 1035		Ser	Lys
gaa 3159		cca	ata	tgt	ctg	gag	tct	gca	gat	gat	ccc	gtt	ctc	aca
Glu	Cys 1040	Pro	Ile	Cys	Leu	Glu 1045	Ser	Ala	Asp	Asp	Pro 1050	Val	Leu	Thr
cct 3204	tgt	gct	cac	aga	atg	tgc	cgt	gaa	tgt	ctc	ctt	act	agc	tgg
Pro	Cys 1055	Ala :-:.	His	Arg	Met	Cys 1060	Arg	Glu	Cys	Leu	Leu 1065	Thr	Ser	Trp
cgc 3249	tct	cca	tct	tgt	ggt	cta	tgc	cca	atc	tgc	agg	aca	atc	ctg
Arg.	Ser 1070	Pro		Cys	Gly	Leu 1075	Cys		•	_	Arg 1080	Thr	Ile	Leu
aag 3294	aga	acc	gaa	ctt	atc	tca	tgc	ccg	aca	gat	agt	ata	ttc	cgt
Lys	Arg 1085	Thr	Glu	Leu	Ile	Ser 1090	Cys				Ser 1095	Ile	Phe	Arg
gtt 3339		gtg	gta	aag	aac	tgg	aag	gag	tct	tca	aag	gtt	tcg	gag
Val	Asp 1100	Val	Val	Lys	Asn	Trp 1105		Glu	Ser	Ser	Lys 1110	Val	Ser	Glu
ctg 3384		aag	tgc	tta	gag	aag	atc	aag	aaa	tct	ggt	tcg	ggc	gag
Leu	Leu 1115	Lys	Суз	Leu	Glu		Ile	Lys	Lys	Ser	Gly 1125	Ser	Gly	Glu
aag 3429		att	gtc	ttt	agc	cag	tgg	act	tca	ttt	ttg	gat	ctt	ttg
Lys	Ser 1130	Ile	Val	Phe	Ser	Gln 1135	Trp	Thr	Ser	Phe	Leu 1140	Asp	Leu	Leu
gag 347.4		cca	ttg	cga	aga	aga	gga	ttt	gag	ttt	ctt	aga	ttc	gat
Glu	Ile 1145	Pro	Leu	Arg	Arg	Arg 1150	Gly		Glu		Leu 1155	Arg	Phe	Asp
ggg 3519		ctg	gct	cag	aag	gga	aga	gaa	aag	gtt	ttg	aaa	gag	ttc
		Leu	Ala	Gln	Lys	Gly 1165	Arg	Glu	Lys	Val	Leu 1170	Lys <sup>.</sup>	Glu	Phe
aat 3564	_			:	12	acg				_	tct	-	4. 7.3	
Asn	Glu 1175		Lys	G1n	Lys	Thr 1180	Ile	Leu	Leu	Met	Ser 1185	Leu	Lys	Äla

gga gga gtc ggt ctg aat cta act gca gct tca agt gtc ttc tta 3609 Gly Gly Val Gly Leu Asn Leu Thr Ala Ala Ser Ser Val Phe Leu

Gly Gly Val Gly Leu Asn Leu Thr Ala Ala Ser Ser Val Phe Leu 1190 1195 1200

atg gat  $\cos$  tgg tgg aat  $\cos$  gcg gtg gaa gag  $\cos$  atg atg 3654

Met Asp Pro Trp Trp Asn Pro Ala Val Glu Glu Gln Ala Ile Met 1205 1210 1215

aga att cat cga ata ggg cag aaa cga acg gta ttc gtc aga aga 3699

Arg Ile His Arg Ile Gly Gln Lys Arg Thr Val Phe Val Arg Arg 1220 1225 1230

ttc att gtc aag gat aca gtg gag gaa cgg atg cag caa gtt cag 3744

Phe Ile Val Lys Asp Thr Val Glu Glu Arg Met Gln Gln Val Gln 1235 1240 1245

gca agg aag cag agg atg att gcc gga gct ttg aca gat gaa gaa 3789

Ala Arg Lys Gln Arg Met Ile Ala Gly Ala Leu Thr Asp Glu Glu 1250 1260

gtc cgg tct gca aga ctt gag gag ctt aaa atg ttg ttc cga tga 3834 Val Arg Ser Ala Arg Leu Glu Glu Leu Lys Met Leu Phe Arg 1265 1270 1275

<210> 376 <211> 1277 <212> PRT <213> Arabidopsis thaliana <400> 376

Met Ala Ile Val Asp Asp Ala Glu Met Arg Leu Thr Glu Ser Glu Ala I 5 10 15

Val Ser Ser Ser Asp Asp Arg Lys Ile Val Ala Asp Thr Pro Asp Phe 20 25 30

Ile Asp Glu Ser Ser Leu Val Ile Arg Thr Thr Thr Gly Val Arg Ile 35 40 45

Ser Ala Leu Pro Ala Glu Gln Ser Leu Val Asp Ser Asp Gly Ser Asn 50 60

Ser Glu Val Thr Leu Pro Ala Lys Asp Glu Val Ile Ser Asp Gly Phe 65 70 75 80

Thr Cys Val Asn Lys Glu Ile Val Glu Ser Asp Ser Phe Arg Glu Gln 85 90 95

Asn Leu Glu Ile Gly Glu Pro Asp Leu Asp Val Glu Asn Arg Lys Glu
100 105 110

Ala Met Ile Ile Asp Ser Ile Glu Asn Ser Val Val Glu Ile Val Ser 115 120 125

Ser Ala Ser Gly Asp Asp Cys Asn Val Lys Val Glu Val Glu Pro 130 135 140

Glu Leu Leu Val Glu Asn Leu Val Val Ala Lys Glu Glu Glu Glu Met 145 150 155 160

Ile Val Asp Ser Ile Glu Asp Ser Val Val Glu Ile Val Ser Thr Ala 165 170 175

Ser Gly Cys Asp Cys Asn Val Lys Val Glu Val Val Asp Pro Glu Leu 180 185 190

Cys Val Asp Asn Leu Val Val Lys Glu Glu Glu Met Ile Ala Asp 195 200 205

Ser Ile Ala Glu Ser Val Val Glu Thr Val Ser Arg Gly Leu Asp Tyr 210 215 220

Glu Cys Val Asp Val Lys Val Lys Glu Glu Pro Asp Leu Gly Thr Lys 225 230 235 240

Leu Glu Glu Asp Ser Val Phe Pro Asn Val Leu Glu Lys Lys Asp Glu 245 250 255

Val Ile Lys Val Leu Glu Asp Gln Pro Ser Glu Ile Asn Lys Lys Leu 260 265 270

Glu Gln Glu Asn Asp Asp Leu Phe Ser Ser Gly Asp Ser Asp Gly Thr 275 280 285

Ser Ala Lys Arg Arg Lys Met Glu Met Glu Ser Tyr Ala Pro Val Gly 290 295 300

Val Glu Ser Cys Ile Leu Ala Pro Thr Pro Leu Arg Val Val Lys Pro 305 310 315 320

Glu Lys Leu Asp Thr Pro Glu Val Ile Asp Leu Glu Ser Glu Lys Ser 325 330 335

Tyr Thr His Val Lys Met Glu Pro Val Glu Glu Ile Lys Val Glu Ala 340 345 350

Val Lys Met Ser Ser Gln Val Glu Asp Val Lys Phe Ser Arg Glu Gln 355 360 365

- Lys Ser Val Tyr Val Lys Lys Glu Pro Val Gly Ala Arg Lys Val Lys 370 375 380
- Val Glu Asp Gly Asp Phe Pro Val Glu Lys Asp Trp Tyr Leu Val Gly 385 390 395 400
- Arg Ser Leu Val Thr Ala Thr Ser Thr Ser Lys Gly Arg Lys Leu Glu 405 410 415
- Asp Asn Glu Ile Val Asn Phe Thr Phe Ser Ser Val Ala Lys Trp Lys 420 425 430
- Val Pro Asn Ile Val Arg Phe Ser Thr Lys Arg Cys Gly Glu Ile Gly
  435 440 445
- Arg Leu Pro Met Glu Trp Ser Asn Trp Ala Val Ser Leu Leu Arg Ser 450 455 460
- Gly Lys Val Lys Met Leu Gly Arg Cys Val Ala Ala Pro Pro Phe Leu 465 470 475 480
- Thr Met Met Gln Glu Ile Met Leu Tyr Val Ser Phe Tyr Ile His Ser 485 490 495
- Ser Ile Phe Thr Asp Val Ser Lys Ser Thr Trp Arg Ile Gly Ser Ser 500 505 510
- Pro Asn Leu Glu Ser Thr Leu His Pro Leu Leu Gln Leu Phe Lys His 515 520 525
- Leu Thr Ile Lys Pro Tyr Gln Lys Ala Glu Phe Thr Pro Glu Glu Leu 530 535 540
- Asn Ser Arg Lys Arg Ser Leu Asn Leu Glu Asp Asp Tyr Asp Glu Arg 545 550 555 560
- Ala Ala Leu Leu Ala Ile Ala Lys Arg Arg Lys Gly Cys Gln Gln Ser 565 570 575
- Leu Glu Gln Asn Lys Asp Glu Glu Glu Ala Pro Glu Ser Tyr Met Asn 580 585 590
- Arg Val Val Gly Ala Ala Asp Ser Tyr Asn Leu Glu Glu Met Glu Ala

595

600

605

Pro Ser Thr Leu Thr Cys Asn Leu Arg Pro Tyr Gln Lys Gln Ala Leu 610 615 620

Tyr Trp Met Ser Glu Ser Glu Lys Gly Ile Asp Val Glu Lys Ala Ala 625 630 635 640

Glu Thr Leu His Pro Cys Trp Glu Ala Tyr Arg Ile Cys Asp Glu Arg 645 650 655

Ala Pro Ser Ile Tyr Leu Asn Ile Phe Ser Gly Glu Ala Thr Ile Gln 660 665 670

Phe Pro Thr Ala Thr Gln Met Ala Arg Gly Gly Ile Leu Ala Asp Ala 675 680 685

Met Gly Leu Gly Lys Thr Val Met Thr Ile Ala Leu Ile Leu Ala Arg

Pro Gly Arg Gly Asn Pro Glu Asn Glu Asp Val Leu Val Ala Asp Val 705 710 715 720

Asn Ala Asp Lys Arg Asn Arg Lys Glu Ile His Met Ala Leu Thr Thr 725 730 735

Val Lys Ala Lys Gly Gly Thr Leu Ile Ile Cys Pro Met Ala Leu Leu 740 745 750

Ser Gln Trp Lys Asp Glu Leu Glu Thr His Ser Lys Pro Asp Thr Val 755 760 765

Ser Val Leu Val Tyr Tyr Gly Gly Asp Arg Thr His Asp Ala Lys Ala
770 780

Ile Ala Ser His Asp Val Val Leu Thr Thr Tyr Gly Val Leu Thr Ser 785 790 795 800

Ala Tyr Lys Gln Asp Met Ala Asn Ser Ile Phe His Arg Ile Asp Trp 805 810 815

Tyr Arg Ile Val Leu Asp Glu Ala His Thr Ile Lys Ser Trp Lys Thr 820 825 830

Gln Ala Ala Lys Ala Thr Phe Glu Leu Ser Ser His Cys Arg Trp Cys 835 840 845

Leu Thr Gly Thr Pro Leu Gln Asn Lys Leu Glu Asp Leu Tyr Ser Leu 850 855 860

- Leu Cys Phe Leu His Val Glu Pro Trp Cys Asn Trp Ala Trp Trp Ser 865 870 875 886
- Lys Leu Ile Gln Lys Pro Tyr Glu Asn Gly Asp Pro Arg Gly Leu Lys 885 890 895
- Leu Ile Lys Ala Ile Leu Arg Pro Leu Met Leu Arg Arg Thr Lys Glu 900 905 910
- Thr Arg Asp Lys Glu Gly Ser Leu Ile Leu Glu Leu Pro Pro Thr Asp 915 920 925
- Val Gln Val Ile Glu Cys Glu Gln Ser Glu Ala Glu Arg Asp Phe Tyr 930 935 940
- Thr Ala Leu Phe Lys Arg Ser Lys Val Gln Phe Asp Gln Phe Val Ala 945 950 955 960
- Gln Gly Lys Val Leu His Asn Tyr Ala Asn Ile Leu Glu Leu Leu 965 970 975
- Arg Leu Arg Gln Cys Cys Asn His Pro Phe Leu Val Met Ser Arg Ala 980 985 990
- Asp Ser Gln Gln Tyr Ala Asp Leu Asp Ser Leu Ala Arg Arg Phe Leu 995 1000 1005
- Asp Asn Asn Pro Asp Ser Val Ser Gln Asn Ala Pro Ser Arg Ala 1010 1015 1020
- Tyr Ile Glu Glu Val Ile Gln Asp Leu Arg Asp Gly Asn Ser Lys 1025 1030 1035
- Glu Cys Pro Ile Cys Leu Glu Ser Ala Asp Asp Pro Val Leu Thr 1040 1045 1050
- Pro Cys Ala His Arg Met Cys Arg Glu Cys Leu Leu Thr Ser Trp 1055 1060 1065
- Arg Ser Pro Ser Cys Gly Leu Cys Pro Ile Cys Arg Thr Ile Leu 1070 1080

Lys Arg Thr Glu Leu Ile Ser Cys Pro Thr Asp Ser Ile Phe Arg 1085 1090 1095

- Val Asp Val Val Lys Asn Trp Lys Glu Ser Ser Lys Val Ser Glu 1100 1105 1110
- Leu Leu Lys Cys Leu Glu Lys Ile Lys Lys Ser Gly Ser Gly Glu 1115 1120 1125
- Lys Ser Ile Val Phe Ser Gln Trp Thr Ser Phe Leu Asp Leu Leu 1130 1135 1140
- Glu Ile Pro Leu Arg Arg Gly Phe Glu Phe Leu Arg Phe Asp 1145 1150 1155
- Gly Lys Leu Ala Gln Lys Gly Arg Glu Lys Val Leu Lys Glu Phe 1160 1165 1170
- Asn Glu Thr Lys Gln Lys Thr Ile Leu Leu Met Ser Leu Lys Ala 1175 1180 1185
- Gly Gly Val Gly Leu Asn Leu Thr Ala Ala Ser Ser Val Phe Leu 1190 1195 1200
- Met Asp Pro Trp Trp Asn Pro Ala Val Glu Glu Gln Ala Ile Met 1205 1210 1215
- Arg Ile His Arg Ile Gly Gln Lys Arg Thr Val Phe Val Arg Arg 1220 1225 1230
- Phe Ile Val Lys Asp Thr Val Glu Glu Arg Met Gln Gln Val Gln 1235 1240 1245
- Ala Arg Lys Gln Arg Met Ile Ala Gly Ala Leu Thr Asp Glu Glu 1250 1255 1260
- Val Arg Ser Ala Arg Leu Glu Glu Leu Lys Met Leu Phe Arg 1265 1270 1275
- <210> 377 <211> 1374 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (44)..(1120) <223> G1211

<400> 377

1. 1. 1. 1. 1.

tgaaacctag atttctgcaa ctgaattcct aattcgaaaa aga atg gag ggt tcg 55

Met Glu Gly Ser

tcg tcg acg ata gca agg aag aca tgg gaa cta gag aac agc att cta Ser Ser Thr Ile Ala Arg Lys Thr Trp Glu Leu Glu Asn Ser Ile Leu aca gta gac toa cot gat toa acc too gac aac atc tto tac tac gac Thr Val Asp Ser Pro Asp Ser Thr Ser Asp Asn Ile Phe Tyr Tyr Asp gat act toa cag act agg tto cag caa gag aaa ccg tgg gag aat gat 199 Asp Thr Ser Gln Thr Arg Phe Gln Gln Glu Lys Pro Trp Glu Asn Asp 45 cct cac tac ttt aaa cga gtc aag atc tca gcg ctc gct ctt ctt aag 247 Pro His Tyr Phe Lys Arg Val Lys Ile Ser Ala Leu Ala Leu Leu Lys 60 atg gtg gtt cac gct cgc tct ggt ggt aca att gaa ata atg ggt ctt Met Val Val His Ala Arg Ser Gly Gly Thr Ile Glu Ile Met Gly Leu 75 80 atg caa ggt aag acc gat ggt gat act atc att gtt atg gat gct ttt Met Gln Gly Lys Thr Asp Gly Asp Thr Ile Ile Val Met Asp Ala Phe 95 get tta cea gtg gaa ggt act gag aca agg gtt aat get cag gat gat 391 Ala Leu Pro Val Glu Gly Thr Glu Thr Arg Val Asn Ala Gln Asp Asp 105 gct tat gag tac atg gtt gag tat tca cag acc aac aag ctc gcg ggg 439 ... Ala Tyr Glu Tyr Met Val Glu Tyr Ser Gln Thr Asn Lys Leu Ala Gly . - . 125 cgg ctg gag aat gtt gtt gga tgg tat cac tct cac cct gga tat gga 487 Arg Leu Glu Asn Val Val Gly Trp Tyr His Ser His Pro Gly Tyr Gly 140 145 🦸 tgc tgg ctc tcc ggt att gat gtt tct acg cag acg ctt aac caa cag Cys Trp Leu Ser Gly Ile Asp Val Ser Thr Gln Thr Leu Asn Gln Gln 155 160 cat cag gag cca ttt tta gct gtt gtt att gat ccc aca agg act gtt His Gln Glu Pro Phe Leu Ala Val Val Ile Asp Pro Thr Arg Thr Val 170 tca gct ggt aag gtt gag att ggt gct ttc aga aca tac tct aaa gga Ser Ala Gly Lys Val Glu Ile Gly Ala Phe Arg Thr Tyr Ser Lys Gly 185 190 195

tat aag cot coa gat gaa cot gtt tot gag tat caa act att cot tta Tyr Lys Pro Pro Asp Glu Pro Val Ser Glu Tyr Gln Thr Ile Pro Leu 200 205 210 aat aag att gag gac ttt ggt gtt cac tgc aaa cag tac tat tca tta Asn Lys Ile Glu Asp Phe Gly Val His Cys Lys Gln Tyr Tyr Ser Leu 220 225 gat gtc act tat ttc aag tca tct ctt gat tct cac ctt ctg gat cta 775 Asp Val Thr Tyr Phe Lys Ser Ser Leu Asp Ser His Leu Leu Asp Leu 230 235 240 cta tgg aac aag tac tgg gtg aac act ctt tct tct tct cca ctg ctg Leu Trp Asn Lys Tyr Trp Val Asn Thr Leu Ser Ser Ser Pro Leu Leu 5 250 ggt aat gga gac tat gtt gct gga caa ata tca gac tta gct gag aag 871 No. 11 1977 But THE MAY GOVERN THE CONTRACT OF A STATE OF A Gly Asn Gly Asp Tyr Val Ala Gly Gln Ile Ser Asp Leu Ala Glu Lys 486 July 275 (1997) 1994 265 (1997) 1995 ( ctt gag caa gcc gag agt cat ctg gtt cag tct cgc ttt gga gga gtt Leu Glu Gln Ala Glu Ser His Leu Val Gln Ser Arg Phe Gly Gly Val 280 (1997) 1997 (1997) 1997 (1997) 1997 (1997) 1997 (1997) 1997 (1997) 1997 (1997) 1997 (1997) 1997 (1997) 1997 gtg cca tca tcc ctt cat aag aaa aaa gaa gat gag tct caa cta act 967 AND AND SECTION AND ALERS FOR THE PART FOR DEPOSIT OF AN ALERS FOR THE Val Pro Ser Ser Leu His Lys Lys Lys Glu Asp Glu Ser Gln Leu Thr 300 aag ata act cgg gat agc gca aag ata act gtg gaa cag gtc cat gga 1015 Lys Ile Thr Arg Asp Ser Ala Lys Ile Thr Val Glu Gln Val His Gly 310 315 320 cta atg tcg cag gtc ata aaa gat gaa tta ttc aac tca atg cgt cag 1063 Leu Met Ser Gin Val Ile Lys Asp Glu Leu Phe Asn Ser Met Arg Gln 325 330 335 35 37 340 tee aac aac aaa tet eec act gae teg teg gat eea gae eet atg att 1111 Ser Asn Asn Lys Ser Pro Thr Asp Ser Ser Asp Pro Asp Pro Met Ile 345 350 aca tat tga agttgctctt cttttggttt ctatttttgg attgacccat Thr Tyr

catttgttgt cctttcattt attttctgtt gtgtaaagaa ttataatgtc gtcgcgaatt 1220

cgcggccgct aaaaaaaaac aggaaattga aaaaaattca tccattccaa catctttatt 1280

taatattatc teeteaatta tataatatte aaacateeet aataaettea titgaeegte 1340

cccctccctc ccgtgttgca ttggtgctgg cccc 1374

entrace of back on the setting of the

<210> 378 <211> 358 <212> PRT <213> Arabidopsis thaliana <400> 378

Met Glu Gly Ser Ser Ser Thr Ile Ala Arg Lys Thr Trp Glu Leu Glu

1 10 15

Asn Ser Ile Leu Thr Val Asp Ser Pro Asp Ser Thr Ser Asp Asn Ile 20 25 30

Phe Tyr Tyr Asp Asp Thr Ser Gln Thr Arg Phe Gln Gln Glu Lys Pro 35 40 45

Trp Glu Asn Asp Pro His Tyr Phe Lys Arg Val Lys Ile Ser Ala Leu 50 55 60

Ala Leu Leu Lys Met Val Val His Ala Arg Ser Gly Gly Thr Ile Glu 65 70 75 80

Ile Met Gly Leu Met Gln Gly Lys Thr Asp Gly Asp Thr Ile Ile Val 85 90 95

Met Asp Ala Phe Ala Leu Pro Val Glu Gly Thr Glu Thr Arg Val Asn 100 105 110

Ala Gln Asp Asp Ala Tyr Glu Tyr Met Val Glu Tyr Ser Gln Thr Asn 115 120 125

Lys Leu Ala Gly Arg Leu Glu Asn Val Val Gly Trp Tyr His Ser His
130 135 140

Pro Gly Tyr Gly Cys Trp Leu Ser Gly Ile Asp Val Ser Thr Gln Thr 145 150 155 160

Leu Asn Gln Gln His Gln Glu Pro Phe Leu Ala Val Val Ile Asp Pro 165 170 175

Thr Arg Thr Val Ser Ala Gly Lys Val Glu Ile Gly Ala Phe Arg Thr 180 185 190

Tyr Ser Lys Gly Tyr Lys Pro Pro Asp Glu Pro Val Ser Glu Tyr Gln 195 200 205

Thr Ile Pro Leu Asn Lys Ile Glu Asp Phe Gly Val His Cys Lys Gln 210 215 220

Tyr Tyr Ser Leu Asp Val Thr Tyr Phe Lys Ser Ser Leu Asp Ser His 225 230 235 240

Leu Leu Asp Leu Leu Trp Asn Lys Tyr Trp Val Asn Thr Leu Ser Ser 245 250 255

Ser Pro Leu Gly Asn Gly Asp Tyr Val Ala Gly Gln Ile Ser Asp 260 265 270

Leu Ala Glu Lys Leu Glu Gln Ala Glu Ser His Leu Val Gln Ser Arg 275 280 285

Phe Gly Gly Val Val Pro Ser Ser Leu His Lys Lys Glu Asp Glu 290 295 300

Ser Gln Leu Thr Lys Ile Thr Arg Asp Ser Ala Lys Ile Thr Val Glu 305 310 315 320

Gln Val His Gly Leu Met Ser Gln Val Ile Lys Asp Glu Leu Phe Asn 325 330 335

Ser Met Arg Gln Ser Asn Asn Lys Ser Pro Thr Asp Ser Ser Asp Pro 340 345

Asp Pro Met Ile Thr Tyr 355

<210> 379 <211> 3174 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(3174) <223> G1243

<400> 379

atg gcg aga aat tcg aat tcc gat gag gct ttc tcg tca gag gag gaa 48

Met Ala Arg Asn Ser Asn Ser Asp Glu Ala Phe Ser Ser Glu Glu Glu 1 5 15

Glu Glu Arg Val Lys Asp Asn Glu Glu Glu Asp Glu Glu Glu Leu Glu 20 25 30

get gtt get egt tet tet gge tee gae gat gae gaa gta gee gee gee 144

Ala Val Ala Arg Ser Ser Gly Ser Asp Asp Glu Val Ala Ala Ala 35 40 45

gac gaa tca cca gtc tcc gac gga gag gct gct ccc gta gaa gat gat Asp Glu Ser Pro Val Ser Asp Gly Glu Ala Ala Pro Val Glu Asp Asp tac gag gac gaa gaa gat gag gaa aaa gct gaa atc agc aaa cgt gag Tyr Glu Asp Glu Glu Asp Glu Glu Lys Ala Glu Ile Ser Lys Arg Glu aaa gcc aga ctt aaa gag atg cag aag ttg aag aag cag aag att caa 288 Lys Ala Arg Leu Lys Glu Met Gln Lys Leu Lys Lys Gln Lys Ile Gln 90 gag atg ctg gag tcg cag aat gct tcc att gac gcg gat atg aac aat 336 Glu Met Leu Glu Ser Gln Asn Ala Ser Ile Asp Ala Asp Met Asn Asn aag gga aaa ggg aga ctg aag tat ctt ctg cag caa act gag tta ttt Guran Arteriorda # 1 - 1/14. Lys Gly Lys Gly Arg Leu Lys Tyr Leu Leu Gln Gln Thr Glu Leu Phe gcc cac ttt gct aaa agt gat gga tct tct tct cag aag aag gca aaa Ala His Phe Ala Lys Ser Asp Gly Ser Ser Ser Gln Lys Lys Ala Lys 135 gga agg gga cgt cat gct tcc aaa ata act gaa gag gaa gac gaa Gly Arg Gly Arg His Ala Ser Lys Ile Thr Glu Glu Glu Glu Asp Glu 145 **150** gag tat cta aag gaa gaa gag gat ggc tta act gga tct gga aac aca Glu Tyr Leu Lys Glu Glu Glu Asp Gly Leu Thr Gly Ser Gly Asn Thr 165 170 175 egg tta etc aca cag ecc tet tgt att caa ggg aag atg aga gat tac Arg Leu Leu Thr Gln Pro Ser Cys Ile Gln Gly Lys Met Arg Asp Tyr 185 caa tta get ggt ttg aac tgg etc att egt ett tat gag aat gge ata Gln Leu Ala Gly Leu Asn Trp Leu Ile Arg Leu Tyr Glu Asn Gly Ile 205 aat gga att ctt gct gat gaa atg ggt ctg ggg aag acg ctt caa acg 672 Asn Gly Ile Leu Ala Asp Glu Met Gly Leu Gly Lys Thr Leu Gln Thr 210 220 att tot ttg ttg gca tat ctt cat gaa tac agg gga atc aat ggt ccc Ile Ser Leu Leu Ala Tyr Leu His Glu Tyr Arg Gly Ile Asn Gly Pro 230 235

са 76		atg	gtg	gtt	gct	cca	aaa	tca	aca	ctt	ggt	aat	tgg	atg	aac	gaa
		Met	Val	Val	Ala 245	Pro	Lys	Ser	Thr	Leu 250	Gly	Asn	Trp		Asn 255	Glu
at 81		cgc	cgg	ttt	tgt	cct	gtc	cta	cgt	gct	gtg	aag	ttc	ctt	ggt	aat
	-	Arg		Phe 260		Pro	Val	Leu	Arg 265	Ala	Val	Lys	Phe	Leu 270	Gly	Asn
86		gag	gag	agg	aga	cat	att	cga	gaa	gac	ctg	cta	gtt	gct	aaà	aaa
		Glu	Glu 275	Arg	Arg	His	Ile	Arg 280	Glu	Asp	Leu	Leu	Val 285	Ala	Gly	Lys
tt 91		gat	att	tgt	gtc	aca	agc	ttt	gag	atg	gcc	atc	aaa	gag	aag	aca
Ph		Asp 290	Ile	Cys	Val		Ser 295	Phe	Glu	Met	Ala	Ile 300	ГÀЗ	Glu	ГÀЗ	Thr
				cgg		agc	tgg	cgt	tat	att	atc	att	gat	gaa	gcg	cat
Al	a	Leu		Arg		Ser 310						Ile				His 320
		atc		aac		aat			ctt		aaa		_	_	ctt	
				Asn		-			Leu							
aç	jc .	acc	aat	tat	cgg	ctt	ctt	atc	acg	ggg	acc	ccc	ctt	cag	aat	aat
10	56	5. 7	1725	$(\mathcal{G}_{\mathcal{F}_{n}})_{n}$	$\to \mathcal{F}' \in$	125	5.54	15 T	(27)	. "	,	·* . c.	8,00		25.	Secret.
10 Se	)56 er	Thr	Asn	Tyr	Arg	Leu	Leu	Ile	Thr	. "	,	Pro	Leu	Gln	25.	Asn
10 Se	)56 er	Thr	Asn	$(\mathcal{G}_{\mathcal{F}_{n}})_{n}$	Arg	Leu	Leu	Ile	(27)	. "	,	·* . c.	Leu		25.	Secret.
10 Se	)56 :r	Thr cat	Asn	Tyr	Arg	Leu	Leu	Ile	Thr 345	Gly	Thr	Pro	Leu	Gln 350	Asn	Asn
10 Se ct 11	)56 r :c :04	Thr cat His	Asn	Tyr 340 ctg Leu	Arg tgg	Leu	Leu ctt Leu	Ile cta	Thr 345	Gly	Thr	Pro	Leu cct Pro	Gln 350 gag	Asn att Ile	Asn ttt
ct 11 Le	056 r .04 u	Thr cat His	Asn gaa Glu 355	Tyr 340 ctg Leu	Arg tgg Trp	Leu gct Ala	Leu ctt Leu	Ile cta Leu 360	Thr 345 aat Asn	Gly ttt Phe	Thr ctt Leu	Pro ctg Leu	Leu cct Pro 365	Gln 350 gag Glu	Asn att Ile	Asn ttt Phe
ct 11 Le	04 152 152 152 152	Thr cat His tca Ser 370	Asn gaa Glu 355 gca	Tyr 340 ctg	Arg tgg Trp	Leu gct Ala ttt	Leu ctt Leu gat	Ile cta Leu 360	Thr 345 aat Asn	Gly ttt Phe ttt	Thr ctt Leu caa	Pro ctg Leu att	Leu cct Pro 365	Gln 350 gag Glu ggt	Asn att Ile	Asn ttt Phe
ct 11 Le ac 11 Se	04 04 152 152	Thr cat His tca Ser 370	Asn gaa Glu 355 gca Ala	Tyr 340 ctg Leu gag Glu	Arg tgg Trp act Thr	Leu gct Ala ttt Phe	Leu ctt Leu gat Asp 375	Ile cta Leu 360 gaa Glu	Thr 345 aat Asn tgg Trp	Gly ttt Phe ttt Phe	Thr ctt Leu caa Gln	Pro  ctg  Leu  att  Ile 380  gtt	Leu cct Pro 365 tct	Gln 350 gag Glu ggt Gly	Asn att Ile gag Glu	Asn ttt Phe aat Asn
ct 11 Le ac 11 Se 42 As	04 04 152 152 100	Thr cat His tca Ser 370 cag	Asn gaa Glu 355 gca Ala	Tyr 340 ctg Leu gag Glu	Arg tgg Trp act Thr	gct Ala ttt Phe	Leu ctt Leu gat Asp 375 caa	Ile cta cta Meu 360 gaa Glu	Thr 345 aat Asn tgg Trp	Gly ttt Phe ttt Phe cac	Thr ctt Leu caa Gln	Pro ctg Leu att Ile 380	Leu cct Pro 365 tct	Gln 350 gag Glu ggt Gly	Asn att Ile gag Glu cca	Asn  ttt  Phe  aat  Asn  ttt
ct 111 Le ac 111 Se 38	056 x .04 .04 .52 x .00 .00 .00	Thr cat His tca Ser 370 cag	Asn Glu 355 gca Ala caa Gln	Tyr 340 ctg Leu gag Glu	tgg Trp act Thr	gct Ala ttt Phe gtg Val 390	Leu ctt Leu gat Asp 375 caa Gln	Ile cta 160 gaa Glu caa	Thr 345 aat Asn tgg Trp ctg	Gly ttt Phe ttt Phe cac	Thr ctt Leu caa Gln aag Lys 395	Pro  ctg  Leu  att  Ile 380  gtt  Val	Leu  cct  pro 365  tct  ser  ctt	Gln 350 gag Glu ggt Gly cga	Asn att Ile gag Glu cca	Asn  ttt  Phe  aat  Asn  ttt  Phe  400
10 Sect 11 Lec ag 11 Sect 12	04 04 152 152 152 153 1548	Thr cat His tca Ser 370 cag Gln	Asn gaa Glu 355 gca Ala caa Gln	Tyr 340 ctg Leu gag Glu gaa Glu	tgg Trp act Thr ytt Val cta Leu	gct Ala ttt Phe gtg Val 390 aag	Leu ctt Leu gat Asp 375 caa Gln tca	Ile cta Leu 360 gaa Glu caa	Thr 345 aat Asn tgg Trp ctg Leu	Gly ttt Phe ttt Phe cac His	Thr ctt Leu caa Gln aag Lys 395 aaa	Pro  ctg  Leu  att  Ile 380  gtt  Val	Leu ttg	Gln 350 gag Glu ggt Gly cga Arg	Asn att Ile gag Glu cca Pro	Asn ttt Phe aat Asn ttt Phe 400 aag
10 See 11 Lee 21 13 See 22 Ass 38 Ct 12 Lee	056 104 104 1052 1000 100	Thr cat His tca Ser 370 cag Gln ctt	Asn gaa Glu 355 gca Ala caa Gln cga	Tyr 340 ctg Leu gag Glu gaa Glu aga Arg	tgg Trp act Thr ytt Val cta Leu 405	gct Ala ttt Phe gtg Val 390 aag	Leu ctt Leu gat Asp 375 caa Gln tca	Ile cta Leu 360 gaa Glu caa Gln	Thr 345 aat Asn tgg Trp ctg Leu gtt	Gly ttt Phe ttt Phe cac His gag Glu 410	Thr ctt Leu caa Gln aag Lys 395 aaa Lys	Pro ctg Leu att Ile 380 gtt Val	Leu ttg	Gln 350 gag Glu ggt Gly cga Arg	Asn att Ile gag Glu cca Pro ccg Pro 415	Asn ttt Phe aat Asn ttt Phe 400 aag
10 See 11 Lee 21 13 See 22 12 Lee 21 12 Lee 21 12 13 14 15 15 16 16 16 16 16 16 16 16 16 16 16 16 16	056 204 35 200 35 248 296	Thr cat His tca Ser 370 Gln ctt	Asn gaa Glu 355 gca Ala caa Gln cga Arg	Tyr 340 ctg Leu gag Glu gaa Glu aga Arg	tgg Trp act Thr gtt Val cta Leu 405	gct Ala ttt Phe gtg Val 390 aag Lys	Leu ctt Leu gat Asp 375 caa Gln tca Ser	Ile cta Leu 360 gaa Glu caa Gln	Thr 345 aat Asn tgg Trp ctg Leu gtt Val	Gly ttt Phe ttt Phe cac His gag Glu 410 tct Ser	Thr ctt Leu caa Gln aag Lys 395 aaa Lys	Pro ctg Leu att Ile 380 gtt Val ggt Gly	Leu ttg	Gln 350 gag Glu ggt Gly cga Arg cca Pro	Asn att Ile gag Glu cca Pro ccg Pro 415 caa	Asn ttt Phe aat Asn ttt Phe 400 aag

tac aag gct tta ctg cag aag gat ctt gaa gcg gtt aat gct ggt gga 1344 Tyr Lys Ala Leu Leu Gln Lys Asp Leu Glu Ala Val Asn Ala Gly Gly 435 gaa cgc aaa cgt ctg cta aac att gca atg caa ctg cgt aaa tgc tgc Glu Arg Lys Arg Leu Leu Asn Ile Ala Met Gln Leu Arg Lys Cys Cys 455 aat cac ccc tat ctc ttc cag ggt gca gaa cct ggt ccc cca tat acc Asn His Pro Tyr Leu Phe Gln Gly Ala Glu Pro Gly Pro Pro Tyr Thr 465 aca gga gat cac ctt ata aca aat gct ggt aag atg gtt ctc ttg gat 1488 Thr Gly Asp His Leu Ile Thr Asn Ala Gly Lys Met Val Leu Leu Asp 485 490 aaa ttg ctt cct aag ttg aaa gaa cgt gat tca agg gtg ctg ata ttt Lys Leu Leu Pro Lys Leu Lys Glu Arg Asp Ser Arg Val Leu Ile Phe 505 500 510 tct cag atg aca aga ctt ttg gat att ctt gag gac tat tta atg tat Ser Gln Met Thr Arg Leu Leu Asp Ile Leu Glu Asp Tyr Leu Met Tyr 515 520 525 cgt ggt tac ttg tat tgc cgt att gat gga aac act ggt ggt gac gaa 1632 Arg Gly Tyr Leu Tyr Cys Arg Ile Asp Gly Asn Thr Gly Gly Asp Glu 530 535 cga gat gcc tcc ata gaa gcc tac aac aag cca gga agt gag aaa ttt Arg Asp Ala Ser Ile Glu Ala Tyr Asn Lys Pro Gly Ser Glu Lys Phe 545 550 555 gtt ttc ttg tta tct act aga gct gga ggg ctt ggt atc aat ctt gct 1728 Val Phe Leu Leu Ser Thr Arg Ala Gly Gly Leu Gly Ile Asn Leu Ala 565 570 act gca gat gtt gtg atc ctt tac gat agt gat tgg aac cca caa gtc Thr Ala Asp Val Val Ile Leu Tyr Asp Ser Asp Trp Asn Pro Gln Val 580 585 gac ttg caa get cag gat egt gee cat agg att ggt caa aaa aaa gaa 1824 Asp Leu Gln Ala Gln Asp Arg Ala His Arg Ile Gly Gln Lys Lys Glu 595 600 gtt caa gtg ttt cga ttc tgc act gag tct gct att gag gag aaa gtg Val Gln Val Phe Arg Phe Cys Thr Glu Ser Ala Ile Glu Glu Lys Val 610 615 620

att gaa aga got tac aag aag tta goa ott gat got otg gtt att caa Ile Glu Arg Ala Tyr Lys Lys Leu Ala Leu Asp Ala Leu Val Ile Gln caa ggg aga ttg gca gaa cag aaa agt aag tct gtc aat aag gat gag Gln Gly Arg Leu Ala Glu Gln Lys Ser Lys Ser Val Asn Lys Asp Glu ttg ctt caa atg gta aga tat ggt gct gag atg gtg ttc agt tct aaa 2016 Leu Leu Gln Met Val Arg Tyr Gly Ala Glu Met Val Phe Ser Ser Lys 660 665 gat agc aca atc aca gac gag gat att gat aga atc att gcc aaa gga Asp Ser Thr Ile Thr Asp Glu Asp Ile Asp Arg Ile Ile Ala Lys Gly 680 gaa gag gca aca gct gaa ctt gat gct aag atg aag aaa ttc aca gaa 2112 Glu Glu Ala Thr Ala Glu Leu Asp Ala Lys Met Lys Lys Phe Thr Glu 700 gat gct ata cag ttt aaa atg gat gac agt gct gac ttc tat gat ttt Asp Ala Ile Gln Phe Lys Met Asp Asp Ser Ala Asp Phe Tyr Asp Phe gat gat gac aat aag gat gaa aac aag ctc gat ttt aaa aag att gta Asp Asp Asp Asn Lys Asp Glu Asn Lys Leu Asp Phe Lys Lys Ile Val 725 730 age gae aat tgg aat gat eee eee aag egg gag aga aag ege aac tae 2256 Ser Asp Asn Trp Asn Asp Pro Pro Lys Arg Glu Arg Lys Arg Asn Tyr 740 745 tct gaa tct gag tac ttt aag caa aca ttg cgg caa ggt gct cca gct 2304 Ser Glu Ser Glu Tyr Phe Lys Gln Thr Leu Arg Gln Gly Ala Pro Ala 760 aaa cct aaa gag cct aga att ccg cgc atg ccc cag ttg cac gat ttc Lys Pro Lys Glu Pro Arg Ile Pro Arg Met Pro Gln Leu His Asp Phe 770 775 780 cag tto ttt aac att cag aga ttg acc gag ttg tat gaa aag gaa gta Gln Phe Phe Asn Ile Gln Arg Leu Thr Glu Leu Tyr Glu Lys Glu Val 790 795 cgt tat ctc atg caa aca cat cag aaa aat cag ttg aaa gac aca att Arg Tyr Leu Met Gln Thr His Gln Lys Asn Gln Leu Lys Asp Thr Ile 815 805 . 810

gat gtt gaa gaa cca gaa ggt ggg gat ccc tta act act gaa gaa gta 2496 Asp Val Glu Glu Pro Glu Gly Gly Asp Pro Leu Thr Thr Glu Glu Val 820 825 gaa gaa aag gag gga tta ttg gag gag ggt ttc tca aca tgg agc aga Glu Glu Lys Glu Gly Leu Leu Glu Glu Gly Phe Ser Thr Trp Ser Arg 840 aga gat ttt aat act ttc ctc agg gct tgt gag aag tat ggc cgc aac 2592 Arg Asp Phe Asn Thr Phe Leu Arg Ala Cys Glu Lys Tyr Gly Arg Asn . 850 gac ata aaa agc att gcc tct gag atg gaa ggg aaa aca gag gaa gaa Asp Ile Lys Ser Ile Ala Ser Glu Met Glu Gly Lys Thr Glu Glu Glu 875 gtt gaa aga tat gcc aaa gta ttt aaa gag cgg tac aag gag ctg aac 2688 Colored Districts All Miller grown wash Val Glu Arg Tyr Ala Lys Val Phe Lys Glu Arg Tyr Lys Glu Leu Asn gac tat gat aga atc att aag aac att gag agg gga gag gca agg atc Asp Tyr Asp Arg Ile Ile Lys Asn Ile Glu Arg Gly Glu Ala Arg Ile 900 905 910 tct agg aaa gac gaa atc atg aag gcc ata ggg aag aaa ctg gat cgc 2784 Ser Arg Lys Asp Glu Ile Met Lys Ala Ile Gly Lys Lys Leu Asp Arg 915 920 tac aga aac cct tgg ctg gaa ctg aag att caa tat ggt cag aac aaa Tyr Arg Asn Pro Trp Leu Glu Leu Lys Ile Gln Tyr Gly Gln Asn Lys 930 935 940 ggc aag ctg tac aat gaa gag tgt gac cgt ttc atg atc tgc atg att 2880:.. Gly Lys Leu Tyr Asn Glu Glu Cys Asp Arg Phe Met Ile Cys Met Ile 945 950 955 cac aaa ctt ggt tat ggg aat tgg gat gag cta aag gca gca ttt agg His Lys Leu Gly Tyr Gly Asn Trp Asp Glu Leu Lys Ala Ala Phe Arg 965 970 aca tog tot gtg tte agg ttt gac tgg ttt gtg aaa toe ege acg agt 2976 Thr Ser Ser Val Phe Arg Phe Asp Trp Phe Val Lys Ser Arg Thr Ser 980 985 cag gaa ctt gca aga aga tgc gac act ctg att cga ctg atc gag aaa 3024 Gln Glu Leu Ala Arg Arg Cys Asp Thr Leu Ile Arg Leu Ile Glu Lys 995 1000 1005

gag aac cag gag ttt gat gaa aga gag agg caa gcc cgc aaa gag

Glu Asn Gln Glu Phe Asp Glu Arg Glu Arg Gln Ala Arg Lys Glu 1010 1015 1020

aag aag ete geg aag agt gea aca eea tea aag ega eet tta gga

Lys Lys Leu Ala Lys Ser Ala Thr Pro Ser Lys Arg Pro Leu Gly 1025 1030 1035

aga caa gca agt gag agt cct tca tcg acg aag aag cgg aag cac 3159

Arg Gln Ala Ser Glu Ser Pro Ser Ser Thr Lys Lys Arg Lys His 1040 1045 1050

ctg tcg atg aga tga 3174

Leu Ser Met Arg
1055

<210> 380 <211> 1057 <212> PRT <213> Arabidopsis thaliana <400> 380

Met Ala Arg Asn Ser Asn Ser Asp Glu Ala Phe Ser Ser Glu Glu Glu 1 5 15

Glu Glu Arg Val Lys Asp Asn Glu Glu Glu Asp Glu Glu Glu Glu Glu 20 25 30

Ala Val Ala Arg Ser Ser Gly Ser Asp Asp Asp Glu Val Ala Ala Ala 35 40 45

Asp Glu Ser Pro Val Ser Asp Gly Glu Ala Ala Pro Val Glu Asp Asp 50 55 60

Tyr Glu Asp Glu Glu Asp Glu Glu Lys Ala Glu Ile Ser Lys Arg Glu 65 70 75 80

Lys Ala Arg Leu Lys Glu Met Gln Lys Leu Lys Lys Gln Lys Ile Gln 85 90 95

Glu Met Leu Glu Ser Gln Asn Ala Ser Ile Asp Ala Asp Met Asn Asn 100 105 110

Lys Gly Lys Gly Arg Leu Lys Tyr Leu Leu Gln Gln Thr Glu Leu Phe 115 120 125

Ala His Phe Ala Lys Ser Asp Gly Ser Ser Ser Gln Lys Lys Ala Lys 130 135 140

Gly Arg Gly Arg His Ala Ser Lys Ile Thr Glu Glu Glu Glu Asp Glu

145 150 155 160

Glu Tyr Leu Lys Glu Glu Glu Asp Gly Leu Thr Gly Ser Gly Asn Thr 165 170 175

Arg Leu Leu Thr Gln Pro Ser Cys Ile Gln Gly Lys Met Arg Asp Tyr 180 185 190

Gln Leu Ala Gly Leu Asn Trp Leu Ile Arg Leu Tyr Glu Asn Gly Ile 195 200 205

Asn Gly Ile Leu Ala Asp Glu Met Gly Leu Gly Lys Thr Leu Gln Thr 210 215 220

Ile Ser Leu Leu Ala Tyr Leu His Glu Tyr Arg Gly Ile Asn Gly Pro 225 235 240

His Met Val Val Ala Pro Lys Ser Thr Leu Gly Asn Trp Met Asn Glu 245 250 255

Ile Arg Arg Phe Cys Pro Val Leu Arg Ala Val Lys Phe Leu Gly Asn 260 265 270

Pro Glu Glu Arg Arg His Ile Arg Glu Asp Leu Leu Val Ala Gly Lys 275 280 285

Phe Asp Ile Cys Val Thr Ser Phe Glu Met Ala Ile Lys Glu Lys Thr 290 295 300

Ala Leu Arg Arg Phe Ser Trp Arg Tyr Ile Ile Ile Asp Glu Ala His 305 310 315 320

Arg Ile Lys Asn Glu Asn Ser Leu Leu Ser Lys Thr Met Arg Leu Phe 325 330 335

Leu His Glu Leu Trp Ala Leu Leu Asn Phe Leu Leu Pro Glu Ile Phe 355 360 365

Ser Ser Ala Glu Thr Phe Asp Glu Trp Phe Gln Ile Ser Gly Glu Asn 370 375 380

Asp Gln Gln Glu Val Val Gln Gln Leu His Lys Val Leu Arg Pro Phe 385 390 395 400

Leu Leu Arg Arg Leu Lys Ser Asp Val Glu Lys Gly Leu Pro Pro Lys

405 410 415 Lys Glu Thr Ile Leu Lys Val Gly Met Ser Gln Met Gln Lys Gln Tyr 420 425 Tyr Lys Ala Leu Leu Gln Lys Asp Leu Glu Ala Val Asn Ala Gly Gly 435 440 445 Glu Arg Lys Arg Leu Leu Asn Ile Ala Met Gln Leu Arg Lys Cys Cys 450 455 460 Asn His Pro Tyr Leu Phe Gln Gly Ala Glu Pro Gly Pro Pro Tyr Thr 470 475 465 Thr Gly Asp His Leu Ile Thr Asn Ala Gly Lys Met Val Leu Leu Asp 485 490 495 Lys Leu Leu Pro Lys Leu Lys Glu Arg Asp Ser Arg Val Leu Ile Phe. 500 505 510 Ser Gln Met Thr Arg Leu Leu Asp Ile Leu Glu Asp Tyr Leu Met Tyr 515 520 525 Arg Gly Tyr Leu Tyr Cys Arg Ile Asp Gly Asn Thr Gly Gly Asp Glu 530 540 Arg Asp Ala Ser Ile Glu Ala Tyr Asn Lys Pro Gly Ser Glu Lys Phe 545 550 555 Val Phe Leu Leu Ser Thr Arg Ala Gly Gly Leu Gly Ile Asn Leu Ala

565 570

- Thr Ala Asp Val Val Ile Leu Tyr Asp Ser Asp Trp Asn Pro Gln Val 580 585 590
- Asp Leu Gln Ala Gln Asp Arg Ala His Arg Ile Gly Gln Lys Lys Glu
  595 600 605
- Val Gln Val Phe Arg Phe Cys Thr Glu Ser Ala Ile Glu Glu Lys Val 610 615 620
- Ile Glu Arg Ala Tyr Lys Lys Leu Ala Leu Asp Ala Leu Val Ile Gln 625 630 635 640

Gln Gly Arg Leu Ala Glu Gln Lys Ser Lys Ser Val Asn Lys Asp Glu 645 650 Leu Leu Gln Met Val Arg Tyr Gly Ala Glu Met Val Phe Ser Ser Lys 665 Asp Ser Thr Ile Thr Asp Glu Asp Ile Asp Arg Ile Ile Ala Lys Gly 680 Glu Glu Ala Thr Ala Glu Leu Asp Ala Lys Met'Lys Lys Phe Thr Glu 695 Asp Ala Ile Gln Phe Lys Met Asp Asp Ser Ala Asp Phe Tyr Asp Phe 710 Asp Asp Asp Asn Lys Asp Glu Asn Lys Leu Asp Phe Lys Lys Ile Val 30 MT (44) 725 0 MT (640 0 730 0 7 14 0 7 0 14 17 735 Ser Asp Asn Trp Asn Asp Pro Pro Lys Arg Glu Arg Lys Arg Asn Tyr 740 745 Ser Glu Ser Glu Tyr Phe Lys Gln Thr Leu Arg Gln Gly Ala Pro Ala 7.60 Lys Pro Lys Glu Pro Arg Ile Pro Arg Met Pro Gln Leu His Asp Phe 770 780 780 780 Gln Phe Phe Asn Ile Gln Arg Leu Thr Glu Leu Tyr Glu Lys Glu Val 785 790 795 Arg Tyr Leu Met Gln Thr His Gln Lys Asn Gln Leu Lys Asp Thr Ile For the case 805 the total asset of 810 to the company of 815 that Asp Val Glu Glu Pro Glu Gly Gly Asp Pro Leu Thr Thr Glu Glu Val 820 825 830 Glu Glu Lys Glu Gly Leu Leu Glu Glu Gly Phe Ser Thr Trp Ser Arg 835 845 Arg Asp Phe Asn Thr Phe Leu Arg Ala Cys Glu Lys Tyr Gly Arg Asn 850 855 Asp Ile Lys Ser Ile Ala Ser Glu Met Glu Gly Lys Thr Glu Glu Glu 865 875

Val Glu Arg Tyr Ala Lys Val Phe Lys Glu Arg Tyr Lys Glu Leu Asn 885 890 895

Asp Tyr Asp Arg Ile Ile Lys Asn Ile Glu Arg Gly Glu Ala Arg Ile 900 905 910

Ser Arg Lys Asp Glu Ile Met Lys Ala Ile Gly Lys Lys Leu Asp Arg 915 920 925

Tyr Arg Asn Pro Trp Leu Glu Leu Lys Ile Gln Tyr Gly Gln Asn Lys 930 935 940

Gly Lys Leu Tyr Asn Glu Glu Cys Asp Arg Phe Met Ile Cys Met Ile 945 950 955 960

His Lys Leu Gly Tyr Gly Asn Trp Asp Glu Leu Lys Ala Ala Phe Arg 965 970 975

Thr Ser Ser Val Phe Arg Phe Asp Trp Phe Val Lys Ser Arg Thr Ser

Gln Glu Leu Ala Arg Arg Cys Asp: Thr Leu Ile Arg Leu' Ile Glu Lys Sala and 995 West Sala and Sala 2000 or Sala and Aspect 21005 or Sala and Sala 2005

Glu Asn Gln Glu Phe Asp Glu Arg Glu Arg Gln Ala Arg Lys Glu 1010

Lys Lys Leu Ala Lys Ser Ala Thr Pro Ser Lys Arg Pro Leu Gly
1025

Arg Gln Ala Ser Glu Ser Pro Ser Ser Thr Lys Lys Arg Lys His 1040 1045

Leu Ser Met Arg 1055

<210> 381 <211> 2083 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (54)..(1859) <223> G1290

<400> 381

aattccactg ttattagact cttgactctg ttttgtttcc cgccgatctc gtg atg

1.31.1

Met

atg gcc acc acc acc acc acc acc gct aga ttc tct gat tca tac 104

Met Ala Thr Thr Thr Thr Thr Thr Ala Arg Phe Ser Asp Ser Tyr 5 10 15

gag ttc agc aac aca agc ggc aat agc ttc ttc gcc gcc gag tca tct 152 Glu Phe Ser Asn Thr Ser Gly Asn Ser Phe Phe Ala Ala Glu Ser Ser ctt gat tat ccg acg gaa ttt ctc acg cca ccg gag gta tca gct ctt Leu Asp Tyr Pro Thr Glu Phe Leu Thr Pro Pro Glu Val Ser Ala Leu 35 aaa ctt ctg tct aac tgc ctc gag tct gtt ttc gac tcg ccg gag acg Lys Leu Leu Ser Asn Cys Leu Glu Ser Val Phe Asp Ser Pro Glu Thr tte tac age gat get aag eta gtt ete gee gge egg gaa gtt tet Phe Tyr Ser Asp Ala Lys Leu Val Leu Ala Gly Gly Arg Glu Val Ser 70 ttt cac cgt tgt att ctt tcc gcg aga att cct gtc ttc aaa agc gct Phe His Arg Cys Ile Leu Ser Ala Arg Ile Pro Val Phe Lys Ser Ala 85 90: 95 tta gcc acc gtg aag gaa caa aaa tcc tcc acc acc gtg aag ctc cag Leu Ala Thr Val Lys Glu Gln Lys Ser Ser Thr Thr Val Lys Leu Gln 100 105 110 ctg aaa gag atc gcc aga gat tac gaa gtc ggc ttt gac tcg gtt gtg Leu Lys Glu Ile Ala Arg Asp Tyr Glu Val Gly Phe Asp Ser Val Val 120 gcg gtt ttg gcg tat gtt tac agc ggc aga gtg agg tcc ccg ccg aag 488 Ala Val Leu Ala Tyr Val Tyr Ser Gly Arg Val Arg Ser Pro Pro Lys 135 gga gct tct gct tgc gta gac gat tgt tgc cac gtg gct tgc cgg 536 5 10 Gly Ala Ser Ala Cys Val Asp Asp Cys Cys His Val Ala Cys Arg 150 155 160 tca aag gtg gat ttc atg gtg gag gtt ctt tat ctg tct ttc gtt ttc Ser Lys Val Asp Phe Met Val Glu Val Leu Tyr Leu Ser Phe Val Phe cag att caa gaa tta gtt act ctg tat gag agg cag ttc ttg gaa att 632 Gln Ile Gln Glu Leu Val Thr Leu Tyr Glu Arg Gln Phe Leu Glu Ile 180 185 gta gac aaa gtt gta gtc gaa gac atc ttg gtt ata ttc aag ctt gat Val Asp Lys Val Val Val Glu Asp Ile Leu Val Ile Phe Lys Leu Asp

act cta tgt ggt aca aca tac aag aag ctt ttg gat aga tgc ata gaa Thr Leu Cys Gly Thr Thr Tyr Lys Lys Leu Leu Asp Arg Cys Ile Glu 215 att atc gtg aag tct gat ata gaa cta gtt agt ctt gag aag tct tta Ile Ile Val Lys Ser Asp Ile Glu Leu Val Ser Leu Glu Lys Ser Leu 230 235 cct caa cac att ttc aag caa atc ata gac atc cgc gaa gcg ctc tgt Pro Gln His Ile Phe Lys Gln Ile Ile Asp Ile Arg Glu Ala Leu Cys 250 cta gag cca cct aaa cta gaa agg cat gtc aag aac ata tac aag gcg Leu Glu Pro Pro Lys Leu Glu Arg His Val Lys Asn Ile Tyr Lys Ala cta gac tca gat gat gtt gag ctt gtc aag atg ctt ttg cta gaa gga Leu Asp Ser Asp Asp Val Glu Leu Val Lys Met Leu Leu Leu Glu Gly cac acc aat etc gat gag geg tat get ett eat ttt get ate get eac His Thr Asn Leu Asp Glu Ala Tyr Ala Leu His Phe Ala Ile Ala His 295 300 tgc gct gtg aag acc gcg tat gat ctc ctc gag ctt gag ctt gcg gat 1016 Cys Ala Val Lys Thr Ala Tyr Asp Leu Glu Leu Glu Leu Ala Asp 310 315 gtt aac ctt aga aat ccg agg gga tac act gtg ctt cat gtt gct gcg 1064 Val Asn Leu Arg Asn Pro Arg Gly Tyr Thr Val Leu His Val Ala Ala 325 330 atg cgg aag gag ccg aag ttg ata ata tct ttg tta atg aaa ggg gca 1112 Met Arg Lys Glu Pro Lys Leu Ile Ile Ser Leu Leu Met Lys Gly Ala 340 345 aat att tta gac aca aca ttg gat ggt aga acc gct tta gtg att gta Asn Ile Leu Asp Thr Thr Leu Asp Gly Arg Thr Ala Leu Val Ile Val 360 aaa cga ctc act aaa gcg gat gac tac aaa act agt acg gag gac ggt 1208 Lys Arg Leu Thr Lys Ala Asp Asp Tyr Lys Thr Ser Thr Glu Asp Gly 370 375 380 acg cct tct ctg aaa ggc gga tta tgc ata gag gta ctt gag cat gaa Thr Pro Ser Leu Lys Gly Gly Leu Cys Ile Glu Val Leu Glu His Glu 390 395

caa aaa cta gaa tat ttg tcg cct ata gag gct tca ctt tct ctt cca 1304 Gln Lys Leu Glu Tyr Leu Ser Pro Ile Glu Ala Ser Leu Ser Leu Pro gta act cca gag gag ttg agg atg agg ttg ctc tat tat gaa aac cga Val Thr Pro Glu Glu Leu Arg Met Arg Leu Leu Tyr Tyr Glu Asn Arg 425 gtt gca ctt gct cga ctt ctc ttt cca gtg gaa act gaa act gta cag 1400 Val Ala Leu Ala Arg Leu Leu Phe Pro Val Glu Thr Glu Thr Val Gln 435 ggt att gcc aaa ttg gag gaa aca tgc gag ttt aca gct tct agt ctc Gly Ile Ala Lys Leu Glu Glu Thr Cys Glu Phe Thr Ala Ser Ser Leu 455 gag cct gat cat cac att ggt gaa aag cgg aca tca cta gac cta aat 1496 Glu Pro Asp His His Ile Gly Glu Lys Arg Thr Ser Leu Asp Leu Asn 470 475 480 atg gcg ccg ttc caa atc cat gag aag cat ttg agt aga cta aga gca 1544 Met Ala Pro Phe Gln Ile His Glu Lys His Leu Ser Arg Leu Arg Ala 490 485 ctt tgt aaa acc gtg gaa ctg ggg aaa cgc tac ttc aaa cga tgt tcg 1592 Leu Cys Lys Thr Val Glu Leu Gly Lys Arg Tyr Phe Lys Arg Cys Ser 505 500 ctt gat cac ttt atg gat act gag gac ttg aat cat ctt gct agc gta Leu Asp His Phe Met Asp Thr Glu Asp Leu Asn His Leu Ala Ser Val 520 gaa gaa gat act cct gag aaa cgg cta caa aag aag caa agg tac atg 1688: A Company of the Company of th Glu Glu Asp Thr Pro Glu Lys Arg Leu Gln Lys Lys Gln Arg Tyr Met 540 530 535 gaa cta caa gag act ctg atg aag acc ttt agt gag gac aag gag gaa 1736 Glu Leu Gln Glu Thr Leu Met Lys Thr Phe Ser Glu Asp Lys Glu Glu 555 550 tgt gga aag tct tcc aca ccg aaa cca acc tct gcg gtg agg tct aat 1784 Cys Gly Lys Ser Ser Thr Pro Lys Pro Thr Ser Ala Val Arg Ser Asn 570 aga aaa ctc tct cac cgg cgc cta aaa gtg gac aaa cgg gat ttt ttg Arg Lys Leu Ser His Arg Arg Leu Lys Val Asp Lys Arg Asp Phe Leu 590 580 585

PCT/US01/26189 WO 02/15675

aaa cga cct tac ggg aac ggg gat taa ggaatgggaa atcatattcc

Lys Arg Pro Tyr Gly Asn Gly Asp 595

atttcactcc cacaactaaa aatgatgtat gtcctatatc atgatgtttc gtgagtttca

aataaattga aacgtacata tatcagtttt tcatctacgt gactgcgttg tatagttttc 1999

gttcttcact tagcatcatg tgtattctag ctccaagtgc gtttcaaaca aatatagtta

tttttagcca attatatata cggt 2083

建分类的 海巴 編 開放機能

<210> 382 <211> 601 <212> PRT <213> Arabidopsis thaliana <400>

Met Met Ala Thr Thr Thr Thr Thr Thr Thr Ala Arg Phe Ser Asp Ser 10

Tyr Glu Phe Ser Asn Thr Ser Gly Asn Ser Phe Phe Ala Ala Glu Ser 

Ser Leu Asp Tyr Pro Thr Glu Phe Leu Thr Pro Pro Glu Val Ser Ala 45 35 40

Program Berling to the second of the second Leu Lys Leu Leu Ser Asn Cys Leu Glu Ser Val Phe Asp Ser Pro Glu 50 55 60

1 12

Thr Phe Tyr Ser Asp Ala Lys Leu Val Leu Ala Gly Gly Arg Glu Val 70 · 65

Ser Phe His Arg Cys Ile Leu Ser Ala Arg Ile Pro Val Phe Lys Ser **90** 95

Ala Leu Ala Thr Val Lys Glu Gln Lys Ser Ser Thr Thr Val Lys Leu 105

Gln Leu Lys Glu Ile Ala Arg Asp Tyr Glu Val Gly Phe Asp Ser Val 115 125

Val Ala Val Leu Ala Tyr Val Tyr Ser Gly Arg Val Arg Ser Pro Pro 135 130

Lys Gly Ala Ser Ala Cys Val Asp Asp Cys Cys His Val Ala Cys 155 150

Arg Ser Lys Val Asp Phe Met Val Glu Val Leu Tyr Leu Ser Phe Val 165 170 175

- Phe Gln Ile Gln Glu Leu Val Thr Leu Tyr Glu Arg Gln Phe Leu Glu 180 185 190
- Ile Val Asp Lys Val Val Val Glu Asp Ile Leu Val Ile Phe Lys Leu 195 200 205
- Asp Thr Leu Cys Gly Thr Thr Tyr Lys Lys Leu Leu Asp Arg Cys Ile 210 215 220
- Glu Ile Ile Val Lys Ser Asp Ile Glu Leu Val Ser Leu Glu Lys Ser 225 230 235 240
- Leu Pro Gln His Ile Phe Lys Gln Ile Ile Asp Ile Arg Glu Ala Leu
- Cys Leu Glu Pro Pro Lys Leu Glu Arg His Val Lys Asn Ile Tyr Lys
  260 265 270 270
- Ala Leu Asp Ser Asp Asp Val Glu Leu Val Lys Met Leu Leu Glu 275 280 285
- Gly His Thr Asn Leu Asp Glu Ala Tyr Ala Leu His Phe Ala Ile Ala 290 295 300
- His Cys Ala Val Lys Thr Ala Tyr Asp Leu Leu Glu Leu Glu Leu Ala 305 310 315 320
- Asp Val Asn Leu Arg Asn Pro Arg Gly Tyr Thr Val Leu His Val Ala 325 330 335
- Ala Met Arg Lys Glu Pro Lys Leu Ile Ile Ser Leu Leu Met Lys Gly 340 345
- Ala Asn Ile Leu Asp Thr Thr Leu Asp Gly Arg Thr Ala Leu Val Ile 355 360 365
- Val Lys Arg Leu Thr Lys Ala Asp Asp Tyr Lys Thr Ser Thr Glu Asp 370 375 380
- Gly Thr Pro Ser Leu Lys Gly Gly Leu Cys Ile Glu Val Leu Glu His 385 390 395 400
- Glu Gln Lys Leu Glu Tyr Leu Ser Pro Ile Glu Ala Ser Leu Ser Leu

405 410 415

Pro Val Thr Pro Glu Glu Leu Arg Met Arg Leu Leu Tyr Tyr Glu Asn 420 425 430

Arg Val Ala Leu Ala Arg Leu Leu Phe Pro Val Glu Thr Glu Thr Val 435 440 445

Gln Gly Ile Ala Lys Leu Glu Glu Thr Cys Glu Phe Thr Ala Ser Ser 450 455 460

Leu Glu Pro Asp His His Ile Gly Glu Lys Arg Thr Ser Leu Asp Leu 465 470 475 480

Asn Met Ala Pro Phe Gln Ile His Glu Lys His Leu Ser Arg Leu Arg 485 490 495

Ala Leu Cys Lys Thr Val Glu Leu Gly Lys Arg Tyr Phe Lys Arg Cys 500 505 510

Ser Leu Asp His Phe Met Asp Thr Glu Asp Leu Asn His Leu Ala Ser 515 520 525

Val Glu Glu Asp Thr Pro Glu Lys Arg Leu Gln Lys Lys Gln Arg Tyr 530 535 540

Met Glu Leu Gln Glu Thr Leu Met Lys Thr Phe Ser Glu Asp Lys Glu 545 550 555 555

Glu Cys Gly Lys Ser Ser Thr Pro Lys Pro Thr Ser Ala Val Arg Ser 565 570 575

Asn Arg Lys Leu Ser His Arg Arg Leu Lys Val Asp Lys Arg Asp Phe 580 585 590

Leu Lys Arg Pro Tyr Gly Asn Gly Asp 595 . 600

<210> 383 <211> 1020 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (39)..(788) <223> G1320

<400> 383

gaagatcata aagatcaaaa ggagagaggt attaaaaa atg atg tgt agt cga ggc 56

Met Met Cys Ser Arg Gly

cat tgg aga cct gca gaa gac gag aag cta aga gaa ctc gtc gag caa His Trp Arg Pro Ala Glu Asp Glu Lys Leu Arg Glu Leu Val Glu Gln ttt ggt cct cat aat tgg aac gcc ata gct cag aag ctc tct ggt cga Phe Gly Pro His Asn Trp Asn Ala Ile Ala Gln Lys Leu Ser Gly Arg tct ggt aag agt tgt aga ttg aga tgg ttt aat caa ttg gat cct agg Ser Gly Lys Ser Cys Arg Leu Arg Trp Phe Asn Gln Leu Asp Pro Arg 40 att aac cga aac cct ttc acg gag gaa gaa gaa gaa agg ctt tta gcg 248 Ile Asn Arg Asn Pro Phe Thr Glu Glu Glu Glu Arg Leu Leu Ala cct cat cgg atc cat ggg aac aga tgg tct gtg atc gct aga ttt ttt Pro His Arg Ile His Gly Asn Arg Trp Ser Val Ile Ala Arg Phe Phe ecc ggt ega act gat aac get gtt aaa aac cat tgg cac gtc atc atg Pro Gly Arg Thr Asp Asn Ala Val Lys Asn His Trp His Val Ile Met 90 95 get egt egt ega ega egg tee aag ete egt eea ega ege ett ege Ala Arg Arg Gly Arg Glu Arg Ser Lys Leu Arg Pro Arg Gly Leu Gly 110 cat gat ggc acg gtg gct gcg act ggg atg att ggt aat tat aaa gac His Asp Gly Thr Val Ala Ala Thr Gly Met Ile Gly Asn Tyr Lys Asp 125 130 120 tgc gat aag gag aga aga ttg gca acc aca acc gct atc aat ttt cct 488 Cys Asp Lys Glu Arg Arg Leu Ala Thr Thr Ala Ile Asn Phe Pro 140 145 tat caa ttc tct cat att aat cat ttt caa gtc ctc aaa gag tcc ttg Tyr Gln Phe Ser His Ile Asn His Phe Gln Val Leu Lys Glu Ser Leu 155 165 acc gga aag atc ggg ttc aga aat agt act act cca ata caa gaa gga Thr Gly Lys Ile Gly Phe Arg Asn Ser Thr Thr Pro Ile Gln Glu Gly 175 gca ata gac caa act aaa cga ccg atg gag ttc tac aat ttt ctc caa Ala Ile Asp Gln Thr Lys Arg Pro Met Glu Phe Tyr Asn Phe Leu Gln 190 195

• . . •

gta aac acg gat tcg aag ata cac gaa ttg ata gat aat tca aga aaa

Val Asn Thr Asp Ser Lys Ile His Glu Leu Ile Asp Asn Ser Arg Lys 200 205 210

gac gaa gaa gat gtc gat caa aac aac cga att cgt aac gag aat 728

Asp Glu Glu Glu Asp Val Asp Gln Asn Asn Arg Ile Arg Asn Glu Asn 215 220 225 230

tgt gtt cca ttt ttc gac ttt ttg tct gtt gga aac tct gcc tct cag

Cys Val Pro Phe Phe Asp Phe Leu Ser Val Gly Asn Ser Ala Ser Gln 235 240 245

ggt tta tgt taa tttgtccgta ccacatgtac tataaggtgg accatatgtt 828 Gly Leu Cys

aactaaagat aatgtagaaa gtactaatca attagagctc ctgtttgagc caaatgtgaa 888

aattagttaa gacatcccaa acattttctt gtataacaca tataaggttg tacttttatc 948

aggictaatt tictattitt attitaagga tgittaatca gacccataac caticgataa 1008

aaaaaaaaa aa 1020

232 But William 18 12

<210> 384 <211> 249 <212> PRT <213> Arabidopsis thaliana <400> 384

Met Met Cys Ser Arg Gly His Trp Arg Pro Ala Glu Asp Glu Lys Leu

5 10 15

Arg Glu Leu Val Glu Gln Phe Gly Pro His Asn Trp Asn Ala Ile Ala 20 25 30

Gln Lys Leu Ser Gly Arg Ser Gly Lys Ser Cys Arg Leu Arg Trp Phe 35 40

Asn Gln Leu Asp Pro Arg Ile Asn Arg Asn Pro Phe Thr Glu Glu Glu 50 55 60

Glu Glu Arg Leu Leu Ala Pro His Arg Ile His Gly Asn Arg Trp Ser 65 70 75 80

Val Ile Ala Arg Phe Phe Pro Gly Arg Thr Asp Asn Ala Val Lys Asn 85 90 95

His Trp His Val Ile Met Ala Arg Arg Gly Arg Glu Arg Ser Lys Leu

100 105 110

Arg Pro Arg Gly Leu Gly His Asp Gly Thr Val Ala Ala Thr Gly Met 115 120 125

Ile Gly Asn Tyr Lys Asp Cys Asp Lys Glu Arg Arg Leu Ala Thr Thr 130 135 140

Thr Ala Ile Asn Phe Pro Tyr Gln Phe Ser His Ile Asn His Phe Gln 145 150 155 160

Val Leu Lys Glu Ser Leu Thr Gly Lys Ile Gly Phe Arg Asn Ser Thr 165 170 175

Thr Pro Ile Gln Glu Gly Ala Ile Asp Gln Thr Lys Arg Pro Met Glu 180 185 190

Phe Tyr Asn Phe Leu Gln Val Asn Thr Asp Ser Lys Ile His Glu Leu 195 200 205

Ile Asp Asn Ser Arg Lys Asp Glu Glu Glu Asp Val Asp Gln Asn Asn 210 215 220

Arg Ile Arg Asn Glu Asn Cys Val Pro Phe Phe Asp Phe Leu Ser Val 225 230 235 240

Gly Asn Ser Ala Ser Gln Gly Leu Cys 245

<210> 385 <211> 925 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (59)..(697) <223> G1329

<400> 385

ccacgcgtcc gtacctttta caatttgttt atatatttta cgtatctatc tttgttcc 58

atg gag ggt tcg tcc aaa ggg ctg cga aaa ggt gct tgg act act gaa 106

Met Glu Gly Ser Ser Lys Gly Leu Arg Lys Gly Ala Trp Thr Glu 1 5 10 15

gaa gat agt ctc ttg aga cag tgc att aat aag tat gga gaa ggc aaa 154

Glu Asp Ser Leu Leu Arg Gln Cys Ile Asn Lys Tyr Gly Glu Gly Lys 20 25 30

tgg cac caa gtt cct gta aga gct ggg cta aac cgg tgc agg aaa agt 202

Trp His Gln Val Pro Val Arg Ala Gly Leu Asn Arg Cys Arg Lys Ser 35 40 45

tgt aga tta aga tgg ttg aac tat ttg aag cca agt atc aag aga gga Cys Arg Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly 50 aaa ctt age tet gat gaa gte gat ett ett ett ege ett eat agg ett Lys Leu Ser Ser Asp Glu Val Asp Leu Leu Leu Arg Leu His Arg Leu 70 cta ggg aat agg tgg tct tta att gct gga aga tta cct ggt cgg acc 346 Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr 90 85 gca aat gac gtc aag aat tac tgg aac act cat ctg agt aag aaa cat Ala Asn Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His 105 gaa ccg tgt tgt aag ata aag atg aaa aag aga gac att acg ccc att 442 Glu Pro Cys Cys Lys Ile Lys Met Lys Lys Arg Asp Ile Thr Pro Ile 115 120 cct aca aca ccg gca cta aaa aac aat gtt tat aag cct cga cct cga Pro Thr Thr Pro Ala Leu Lys Asn Asn Val Tyr Lys Pro Arg Pro Arg 135 · · tee tte aca gtt aac aac gac tge aac cat ete aat gee eea eea aaa 538 Ser Phe Thr Val Asn Asn Asp Cys Asn His Leu Asn Ala Pro Pro Lys 150 gtt gac gtt aat cct cca tgc ctt gga ctt aac atc aat aat gtt tgt 586 Val Asp Val Asn Pro Pro Cys Leu Gly Leu Asn Ile Asn Asn Val Cys 165 170 175 gac aat agt atc ata tac aac aaa gat aag aag aaa gac caa cta gtg Asp Asn Ser Ile Ile Tyr Asn Lys Asp Lys Lys Asp Gln Leu Val aat aat ttg att gat gga gat aat atg tgg tta gag aaa ttc cta agg Asn Asn Leu Ile Asp Gly Asp Asn Met Trp Leu Glu Lys Phe Leu Arg 200 195 205 aaa gcc aag agg tag atattttggt tcctgaagcg acgacaacag aaaaggggga 737 Lys Ala Lys Arg 210 caccttggct tttgacgttg atcaactttg gagtcttttc gatggagaga ctgtgaaatt tgattagtgt ttcgaacatt tgtttgcgtt tgtqtatagg tttqctttca ccttttaatt 857

tgtgtgtttt gataaataag ctaatagttt ttagcatttt aatgaaatat ttcaagtttc 917

cgtgttac 925

Burn of the best size of the

<210> 386 <211> 212 <212> PRT <213> Arabidopsis thaliana <400> 386

Met Glu Gly Ser Ser Lys Gly Leu Arg Lys Gly Ala Trp Thr Thr Glu 1 5 10 15

Glu Asp Ser Leu Leu Arg Gln Cys Ile Asn Lys Tyr Gly Glu Gly Lys
20 25 30

Trp His Gln Val Pro Val Arg Ala Gly Leu Asn Arg Cys Arg Lys Ser 35 40 45

Cys Arg Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly 50 55 60

Lys Leu Ser Ser Asp Glu Val Asp Leu Leu Leu Arg Leu His Arg Leu 65 70 75 80

Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr

Ala Asn Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His 100 105 110

Glu Pro Cys Cys Lys Ile Lys Met Lys Lys Arg Asp Ile Thr Pro Ile 115 120 125

Pro Thr Thr Pro Ala Leu Lys Asn Asn Val Tyr Lys Pro Arg Pro Arg 130 135 140

Ser Phe Thr Val Asn Asn Asp Cys Asn His Leu Asn Ala Pro Pro Lys 145 150 150 160

Val Asp Val Asn Pro Pro Cys Leu Gly Leu Asn Ile Asn Asn Val Cys 165 170 175

Asp Asn Ser Ile Ile Tyr Asn Lys Asp Lys Lys Lys Asp Gln Leu Val 180 185 190

Asn Asn Leu Ile Asp Gly Asp Asn Met Trp Leu Glu Lys Phe Leu Arg 195 200 205 Lys Ala Lys Arg 210

<210> 387 <211> 1989 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (8)..(1966) <223> G1455

<400> 387

cgtcgac atg aac caa ata aaa aac aaa act tta ccg gag atg acg acg 49

Met Asn Gln Ile Lys Asn Lys Thr Leu Pro Glu Met Thr Thr 1 5 10

gag caa get ttg ttg tet atg gaa get tta eet tta ggt tte aga tte 97

Glu Gln Ala Leu Leu Ser Met Glu Ala Leu Pro Leu Gly Phe Arg Phe 15 20 25 30

aga cca acg gat gaa gaa ete ate aat cat tac eta agg tta aaa ate 145

Arg Pro Thr Asp Glu Glu Leu Ile Asn His Tyr Leu Arg Leu Lys Ile

aac ggc cgt gat tta gag gtt aga gtc atc cct gag atc gat gtt tgc 193

Asn Gly Arg Asp Leu Glu Val Arg Val Ile Pro Glu Ile Asp Val Cys 1979 60

aag tgg gaa cca tgg gac tta cct ggg cta tcg gtg ata aag aca gat 241

Lys Trp Glu Pro Trp Asp Leu Pro Gly Leu Ser Val Ile Lys Thr Asp
65 70 75

gat caa gaa tgg ttc ttt ttt tgt cct cgt gat cga aag tat ccg agt 289

Asp Gln Glu Trp Phe Phe Phe Cys Pro Arg Asp Arg Lys Tyr Pro Ser 80 85 90

ggt cat cgt tot aat aga gct act gat att ggt tac tgg aaa gct act 337

Gly His Arg Ser Asn Arg Ala Thr Asp Ile Gly Tyr Trp Lys Ala Thr 95 100 105 110

ggg aaa gat cga act att aag tot aag aag atg att att ggt atg aag 385

Gly Lys Asp Arg Thr Ile Lys Ser Lys Lys Met Ile Ile Gly Met Lys

aag act ctt gtt ttc tat cgt gga aga gct cct aga gga gag cgt act

Lys Thr Leu Val Phe Tyr Arg Gly Arg Ala Pro Arg Gly Glu Arg Thr 130 135 140

aat tgg att atg cat gag tat cgt gct aca gac aag gaa cta gat ggt 481

Asn Trp Ile Met His Glu Tyr Arg Ala Thr Asp Lys Glu Leu Asp Gly
145 150 155

act gga cct ggt cag aat ccg tat gtt ttg tgt cgc ttg ttc cac aag 529

Thr Gly Pro Gly Gln Asn Pro Tyr Val Leu Cys Arg Leu Phe His Lys 165 170 cct aqt gat aqt tgt gat cct gca cac tgt gag gaa ata gag aaa gtt Pro Ser Asp Ser Cys Asp Pro Ala His Cys Glu Glu Ile Glu Lys Val 180 aat ttt act cca acc acc act aga tgc tct cct gat gac aca tct 625 Asn Phe Thr Pro Thr Thr Thr Arg Cys Ser Pro Asp Asp Thr Ser tct gaa atg gtc caa gaa aca gct aca tct ggt gta cat gct cta gat Ser Glu Met Val Gln Glu Thr Ala Thr Ser Gly Val His Ala Leu Asp 210 aga toa gat gac act gag agg tgt tta agt gac aag ggc aat aat gat ; 721 Arg Ser Asp Asp Thr Glu Arg Cys Leu Ser Asp Lys Gly Asn Asn Asp 235 225 230 gtg aaa cct gat gtt tca gtg ata aac aat act tct gtc aat cac gct 769 Val Lys Pro Asp Val Ser Val Ile Asn Asn Thr Ser Val Asn His Ala 240 qua act tot cgt goo aaa gac cgt aat ttg ggc aag acg tta gta gag Glu Thr Ser Arg Ala Lys Asp Arg Asn Leu Gly Lys Thr Leu Val Glu 260 gaa aat cca ctt cta agg gac gtt cca act ctt cat gga ccc atc ttg Glu Asn Pro Leu Leu Arg Asp Val Pro Thr Leu His Gly Pro Ile Leu 275 280 285 agt gag aaa toa tat tat ooa gga cag toa ago ato ggt ttt got aca 913 Ser Glu Lys Ser Tyr Tyr Pro Gly Gln Ser Ser Ile Gly Phe Ala Thr 295 290 tet cae atg gat tet atg tat tet agt gat ttt gga aac tgt gat tat Ser His Met Asp Ser Met Tyr Ser Ser Asp Phe Gly Asn Cys Asp Tyr 310 315 305 ggg cta cat ttt caa gat ggt gcc tct gaa caa gat gca tct tta aca 1009 Gly Leu His Phe Gln Asp Gly Ala Ser Glu Gln Asp Ala Ser Leu Thr 325 gat gtc ttg gat gaa gta ttc cat aac cat aat gaa tcc tct aat gac 1.057 Asp Val Leu Asp Glu Val Phe His Asn His Asn Glu Ser Ser Asn Asp 345 350 agg aaa gac ttt gta ctt ccg aat atg atg cat tgg cct ggt aat aca 1105 Arg Lys Asp Phe Val Leu Pro Asn Met Met His Trp Pro Gly Asn Thr

355 360 365

aga ctg ttg tct act gag tac cca ttt ctc aaa gat tct gtt gct ttt 1153

Arg Leu Leu Ser Thr Glu Tyr Pro Phe Leu Lys Asp Ser Val Ala Phe 370 375 380

gtt gac ggc agt gct gaa gtt tee ggc tea eag caa ttt gtt eet gac 1201

Val Asp Gly Ser Ala Glu Val Ser Gly Ser Gln Gln Phe Val Pro Asp 385 390 395

att tta get tet aga tgg gte agt gaa cag aac gtt gat age aag gag 1249

Ile Leu Ala Ser Arg Trp Val Ser Glu Gln Asn Val Asp Ser Lys Glu 400 405 410

gca gta gag att cta tct tca acc ggg tcc tct cgg acc ttg acg cca 1297

Ala Val Glu Ile Leu Ser Ser Thr Gly Ser Ser Arg Thr Leu Thr Pro 415 420 425 430

ctt cat aac aac gtt ttt ggg caa tat gct tca tcg tct tac gca gct 1345

Leu His Asn Asn Val Phe Gly Gln Tyr Ala Ser Ser Ser Tyr Ala Ala 435 440 445

ate gat cca ttt aac tat aat gtc aat cag cct gaa cag tca tcc ttt 1393

Ile Asp Pro Phe Asn Tyr Asn Val Asn Gln Pro Glu Gln Ser Ser Phe
450 455 460

gag caa age cat gtt gac cgc aac att agt ccc agt aac att ttt gag 1441

Glu Gln Ser His Val Asp Arg Asn Ile Ser Pro Ser Asn Ile Phe Glu 465 470 475

ttc aag gct agg tct cga gag aat cag aga gat ctg gac tct gtt gtg 1489

Phe Lys Ala Arg Ser Arg Glu Asn Gln Arg Asp Leu Asp Ser Val Val 480 485 490

gac caa ggc act gct cct aga aga att cgg ctg cag atc gaa cag cca 1537

Asp Gln Gly Thr Ala Pro Arg Arg Ile Arg Leu Gln Ile Glu Gln Pro 495 500 505 510

ttg acg cca gtt acc aac aag aaa gag aga gat gcg gac aac tat gaa 1585

Leu Thr Pro Val Thr Asn Lys Lys Glu Arg Asp Ala Asp Asn Tyr Glu 515 520 525

gaa gaa gat gaa gta caa tot goo atg too aag gto gta gag gaa gaa 1633

Glu Glu Asp Glu Val Gln Ser Ala Met Ser Lys Val Val Glu Glu Glu 530 535 540

ccg gct aat tta agt gct cag ggg act gct cag agg aga atc cgc ctg 1681

Pro Ala Asn Leu Ser Ala Gln Gly Thr Ala Gln Arg Arg Ile Arg Leu
545 550 555

cag acg aga ttg agg aag cct ctc ata acc cta aac aat aca aaa aga 1729

Gln Thr Arg Leu Arg Lys Pro Leu Ile Thr Leu Asn Asn Thr Lys Arg 560 565 570

aac tca aat ggc aga gaa gga gaa gca agc cat agg aag tgt gaa atg 1777

Asn Ser Asn Gly Arg Glu Gly Glu Ala Ser His Arg Lys Cys Glu Met 575 580 585 590

cag gaa aaa gaa gat ata tca tca tca tca tca tgg cag aaa cag aag 1825

Gln Glu Lys Glu Asp Ile Ser Ser Ser Ser Ser Trp Gln Lys Gln Lys 595 600 605

aag agc ttg gtg cag ttt agt agt gtg gtg ata ata gtg gcg gtg ata 1873

Lys Ser Leu Val Gln Phe Ser Ser Val Val Ile Ile Val Ala Val Ile 610 620

gtt gtt tta gta gaa ata tgg aaa gag tca aga gat gcg aaa tgt agc 1921

Val Val Leu Val Glu Ile Trp Lys Glu Ser Arg Asp Ala Lys Cys Ser 625 630 635

ttc ttg ttt cat caa tta gat tcc ttc aaa ggc atg ttt act tga

Phe Leu Phe His Gln Leu Asp Ser Phe Lys Gly Met Phe Thr 640 645 650

tgatatattg tgccgcggcc gct

<210> 388 <211> 652 <212> PRT <213> Arabidopsis thaliana <400> 388

Met Asn Gln Ile Lys Asn Lys Thr Leu Pro Glu Met Thr Thr Glu Gln  $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ 

• . . .

Ala Leu Leu Ser Met Glu Ala Leu Pro Leu Gly Phe Arg Phe Arg Pro 20 25 30

Thr Asp Glu Glu Leu Ile Asn His Tyr Leu Arg Leu Lys Ile Asn Gly 35 40

Arg Asp Leu Glu Val Arg Val Ile Pro Glu Ile Asp Val Cys Lys Trp 50 55 60

Glu Pro Trp Asp Leu Pro Gly Leu Ser Val Ile Lys Thr Asp Asp Gln 65 · 70 75 80

Glu Trp Phe Phe Phe Cys Pro Arg Asp Arg Lys Tyr Pro Ser Gly His 85 90 95

Arg Ser Asn Arg Ala Thr Asp Ile Gly Tyr Trp Lys Ala Thr Gly Lys
100 105 110

Asp Arg Thr Ile Lys Ser Lys Lys Met Ile Ile Gly Met Lys Lys Thr 115 120 125

Leu Val Phe Tyr Arg Gly Arg Ala Pro Arg Gly Glu Arg Thr Asn Trp 130 135 140

Ile Met His Glu Tyr Arg Ala Thr Asp Lys Glu Leu Asp Gly Thr Gly 145 150 155 160

Pro Gly Gln Asn Pro Tyr Val Leu Cys Arg Leu Phe His Lys Pro Ser 165 170 175

Asp Ser Cys Asp Pro Ala His Cys Glu Glu Ile Glu Lys Val Asn Phe

Thr Pro Thr Thr Thr Arg Cys Ser Pro Asp Asp Thr Ser Ser Glu
195 200 205

Met Val Gln Glu Thr Ala Thr Ser Gly Val His Ala Leu Asp Arg Ser 210 215 220

Asp Asp Thr Glu Arg Cys Leu Ser Asp Lys Gly Asn Asn Asp Val Lys 225 230 235 240

Pro Asp Val Ser Val Ile Asn Asn Thr Ser Val Asn His Ala Glu Thr 245 250 255

Ser Arg Ala Lys Asp Arg Asn Leu Gly Lys Thr Leu Val Glu Glu Asn 260 265 270

9.50

385 0

Pro Leu Leu Arg Asp Val Pro Thr Leu His Gly Pro Ile Leu Ser Glu 275 280 285

Lys Ser Tyr Tyr Pro Gly Gln Ser Ser Ile Gly Phe Ala Thr Ser His 290 295 300

Met Asp Ser Met Tyr Ser Ser Asp Phe Gly Asn Cys Asp Tyr Gly Leu 305 310 315 320

His Phe Gln Asp Gly Ala Ser Glu Gln Asp Ala Ser Leu Thr Asp Val 325 330 335

Leu Asp Glu Val Phe His Asn His Asn Glu Ser Ser Asn Asp Arg Lys 340 345

- Asp Phe Val Leu Pro Asn Met Met His Trp Pro Gly Asn Thr Arg Leu 355 360 365
- Leu Ser Thr Glu Tyr Pro Phe Leu Lys Asp Ser Val Ala Phe Val Asp 370 375 380
- Gly Ser Ala Glu Val Ser Gly Ser Gln Gln Phe Val Pro Asp Ile Leu 385 390 395 400
- Ala Ser Arg Trp Val Ser Glu Gln Asn Val Asp Ser Lys Glu Ala Val 405 410 415
- Glu Ile Leu Ser Ser Thr Gly Ser Ser Arg Thr Leu Thr Pro Leu His
  420 425 430
- Asn Asn Val Phe Gly Gln Tyr Ala Ser Ser Ser Tyr Ala Ala Ile Asp 435 440 445
- Pro Phe Asn Tyr Asn Val Asn Gln Pro Glu Gln Ser Ser Phe Glu Gln 450 455 460
- Ser His Val Asp Arg Asn Ile Ser Pro Ser Asn Ile Phe Glu Phe Lys 465 470 475 480
- Ala Arg Ser Arg Glu Asn Gln Arg Asp Leu Asp Ser Val Val Asp Gln 485 490 495
- Gly Thr Ala Pro Arg Arg Ile Arg Leu Gln Ile Glu Gln Pro Leu Thr 500 505 510
- Pro Val Thr Asn Lys Lys Glu Arg Asp Ala Asp Asn Tyr Glu Glu 515 520 525
- Asp Glu Val Gln Ser Ala Met Ser Lys Val Val Glu Glu Glu Pro Ala 530 535 540
- Asn Leu Ser Ala Gln Gly Thr Ala Gln Arg Arg Ile Arg Leu Gln Thr 545 550 555 560
- Arg Leu Arg Lys Pro Leu Ile Thr Leu Asn Asn Thr Lys Arg Asn Ser 565 570 575
- Asn Gly Arg Glu Gly Glu Ala Ser His Arg Lys Cys Glu Met Gln Glu

580

590

Lys Glu Asp Ile Ser Ser Ser Ser Ser Trp Gln Lys Gln Lys Ser 595 600 605

585

Leu Val Gln Phe Ser Ser Val Val Ile Ile Val Ala Val Ile Val Val 610 620

Leu Val Glu Ile Trp Lys Glu Ser Arg Asp Ala Lys Cys Ser Phe Leu 625 630 635 640

Phe His Gln Leu Asp Ser Phe Lys Gly Met Phe Thr 645

<210> 389 <211> 2178 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(2178) <223> G1544

<400> 389

CARE BRATES

atg tet cag tea aac atg gta eea gtg get aac aac gga gac aac aac 48

Asn Asp Asn Glu Asn Asn Asn Asn Asn Asn Asn Gly Gly Thr Asp 20 25 30

aac act aat gct gga aat gat tct gga gat caa gat ttc gac agt ggg 144

Asn Thr Asn Ala Gly Asn Asp Ser Gly Asp Gln Asp Phe Asp Ser Gly 35 40 45

aat acc tca agt ggc aat cat gga gaa ggg ttg gga aac aat caa gct

Asn Thr Ser Ser Gly Asn His Gly Glu Gly Leu Gly Asn Asn Gln Ala 60 50

cct cgt cat aag aag aaa aaa tac aat cgt cac acc caa ctt cag att

Pro Arg His Lys Lys Lys Lys Tyr Asn Arg His Thr Gln Leu Gln Ile 65 70 75 80

tcg gag atg gaa gct ttc ttc aga gag tgt cct cac cca gat gac aaa 288

Ser Glu Met Glu Ala Phe Phe Arg Glu Cys Pro His Pro Asp Asp Lys
85
90
95

caa agg tac gac ctt agc gct caa ttg gga ttg gac cct gtt cag atc 336

Gln Arg Tyr Asp Leu Ser Ala Gln Leu Gly Leu Asp Pro Val Gln Ile 100 105 110

aaa tto tgg tto cag aac aaa cgc act caa aac aag aat caa caa gaa 384

Lys Phe Trp Phe Gln Asn Lys Arg Thr Gln Asn Lys Asn Gln Gln Glu

115 120 125

ege ttt gag aac tea gaa ett egg aat etg aac aac eac ett agg tet Arg Phe Glu Asn Ser Glu Leu Arg Asn Leu Asn Asn His Leu Arg Ser 130 gaa aat cag cgg tta cga gaa gct att cat caa gcc tta tgc cct aag Glu Asn Gln Arg Leu Arg Glu Ala Ile His Gln Ala Leu Cys Pro Lys tgt gga ggc caa act gca att ggc gaa atg acc ttc gaa gag cac cat Cys Gly Gly Gln Thr Ala Ile Gly Glu Met Thr Phe Glu Glu His His 165 170 175 ctt cgc atc ctc aac gct cgt ttg act gaa gag atc aag caa ctt tcc 576 Leu Arg Ile Leu Asn Ala Arg Leu Thr Glu Glu Ile Lys Gln Leu Ser gtg aca gcg gaa aag ata tca agg ctt acg ggg ata cca gta agg agc Val Thr Ala Glu Lys Ile Ser Arg Leu Thr Gly Ile Pro Val Arg Ser 195 205 cat ccc cgt gtg tct cct cct aat cct cct cca aat ttc gag ttc ggg His Pro Arg Val Ser Pro Pro Asn Pro Pro Pro Asn Phe Glu Phe Gly 215 atg gga tot aag gga aat gto gga aac cac tog agg gaa acc act gga Met Gly Ser Lys Gly Asn Val Gly Asn His Ser Arg Glu Thr Thr Gly 230 235 cct gca gat gct aat acc aag ccg atc atc atg gag ttg gca ttt gga 768 Pro Ala Asp Ala Asn Thr Lys Pro Ile Ile Met Glu Leu Ala Phe Gly . '245 250 gee atg gag gag ete ttg gtg atg get caa gtg get gaa eea etg tgg Ala Met Glu Glu Leu Leu Val Met Ala Gln Val Ala Glu Pro Leu Trp 265 atg gga gga ttt aat ggc act agc tta gct ttg aac ttg gat gaa tac Met Gly Gly Phe Asn Gly Thr Ser Leu Ala Leu Asn Leu Asp Glu Tyr 280 285 275 gaa aag acg ttt cgc acg ggt ctc ggt cct aga ctt ggc ggg ttt cga Glu Lys Thr Phe Arg Thr Gly Leu Gly Pro Arg Leu Gly Gly Phe Arg 295 290 acc gag gca tcc agg gaa act gca ctc gtg gca atg tgt cct act ggc Thr Glu Ala Ser Arg Glu Thr Ala Leu Val Ala Met Cys Pro Thr Gly 315 320 305 310

att gtt gaa atg ctc atg caa gag aat ctg tgg tca aca atg ttt gcc Ile Val Glu Met Leu Met Gln Glu Asn Leu Trp Ser Thr Met Phe Ala 325 330 gga att gtt ggt aga gcc agg act cat gaa cag ata atg gct gat gct Gly Ile Val Gly Arg Ala Arg Thr His Glu Gln Ile Met Ala Asp Ala 340 345 350 gct gga aac ttc aat gga aat ctc caa ata atg agt gct gag tac caa .1104 Ala Gly Asn Phe Asn Gly Asn Leu Gln Ile Met Ser Ala Glu Tyr Gln gtg ctt tcc ccg cta gtc aca acc cgc gaa agc tac ttc gtc cgc tac 1152 Val Leu Ser Pro Leu Val Thr Thr Arg Glu Ser Tyr Phe Val Arg Tyr 370 375 tgt aag caa caa gga gag ggt ttg tgg gcg gtg gtc gat att tcc atc 1200 के में दिस्ता हम रहेका हम हो लेक रहता है के लिए हैं के कि कि का मार्ग के लिए Cys Lys Gln Gln Gly Glu Gly Leu Trp Ala Val Val Asp Ile Ser Ile 385 (Fig. 1997) 18 76 49 390 (No. 4) (1997) 24 395 (1997) 1997 (1997) 400 gac cat ctc ctc cca aac atc aac cta aaa tgt cgc cgc cga ccc tct 1248 For the court of the AR that is the AR Republic of the AR Republi Asp His Leu Leu Pro Asn Ile Asn Leu Lys Cys Arg Arg Arg Pro Ser 405 410 415 gga tgt ctg att caa gaa atg cat agt ggt tac tcc aag gtt aca tgg 1296 Gly Cys Leu Ile Gln Glu Met His Ser Gly Tyr Ser Lys Val Thr Trp \$\text{30} \text{ (\$\frac{1}{2}\$) \$\frac{1}{2}\$ \$\frac{1}{ 577.4 gtg gaa cat gtg gaa gta gat gat gca gga agt tac agc atc ttt gag 1344 Val Glu His Val Glu Val Asp Asp Ala Gly Ser Tyr Ser Ile Phe Glu 435 440 445 aaa tta atc tgt act ggt caa gct ttt gct gct aac cgc tgg gtt ggt **1392** • 1.5 • 1.5 • 1.2. • 1.1. Lys Leu Ile Cys Thr Gly Gln Ala Phe Ala Ala Asn Arg Trp Val Gly aca ttg gta cgc cag tgt gag cgg ata tct agc atc ttg tcg aca gat Thr Leu Val Arg Gln Cys Glu Arg Ile Ser Ser Ile Leu Ser Thr Asp 470 475 ttt caa tct gtc gat tcc ggt gat cac ata acg cta act aac cat gga Phe Gln Ser Val Asp Ser Gly Asp His Ile Thr Leu Thr Asn His Gly · 485 490 aag atg agc atg ctg aag ata gct gag cgg att gcg aga acc ttc ttt 1536 Lys Met Ser Met Leu Lys Ile Ala Glu Arg Ile Ala Arg Thr Phe Phe 500 505 510

gct gga atg acc aat gcg acg ggg tct aca ata ttt tct ggt gtt gaa 1584 Ala Gly Met Thr Asn Ala Thr Gly Ser Thr Ile Phe Ser Gly Val Glu gga gaa gat atc aga gtg atg aca atg aag agc gtg aat gat cca gga 1632 Gly Glu Asp Ile Arg Val Met Thr Met Lys Ser Val Asn Asp Pro Gly 530 535 aag oot ooc ggt gto att att tgt goa goo act too ttt tgg ott oot Lys Pro Pro Gly Val Ile Ile Cys Ala Ala Thr Ser Phe Trp Leu Pro 550 get cet eet aac act gte ttt gae tte etc aga gag get act cae ega 1728 Ala Pro Pro Asn Thr Val Phe Asp Phe Leu Arg Glu Ala Thr His Arg 565 570 cac aat tgg gat gtt ctc tgc aac gga gag atg atg cac aag ata gca 1776 His Asn Trp Asp Val Leu Cys Asn Gly Glu Met Met His Lys Ile Ala 7.5 · · · · · · · · · 580 590 gag att acg aat ggg ata gac aaa agg aac tgt gca agt tta ctc cgg 1824 Glu Ile Thr Asn Gly Ile Asp Lys Arg Asn Cys Ala Ser Leu Leu Arg 595 600 cat gga cac act agc aag agc aag atg atg ata gtt caa gag act tct 41.3 His Gly His Thr Ser Lys Ser Lys Met Met Ile Val Gln Glu Thr Ser 620 615 act gac cca aca gct tca ttt gtg ctt tat gcg cct gtt gat atg aca 1920 Thr Asp Pro Thr Ala Ser Phe Val Leu Tyr Ala Pro Val Asp Met Thr 635 640 625 630 tca atg gat att act ctc cat gga ggt ggt gat cct gac ttt gtg gtg Ser Met Asp Ile Thr Leu His Gly Gly Gly Asp Pro Asp Phe Val Val 650 atc ctg cct tct ggt ttt gct att ttt cca gat ggt acg ggt aag cct 2016 Ile Leu Pro Ser Gly Phe Ala Ile Phe Pro Asp Gly Thr Gly Lys Pro 660 665 670 gga gga aaa gaa gga gga tca ctt ttg acc att tcc ttc caa atg ctg 2064 Gly Gly Lys Glu Gly Gly Ser Leu Leu Thr Ile Ser Phe Gln Met Leu 680 gtt gag tca ggt cct gag gct agg ctg agt gtt agc tct gtt gca act 2112 Val Glu Ser Gly Pro Glu Ala Arg Leu Ser Val Ser Ser Val Ala Thr 690 695 700

act gag aat ctg att cgt aca acc gtg cgg agg atc aaa gat ttg ttt 2160

Thr Glu Asn Leu Ile Arg Thr Thr Val Arg Arg Ile Lys Asp Leu Phe 705. 710 715 720

cct tgt cag act gct tga 2178 Pro Cys Gln Thr Ala 725

<210> 390 <211> 725 <212> PRT <213> Arabidopsis thaliana <400> 390

Met Ser Gln Ser Asn Met Val Pro Val Ala Asn Asn Gly Asp Asn Asn 1 5 10 15

Asn Asp Asn Glu Asn Asn Asn Asn Asn Asn Asn Gly Gly Thr Asp
20 25 30

Asn Thr Asn Ala Gly Asn Asp Ser Gly Asp Gln Asp Phe Asp Ser Gly 35 40 45

Asn Thr Ser Ser Gly Asn His Gly Glu Gly Leu Gly Asn Asn Gln Ala 50 55 60

Pro Arg His Lys Lys Lys Lys Tyr Asn Arg His Thr Gln Leu Gln Ile 65 70 75 80

Ser Glu Met Glu Ala Phe Phe Arg Glu Cys Pro His Pro Asp Asp Lys 85 90 95

Gln Arg Tyr Asp Leu Ser Ala Gln Leu Gly Leu Asp Pro Val Gln Ile 100 105 110

Lys Phe Trp Phe Gln Asn Lys Arg Thr Gln Asn Lys Asn Gln Glu 115 120 125

Arg Phe Glu Asn Ser Glu Leu Arg Asn Leu Asn Asn His Leu Arg Ser 130 135 140

Glu Asn Gln Arg Leu Arg Glu Ala Ile His Gln Ala Leu Cys Pro Lys 145 150 155 160

Cys Gly Gly Gln Thr Ala Ile Gly Glu Met Thr Phe Glu Glu His His 165 170 175

Leu Arg Ile Leu Asn Ala Arg Leu Thr Glu Glu Ile Lys Gln Leu Ser 180 185 190

Val Thr Ala Glu Lys Ile Ser Arg Leu Thr Gly Ile Pro Val Arg Ser 195 200 205

- His Pro Arg Val Ser Pro Pro Asn Pro Pro Pro Asn Phe Glu Phe Gly 210 215 220
- Met Gly Ser Lys Gly Asn Val Gly Asn His Ser Arg Glu Thr Thr Gly 225 230 235 240
- Pro Ala Asp Ala Asn Thr Lys Pro Ile Ile Met Glu Leu Ala Phe Gly 245 250 255
- Ala Met Glu Glu Leu Leu Val Met Ala Gln Val Ala Glu Pro Leu Trp 260 265 270
- Met Gly Gly Phe Asn Gly Thr Ser Leu Ala Leu Asn Leu Asp Glu Tyr 275 280 285
- Glu Lys Thr Phe Arg Thr Gly Leu Gly Pro Arg Leu Gly Gly Phe Arg 290 295 300
- Thr Glu Ala Ser Arg Glu Thr Ala Leu Val Ala Met Cys Pro Thr Gly 305 310 315 320
- Ile Val Glu Met Leu Met Gln Glu Asn Leu Trp Ser Thr Met Phe Ala 325 330 335
- Gly Ile Val Gly Arg Ala Arg Thr His Glu Gln Ile Met Ala Asp Ala 340 \$345 . \$350
- Ala Gly Asn Phe Asn Gly Asn Leu Gln Ile Met Ser Ala Glu Tyr Gln 355 360 365
- Val Leu Ser Pro Leu Val Thr Thr Arg Glu Ser Tyr Phe Val Arg Tyr 370 375 380
- Cys Lys Gln Gln Gly Glu Gly Leu Trp Ala Val Val Asp Ile Ser Ile 385 390 395 400
- Asp His Leu Leu Pro Asn Ile Asn Leu Lys Cys Arg Arg Arg Pro Ser 405 410 415
- Gly Cys Leu Ile Gln Glu Met His Ser Gly Tyr Ser Lys Val Thr Trp 420 425 430

Val Glu His Val Glu Val Asp Asp Ala Gly Ser Tyr Ser Ile Phe Glu 435 440 445

Lys Leu Ile Cys Thr Gly Gln Ala Phe Ala Ala Asn Arg Trp Val Gly

Thr Leu Val Arg Gln Cys Glu Arg Ile Ser Ser Ile Leu Ser Thr Asp 465 470 475 480

Phe Gln Ser Val Asp Ser Gly Asp His Ile Thr Leu Thr Asn His Gly 485 490

Lys Met Ser Met Leu Lys Ile Ala Glu Arg Ile Ala Arg Thr Phe Phe 500 505 510

Ala Gly Met Thr Asn Ala Thr Gly Ser Thr Ile Phe Ser Gly Val Glu करों पुरिव 515 (10) (No. 20) किया निम्ना 520) के 1 (2.5 ) कि एक्ट 525) र कि 15ल कर क Trans.

Gly Glu Asp Ile Arg Val Met Thr Met Lys Ser Val Asn Asp Pro Gly 530

Lys Pro Pro Gly Val Ile Ile Cys Ala Ala Thr Ser Phe Trp Leu Pro 545 1-4 550 11 555 555 560

Ala Pro Pro Asn Thr Val Phe Asp Phe Leu Arg Glu Ala Thr His Arg March 48 (1996) 26 565 (1996) 138 (1996) 1570 (1996) 138 (1996) 1575 (1996)

His Asn Trp Asp Val Leu Cys Asn Gly Glu Met Met His Lys Ile Ala 580 585

Glu Ile Thr Asn Gly Ile Asp Lys Arg Asn Cys Ala Ser Leu Leu Arg 7 (2) 4 (4) 595 (1) 4 (4) 4 (4) (5) (4) 600 (1) (4) (5) (4) (4) (6) (6) (4) (4) (4)

His Gly His Thr Ser Lys Ser Lys Met Met Ile Val Gln Glu Thr Ser 610 615 620

Thr Asp Pro Thr Ala Ser Phe Val Leu Tyr Ala Pro Val Asp Met Thr 630 635 640

Ser Met Asp Ile Thr Leu His Gly Gly Gly Asp Pro Asp Phe Val Val 650 655 645

Ile Leu Pro Ser Gly Phe Ala Ile Phe Pro Asp Gly Thr Gly Lys Pro 665 670

Gly Gly Lys Glu Gly Gly Ser Leu Leu Thr Ile Ser Phe Gln Met Leu 732

675 680 685

Val Glu Ser Gly Pro Glu Ala Arg Leu Ser Val Ser Ser Val Ala Thr 690 695 700

Thr Glu Asn Leu Ile Arg Thr Thr Val Arg Arg Ile Lys Asp Leu Phe 705 710 715 720

Pro Cys Gln Thr Ala 725

<210> 391 <211> 1869 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1869) <223> G1553

<400> 391

atg agc caa aca agc tta gag cca ctt ata att tct att ata aag ctt  $48\,$ 

Met Ser Gln Thr Ser Leu Glu Pro Leu Ile Ile Ser Ile Ile Lys Leu 1 5 10 15

caa att ttg caa ctt tgg ttg aaa ttg ata gct gtt ggt tgg aat tta 96

Gln Ile Leu Gln Leu Trp Leu Lys Leu Ile Ala Val Gly Trp Asn Leu 20 25 30

ggg tot aat gat gat gaa ttg tac acg gag cta tgg aaa gct tgt gca 144

Gly Ser Asn Asp Asp Glu Leu Tyr Thr Glu Leu Trp Lys Ala Cys Ala
35 40 45

ggg cca ctt gtg gaa gtt cct cgt tat ggt gaa aga gtt ttc tac ttc 192

Gly Pro Leu Val Glu Val Pro Arg Tyr Gly Glu Arg Val Phe Tyr Phe 50 55 60

cct caa ggt cac atg gaa caa ttg gtt gct tcg act aat caa gga gtt 240

Pro Gln Gly His Met Glu Gln Leu Val Ala Ser Thr Asn Gln Gly Val 65 70 75 80

gtt gat caa gag ata cca gtg ttt aat ctt cct cca aag ata ctt tgt 288

Val Asp Gln Glu Ile Pro Val Phe Asn Leu Pro Pro Lys Ile Leu Cys 85 90 95

cgt gtt ctt agt gtt acg tta aaa gca gaa cat gag acc gat gag gtt 336

Arg Val Leu Ser Val Thr Leu Lys Ala Glu His Glu Thr Asp Glu Val

tac gct cag atc aca tta caa cca gaa gaa gat caa agt gaa cca aca 384

Tyr Ala Gln Ile Thr Leu Gln Pro Glu Glu Asp Gln Ser Glu Pro Thr

agt.ctt gac cca cct tta gta gaa cca gct aaa cca acg gtt gat tct 432

Ser Leu Asp Pro Pro Leu Val Glu Pro Ala Lys Pro Thr Val Asp Ser 135 140 ttt gtg aag att cta aca gct tca gat aca agc aca cat ggt gga ttc Phe Val Lys Ile Leu Thr Ala Ser Asp Thr Ser Thr His Gly Gly Phe 150 tct gtt ctt cgt aaa cac gcc act gag tgt tta cct tca ctt gat atg 528 Ser Val Leu Arq Lys His Ala Thr Glu Cys Leu Pro Ser Leu Asp Met 165 170 aca caa cct aca ccg act caa gaa ctt gta gct aga gat ctt cac ggc 576 Thr Gln Pro Thr Pro Thr Gln Glu Leu Val Ala Arg Asp Leu His Gly tat gaa tgg agg ttt aag cat ata ttt aga ggg caa ccg agg agg cat 1.0 Tyr Glu Trp Arg Phe Lys His Ile Phe Arg Gly Gln Pro Arg Arg His 195 200 tta ctt aca acc ggt tgg agt aca ttt gta acc tcg aaa aga ctt gta Leu Leu Thr Thr Gly Trp Ser Thr Phe Val Thr Ser Lys Arg Leu Val 210 gct gga gat gca ttt gtg ttc ttg agg ggt gaa acc ggg gat tta cgg Ala Gly Asp Ala Phe Val Phe Leu Arg Gly Glu Thr Gly Asp Leu Arg 230 gtt ggt gtg agg cgt tta gct aag cag caa agc acg atg ccc gca tcc Val Gly Val Arg Arg Leu Ala Lys Gln Gln Ser Thr Met Pro Ala Ser 245 255 250 gtt att tcg agt cag agt atg cgt ttg gga gtt ctt gct aca gct tct 816 Val Ile Ser Ser Gln Ser Met Arg Leu Gly Val Leu Ala Thr Ala Ser 260 265 cat gct gtt acc aca aca act ata ttt gtt gtc ttc tat aaa cca agg His Ala Val Thr Thr Thr Ile Phe Val Val Phe Tyr Lys Pro Arg 275 280 285 . . ata age cag ttt ata att agt gtg aac aag tat atg atg geg atg aag Ile Ser Gln Phe Ile Ile Ser Val Asn Lys Tyr Met Met Ala Met Lys aac ggg ttt tct ctc ggt atg cgg tat agg atg aga ttc gaa gga gaa 960 Asn Gly Phe Ser Leu Gly Met Arg Tyr Arg Met Arg Phe Glu Gly Glu gag tot cot gag aga ata ttt aca ggt acc att att ggc agt gga gat 1008 Glu Ser Pro Glu Arg Ile Phe Thr Gly Thr Ile Ile Gly Ser Gly Asp

335 330 325

cta tct tct caa tgg cca gct tcc aaa tgg agg tca ttg cag atc caa Leu Ser Ser Gln Trp Pro Ala Ser Lys Trp Arg Ser Leu Gln Ile Gln 345

tgg gac gag cca tct tct ata cag aga cca aac aag gtc tca ccg tgg 1104 Trp Asp Glu Pro Ser Ser Ile Gln Arg Pro Asn Lys Val Ser Pro Trp 360 355

gag atc gag cct ttc tca cca tcc gcg ctt aca cca acc cct act caa 1152 Glu Ile Glu Pro Phe Ser Pro Ser Ala Leu Thr Pro Thr Pro Thr Gln

caa caa tca aag tcc aaa cgg tcc aga cca atc tca gaa atc aca ggg 1200

Gln Gln Ser Lys Ser Lys Arg Ser Arg Pro Ile Ser Glu Ile Thr Gly 395 390

agt cot gta got tot agt tto ttg agt agt tto tcg cag age cac gag Ser Pro Val Ala Ser Ser Phe Leu Ser Ser Phe Ser Gln Ser His Glu 405

tet aat cca teg gte aaa etg ttg ttt caa gat eea gea aee gag aga Ser Asn Pro Ser Val Lys Leu Leu Phe Gln Asp Pro Ala Thr Glu Arg 1296 425 430 420

aac toa aac aaa toa gtg ttt toa agt gga tta caa tgc aag ata acc 1344 Asn Ser Asn Lys Ser Val Phe Ser Ser Gly Leu Gln Cys Lys Ile Thr 435 440

gag get eeg gte aca agt agt tgt agg tta tte gga tte gat ete acg Glu Ala Pro Val Thr Ser Ser Cys Arg Leu Phe Gly Phe Asp Leu Thr 460 . 455

age aag cet get tet get aca att eet cat gae aag eag eta ata agt Ser Lys Pro Ala Ser Ala Thr Ile Pro His Asp Lys Gln Leu Ile Ser . 475 470

465

gtg gat toa aat ata tot gat tot acc acc aag tgt caa gat cot aac 1488 Val Asp Ser Asn Ile Ser Asp Ser Thr Thr Lys Cys Gln Asp Pro Asn 490 485

tet tea aac tea eea aaa gag eag aaa eaa eaa aca tee aca aga age Ser Ser Asn Ser Pro Lys Glu Gln Lys Gln Gln Thr Ser Thr Arg Ser 510 505

cga atc aag gtg caa atg caa gga aca gcg gtt gga cgc gcg gtt gat Arg Ile Lys Val Gln Met Gln Gly Thr Ala Val Gly Arg Ala Val Asp 520 515

tta aca ttg ttg aga tca tac gat gaa cta ata aaa gag cta gag aaa Leu Thr Leu Leu Arg Ser Tyr Asp Glu Leu Ile Lys Glu Leu Glu Lys 535 540 atg ttt gag att gaa gga gaa ctt agt cct aaa gac aaa tgg gct atc Met Phe Glu Ile Glu Gly Glu Leu Ser Pro Lys Asp Lys Trp Ala Ile 550 555 gtg ttt aca gac gat gaa gga gat agg atg ctt gta gga gat gat cca 1728 Val Phe Thr Asp Asp Glu Gly Asp Arg Met Leu Val Gly Asp Asp Pro tgg aat gag ttc tgt aaa atg gca aag aag tta ttc ata tat ccg agt :1776 Trp Asn Glu Phe Cys Lys Met Ala Lys Lys Leu Phe Ile Tyr Pro Ser 580 585 gat gag gtc aag aaa atg agg tcg aag tcg ttg ttg ggt gat aaa ggt Asp Glu Val Lys Lys Met Arg Ser Lys Ser Leu Leu Gly Asp Lys Gly acg atc gta aat ctt gaa tca gat cag agg aca gtt cac gtt taa Thr Ile Val Asn Leu Glu Ser Asp Gln Arg Thr Val His Val 610 615 620 <210> 392 <211> 622 <212> PRT <213> Arabidopsis thaliana <400> Met Ser Gln Thr Ser Leu Glu Pro Leu Ile Ile Ser Ile Ile Lys Leu 5 10 Gin Ile Leu Gin Leu Trp Leu Lys Leu Ile Ala Val Gly Trp Asn Leu 20 Gly Ser Asn Asp Asp Glu Leu Tyr Thr Glu Leu Trp Lys Ala Cys Ala 14. s Gly Pro Leu Val Glu Val Pro Arg Tyr Gly Glu Arg Val Phe Tyr Phe Pro Gln Gly His Met Glu Gln Leu Val Ala Ser Thr Asn Gln Gly Val 75 70 Val Asp Gln Glu Ile Pro Val Phe Asn Leu Pro Pro Lys Ile Leu Cys 85 90 .

105

Arg Val Leu Ser Val Thr Leu Lys Ala Glu His Glu Thr Asp Glu Val

, 100 i

Tyr Ala Gln Ile Thr Leu Gln Pro Glu Glu Asp Gln Ser Glu Pro Thr Ser Leu Asp Pro Pro Leu Val Glu Pro Ala Lys Pro Thr Val Asp Ser 135 140 Phe Val Lys Ile Leu Thr Ala Ser Asp Thr Ser Thr His Gly Gly Phe Ser Val Leu Arg Lys His Ala Thr Glu Cys Leu Pro Ser Leu Asp Met 165 170 175 Thr Gln Pro Thr Pro Thr Gln Glu Leu Val Ala Arg Asp Leu His Gly 180 185 Tyr Glu Trp Arg Phe Lys His Ile Phe Arg Gly Gln Pro Arg Arg His 195 200 200 Leu Leu Thr Thr Gly Trp Ser Thr Phe Val Thr Ser Lys Arg Leu Val Ala Gly Asp Ala Phe Val Phe Leu Arg Gly Glu Thr Gly Asp Leu Arg 230 235 225 Val Gly Val Arg Arg Leu Ala Lys Gln Gln Ser Thr Met Pro Ala Ser 245 Val Ile Ser Ser Gln Ser Met Arg Leu Gly Val Leu Ala Thr Ala Ser 265 His Ala Val Thr Thr Thr Ile Phe Val Val Phe Tyr Lys Pro Arg 275 280 Ile Ser Gln Phe Ile Ile Ser Val Asn Lys Tyr Met Met Ala Met Lys 295 Asn Gly Phe Ser Leu Gly Met Arg Tyr Arg Met Arg Phe Glu Gly Glu 315 320 Glu Ser Pro Glu Arg Ile Phe Thr Gly Thr Ile Ile Gly Ser Gly Asp 330 Leu Ser Ser Gln Trp Pro Ala Ser Lys Trp Arg Ser Leu Gln Ile Gln 345

Trp Asp Glu Pro Ser Ser Ile Gln Arg Pro Asn Lys Val Ser Pro Trp 355 360 365

- Glu Ile Glu Pro Phe Ser Pro Ser Ala Leu Thr Pro Thr Pro Thr Gln 370 375 380
- Gln Gln Ser Lys Ser Lys Arg Ser Arg Pro Ile Ser Glu Ile Thr Gly 385 390 395 400
- Ser Pro Val Ala Ser Ser Phe Leu Ser Ser Phe Ser Gln Ser His Glu 405 410 415
- Ser Asn Pro Ser Val Lys Leu Leu Phe Gln Asp Pro Ala Thr Glu Arg
  420 425 430
- Asn Ser Asn Lys Ser Val Phe Ser Ser Gly Leu Gln Cys Lys Ile Thr 435 440 445
- Glu Ala Pro Val Thr Ser Ser Cys Arg Leu Phe Gly Phe Asp Leu Thr 450 455 460
- Ser Lys Pro Ala Ser Ala Thr Ile Pro His Asp Lys Gln Leu Ile Ser 465 470 475 480
- Val Asp Ser Asn Ile Ser Asp Ser Thr Thr Lys Cys Gln Asp Pro Asn 485 490 495
- Ser Ser Asn Ser Pro Lys Glu Gln Lys Gln Gln Thr Ser Thr Arg Ser 500 505 510
- Arg Ile Lys Val Gln Met Gln Gly Thr Ala Val Gly Arg Ala Val Asp 515 520 525
- Leu Thr Leu Leu Arg Ser Tyr Asp Glu Leu Ile Lys Glu Leu Glu Lys 530 540
- Met Phe Glu Ile Glu Gly Glu Leu Ser Pro Lys Asp Lys Trp Ala Ile 545 550 555 560
- Val Phe Thr Asp Asp Glu Gly Asp Arg Met Leu Val Gly Asp Asp Pro 565 570 575
- Trp Asn Glu Phe Cys Lys Met Ala Lys Lys Leu Phe Ile Tyr Pro Ser 580 585 590

Asp Glu Val Lys Lys Met Arg Ser Lys Ser Leu Leu Gly Asp Lys Gly 595 600 605

Thr Ile Val Asn Leu Glu Ser Asp Gln Arg Thr Val His Val 610 615 620

<210> 393 <211> 2232 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(2232) <223> G1588

<400> 393

atg tac cat cca aac atg ttt gag agc cat cat atg ttc gat atg acc 48

Met Tyr His Pro Asn Met Phe Glu Ser His His Met Phe Asp Met Thr 1 5 10 15

cca aag agt acc tct gat aac gac ttg gga atc acc ggt agc cga gaa 96

Pro Lys Ser Thr Ser Asp Asn Asp Leu Gly Ile Thr Gly Ser Arg Glu 20 25 30

gat gac ttt gag acc aag toa ggt acc gaa gtc act act gag aat cct 144

Asp Asp Phe Glu Thr Lys Ser Gly Thr Glu Val Thr Thr Glu Asn Pro 35 40 45

tct ggt gaa gag ctt caa gat cct agc caa cgt ccc aac aaa aag aag 192

Ser Gly Glu Glu Leu Gln Asp Pro Ser Gln Arg Pro Asn Lys Lys 50 60

cgt tac cat cgc cac acg caa cgc caa att caa gag ctc gaa tca ttc 240

Arg Tyr His Arg His Thr Gln Arg Gln Ile Gln Glu Leu Glu Ser Phe 65 70 75 80

ttt aag gaa tgt cct cat cca gat gat aag caa cga aaa gag ttg agc 288

Phe Lys Glu Cys Pro His Pro Asp Asp Lys Gln Arg Lys Glu Leu Ser 85 90 95

cgt gat ctc aat tta gag cct ctt caa gtt aag ttt tgg ttc caa aac 336

Arg Asp Leu Asn Leu Glu Pro Leu Gln Val Lys Phe Trp Phe Gln Asn 100 105 110

aaa cgc aca cag atg aag gca caa agt gag agg cat gag aac cag att 384

Lys Arg Thr Gln Met Lys Ala Gln Ser Glu Arg His Glu Asn Gln Ile 115 120 125

cta aag tca gac aat gac aag ctc aga gca gag aac aat aga tac aaa 432

Leu Lys Ser Asp Asn Asp Lys Leu Arg Ala Glu Asn Asn Arg Tyr Lys 130 135 140

gaa get eta age aat get aca tge eet aac tgt gge ggt eea get get

Glu Ala Leu Ser Asn Ala Thr Cys Pro Asn Cys Gly Gly Pro Ala Ala 145 150 155 160

att gga gaa atg tet ttt gae gaa caa cat ete agg ate gaa aat get Ile Gly Glu Met Ser Phe Asp Glu Gln His Leu Arg Ile Glu Asn Ala 165 170 egg ete ege gaa gag att gat agg ate tet get att get geg aaa tae Arg Leu Arg Glu Glu Ile Asp Arg Ile Ser Ala Ile Ala Ala Lys Tyr gtt ggg aag ccg tta gga tcg tct ttc gct cca cta gcg atc cac gcg Val Gly Lys Pro Leu Gly Ser Ser Phe Ala Pro Leu Ala Ile His Ala 200 cct tct cgt tcg ctt gat ctt gaa gtt gga aac ttt ggg aac cag aca 672 Pro Ser Arg Ser Leu Asp Leu Glu Val Gly Asn Phe Gly Asn Gln Thr ggc ttt gta gga gaa atg tat gga aca ggg gac att ttg agg tca gtt 720 General and November 19 1 Special Con-化多异苯甲基苯甲基苯甲基异苯甲基 Gly Phe Val Gly Glu Met Tyr Gly Thr Gly Asp Ile Leu Arg Ser Val 225 235 240 teg att eet tet gag aet gat aag eet ata ate gbg gag eta geg gtt Ser Ile Pro Ser Glu Thr Asp Lys Pro Ile Ile Val Glu Leu Ala Val 250 cm 255 gca gct atg gag gaa ctc gtg aga atg gct caa act gga gat cct tta Try for the Ala Ala Met Glu Glu Leu Val Arg Met Ala Gln Thr Gly Asp Pro Leu 260 265 tgg ctt tca acc gat aat tca gtc gag att ctc aac gaa gag tat Trp Leu Ser Thr Asp Asn Ser Val Glu Ile Leu Asn Glu Glu Glu Tyr 280 285 285 ttc aga acg ttt ccg aga gga att gga cca aag cca tta gga tta aga Phe Arg Thr Phe Pro Arg Gly Ile Gly Pro Lys Pro Leu Gly Leu Arg 290 300 300 tca gag gcg tca aga caa tct gca gtt gtt ata atg aat cac atc aat Ser Glu Ala Ser Arg Gln Ser Ala Val Val Ile Met Asn His Ile Asn ctc gtt gag att ctc atg gat gtg aat caa tgg tct tgt gtt ttc tct Leu Val Glu Ile Leu Met Asp Val Asn Gln Trp Ser Cys Val Phe Ser 335 330 ggg att gtg tca aga gcc ttg aca ctt gaa gtt ctt tca act gga gtt 1056 Gly Ile Val Ser Arg Ala Leu Thr Leu Glu Val Leu Ser Thr Gly Val 340 345 350 en transfer to the second

get ggg aac tac aac ggt get tta caa gtg atg aca get gag ttt caa 1104

Ala Gly Asn Tyr Asn Gly Ala Leu Gln Val Met Thr Ala Glu Phe Gln 355 360 365

gtt cca tca ccc cta gtc cca acg cgt gag aac tac ttt gtg aga tac 1152

Val Pro Ser Pro Leu Val Pro Thr Arg Glu Asn Tyr Phe Val Arg Tyr 370 375 380

tgc aaa caa cac agt gac ggc tct tgg gct gtg gtt gat gtc tct ttg 1200

Cys Lys Gln His Ser Asp Gly Ser Trp Ala Val Val Asp Val Ser Leu 385 390 395 400

gac agc ctt aga cca agt act cca atc tta aga act aga agg cct 1248

Asp Ser Leu Arg Pro Ser Thr Pro Ile Leu Arg Thr Arg Arg Pro 405 410 415

Ser Gly Cys Leu Ile Gln Glu Leu Pro Asn Gly Tyr Ser Lys Val Thr 420 425 430

tgg ata gag cat atg gag gta gat gat aga tca gtt cac aac atg tat 1344

Trp Ile Glu His Met Glu Val Asp Asp Arg Ser Val His Asn Met Tyr 435 440 445

aaa ccg ttg gtt cag tcc ggt tta gct ttc ggt gcg aaa cgt tgg gtg 1392

Lys Pro Leu Val Gln Ser Gly Leu Ala Phe Gly Ala Lys Arg Trp Val 450 455 460

gct aca ctc gaa cga caa tgc gag cgg ctt gct agc tcc atg gcc agc 1440

Ala Thr Leu Glu Arg Gln Cys Glu Arg Leu Ala Ser Ser Met Ala Ser 465 470 475 480

aac att cet ggt gat ett tee gtg ata aeg agt eet gaa gga agg 1488

Asn Ile Pro Gly Asp Leu Ser Val Ile Thr Ser Pro Glu Gly Arg Lys
485 490 495

agt atg ttg aag cta gct gag aga atg gtt atg agt ttc tgc agt ggt 1536

Ser Met Leu Lys Leu Ala Glu Arg Met Val Met Ser Phe Cys Ser Gly 500 505 510

gtt ggc gcg tcg act gca cac gct tgg aca aca atg tcg aca aca gga 1584

Val Gly Ala Ser Thr Ala His Ala Trp Thr Thr Met Ser Thr Thr Gly 515 520 525

tcc gat gat gtt cgg gtc atg acc cgc aag agt atg gat gat cca gga 1632

Ser Asp Asp Val Arg Val Met Thr Arg Lys Ser Met Asp Asp Pro Gly 530 535 540

aga cot cog ggt att gtt ott agt goa got act toa tto tog atc coa Arg Pro Pro Gly Ile Val Leu Ser Ala Ala Thr Ser Phe Trp Ile Pro 555 545 gtt gct ccc aaa cgt gtt ttt gat ttc ctc cgt gac gaa aat tca aga Val Ala Pro Lys Arg Val Phe Asp Phe Leu Arg Asp Glu Asn Ser Arg 565 aaa gag tgg gat att ctg tca aat gga ggt atg gtt cag gaa atg gct 1776 Lys Glu Trp Asp Ile Leu Ser Asn Gly Gly Met Val Gln Glu Met Ala 580 585 590 cat ata gcc aat ggt cat gaa cct gga aac tgt gtc tcc ttg ctc cga His Ile Ala Asn Gly His Glu Pro Gly Asn Cys Val Ser Leu Leu Arg 600 gtc aat agt gga aac tcg agc cag agc aac atg ttg att cta caa gag 1872 Val Asn Ser Gly Asn Ser Ser Gln Ser Asn Met Leu Ile Leu Gln Glu 610 age tgt aca gat gea tea gga teg tat gtg att tae geg eea gtg gat 1920 Ser Cys Thr Asp Ala Ser Gly Ser Tyr Val Ile Tyr Ala Pro Val Asp 630 ata gtg gcg atg aat gtg gtt cta agc ggt gga gat cct gat tac gtg Ile Val Ala Met Asn Val Val Leu Ser Gly Gly Asp Pro Asp Tyr Val 650 655 645 gcg ttg ttg ccg tct ggt ttt gct att tta ccg gat ggt tcg gtt gga 2016 Ala Leu Leu Pro Ser Gly Phe Ala Ile Leu Pro Asp Gly Ser Val Gly 660 . 665 gga gga gat ggg aat cag cat cag gaa atg gtt tct act act tct tct 2064 Gly Gly Asp Gly Asn Gln His Gln Glu Met Val Ser Thr Thr Ser Ser 680 ggg agt tgt ggt tcg ctt tta acc gtt gcg ttt cag att ctt gtt 2112 Gly Ser Cys Gly Gly Ser Leu Leu Thr Val Ala Phe Gln Ile Leu Val 700 690 695 gac tot gtt cot aca got aaa ctc toa ctt ggc tog gtg got acg gtt Asp Ser Val Pro Thr Ala Lys Leu Ser Leu Gly Ser Val Ala Thr Val 710 715 . aat agt ctg atc aaa tgt acg gtg gag agg att aaa gct gct gtt tct Asn Ser Leu Ile Lys Cys Thr Val Glu Arg Ile Lys Ala Ala Val Ser 735 725 ... 730.

tgt gat gtt gga gga gcg tag 2232 Cys Asp Val Gly Gly Gly Ala 740

- <210> 394 <211> 743 <212> PRT <213> Arabidopsis thaliana <400> 394
- Met Tyr His Pro Asn Met Phe Glu Ser His His Met Phe Asp Met Thr
  1 5 10 15
- Pro Lys Ser Thr Ser Asp Asn Asp Leu Gly Ile Thr Gly Ser Arg Glu 20 25 30
- Asp Asp Phe Glu Thr Lys Ser Gly Thr Glu Val Thr Thr Glu Asn Pro 35 40 45
- Ser Gly Glu Glu Leu Gln Asp Pro Ser Gln Arg Pro Asn Lys Lys 50 55 60
- Arg Tyr His Arg His Thr Gln Arg Gln Ile Gln Glu Leu Glu Ser Phe 65 70 75 80
- Phe Lys Glu Cys Pro His Pro Asp Asp Lys Gln Arg Lys Glu Leu Ser 85 90 95
- Arg Asp Leu Asn Leu Glu Pro Leu Gln Val Lys Phe Trp Phe Gln Asn 100 105 110
- Lys Arg Thr Gln Met Lys Ala Gln Ser Glu Arg His Glu Asn Gln Ile 115 120 125
- Leu Lys Ser Asp Asn Asp Lys Leu Arg Ala Glu Asn Asn Arg Tyr Lys 130 135 140
- Glu Ala Leu Ser Asn Ala Thr Cys Pro Asn Cys Gly Gly Pro Ala Ala 145 150 155 160
- Ile Gly Glu Met Ser Phe Asp Glu Gln His Leu Arg Ile Glu Asn Ala 165 170 175
- Arg Leu Arg Glu Glu Ile Asp Arg Ile Ser Ala Ile Ala Ala Lys Tyr 180 185 190
- Val Gly Lys Pro Leu Gly Ser Ser Phe Ala Pro Leu Ala Ile His Ala 195 200 205

Pro Ser Arg Ser Leu Asp Leu Glu Val Gly Asn Phe Gly Asn Gln Thr 215 220 Gly Phe Val Gly Glu Met Tyr Gly Thr Gly Asp Ile Leu Arg Ser Val 235 240 230 Ser Ile Pro Ser Glu Thr Asp Lys Pro Ile Ile Val Glu Leu Ala Val 245 250 255 Ala Ala Met Glu Glu Leu Val Arg Met Ala Gln Thr Gly Asp Pro Leu 260 265 Trp Leu Ser Thr Asp Asn Ser Val Glu Ile Leu Asn Glu Glu Glu Tyr 275 280 Phe Arg Thr Phe Pro Arg Gly Ile Gly Pro Lys Pro Leu Gly Leu Arg 1 - 290 1 - 4 - 10 - 4 - 1 295 1 - 10 1 - 4 - 4 - 4 - 300 明初 1 - 10 11 11 11 11 Ser Glu Ala Ser Arg Gln Ser Ala Val Val Ile Met Asn His Ile Asn 305 310 315 320 Leu Val Glu Ile Leu Met Asp Val Asn Gln Trp Ser Cys Val Phe Ser 325 330 Gly Ile Val Ser Arg Ala Leu Thr Leu Glu Val Leu Ser Thr Gly Val 340 345 Ala Gly Asn Tyr Asn Gly Ala Leu Gln Val Met Thr Ala Glu Phe Gln Val Pro Ser Pro Leu Val Pro Thr Arg Glu Asn Tyr Phe Val Arg Tyr 370 375 380 Cys Lys Gln His Ser Asp Gly Ser Trp Ala Val Val Asp Val Ser Leu 390 395 Asp Ser Leu Arg Pro Ser Thr Pro Ile Leu Arg Thr Arg Arg Pro 405 410 : 415 Ser Gly Cys Leu Ile Gln Glu Leu Pro Asn Gly Tyr Ser Lys Val Thr 420 425 430 Trp Ile Glu His Met Glu Val Asp Asp Arg Ser Val His Asn Met Tyr 440

Lys Pro Leu Val Gln Ser Gly Leu Ala Phe Gly Ala Lys Arg Trp Val

450 455 460

Ala Thr Leu Glu Arg Gln Cys Glu Arg Leu Ala Ser Ser Met Ala Ser 465 470 475 480

Asn Ile Pro Gly Asp Leu Ser Val Ile Thr Ser Pro Glu Gly Arg Lys 485 490 495

Ser Met Leu Lys Leu Ala Glu Arg Met Val Met Ser Phe Cys Ser Gly 500 505 510

Val Gly Ala Ser Thr Ala His Ala Trp Thr Thr Met Ser Thr Thr Gly
515 520 525

Ser Asp Asp Val Arg Val Met Thr Arg Lys Ser Met Asp Asp Pro Gly 530 535 540

Arg Pro Pro Gly Ile Val Leu Ser Ala Ala Thr Ser Phe Trp Ile Pro 545 550 555 560

Val Ala Pro Lys Arg Val Phe Asp Phe Leu Arg Asp Glu Asn Ser Arg 565 570 575

Lys Glu Trp Asp Ile Leu Ser Asn Gly Gly Met Val Gln Glu Met Ala 580 585 590

His Ile Ala Asn Gly His Glu Pro Gly Asn Cys Val Ser Leu Leu Arg 595 600 605

Val Asn Ser Gly Asn Ser Ser Gln Ser Asn Met Leu Ile Leu Gln Glu 610 615 620

Ser Cys Thr Asp' Ala Ser Gly Ser Tyr Val Ile Tyr Ala Pro Val Asp 625 630 635 640

Ile Val Ala Met Asn Val Val Leu Ser Gly Gly Asp Pro Asp Tyr Val 645 650 655

Ala Leu Leu Pro Ser Gly Phe Ala Ile Leu Pro Asp Gly Ser Val Gly 660 665 670

Gly Gly Asp Gly Asn Gln His Gln Glu Met Val Ser Thr Thr Ser Ser 675 680 685

Gly Ser Cys Gly Gly Ser Leu Leu Thr Val Ala Phe Gln Ile Leu Val 690 695 700

Asp Ser Val Pro Thr Ala Lys Leu Ser Leu Gly Ser Val Ala Thr Val 705 710 715 720

Asn Ser Leu Ile Lys Cys Thr Val Glu Arg Ile Lys Ala Ala Val Ser 725 730 735

Cys Asp Val Gly Gly Gly Ala 740

<210> 395 <211> 1136 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (94)..(1101) <223> G1750

<400> 395

cccttttcct ctctttctcc aaatctctga aaattttcac cagaatctct gttcttttt 60

tcaccagaat ctctctgttt aaaataatag gtg atg atg atg gat gag ttt atg 114

Met Met Met Asp Glu Phe Met
1 5

gat ctt aga cca gtg aag tac aca gag cac aag aot gtt atc aga aag

Asp Leu Arg Pro Val Lys Tyr Thr Glu His Lys Thr Val Ile Arg Lys
10 20

tac act aaa aag tog tot atg gag agg aag acc agt gtt cgt gac tog

Tyr Thr Lys Lys Ser Ser Met Glu Arg Lys Thr Ser Val Arg Asp Ser 25 30 35

ged agg ttg gtt egg gte tea atg acg gat egt gac ged act gat tea

Ala Arg Leu Val Arg Val Ser Met Thr Asp Arg Asp Ala Thr Asp Ser 40 55 55

tca age gae gag gaa gag ttt ctg ttc cct cga aga cgt gtc aag aga

Ser Ser Asp Glu Glu Glu Phe Leu Phe Pro Arg Arg Arg Val Lys Arg
60 65 70

ttg att aac gag atc.aga gtc gag cct agc agc tct tcc acc ggc gac

Leu Ile Asn Glu Ile Arg Val Glu Pro Ser Ser Ser Ser Thr Gly Asp
75 80 85

gtc tct gct tct ccg acg aag gac cgg aaa aga atc aac gtt gat tct

Val Ser Ala Ser Pro Thr Lys Asp Arg Lys Arg Ile Asn Val Asp Ser 90 95 100

acg gtt caa aag ccc tct gtt tcc ggc caa aac cag aag aag tac cgc 450

Thr Val Gln Lys Pro Ser Val Ser Gly Gln Asn Gln Lys Lys Tyr Arg 105 110 115

ggc gtg aga cag cga cca tgg gga aaa tgg gcg gcg gag att cgt gat Gly Val Arg Gln Arg Pro Trp Gly Lys Trp Ala Ala Glu Ile Arg Asp 120 cct gag caa cgc cgg aga atc tgg ctc ggt act ttt gca acg gcg gag Pro Glu Gln Arg Arg Ile Trp Leu Gly Thr Phe Ala Thr Ala Glu gaa gct gcc atc gtc tac gac aac gca gca atc aaa ctt cgt ggc cct 594 Glu Ala Ala Ile Val Tyr Asp Asn Ala Ala Ile Lys Leu Arg Gly Pro gat get ett ace aac tte ace gta caa eea gaa eea gaa eeg gta caa 642 Asp Ala Leu Thr Asn Phe Thr Val Gln Pro Glu Pro Glu Pro Val. Gln 175 gaa caa gaa caa gaa ccg gag agc aac atg tcg gtt tcg ata tca gaa Glu Gln Glu Glu Pro Glu Ser Asn Met Ser Val Ser Ile Ser Glu 185 190 195 tca atg gac gat tct caa cat cta tca tct ccg aca tcg gtt ctc aac Ser Met Asp Asp Ser Gln His Leu Ser Ser Pro Thr Ser Val Leu Asn 205 210 tac caa aca tat gtc tcg gag gaa cca atc gat agt ctt atc aaa ccg Tyr Gln Thr Tyr Val Ser Glu Glu Pro Ile Asp Ser Leu Ile Lys Pro gtt aaa caa gag ttt ctt gaa cca gaa caa gag cca ata agc tgg cat 834 Val Lys Gln Glu Phe Leu Glu Pro Glu Gln Glu Pro Ile Ser Trp His 235 ctt gga gaa ggt aat act aat act aat gat gat tca ttt cca ttg gac Leu Gly Glu Gly Asn Thr Asn Thr Asn Asp Asp Ser Phe Pro Leu Asp att aca ttt ctc gac aac tat ttc aat gaa tca tta cca gac atc tcc 930 Ile Thr Phe Leu Asp Asn Tyr Phe Asn Glu Ser Leu Pro Asp Ile Ser 265 atc ttc gat caa cct atg tct cct att caa cca aca gag aat gat ttc Ile Phe Asp Gln Pro Met Ser Pro Ile Gln Pro Thr Glu Asn Asp Phe ttc aac gac ctt atg tta ttc gat agc aac gca gaa gaa tac tac tcc Phe Asn Asp Leu Met Leu Phe Asp Ser Asn Ala Glu Glu Tyr Tyr Ser 300 305

tcc gag atc aaa gag att ggt tca tcg ttc aac gat ctt gat gat tct 1074

Ser Glu Ile Lys Glu Ile Gly Ser Ser Phe Asn Asp Leu Asp Asp Ser 315 320 325

ttg ata tcc gat ctc tta ctt gtg tga tatttttgcc attaaccaaa 1121

Leu Ile Ser Asp Leu Leu Leu Val 330 335

Fig. 12 Commence Services (Sept 19)

caccggtttg gttgc 1136

<210> 396 <211> 335 <212> PRT <213> Arabidopsis thaliana <400> 396

Met Met Met Asp Glu Phe Met Asp Leu Arg Pro Val Lys Tyr Thr Glu

1 5 10 15

His Lys Thr Val Ile Arg Lys Tyr Thr Lys Lys Ser Ser Met Glu Arg 20 25 30

Lys Thr Ser Val Arg Asp Ser Ala Arg Leu Val Arg Val Ser Met Thr

Asp Arg Asp Ala Thr Asp Ser Ser Ser Asp Glu Glu Glu Phe Leu Phe 50 55 60

Pro Arg Arg Val Lys Arg Leu Ile Asn Glu Ile Arg Val Glu Pro 75 80

Ser Ser Ser Thr Gly Asp Val Ser Ala Ser Pro Thr Lys Asp Arg 85 90 95

Lys Arg Ile Asn Val Asp Ser Thr Val Gln Lys Pro Ser Val Ser Gly
100 105 110

Gln Asn Gln Lys Lys Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys 115 120 125

Trp Ala Ala Glu Ile Arg Asp Pro Glu Gln Arg Arg Arg Ile Trp Leu 130 135 140

Gly Thr Phe Ala Thr Ala Glu Glu Ala Ala Ile Val Tyr Asp Asn Ala 145 150 155 160

Ala Ile Lys Leu Arg Gly Pro Asp Ala Leu Thr Asn Phe Thr Val Gln 165 170 175

Pro Glu Pro Glu Pro Val Gln Glu Gln Glu Gln Glu Pro Glu Ser Asn 180 185 190

Met Ser Val Ser Ile Ser Glu Ser Met Asp Asp Ser Gln His Leu Ser 195 200 205

Ser Pro Thr Ser Val Leu Asn Tyr Gln Thr Tyr Val Ser Glu Glu Pro 210 215 . 220

Ile Asp Ser Leu Ile Lys Pro Val Lys Gln Glu Phe Leu Glu Pro Glu 225 230 235 240

Gln Glu Pro Ile Ser Trp His Leu Gly Glu Gly Asn Thr Asn Thr Asn 245 250 255

Asp Asp Ser Phe Pro Leu Asp Ile Thr Phe Leu Asp Asn Tyr Phe Asn 260 265 270

Glu Ser Leu Pro Asp Ile Ser Ile Phe Asp Gln Pro Met Ser Pro Ile 275 280 285

Gln Pro Thr Glu Asn Asp Phe Phe Asn Asp Leu Met Leu Phe Asp Ser 290 295 300

Asn Ala Glu Glu Tyr Tyr Ser Ser Glu Ile Lys Glu Ile Gly Ser Ser 305 310 315 320

Phe Asn Asp Leu Asp Asp Ser Leu Ile Ser Asp Leu Leu Leu Val 325 330 335

<210> 397 <211> 2476 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (66)..(2393) <223> G1805

tacaa atg ggt tgt gct caa tct agg gtt gat aac gaa gaa gca gta gct 110

Met Gly Cys Ala Gln Ser Arg Val Asp Asn Glu Glu Ala Val Ala 1 5 10 15

aga tgc aaa gaa cga cga aac gta atc aaa gaa gca gtt tcc gca agc 158
Arg Cys Lys Glu Arg Arg Asn Val Ile Lys Glu Ala Val Ser Ala Ser 20

aaa gca ttc gcc gcc ggt cat ttc gct tac gct att gct ttg aaa aac 206 Lys Ala Phe Ala Ala Gly His Phe Ala Tyr Ala Ile Ala Leu Lys Asn 35

act ggt gct gct tta agt gac tat ggc cat ggc gaa tct gat caa aaa 254 Thr Gly Ala Ala Leu Ser Asp Tyr Gly His Gly Glu Ser Asp Gln Lys 55 gct tta gac gat gtg ttg tta gat caa cat tac gag aaa cag agt Ala Leu Asp Asp Val Leu Leu Asp Gln Gln His Tyr Glu Lys Gln Ser cgt aac aat gta gat eeg get tet eet eag eea eet eet eea eeg eet Arq Asn Asn Val Asp Pro Ala Ser Pro Gln Pro Pro Pro Pro Pro att gag aat ett eet eet eet eet eet tet tet eet Ile Glu Asn Leu Pro Pro Pro Pro Pro Pro Leu Pro Lys Phe Ser Pro 100 105 110 tet eeg att aaa egt geg att agt ttg eet tet atg geg gtt aga ggt Ser Pro Ile Lys Arg Ala Ile Ser Leu Pro Ser Met Ala Val Arg Gly 120 125 115 cga aag gtt cag act tta gat ggt atg gcg att gag gaa gag gaa gaa 494 Arg Lys Val Gln Thr Leu Asp Gly Met Ala Ile Glu Glu Glu Glu - 1. メント 共和4 - 3 - **140** - 1. 41. 日本 135 130 gat gaa gag gaa gag gaa gtt aag ggt agt ggt aga gac act gct Asp Glu Glu Glu Glu Glu Glu Val Lys Gly Ser Gly Arg Asp Thr Ala 145 150 cag gag gag gag gaa ccg aga acg ccg gag aat gtt ggg aag agt aat Gln Glu Glu Glu Pro Arg Thr Pro Glu Asn Val Gly Lys Ser Asn 170 165 ggg agg aag aga ttg gag aaa aca acg ccg gag att gtg agt gct tct. 638 Gly Arg Lys Arg Leu Glu Lys Thr Thr Pro Glu Ile Val Ser Ala Ser 185 180 ccg gca aat agt atg gct tgg gat tat ttt ttc atg gtg gag aat atg Pro Ala Asn Ser Met Ala Trp Asp Tyr Phe Phe Met Val Glu Asn Met 195 200 cct gga cct aat tta gat gat aga gag gtt agg aat ggt tat gag aat Pro Gly Pro Asn Leu Asp Asp Arg Glu Val Arg Asn Gly Tyr Glu Asn 215 Gln Ser Ser His Phe Gln Phe Asn Glu Glu Asp Asp Glu Glu Glu Glu 230 235

gaa gag gaa aga tot ggg ata tat ogg aag aag tot ggt tot ggt aaa Glu Glu Glu Arg Ser Gly Ile Tyr Arg Lys Lys Ser Gly Ser Gly Lys 240 245 gta gtt gag gag atg gag cct aag acg ccg gag aaa gtt gaa gaa gaa Val Val Glu Glu Met Glu Pro Lys Thr Pro Glu Lys Val Glu Glu Glu 926 275 280 974 Glu Glu Val Val Glu Val Lys Lys Lys Lys Gly Lys Ala Lys 290 att gag cat tog agt act got coa cog gag ttt ogg ogt gog gtt got 1022 Ile Glu His Ser Ser Thr Ala Pro Pro Glu Phe Arg Arg Ala Val Ala 310 aag act agt gct gca tca tca agt gtg aat ttg atg aag att ctt 1070 Lys Thr Ser Ala Ala Ala Ser Ser Ser Val Asn Leu Met Lys Ile Leu 325 330 gat gag att gat gat aga ttc ctt aag gct tca gaa tgt gct caa gag Asp Glu Ile Asp Asp Arg Phe Leu Lys Ala Ser Glu Cys Ala Gln Glu gtt tot aag atg ott gaa got aca agg tta cat tac cae tog aat ttt 1166 Val Ser Lys Met Leu Glu Ala Thr Arq Leu His Tyr His Ser Asn Phe 355 360 365 gca gat aac cga gga tat gtt gat cat tca gct aga gta atg cgg gtt 1214 Ala Asp Asn Arg Gly Tyr Val Asp His Ser Ala Arg Val Met Arg Val 375 ata act tgg aat aaa tcg tta aga ggc att tcg aat gga gaa ggt gga Ile Thr Trp Asn Lys Ser Leu Arg Gly Ile Ser Asn Gly Glu Gly Gly 385 390 aaa gat gat caa gaa toa gat gag cat gaa act cat got acg gtg ttg Lys Asp Asp Gln Glu Ser Asp Glu His Glu Thr His Ala Thr Val Leu 400 gat aaa ttg tta gca tgg gag aag aaa ctc tat gat gaa gtg aag caa Asp Lys Leu Leu Ala Trp Glu Lys Lys Leu Tyr Asp Glu Val Lys Gln 420 425 430

ggt gag ctt atg aag ata gag tat cag aag aag gta tct tta ctc aac Gly Glu Leu Met Lys Ile Glu Tyr'Gln Lys Lys Val Ser Leu Leu Asn 435 440 445 agg cat aag aaa cga ggt gcg agt gca gag acc gtg gag aaa aca aag Arg His Lys Lys Arg Gly Ala Ser Ala Glu Thr Val Glu Lys Thr Lys 455 gcg gct gta agt cat cta cac aca aga tat att gtt gac atg caa tcc 1502 Ala Ala Val Ser His Leu His Thr Arg Tyr Ile Val Asp Met Gln Ser atg gat tca acg gtt tct gaa gta aac cgt tta agg gat gat caa ttg 1550 Met Asp Ser Thr Val Ser Glu Val Asn Arg Leu Arg Asp Asp Gln Leu 480 485 490 tat cca aga ctt gtt gcc tta gtt gaa ggg atg gcg aag atg tgg aca Tyr Pro Arg Leu Val Ala Leu Val Glu Gly Met Ala Lys Met Trp Thr 500 510 505 505 510 aac atg tgt ata cac cac gac acc caa cta ggt att gtt gga gag cta 1646 ATT A TELESCOPE AND AND AGE. Asn Met Cys Ile His His Asp Thr Gln Leu Gly Ile Val Gly Glu Leu Rock of the S15 through the S80 S20 Charles the aag gcc ctt gaa atc tca act tct ctc aaa gaa acc aca aaa cag cat Lys Ala Leu Glu Ile Ser Thr Ser Leu Lys Glu Thr Thr Lys Gln His 535 530 cac cat cag act cgc cag ttc tgc acc gtc ttg gaa gaa tgg cat gtt 1742 His His Gln Thr Arg Gln Phe Cys Thr Val Leu Glu Glu Trp His Val 555 545 cag tto gat aca ctt gto acc cat cag aag cag tac att aac tot cto Gln Phe Asp Thr Leu Val Thr His Gln Lys Gln Tyr Ile Asn Ser Leu 565 570 aac aac tgg ctg aag cta aat cta atc ccc atc gag agt agt ctt aaa 1838 (Fig. 1) Fig. 196 (Ball) 1 Fig. 1965 (Apr.) Asn Asn Trp Leu Lys Leu Asn Leu Ile Pro Ile Glu Ser Ser Leu Lys 585 580 gag aaa gtt tca tca cct cca agg cct cag cgc ccg cca atc caa gct Glu Lys Val Ser Ser Pro Pro Arg Pro Gln Arg Pro Pro Ile Gln Ala 605 600 ctt ctc cac tca tgg cat gac cgt ctt gag aaa ctt ccc gat gaa gtc Leu Leu His Ser Trp His Asp Arg Leu Glu Lys Leu Pro Asp Glu Val 610 615 620

1; 1

gcc aaa toa gct atc toc tot tto gcg gca gtc atc aaa acc atc ttg 1982

Ala Lys Ser Ala Ile Ser Ser Phe Ala Ala Val Ile Lys Thr Ile Leu 625 630 635

ctg cac cag gaa gag atg aaa ctg aaa gag aaa tgc gaa gaa aca 2030

Leu His Gln Glu Glu Met Lys Leu Lys Glu Lys Cys Glu Glu Thr 640 645 650 655

cga aga gag ttt ata cgg aag aag caa ggt ttt gag gat tgg tat caa 2078

Arg Arg Glu Phe Ile Arg Lys Lys Gln Gly Phe Glu Asp Trp Tyr Gln 660 665 670

aaa cat ttg caa aag aga ggg cca aca gag gaa gct gaa ggc ggg gac 2126

Lys His Leu Gln Lys Arg Gly Pro Thr Glu Glu Ala Glu Gly Gly Asp 675 680 685

gac gca aca aca agc tcc aga gat cat gtc aca gag agg aga att gct 2174

Asp Ala Thr Thr Ser Ser Arg Asp His Val Thr Glu Arg Arg Ile Ala 690 695 700

gtg gag aca ctg aag aaa agg ctt gaa gaa gaa gaa gct cac cag 2222

Val Glu Thr Leu Lys Lys Arg Leu Glu Glu Glu Glu Glu Ala His Gln 705 710 715

aga cat tgt gtt cag gtg agg gag aaa tct cta aac agt ttg aag atc 2270

Arg His Cys Val Gln Val Arg Glu Lys Ser Leu Asn Ser Leu Lys Ile 720 725 730 735

aga ttg cct gag atc ttc agg gca ctg tct gat tat gct cac gct tgt 2318

Arg Leu Pro Glu Ile Phe Arg Ala Leu Ser Asp Tyr Ala His Ala Cys
740 745 750

gct gac tca tat gag aag ctc aga atc ata tcg cag agt cag aaa tca 2366

Ala Asp Ser Tyr Glu Lys Leu Arg Ile Ile Ser Gln Ser Gln Lys Ser 755 760 765

aac ggt gga gcc act gaa tct tct tga accagtttta gttctattta 2413

Asn Gly Gly Ala Thr Glu Ser Ser 770 775

acctatgtaa tatgttgtat tatgatggga acattaagca tagttttgtg accagattct 2473

gta 2476

<210> 398 <211> 775 <212> PRT <213> Arabidopsis thaliana <400> 398

Met Gly Cys Ala Gln Ser Arg Val Asp Asn Glu Glu Ala Val Ala Arg

10 Cys Lys Glu Arg Arg Asn Val Ile Lys Glu Ala Val Ser Ala Ser Lys 25 30 Starting to the second 5 . Ala Phe Ala Ala Gly His Phe Ala Tyr Ala Ile Ala Leu Lys Asn Thr Horning 35 Company of 40 Company of 45. The 45. Gly Ala Ala Leu Ser Asp Tyr Gly His Gly Glu Ser Asp Gln Lys Ala 55 Leu Asp Asp Val Leu Leu Asp Gln Gln His Tyr Glu Lys Gln Ser Arg Asn Asn Val Asp Pro Ala Ser Pro Gln Pro Pro Pro Pro Pro Pro Ile 85 90 Glu Asn Leu Pro Pro Pro Pro Pro Leu Pro Lys Phe Ser Pro Ser 100 105 110 Pro Ile Lys Arg Ala Ile Ser Leu Pro Ser Met Ala Val Arg Gly Arg 115 120 125 Lys Val Gln Thr Leu Asp Gly Met Ala Ile Glu Glu Glu Glu Glu Asp 130 Glu Glu Glu Glu Glu Val Lys Gly Ser Gly Arg Asp Thr Ala Gln 155 160 145 150 Glu Glu Glu Glu Pro Arg Thr Pro Glu Asn Val Gly Lys Ser Asn Gly 165 170 175 Arg Lys Arg Leu Glu Lys Thr Thr Pro Glu Ile Val Ser Ala Ser Pro 180 - 180 - 180 - 180 - 185 - 185 - 186 - 190 - Ala Asn Ser Met Ala Trp Asp Tyr Phe Phe Met Val Glu Asn Met Pro 195 200 205 Gly Pro Asn Leu Asp Asp Arg Glu Val Arg Asn Gly Tyr Glu Asn Gln 210 215 220 Ser Ser His Phe Gln Phe Asn Glu Glu Asp Asp Glu Glu Glu Glu Glu 235 Glu Glu Arg Ser Gly Ile Tyr Arg Lys Lys Ser Gly Ser Gly Lys Val

250

245

Val Glu Glu Met Glu Pro Lys Thr Pro Glu Lys Val Glu Glu Glu Glu

- Asp Asn Arg Gly Tyr Val Asp His Ser Ala Arg Val Met Arg Val Ile 370 375 380
- Thr Trp Asn Lys Ser Leu Arg Gly Ile Ser Asn Gly Glu Gly Gly Lys 385 390 395 400
- Asp Asp Gln Glu Ser Asp Glu His Glu Thr His Ala Thr Val Leu Asp 405 410 415
- Lys Leu Leu Ala Trp Glu Lys Lys Leu Tyr Asp'Glu Val Lys Gln Gly
  420 425 430
- Glu Leu Met Lys Ile Glu Tyr Gln Lys Lys Val Ser Leu Leu Asn Arg 435 440 445
- His Lys Lys Arg Gly Ala Ser Ala Glu Thr Val Glu Lys Thr Lys Ala 450 455 460
- Ala Val Ser His Leu His Thr Arg Tyr Ile Val Asp Met Gln Ser Met 465 470 475 480
- Asp Ser Thr Val Ser Glu Val Asn Arg Leu Arg Asp Asp Gln Leu Tyr 485 490 495

Pro Arg Leu Val Ala Leu Val Glu Gly Met Ala Lys Met Trp Thr Asn 505 510 500 Met Cys Ile His His Asp Thr Gln Leu Gly Ile Val Gly Glu Leu Lys 520 **525** . Ala Leu Glu Ile Ser Thr Ser Leu Lys Glu Thr Thr Lys Gln His His 535 His Gln Thr Arg Gln Phe Cys Thr Val Leu Glu Glu Trp His Val Gln 550 Phe Asp Thr Leu Val Thr His Gln Lys Gln Tyr Ile Asn Ser Leu Asn 565 Asn Trp Leu Lys Leu Asn Leu Ile Pro Ile Glu Ser Ser Leu Lys Glu \$59 \$4 BU 580 BU - #584 BU 585 BU BU 564 BU 590 BU 576. Lys Val Ser Ser Pro Pro Arg Pro Gln Arg Pro Pro Ile Gln Ala Leu 5 (4) 595 F. Mark May M. 600 East of St. Strak 605 Car (1986) Leu His Ser Trp His Asp Arg Leu Glu Lys Leu Pro Asp Glu Val Ala 610 620 1 621 623 Lys Ser Ala Ile Ser Ser Phe Ala Ala Val Ile Lys Thr Ile Leu Leu 625 630 635 His Gln Glu Glu Met Lys Leu Lys Glu Lys Cys Glu Glu Thr Arg 645 650 13 655 4 Arg Glu Phe Ile Arg Lys Lys Gln Gly Phe Glu Asp Trp Tyr Gln Lys 660 665 670 His Leu Gln Lys Arg Gly Pro Thr Glu Glu Ala Glu Gly Gly Asp Asp 675 680 685 Ala Thr Thr Ser Ser Arg Asp His Val Thr Glu Arg Arg Ile Ala Val 690 695 700 Glu Thr Leu Lys Lys Arg Leu Glu Glu Glu Glu Glu Ala His Gln Arg 710 705 His Cys Val Gln Val Arg Glu Lys Ser Leu Asn Ser Leu Lys Ile Arg 730 735

Leu Pro Glu Ile Phe Arg Ala Leu Ser Asp Tyr Ala His Ala Cys Ala 740 745 750

Asp Ser Tyr Glu Lys Leu Arg Ile Ile Ser Gln Ser Gln Lys Ser Asn 755 760 765

Gly Gly Ala Thr Glu Ser Ser 770 775

<210> 399 <211> 977 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (63)..(809) <223> G1808

<400> 399

aattettee tttteeeett etaatttete teatetetet attagaaaaa ttattageaa 60

tt atg ttg tcc act gca ccg gcc ttt tca ttc tcc gaa ccg ggt ttg 107

Met Leu Ser Thr Ala Pro Ala Phe Ser Phe Ser Glu Pro Gly Leu
1 5 10 15

gtt aat caa ttc tcg ggt ttc caa acc ggg ttc act cct tgg gaa tgg

Val Asn Gln Phe Ser Gly Phe Gln Thr Gly Phe Thr Pro Trp Glu Trp 20 25 30

gat tgc tct gat ctc ttt ttc gtg gac caa atg tct ctt gaa ccg gcc 203

Asp Cys Ser Asp Leu Phe Phe Val Asp Gln Met Ser Leu Glu Pro Ala 35 40 45

atc cct agt cct tgt tat ggt gaa tcc gac act ggt tcc gtc aaa att 251

Ile Pro Ser Pro Cys Tyr Gly Glu Ser Asp Thr Gly Ser Val Lys Ile
50 55

aat too ggt tot cat gac atg aaa acc ggt tot gac gaa tot tgt gcc 299

Asn Ser Gly Ser His Asp Met Lys Thr Gly Ser Asp Glu Ser Cys Ala 65 70 75

ggt ttc gtc aaa att aat cet cgt tgt gac gac gcc gac ata tca aac 347

Gly Phe Val Lys Ile Asn Pro Arg Cys Asp Asp Ala Asp Ile Ser Asn 80 85 90 95

gat cta ccg tgc tct caa gca gat gaa ccg gac tcg gac gac aca aaa 395

Asp Leu Pro Cys Ser Gln Ala Asp Glu Pro Asp Ser Asp Asp Thr Lys 100 105 110

caa ttg aca gcc atc aca aat ttc ggt tcg gga gag aat aac cat aac 443

Gln Leu Thr Ala Ile Thr Asn Phe Gly Ser Gly Glu Asn Asn His Asn 115 120 125

cgg aaa aaa atg atc caa ccg gag atg acc gac gag cgg aag agg aag 491

Arg Lys Lys Met Ile Gln Pro Glu Met Thr Asp Glu Arg Lys Arg Lys 130 135 140

agg atg gag tca aac cgg gaa tca gcg aaa cgg tca aga atg cgt aaa 539

Arg Met Glu Ser Asn Arg Glu Ser Ala Lys Arg Ser Arg Met Arg Lys 145 150 155

caa agt cac att gat aac tta cga gag caa gta aac cgg ttg gat tta

587 Gln Ser His Ile Asp Asn Leu Arg Glu Gln Val Asn Arg Leu Asp Leu

gaa aac cgt gag ctc ggg aac cga ctc cgg tta gtt tta cac cag ctt

Glu Asn Arg Glu Leu Gly Asn Arg Leu Arg Leu Val Leu His Gln Leu 180 185 190

caa cga gtg aat tee gae aat aac egg ete gtg aca gaa caa gag ata 683

Gln Arg Val Asn Ser Asp Asn Asn Arg Leu Val Thr Glu Gln Glu Ile 195 200 205

ctc egg cta aga ttg teg gag atg egt egg att etg ate att aga caa 731

Leu Arg Leu Arg Leu Ser Glu Met Ärg Arg Ile Leu Ile Ile Arg Gln
210 215 220

ctt caa caa cag caa caa tgg gaa cta cat aac cgg aga atg atc atg 779

Leu Gln Gln Gln Gln Gln Trp Glu Leu His Asn Arg Arg Met Ile Met 225 230 235

act gaa caa aac cac cct cat ctt caa tga tagatcaaaa tatttaagaa

Thr Glu Gln Asn His Pro His Leu Gln

atagttttct aattttcctt tccacttt

<210> 400 <211> 248 <212> PRT <213> Arabidopsis thaliana <400>

Met Leu Ser Thr Ala Pro Ala Phe Ser Phe Ser Glu Pro Gly Leu Val 1 5 10 15

Asn Gln Phe Ser Gly Phe Gln Thr Gly Phe Thr Pro Trp Glu Trp Asp 20 25 30

Cys Ser Asp Leu Phe Phe Val Asp Gln Met Ser Leu Glu Pro Ala Ile 35 40 45 Pro Ser Pro Cys Tyr Gly Glu Ser Asp Thr Gly Ser Val Lys Ile Asn 50 55 60

- Ser Gly Ser His Asp Met Lys Thr Gly Ser Asp Glu Ser Cys Ala Gly 65 70 75 80
- Phe Val Lys Ile Asn Pro Arg Cys Asp Asp Ala Asp Ile Ser Asn Asp 85 90 95
- Leu Pro Cys Ser Gln Ala Asp Glu Pro Asp Ser Asp Asp Thr Lys Gln 100 105 110
- Leu Thr Ala Ile Thr Asn Phe Gly Ser Gly Glu Asn Asn His Asn Arg 115 120 125
- Lys Lys Met Ile Gln Pro Glu Met Thr Asp Glu Arg Lys Arg Lys Arg 130 135 140
- Met Glu Ser Asn Arg Glu Ser Ala Lys Arg Ser Arg Met Arg Lys Gln 145 150 155 160
- Ser His Ile Asp Asn Leu Arg Glu Gln Val Asn Arg Leu Asp Leu Glu 165 170 175
- Asn Arg Glu Leu Gly Asn Arg Leu Arg Leu Val Leu His Gln Leu Gln 180 185 190
- Arg Val Asn Ser Asp Asn Asn Arg Leu Val Thr Glu Gln Glu Ile Leu 195 200 205
- Arg Leu Arg Leu Ser Glu Met Arg Arg Ile Leu Ile Ile Arg Gln Leu 210 215 220
- Gln Gln Gln Gln Trp Glu Leu His Asn Arg Arg Met Ile Met Thr 225 230 235 240
- Glu Gln Asn His Pro His Leu Gln 245
- <210> 401 <211> 1740 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (601)..(1161) <223> G1818
- <400> 401
  taacaaatca aataattaga gaaataacca aaatttaact tttagaggga ctacaggatt
  60

tgtactttgt acattcatat attattgtta tatatcgttt catacattaa tttgaaccaa 120

tgtaaattaa gtaaaattca atttaacatc atgagcaaat tcttattaaa attctcttaa 180

aattttgagc aaattatgct ttcacattta acatttgaaa acatcatttt taacaagata 240

ttcaaaacta agttttgtac agcaaaattt taactttcaa ttttatagag aaaaaggtat 300

ttttttttt gtttcatttt tataagacta ttatttggta tataatatac actttaagta 360

aaaacaaatc totttotttt ttottottat aataccaacc acaagtctgt cagtcacaca 420

catacagtta ataacattaa atattettaa caaactacta aataggttga gatteatata 480

tgtaaagaga teaettetta atettateet accatatett atataegett aatttteett 540

tatatatgoa aaceteeaca taaaaatate teaaacecaa acaetteaaa caaaaaaaa 600

atg gag aac aac aac aac cac caa cag cca ccg aaa gat aac gag 648

caa cta aag agt ttc tgg tca aag ggg atg gaa ggt gac ttg aat gtc 696

Gln Leu Lys Ser Phe Trp Ser Lys Gly Met Glu Gly Asp Leu Asn Val 20 25 30

aag aat cac gag ttc ccc atc tct cgt atc aag agg ata atg aag ttt 744

Lys Asn His Glu Phe Pro Ile Ser Arg Ile Lys Arg Ile Met Lys Phe 35 40 45

gat ccg gat gtg agt-atg atc gct-gct gag gct cca aat ctc tta tct). 792

Asp Pro Asp Val Ser Met Ile Ala Ala Glu Ala Pro Asn Leu Leu Ser 50 55 60

aag got tgt gaa atg ttt gtc atg gac ctc acg atg cgt tca tgg ctc 840

Lys Ala Cys Glu Met Phe Val Met Asp Leu Thr Met Arg Ser Trp Leu 65 70 75 80

cat get caa gag age aac ega etc acg ata egg aaa tet gat gtt gat 888

His Ala Gln Glu Ser Asn Arg Leu Thr Ile Arg Lys Ser Asp Val Asp 85 90 95

gcc gta gtg tct caa acc gtc atc ttt gat ttc ttg cgt gat gtc 936

Ala Val Val Ser Gln Thr Val Ile Phe Asp Phe Leu Arg Asp Asp Val 100 105 110

cct aag gac gag gga gag ccc gtt gtc gcc gct gct gat cct gtg gac 984

Pro Lys Asp Glu Gly Glu Pro Val Val Ala Ala Ala Asp Pro Val Asp 115 120 125

gat gtt gct gat cat gtg gct gtg cca gat ctt aac aat gaa gaa ctg 1032

Asp Val Ala Asp His Val Ala Val Pro Asp Leu Asn Asn Glu Glu Leu 130 135 140

 ${\tt ccg}\ {\tt ccg}\ {\tt gga}\ {\tt acg}\ {\tt gtg}\ {\tt ata}\ {\tt gga}\ {\tt act}\ {\tt ccg}\ {\tt gtt}\ {\tt tgt}\ {\tt tac}\ {\tt ggt}\ {\tt tta}\ {\tt gga}\ {\tt ata}\ {\tt 1080}$ 

Pro Pro Gly Thr Val Ile Gly Thr Pro Val Cys Tyr Gly Leu Gly Ile 145 150 155 160

cac gcg cca cac ccg cag atg cct gga gct tgg acc gag gag gat gcg 1128

His Ala Pro His Pro Gln Met Pro Gly Ala Trp Thr Glu Glu Asp Ala 165 170 175

act ggg gca aat gga gga aac ggt ggg aat taa tatttggatt gggttttgta 1181

Thr Gly Ala Asn Gly Gly Asn Gly Gly Asn 180 185

accgctgttg tgagaacttg aatttctttt tgagttctgc ttatgttttc aatgttatgt . 1241

tttttagttg ttgaatgtat ttctgttgtt ttgtccaaaa aaaaaaaaga atgtatttct 1301

gttgttgtct ttcaaatgaa tctaatggtt tatgaatatt ggctttagat taatttatgc - 1361

atacaaaaac acaaggatta cggataaaaa agteeteagt ttacccatgg aaacataate 1421

ttctagtgat tccttatgag agtagaaaag aatcatatat tataatctat ttcataagag 1481

atagggtact gtaaacaagg atgtttattc ggctatttct ttttttttta atcactttta . 1541

cttgtcaaga ctcttttgtg tttgcagctt tttgttagat tacattctag aggcaacaag

atccagagat ctagcaaaaa aaacttattt tgaaacctga atctatttta aaaattttcc 1661

aactcatttt tcgttcttat tctttgtttt ccaacggaat ttggcgcaca aacgatttat 1721

ttgaattttg tctttcaag 1740

<210> 402 <211> 186 <212> PRT <213> Arabidopsis thaliana <400> 402

Met Glu Asn Asn Asn Asn His Gln Gln Pro Pro Lys Asp Asn Glu

Gln Leu Lys Ser Phe Trp Ser Lys Gly Met Glu Gly Asp Leu Asn Val 20 25

Lys Asn His Glu Phe Pro Ile Ser Arg Ile Lys Arg Ile Met Lys Phe 40

Asp Pro Asp Val Ser Met Ile Ala Ala Glu Ala Pro Asn Leu Leu Ser . .

Lys Ala Cys Glu Met Phe Val Met Asp Leu Thr Met Arg Ser Trp Leu 70

His Ala Gln Glu Ser Asn Arg Leu Thr Ile Arg Lys Ser Asp Val Asp 90

Ala Val Val Ser Gln Thr Val Ile Phe Asp Phe Leu Arg Asp Asp Val 100 105 110

Pro Lys Asp Glu Gly Glu Pro Val Val Ala Ala Ala Asp Pro Val Asp 115 120 125 125 126

Asp Val Ala Asp His Val Ala Val Pro Asp Leu Asn Asn Glu Glu Leu 130 135 140

Pro Pro Gly Thr Val Ile Gly Thr Pro Val Cys Tyr Gly Leu Gly Ile 150 155 145

His Ala Pro His Pro Gln Met Pro Gly Ala Trp Thr Glu Glu Asp Ala 

Thr Gly Ala Asn Gly Gly Asn Gly Gly Asn THE REPORT OF THE PARTY OF THE

<210> 403 <211> 639 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(639) <223> G1819

<400> 403 atg gaa gag aac aac ggc aac aac aac cac tac ctg ccg caa cca tcg Met Glu Glu Asn Asn Gly Asn Asn Asn His Tyr Leu Pro Gln Pro Ser

tct tcc caa ctg ccg ccg cca cca ttg tat tat caa tca atg ccg ttg Ser Ser Gln Leu Pro Pro Pro Pro Leu Tyr Tyr Gln Ser Met Pro Leu

20 25

ccg tca tat tca ctg ccg ctg ccg tac tca ccg cag atg cgg aat tat 144 Pro Ser Tyr Ser Leu Pro Leu Pro Tyr Ser Pro Gln Met Arg Asn Tyr 35 40 tgg att gcg cag atg gga aac gca act gat gtt aag cat cat gcg ttt Trp Ile Ala Gln Met Gly Asn Ala Thr Asp Val Lys His His Ala Phe cca cta acc agg ata aag aaa atc atg aag tcc aac ccg gaa gtg aac Pro Leu Thr Arg Ile Lys Lys Ile Met Lys Ser Asn Pro Glu Val Asn 70 atg gtc act gca gag gct ccg gtc ctt ata tcg aag gcc tgt gag atg Met Val Thr Ala Glu Ala Pro Val Leu Ile Ser Lys Ala Cys Glu Met ctc att ctt gat ctc aca atg cga tcg tgg ctt cat acc gtg gag ggc Leu Ile Leu Asp Leu Thr Met Arg Ser Trp Leu His Thr Val Glu Gly 100 105 ggt cgc caa act ctc aag aga tcc gat acg ctc acg aga tcc gat atc Gly Arg Gln Thr Leu Lys Arg Ser Asp Thr Leu Thr Arg Ser Asp Ile 120 tee gee gea acg act egt agt tte aaa ttt ace tte ett gge gae gtt Ser Ala Ala Thr Thr Arg Ser Phe Lys Phe Thr Phe Leu Gly Asp Val 130 135 gtc cca aga gac cct tcc gtc gtt acc gat gat ccc gtg cta cat ccg Val Pro Arg Asp Pro Ser Val Val Thr Asp Asp Pro Val Leu His Pro 145 150 155 gac ggt gaa gta ctt cct ccg gga acg gtg ata gga tat ccg gtg ttt Asp Gly Glu Val Leu Pro Pro Gly Thr Val Ile Gly Tyr Pro Val Phe 170 gat tgt aat ggt gtg tac gcg tca ccg cca cag atg cag gag tgg ccg Asp Cys Asn Gly Val Tyr Ala Ser Pro Pro Gln Met Gln Glu Trp Pro 180 185 gcg gtg cct ggt gac gga gag gca gct ggg gaa att gga gga agc 624 Ala Val Pro Gly Asp Gly Glu Glu Ala Ala Gly Glu Ile Gly Gly Ser 195 200 205 agc ggc ggt aat tga 639 Ser Gly Gly Asn 210

<210> 404 <211> 212 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Glu Asn Asn Gly Asn Asn Asn His Tyr Leu Pro Gln Pro Ser

1 10 15

Ser Ser Gln Leu Pro Pro Pro Leu Tyr Tyr Gln Ser Met Pro Leu
20 25 30

Pro Ser Tyr Ser Leu Pro Leu Pro Tyr Ser Pro Gln Met Arg Asn Tyr 35 40 45

Trp Ile Ala Gln Met Gly Asn Ala Thr Asp Val Lys His His Ala Phe 50 55 60

Pro Leu Thr Arg Ile Lys Lys Ile Met Lys Ser Asn Pro Glu Val Asn 65. 70 75 80

Met Val Thr Ala Glu Ala Pro Val Leu Ile Ser Lys Ala Cys Glu Met

Leu Ile Leu Asp Leu Thr Met Arg Ser Trp Leu His Thr Val Glu Gly
100 105 110

Gly Arg Gln Thr Leu Lys Arg Ser Asp Thr Leu Thr Arg Ser Asp Ile 115 120 125

Ser Ala Ala Thr Thr Arg Ser Phe Lys Phe Thr Phe Leu Gly Asp Val 130 135 140

Val Pro Arg Asp Pro Ser Val Val Thr Asp Asp Pro Val Leu His Pro 145 150 155 160

Asp Gly Glu Val Leu Pro Pro Gly Thr Val Ile Gly Tyr Pro Val Phe 165 170 175

Asp Cys Asn Gly Val Tyr Ala Ser Pro Pro Gln Met Gln Glu Trp Pro 180 185 190

Ala Val Pro Gly Asp Gly Glu Glu Ala Ala Gly Glu Ile Gly Gly Ser 195 200 205

Ser Gly Gly Asn 210

<210> 405 <211> 954 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(954) <223> G1895

<400> 405 atg aat.aac caa tot gtt act gac aat aca agt ott aag otg toa tot Met Asn Asn Gln Ser Val Thr Asp Asn Thr Ser Leu Lys Leu Ser Ser aat ctt aac aac gag tca aaa gaa aca tct gag aac agt gat gac caa 96 Asn Leu Asn Asn Glu Ser Lys Glu Thr Ser Glu Asn Ser Asp Asp Gln . 25 cac agc gag atc aca aca att aca tcg gaa gaa gag aaa aca act gaa His Ser Glu Ile Thr Thr Ile Thr Ser Glu Glu Glu Lys Thr Thr Glu ctg aag aaa cca gac aag att ctt cca tgt ccg aga tgc aac agc gca Leu Lys Lys Pro Asp Lys Ile Leu Pro Cys Pro Arg Cys Asn Ser Ala gac acc aaa tto tgt tac tac aac aac tac aac gtt aac cag cca cgt 240 Asp Thr Lys Phe Cys Tyr Tyr Asn Asn Tyr Asn Val Asn Gln Pro Arg 70 75 cac ttc tgt aga aaa tgc cag agg tat tgg acc gct ggt gga tcc atg 288 His Phe Cys Arg Lys Cys Gln Arg Tyr Trp Thr Ala Gly Gly Ser Met 90 85 agg atc gtc ccg gtt ggc tca ggc cgt cgc aag aac aag gga tgg gtt 336 Arg Ile Val Pro Val Gly Ser Gly Arg Arg Lys Asn Lys Gly Trp Val 100 tot toa gac cag tac ctg cac atc act too gag 'gat act gac aat tac Ser Ser Asp Gln Tyr Leu His Ile Thr Ser Glu Asp Thr Asp Asn Tyr 120 115 aat ago too toa aca aag att ota ago tto gag tot tog gac tot ttg 432 Asn Ser Ser Ser Thr Lys Ile Leu Ser Phe Glu Ser Ser Asp Ser Leu 135 gta act gag agg cct aag cat caa tca aac gaa gtg aag ata aac gct Val Thr Glu Arg Pro Lys His Gln Ser Asn Glu Val Lys Ile Asn Ala 155 150 gaa cct gtt tca caa gaa ccc aac aac ttc caa ggg tta ctt cct ccc Glu Pro Val Ser Gln Glu Pro Asn Asn Phe Gln Gly Leu Leu Pro Pro 175 caa gca tcc cct gtt tcg cct cct tgg cct tac caa tac cct cca aac Gln Ala Ser Pro Val Ser Pro Pro Trp Pro Tyr Gln Tyr Pro Pro Asn 185 180

cct agt ttc tac cac atg ccc gtc tac tgg ggc tgc gcg ata ccg gtt Pro Ser Phe Tyr His Met Pro Val Tyr Trp Gly Cys Ala Ile Pro Val 195 200 205 tgg tct acc ctc gac act tct aca tgt ctt ggg aaa agg aca aga gac Trp Ser Thr Leu Asp Thr Ser Thr Cys Leu Gly Lys Arg Thr Arg Asp 210 gaa act tot cat gaa act gtt aaa gag agt aaa aat got ttt gag aga Glu Thr Ser His Glu Thr Val Lys Glu Ser Lys Asn Ala Phe Glu Arg aca ago ttg ott ttg gaa tot cag ago ato aaa aat gaa aca agt atg Thr Ser Leu Leu Glu Ser Gln Ser Ile Lys Asn Glu Thr Ser Met 250 255 245 get aca aat aac cat gtg tgg tat cca gta ccg atg acc cgc gag aag 816 Ala Thr Asn Asn His Val Trp Tyr Pro Val Pro Met Thr Arg Glu Lys aca caa gaa ttc agc ttt ttc agt aat gga gct gaa aca aag agc agc Thr Gln Glu Phe Ser Phe Phe Ser Asn Gly Ala Glu Thr Lys Ser Ser 280 275 aac aac aga ttc gtc cct gaa acg tat ctt aac ctg caa gca aac cct Asn Asn Arg Phe Val Pro Glu Thr Tyr Leu Asn Leu Gln Ala Asn Pro 300 gca gcc atg gca aga tct atg aac ttc aga gag agc ata taa Ala Ala Met Ala Arg Ser Met Asn Phe Arg Glu Ser Ile 310 305 <210> 406 <211> 317 <212> PRT <213> Arabidopsis thaliana <400> 406 Met Asn Asn Gln Ser Val Thr Asp Asn Thr Ser Leu Lys Leu Ser Ser . 15 5 10 Asn Leu Asn Asn Glu Ser Lys Glu Thr Ser Glu Asn Ser Asp Asp Gln 20

Leu Lys Lys Pro Asp Lys Ile Leu Pro Cys Pro Arg Cys Asn Ser Ala 50 55 60

His Ser Glu Ile Thr Thr Ile Thr Ser Glu Glu Glu Lys Thr Thr Glu

35

40 45

Asp Thr Lys Phe Cys Tyr Tyr Asn Asn Tyr Asn Val Asn Gln Pro Arg His Phe Cys Arg Lys Cys Gln Arg Tyr Trp Thr Ala Gly Gly Ser Met 85 90 Arg Ile Val Pro Val Gly Ser Gly Arg Arg Lys Asn Lys Gly Trp Val Ser Ser Asp Gln Tyr Leu His Ile Thr Ser Glu Asp Thr Asp Asn Tyr Asn Ser Ser Ser Thr Lys Ile Leu Ser Phe Glu Ser Ser Asp Ser Leu 130 135 140 Val Thr Glu Arg Pro Lys His Gln Ser Asn Glu Val Lys Ile Asn Ala 145 The state of 150 and the state of 155 the state of the 160 Glu Pro Val Ser Gln Glu Pro Asn Asn Phe Gln Gly Leu Leu Pro Pro 175 Gln Ala Ser Pro Val Ser Pro Pro Trp Pro Tyr Gln Tyr Pro Pro Asn 180 185 Pro Ser Phe Tyr His Met Pro Val Tyr Trp Gly Cys Ala Ile Pro Val 200 Trp Ser Thr Leu Asp Thr Ser Thr Cys Leu Gly Lys Arg Thr Arg Asp 210 215 Glu Thr Ser His Glu Thr Val Lys Glu Ser Lys Asn Ala Phe Glu Arg 235 240 230 Thr Ser Leu Leu Glu Ser Gln Ser Ile Lys Asn Glu Thr Ser Met 250 Ala Thr Asn Asn His Val Trp Tyr Pro Val Pro Met Thr Arg Glu Lys 265 Thr Gln Glu Phe Ser Phe Phe Ser Asn Gly Ala Glu Thr Lys Ser Ser Asn Asn Arg Phe Val Pro Glu Thr Tyr Leu Asn Leu Gln Ala Asn Pro

Ala Ala Met Ala Arg Ser Met Asn Phe Arg Glu Ser Ile

305 310 315

<210> 407 <211> 658 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (5)..(592) <223> G1931

<400> 407

atca atg gaa ggg gtt gac aac aca aat cct atg tta acc cta gaa gaa

Met Glu Gly Val Asp Asn Thr Asn Pro Met Leu Thr Leu Glu Glu 1 5 10 15

gge gaa aac aac aat eet ttt tet tee tta gat gae aaa aca tta atg 97

Gly Glu Asn Asn Asn Pro Phe Ser Ser Leu Asp Asp Lys Thr Leu Met 20 25 30

atg atg gct cct tcg tta atc ttt tcg ggc gat gta ggt cca tct tct 145

Met Met Ala Pro Ser Leu Ile Phe Ser Gly Asp Val Gly Pro Ser Ser 35 40 45

tet tet tgt act eea gea ggt tat eat eta tet get eag etg gag aac 193

Ser Ser Cys Thr Pro Ala Gly Tyr His Leu Ser Ala Gln Leu Glu Asn 50

Phe Arg Gly Gly Gly Glu Met Gly Gly Leu Val Ser Asn Asn Ser 65 70 75

aat aat agt gat cat aat aag aat tgc aac aaa gga aaa ggg aag aga 289

Asn Asn Ser Asp His Asn Lys Asn Cys Asn Lys Gly Lys Gly Lys Arg 80 85 90 95

act ttg gca atg cag agg ata gct ttt cat aca agg agt gat gat gat 337

Thr Leu Ala Met Gln Arg Ile Ala Phe His Thr Arg Ser Asp Asp 100 100 105 110 110 110

gtt ctt gat gat ggt tat cgt tgg cga aag tac ggt cag aaa tct gtc

Val Leu Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln Lys Ser Val 115 120 125

aag aac aat got cat ooc agg ago tat tat aga tgt aca tac cac aca 433

Lys Asn Asn Ala His Pro Arg Ser Tyr Tyr Arg Cys Thr Tyr His Thr 130 135 140

tgc aac gtg aag aaa caa gtg caa aga ctg gca aaa gat cca aac gtt

Cys Asn Val Lys Lys Gln Val Gln Arg Leu Ala Lys Asp Pro Asn Val 145 150 155

gtc gta aca acc tac gaa ggt gtt cat aat cat cct tgt gag aag ctc 529

Val Val Thr Thr Tyr Glu Gly Val His Asn His Pro Cys Glu Lys Leu 160 165 170 175

atg gag act ctt agc cct ctc ctt agg Caa ctt cag ttc ctc tca aga 577 Met Glu Thr Leu Ser Pro Leu Leu Arg Gln Leu Gln Phe Leu Ser Arg

Met Glu Thr Leu Ser Pro Leu Leu Arg Gln Leu Gln Phe Leu Ser Arg 180 185 190

gtt tct gat ctg taa ttattgaatg ttaattagtg gtgtaataca ttaattatgc 632 Val Ser Asp Leu

tttaatctct ccattgaccc tcaatc 658

195

<210> 408 <211> 195 <212> PRT <213> Arabidopsis thaliana <400> 408

Met Glu Gly Val Asp Asn Thr Asn Pro Met Leu Thr Leu Glu Glu Gly 1 5 10 15

Glu Asn Asn Asn Pro Phe Ser Ser Leu Asp Asp Lys Thr Leu Met Met 20 25 30

Met Ala Pro Ser Leu Ile Phe Ser Gly Asp Val Gly Pro Ser Ser Ser 35 40 45

Ser Cys Thr Pro Ala Gly Tyr His Leu Ser Ala Gln Leu Glu Asn Phe 50 55 60

Arg Gly Gly Gly Glu Met Gly Gly Leu Val Ser Asn Asn Ser Asn 65 70 75 80

Asn Ser Asp His Asn Lys Asn Cys Asn Lys Gly Lys Gly Lys Arg Thr 85 90 95

Leu Ala Met Gln Arg Ile Ala Phe His Thr Arg Ser Asp Asp Asp Val 100 105 110

Leu Asp Asp Gly Tyr Arg Trp Arg Lys Tyr Gly Gln Lys Ser Val Lys 115 120 125

Asn Asn Ala His Pro Arg Ser Tyr Tyr Arg Cys Thr Tyr His Thr Cys 130 135 140

Asn Val Lys Lys Gln Val Gln Arg Leu Ala Lys Asp Pro Asn Val Val 145 150 150

Val Thr Thr Tyr Glu Gly Val His Asn His Pro Cys Glu Lys Leu Met 165 170 175 Glu Thr Leu Ser Pro Leu Leu Arg Gln Leu Gln Phe Leu Ser Arg Val 180 185 190

Ser Asp Leu 195

<210> 409 <211> 1172 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (92)..(844) <223> G1939

<400> 409
aatcattagc ttcttctctt ctcttctctc acagagagag taatcacaag ccaagtgaga
60

aaaagaaaac actaaaccca gatcgaaaac c atg tct att aac aac aac 112

Met Ser Ile Asn Asn Asn Asn 1

aac aac aac aac aat aac aac gat ggt ett atg atc tca tca aac gga 160 Asn Asn Asn Asn Asn Asn Asn Asp Gly Leu Met Ile Ser Ser Asn Gly

gct tta atc gaa caa caa cca tca gtc gtt gtg aag aaa cca ccg gcg 208

Ala Leu Ile Glu Gln Gln Pro Ser Val Val Val Lys Lys Pro Pro Ala 25 30 35

aaa gat cga cat agc aaa gtc gat gga aga ggg aga aga atc cgt atg

Lys Asp Arg His Ser Lys Val Asp Gly Arg Gly Arg Arg Ile Arg Met 40 45 50 55

ccg att ata tgt gct gct cgt gtt ttt cag cta acg aga gag ctt ggt 304

Pro Ile Ile Cys Ala Ala Arg Val Phe Gln Leu Thr Arg Glu Leu Gly
60 65 70

cat aag tca gat ggc caa aca att gaa tgg tta ctt cgt caa gca gag

352 His Lys Ser Asp Gly Gln Thr Ile Glu Trp Leu Leu Arg Gln Ala Glu 75 80 85

cet tet att ata get gea aca gga act ggt aca act cea geg agt tte

Pro Ser Ile Ile Ala Ala Thr Gly Thr Gly Thr Thr Pro Ala Ser Phe 90 95 100

tea act get tet gte tet ate egt gga gee ace aat tet act tet tta

Ser Thr Ala Ser Val Ser Ile Arg Gly Ala Thr Asn Ser Thr Ser Leu 105 110 115

gat cat aaa ccc act tot tta ctt ggt ggt acg tca ccg ttt ata ctt

496
Asp His Lys Pro Thr Ser Leu Leu Gly Gly Thr Ser Pro Phe Ile Leu 135

ggg aaa cgt gtt aga gct gat gag gat agt aat aat agt cat aat cat

Gly Lys Arg Val Arg Ala Asp Glu Asp Ser Asn Asn Ser His Asn His 140 145 150

agt tot gtt ggt aaa gat gag acc ttt acg aca aca cca gct ggg ttt

Ser Ser Val Gly Lys Asp Glu Thr Phe Thr Thr Pro Ala Gly Phe 155 160 165

tgg gct gtt ccg gcg agg ccg gat ttt gga caa gtt tgg agt ttt gct

Trp Ala Val Pro Ala Arg Pro Asp Phe Gly Gln Val Trp Ser Phe Ala 170 175 180

gga gct cca caa gag atg ttt tta caa caa caa cat cat cat cag caa

Gly Ala Pro Gln Glu Met Phe Leu Gln Gln Gln His His His Gln Gln 185 190 195

cca ttg ttt gtt cat cag caa cag caa caa caa gct gca atg ggt gaa

Pro Leu Phe Val His Gln Gln Gln Gln Gln Gln Ala Ala Met Gly Glu 200 205 210 215

gct tct gct gct aga gtt ggg aat tat ctt ccg ggt cat ctt aat ttg

Ala Ser Ala Ala Arg Val Gly Asn Tyr Leu Pro Gly His Leu Asn Leu
220 225 230

ctt gct tct tta tcc ggt gga tct ccc ggg tcg gat cga aga gag gaa

Leu Ala Ser Leu Ser Gly Gly Ser Pro Gly Ser Asp Arg Arg Glu Glu
235 240 245

gat cca cgt taa tggtttaagc ccttttaggt ttgagggcaa aatttggtat

Asp Pro Arg 250

atatatttat tatcttctct tctctattgt tgtcattgtt tctctatgtg tgtgttttag

tgttgttaga gattgatttg gtttcagaat ctctgcaagt gatttgagag ttttcgttag

ctttaagtaa gttaaagacg gttgtttttg attagggtta aattagggtt taagaatctg

ttgtttttt ggagggagat cgatttctta tcggatccaa gattactttt aggaaaaaag

ggaaaatttc agaaaccacg gtggtttctt ttcctcttt tttttttg

<210> 410 <211> 250 <212> PRT <213> Arabidopsis thaliana <400>

Leu Met Ile Ser Ser Asn Gly Ala Leu Ile Glu Gln Gln Pro Ser Val 20 25 30

- Val Val Lys Lys Pro Pro Ala Lys Asp Arg His Ser Lys Val Asp Gly 35 40 45
- Arg Gly Arg Arg Ile Arg Met Pro Ile Ile Cys Ala Ala Arg Val Phe 50 55 60
- Gln Leu Thr Arg Glu Leu Gly His Lys Ser Asp Gly Gln Thr Ile Glu 65 70 75 80
- Trp Leu Leu Arg Gln Ala Glu Pro Ser Ile Ile Ala Ala Thr Gly Thr.
  85 90 95
- Gly Thr Thr Pro Ala Ser Phe Ser Thr Ala Ser Val Ser Ile Arg Gly
  100 105 110
- Ala Thr Asn Ser Thr Ser Leu Asp His Lys Pro Thr Ser Leu Leu Gly
  115 120 125
- Gly Thr Ser Pro Phe Ile Leu Gly Lys Arg Val Arg Ala Asp Glu Asp 130 135 140
- Ser Asn Asn Ser His Asn His Ser Ser Val Gly Lys Asp Glu Thr Phe 145 150 155 160
- Thr Thr Thr Pro Ala Gly Phe Trp Ala Val Pro Ala Arg Pro Asp Phe 165 170 175
- Gly Gln Val Trp Ser Phe Ala Gly Ala Pro Gln Glu Met Phe Leu Gln 180 185 190
- Gln Gln His His Gln Gln Pro Leu Phe Val His Gln Gln Gln Gln 195 200 205
- Gln Gln Ala Ala Met Gly Glu Ala Ser Ala Ala Arg Val Gly Asn Tyr 210 215 220
- Leu Pro Gly His Leu Asn Leu Leu Ala Ser Leu Ser Gly Gly Ser Pro 225 230 235 240
- Gly Ser Asp Arg Arg Glu Glu Asp Pro Arg 245 250

<210> 411 <211> 513 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(513) <223> G1974 <400> 411 atg gtt gct gaa agt gat aat cgt gat ctg acg gtg gat acg gcg gcg Met Val Ala Glu Ser Asp Asn Arg Asp Leu Thr Val Asp Thr Ala Ala agc tgt ctg atg ttg tta tca gga att gga gaa cac gac gga aga aag Ser Cys Leu Met Leu Leu Ser Gly Ile Gly Glu His Asp Gly Arg Lys 20 aaa cgt gtt ttc cga tgc aag act tgt gag aga gac ttc gat tcg ttc 144 Lys Arg Val Phe Arg Cys Lys Thr Cys Glu Arg Asp Phe Asp Ser Phe caa get tta gga gge cae egt gea age cae teg aaa eta ace aac agt Gln Ala Leu Gly Gly His Arg Ala Ser His Ser Lys Leu Thr Asn Ser 55. 60 gac gat aaa tca ctt cct gga tca cca aag aag aag cct aaa act acg Asp Asp Lys Ser Leu Pro Gly Ser Pro Lys Lys Pro Lys Thr Thr 70.. 75 act acg acg gct cat act tgt ccg att tgt ggc ttg gag ttt ccg Thr Thr Thr Thr Ala His Thr Cys Pro Ile Cys Gly Leu Glu Phe Pro atg gga caa gct. ctt ggt ggt cac atg agg aaa cat agg aac gag aaa 336 Met Gly Gln Ala Leu Gly Gly His Met Arg Lys His Arg Asn Glu Lys 100 105 110 gaa cga gaa aag gct tct aac gta ttg gtt acg cat tct ttc atg ccg 384 Glu Arg Glu Lys Ala Ser Asn Val Leu Val Thr His Ser Phe Met Pro 120 gag acg aca acg gtg acg act ttg aag aaa tcg agt agt ggg aag aga Glu Thr Thr Thr Val Thr Thr Leu Lys Lys Ser Ser Ser Gly Lys Arg 135 140 gtg gcg tgt ttg gat ttc gac tta act tcg gtg gag agc ttt gtc aac 480 Val Ala Cys Leu Asp Phe Asp Leu Thr Ser Val Glu Ser Phe Val Asn 150 160 acg gaa ttg gag ttg gga aga acg atg tac tga 513 Thr Glu Leu Glu Leu Gly Arg Thr Met Tyr 165 170

<210> 412 <211> 170 <212> PRT <213> Arabidopsis thaliana <400> 412

Met Val Ala Glu Ser Asp Asn Arg Asp Leu Thr Val Asp Thr Ala Ala
1 5 10 15

Ser Cys Leu Met Leu Leu Ser Gly Ile Gly Glu His Asp Gly Arg Lys 20 25 30

Lys Arg Val Phe Arg Cys Lys Thr Cys Glu Arg Asp Phe Asp Ser Phe 35 40 45

Gln Ala Leu Gly Gly His Arg Ala Ser His Ser Lys Leu Thr Asn Ser 50 55 60

Asp Asp Lys Ser Leu Pro Gly Ser Pro Lys Lys Pro Lys Thr Thr 65 70 75 80

Thr Thr Thr Thr Ala His Thr Cys Pro I-le Cys Gly Leu Glu Phe Pro

Met Gly Gln Ala Leu Gly Gly His Met Arg Lys His Arg Asn Glu Lys 100 105 110

Glu Arg Glu Lys Ala Ser Asn Val Leu Val Thr His Ser Phe Met Pro 115 120 125

Glu Thr Thr Thr Val Thr Thr Leu Lys Lys Ser Ser Ser Gly Lys Arg 130 135 140

Val Ala Cys Leu Asp Phe Asp Leu Thr Ser Val Glu Ser Phe Val Asn 145 160

Thr Glu Leu Glu Leu Gly Arg Thr Met Tyr 165 170

<210> 413 <211> 1536 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (42)..(1487) <223> G2105

<400> 413

43 4.75

ctctctgact tgaactcttc tcttctaccg aatcaaacca a atg gag gat cat caa 56

Met Glu Asp His Gln
1 5

aac cat cca cag tac ggt ata gaa caa cca tct tct caa ttc tcc tct 104
Asn His Pro Gln Tvr Glv Ile Glu Gln Pro Ser Ser Gln Phe Ser Ser

Asn His Pro Gln Tyr Gly Ile Glu Gln Pro Ser Ser Gln Phe Ser Ser 10 15 20

gat ctc ttc ggc ttc aac ctc gtt tca gcg ccg gac cag cac cat cgt Asp Leu Phe Gly Phe Asn Leu Val Ser Ala Pro Asp Gln His His Arg ctt cat ttc acc gac cat gag ata agt tta ttg cca cgt gga ata caa Leu His Phe Thr Asp His Glu Ile Ser Leu Leu Pro Arg Gly Ile Gln 50 ggg ctt acg gtg gct gga aac aac agt aac act att aca acg atc cag Gly Leu Thr Val Ala Gly Asn Asn Ser Asn Thr Ile Thr Thr Ile Gln 55 agt ggt ggc tgt ggt ggg ttt agt ggc ttt acg gac ggc gga gga Ser Gly Gly Cys Val Gly Gly Phe Ser Gly Phe Thr Asp Gly Gly Gly aca ggg agg tgg ccg agg caa gag acg ttg atg ttg ttg gag gtc aga Thr Gly Arg Trp Pro Arg Gln Glu Thr Leu Met Leu Leu Glu Val Arg 90 95 100 tct cgt ctt gat cac aag ttc aaa gaa gct aat caa aag ggt cct ctc Ser Arg Leu Asp His Lys Phe Lys Glu Ala Asn Gln Lys Gly Pro Leu 105 110 tgg gat gaa gtt tct agg att atg tcg gag gaa cat gga tac act agg Trp Asp Glu Val Ser Arg Ile Met Ser Glu Glu His Gly Tyr Thr Arg agt ggc aag aag tgt aga gag aag ttc gag aat ctc tac aag tac tat 488 Ser Gly Lys Lys Cys Arg Glu Lys Phe Glu Asn Leu Tyr Lys Tyr Tyr 140 145 aaa aaa aca aaa gaa ggc aaa tcc ggt cgg cga caa gat ggt aaa aac Lys Lys Thr Lys Glu Gly Lys Ser Gly Arg Arg Gln Asp Gly Lys Asn 155 tat aga ttt ttc egg cag ett gaa geg ata tac gge gaa tec aaa gac Tyr Arg Phe Phe Arg Gln Leu Glu Ala Ile Tyr Gly Glu Ser Lys Asp 175 tog gtt tot tgc tat aac aac acg cag ttc ata atg acc aat gct ctt Ser Val Ser Cys Tyr Asn Asn Thr Gln Phe Ile Met Thr Asn Ala Leu 185 190 cat agt aat ttc ege get tet aac att cat aac ate gte eet cat cat His Ser Asn Phe Arg Ala Ser Asn Ile His Asn Ile Val Pro His His 205 210

cag aat ccc ttg atg acc aat acc aat act caa agt caa age ctt age Gln Asn Pro Leu Met Thr Asn Thr Asn Thr Gln Ser Gln Ser Leu Ser 215 220 att tot aac aat tto aac too too too gat ttg gat cta act tot too Ile Ser Asn Asn Phe Asn Ser Ser Ser Asp Leu Asp Leu Thr Ser Ser 235 tct gaa gga aac gaa act act aaa aga gag ggg atg cat tgg aag gaa Ser Glu Gly Asn Glu Thr Thr Lys Arg Glu Gly Met His Trp Lys Glu 255 aag atc aag gaa ttc att ggt gtt cat atg gag agg ttg ata gag aag 872 Lys Ile Lys Glu Phe Ile Gly Val His Met Glu Arg Leu Ile Glu Lys 265 27.0 caa gat ttt tgg ctt gag aag ttg atg aag att gtg gaa gac aaa gaa 920 Gln Asp Phe Trp Leu Glu Lys Leu Met Lys Ile Val Glu Asp Lys Glu 280 285 290 cat caa agg atg ctg aga gaa gag gaa tgg aga agg att gaa gcg gaa His Gln Arg Met Leu Arg Glu Glu Glu Trp Arg Arg Ile Glu Ala Glu 295 300 agg atc gat aag gaa cgt tcg ttt tgg aca aaa gag agg gag agg att 化复数电影 化氯化二甲基酚 医氯化钠 医二氯化钠 医二氯化物 Arg Ile Asp Lys Glu Arg Ser Phe Trp Thr Lys Glu Arg Glu Arg Ile 315 320 gaa gct cgg gat gtt gcg gtg att aat gcc ttg cag tac ttg acg gga Glu Ala Arg Asp Val Ala Val Ile Asn Ala Leu Gln Tyr Leu Thr Gly [a the 330 to the control of the 335 to the term of a 340 the agg gca ttg ata agg ccg gat tct tcg tct cct aca gag agg att aat 1112 Arg Ala Leu Ile Arg Pro Asp Ser Ser Ser Pro Thr Glu Arg Ile Asn N. W. . . . . . 355 350 ggg aat gga agc gat aaa atg atg gct gat aat gaa ttt gct gat gaa 1160 Gly Asn Gly Ser Asp Lys Met Met Ala Asp Asn Glu Phe Ala Asp Glu 370 360 365 gga aat aag ggc aag atg gat aaa aaa caa atg aat aag aaa agg aag Gly Asn Lys Gly Lys Met Asp Lys Lys Gln Met Asn Lys Lys Arg Lys 380 385 gag aaa tgg tca agc cac gga ggg aat cat cca aga acc aaa gag aat 1256 Glu Lys Trp Ser Ser His Gly Gly Asn His Pro Arg Thr Lys Glu Asn 390 395 400

atg atg ata tac aac aat caa gaa act aag att aat gat t<br/>tt tg<br/>t cga 1304

Met Met Ile Tyr Asn Asn Gln Glu Thr Lys Ile Asn Asp Phe Cys Arg
410 415 420

gat gat gac caa tgc cat cat gaa ggt tac tca cct tca aac tcc aag 1352

Asp Asp Asp Gln Cys His His Glu Gly Tyr Ser Pro Ser Asn Ser Lys 425 430 435

aac gca gga act ccg agc tgc agc aat gcc atg gca gct agt aca aag 1400

Asn Ala Gly Thr Pro Ser Cys Ser Asn Ala Met Ala Ala Ser Thr Lys
440 445 450

tgc ttt cca ttg ctt gaa gga gaa gga gat cag aac ttg tgg gag ggt 1448

Cys Phe Pro Leu Leu Glu Gly Glu Gly Asp Gln Asn Leu Trp Glu Gly 455 460 465

tat ggt ttg aag caa agg aaa gaa aat aat cat cag taa gctacatttt 1497

Tyr Gly Leu Lys Gln Arg Lys Glu Asn Asn His Gln 470 475 480

tcattctcaa aatgaagaat aagagaactt agaaacgat 1536

<210> 414 <211> 481 <212> PRT <213> Arabidopsis thaliana <400> 414

Met Glu Asp His Gln Asn His Pro Gln Tyr Gly Ile Glu Gln Pro Ser 1 5 10 15

Ser Gln Phe Ser Ser Asp Leu Phe Gly Phe Asn Leu Val Ser Ala Pro 20 25 30

Asp Gln His His Arg Leu His Phe Thr Asp His Glu Ile Ser Leu Leu 35 40 45

Pro Arg Gly Ile Gln Gly Leu Thr Val Ala Gly Asn Asn Ser Asn Thr 50 55 60

Ile Thr Thr Ile Gln Ser Gly Gly Cys Val Gly Gly Phe Ser Gly Phe 65 70 75 80

Thr Asp Gly Gly Thr Gly Arg Trp Pro Arg Gln Glu Thr Leu Met
85 90 95

Leu Leu Glu Val Arg Ser Arg Leu Asp His Lys Phe Lys Glu Ala Asn 100 105 110

Gln Lys Gly Pro Leu Trp Asp Glu Val Ser Arg Ile Met Ser Glu Glu

115

120

125

His Gly Tyr Thr Arg Ser Gly Lys Lys Cys Arg Glu Lys Phe Glu Asn 130 135 140

Leu Tyr Lys Tyr Tyr Lys Lys Thr Lys Glu Gly Lys Ser Gly Arg Arg 145 150 155 160

Gln Asp Gly Lys Asn Tyr Arg Phe Phe Arg Gln Leu Glu Ala Ile Tyr 165 170 175

Gly Glu Ser Lys Asp Ser Val Ser Cys Tyr Asn Asn Thr Gln Phe Ile 180 185 190

Met Thr Asn Ala Leu His Ser Asn Phe Arg Ala Ser Asn Ile His Asn 195 200 205

Ile Val Pro His His Gln Asn Pro Leu Met Thr Asn Thr Asn Thr Gln 210 215 220

Ser Gln Ser Leu Ser Ile Ser Asn Asn Phe Asn Ser Ser Ser Asp Leu 225 230 235 240

Asp Leu Thr Ser Ser Ser Glu Gly Asn Glu Thr Thr Lys Arg Glu Gly
245 250 255

Met His Trp Lys Glu Lys Ile Lys Glu Phe Ile Gly Val His Met Glu 260 265 270

Arg Leu Ile Glu Lys Gln Asp Phe Trp Leu Glu Lys Leu Met Lys Ile 275 280 285

Val Glu Asp Lys Glu His Gln Arg Met Leu Arg Glu Glu Glu Trp Arg 290 295 300

Arg Ile Glu Ala Glu Arg Ile Asp Lys Glu Arg Ser Phe Trp Thr Lys 305 310 315 320

Glu Arg Glu Arg Ile Glu Ala Arg Asp Val Ala Val Ile Asn Ala Leu 325 330 335

Gln Tyr Leu Thr Gly Arg Ala Leu Ile Arg Pro Asp Ser Ser Pro 340 345 350

Thr Glu Arg Ile Asn Gly Asn Gly Ser Asp Lys Met Met Ala Asp Asn 355 360 365

Glu Phe Ala Asp Glu Gly Asn Lys Gly Lys Met Asp Lys Lys Gln Met 370 375 380

Asn Lys Lys Arg Lys Glu Lys Trp Ser Ser His Gly Gly Asn His Pro 385 390 395 400

Arg Thr Lys Glu Asn Met Met Ile Tyr Asn Asn Gln Glu Thr Lys Ile 405 410 415

Asn Asp Phe Cys Arg Asp Asp Asp Gln Cys His His Glu Gly Tyr Ser 420 425 430

Pro Ser Asn Ser Lys Asn Ala Gly Thr Pro Ser Cys Ser Asn Ala Met 435 440 445

Ala Ala Ser Thr Lys Cys Phe Pro Leu Leu Glu Gly Glu Gly Asp Gln 450 455 460

Asn Leu Trp Glu Gly Tyr Gly Leu Lys Gln Arg Lys Glu Asn Asn His 465 470 475 480

Gln

<210> 415 <211> 1215 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1215) <223> G2109

<400> 415

atg gga agg gtt aag ttg aag att aaa aga ctt gag agc aca agc aac 48

Met Gly Arg Val Lys Leu Lys Ile Lys Arg Leu Glu Ser Thr Ser Asn 1 10 15

agg caa gtt aca tac acg aag aga aaa aat ggg att ttg aag aaa gcc

Arg Gln Val Thr Tyr Thr Lys Arg Lys Asn Gly Ile Leu Lys Lys Ala
20 25 30

aaa gag tta tcg att ttg tgt gat att gat att gtc ctt ctt atg ttt

Lys Glu Leu Ser Ile Leu Cys Asp Ile Asp Ile Val Leu Leu Met Phe 35 40 45

tcc cct acc gga aga gct act gct ttc cat gga gaa cac agg tat aat

Ser Pro Thr Gly Arg Ala Thr Ala Phe His Gly Glu His Arg Tyr Asn 50 55 60

tat caa aat cat tot tat goa ttg aag aaa act ttt aag aaa ctg gat

Tyr Gln Asn His Ser Tyr Ala Leu Lys Lys Thr Phe Lys Lys Leu Asp

70 65 75 80 cat gat gta aat ata cat gac ttt tta gga gca agg aat caa act att His Asp Val Asm Ile His Asp Phe Leu Gly Ala Arg Asm Glm Thr Ile 85 90 gag gta tgg atc gac cat ctt cgg ttc atg aat ttt ctt qga tac ttt 336 Glu Val Trp Ile Asp His Leu Arg Phe Met Asn Phe Leu Gly Tyr Phe 100 tta atc tct ttg agt caa att gct aaa gtc tgt gtt aac att acc aca 384 Leu Ile Ser Leu Ser Gln Ile Ala Lys Val Cys Val Asn Ile Thr Thr 115 120 cga cag ggt cta agt aac caa gta gcc att tac caa gct cag cta atg 432 Arg Gln Gly Leu Ser Asn Gln Val Ala Ile Tyr Gln Ala Gln Leu Met 130 135 gag tgt cat agg agg ttg agt tgt tgg acg aac atc gat aga ata gaa 480 Glu Cys His Arg Arg Leu Ser Cys Trp Thr Asn Ile Asp Arg Ile Glu 150 145 aac act gag cac ctc gat tta ttg gaa gaa tca ttg agg aaa tcc att Asn Thr Glu His Leu Asp Leu Leu Glu Glu Ser Leu Arg Lys Ser Ile 175 (1987) 165 (1988) 4 (1988) 170 (1988) 175 gaa aga atc cag att cac aag gaa cat tac aga aag aac caa ctc ttg 576 Glu Arg Ile Gln Ile His Lys Glu His Tyr Arg Lys Asn Gln Leu Leu 180 185 190 cca ata gaa tgt gca aca aca cag ttt cac agc ggg ata cag ttg cct Pro Ile Glu Cys Ala Thr Thr Gln Phe His Ser Gly Ile Gln Leu Pro 195 200 1.2.4 ... atg gcg atg gga ggt aat agt agt atg caa gaa gct cac tcc atg tct Met Ala Met Gly Gly Asn Ser Ser Met Gln Glu Ala His Ser Met Ser J" 210 215 tgg ctt cct gat aat gat cac cag caa aca atc tta cct ggt gat tcc Trp Leu Pro Asp Asn Asp His Gln Gln Thr Ile Leu Pro Gly Asp Ser 235 230 240 agt ttt ctt ccc cat aga gag atg gat ggt tcg att ccc gtt tac tca 768 Ser Phe Leu Pro His Arg Glu Met Asp Gly Ser Ile Pro Val Tyr Ser 245 .' 250 age tgc ttc ttt gag tct acg aaa cca gaa gat cag ata tgc age aac 816 Ser Cys Phe Phe Glu Ser Thr Lys Pro Glu Asp Gln Ile Cys Ser Asn 260 265 270 A 4 ( ) 114

ccg gga caa cag ttt gag cag tta gaa caa caa gga aac ggt tgt ttg 864

Pro Gly Gln Gln Phe Glu Gln Leu Glu Gln Gln Gly Asn Gly Cys Leu 275 280 285

ggg tta caa caa ctt gga gag gaa tat tca tat cct aca ccg ttt ggt 912

Gly Leu Gln Gln Leu Gly Glu Glu Tyr Ser Tyr Pro Thr Pro Phe Gly 290 295 300

act act ttg gga atg gaa gat caa gag aaa aag ata aaa tct gaa 960

Thr Thr Leu Gly Met Glu Glu Asp Gln Glu Lys Lys Ile Lys Ser Glu 305 310 315 320

atg gaa ttg aac aac ttg caa caa cag caa cag caa caa caa caa 1008

caa caa caa gat cct tca atg tat gat ccc atg gct aat aat aat ggt 1056

Gln Gln Gln Asp Pro Ser Met Tyr Asp Pro Met Ala Asn Asn Gly 340 345 350

ggc tgc ttt cag att cct cat gat cag tcc atg ttt gtc aat gat cat 1104

Gly Cys Phe Gln Ile Pro His Asp Gln Ser Met Phe Val Asn Asp His 355 360 365

cat cat cat cac cac cat cat caa aat tgg gtt cca gat tca atg 1152

His His His His His His His Gln Asn Trp Val Pro Asp Ser Met 370 380

ttt ggt cag act tct tac aac cag gtt tgt gtg ttc aca cct cca ttg 1200

Phe Gly Gln Thr Ser Tyr Asn Gln Val Cys Val Phe Thr Pro Pro Leu 385 390 395 400

gaa cta tct agg tag 1215

Glu Leu Ser Arg

<210> 416 <211> 404 <212> PRT <213> Arabidopsis thaliana <400> 416

Met Gly Arg Val Lys Leu Lys Ile Lys Arg Leu Glu Ser Thr Ser Asn 1 5 10 15

Arg Gln Val Thr Tyr Thr Lys Arg Lys Asn Gly Ile Leu Lys Lys Ala
20 . 25 30

Lys Glu Leu Ser Ile Leu Cys Asp Ile Asp Ile Val Leu Leu Met Phe 35 40

Ser Pro Thr Gly Arg Ala Thr Ala Phe His Gly Glu His Arg Tyr Asn 50 55 60

- Tyr Gln Asn His Ser Tyr Ala Leu Lys Lys Thr Phe Lys Lys Leu Asp 70 75 80
- His Asp Val Asn Ile His Asp Phe Leu Gly Ala Arg Asn Gln Thr Ile 85 90 95
- Glu Val Trp Ile Asp His Leu Arg Phe Met Asn Phe Leu Gly Tyr Phe
  100 105 110
- Leu Ile Ser Leu Ser Gln Ile Ala Lys Val Cys Val Asn Ile Thr Thr 115 120 125
- Arg Gln Gly Leu Ser Asn Gln Val Ala Ile Tyr Gln Ala Gln Leu Met
  130 135 140
- Glu Cys His Arg Arg Leu Ser Cys Trp Thr Asn Ile Asp Arg Ile Glu 145 150 155 • 160
- Asn Thr Glu His Leu Asp Leu Leu Glu Glu Ser Leu Arg Lys Ser Ile 165 170 175
- Glu Arg Ile Gln Ile His Lys Glu His Tyr Arg Lys Asn Gln Leu Leu 180 185 190
- Pro Ile Glu Cys Ala Thr Thr Gln Phe His Ser Gly Ile Gln Leu Pro 195 200 205
- Met Ala Met Gly Gly Asn Ser Ser Met Gln Glu Ala His Ser Met Ser 210 215 220
- Trp Leu Pro Asp Asn Asp His Gln Gln Thr Ile Leu Pro Gly Asp Ser 225 230 235 240
- Ser Phe Leu Pro His Arg Glu Met Asp Gly Ser Ile Pro Val Tyr Ser 245 250 255
- Ser Cys Phe Phe Glu Ser Thr Lys Pro Glu Asp Gln Ile Cys Ser Asn 260 265 270
- Pro Gly Gln Gln Phe Glu Gln Leu Glu Gln Gln Gly Asn Gly Cys Leu 275 280 285

Gly Leu Gln Gln Leu Gly Glu Glu Tyr Ser Tyr Pro Thr Pro Phe Gly 290 295 300

Thr Thr Leu Gly Met Glu Glu Asp Gln Glu Lys Lys Ile Lys Ser Glu 310 315 315

Gln Gln Gln Asp Pro Ser Met Tyr Asp Pro Met Ala Asn Asn Gly 340 345 350

Gly Cys Phe Gln Ile Pro His Asp Gln Ser Met Phe Val Asn Asp His 355 360 365

His His His His His His His Gln Asn Trp Val Pro Asp Ser Met 370 380

Phe Gly Gln Thr Ser Tyr Asn Gln Val Cys Val Phe Thr Pro Pro Leu 395 400

Glu Leu Ser Arg

<210> 417 <211> 1019 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (41)..(988) <223> G2130

<400> 417

cotototota ttttttaact cootototot ototototot atg gag aga oga acg 55

Met Glu Arg Arg Thr 1 5

aga cga gtg aag ttc aca gag aat cgt acg gtc aca aac gta gca gct 103

Arg Arg Val Lys Phe Thr Glu Asn Arg Thr Val Thr Asn Val Ala Ala
10 15 20

aca cca tct aac ggg tct ccg aga ctg gtc cgt atc act gtt act gat

Thr Pro Ser Asn Gly Ser Pro Arg Leu Val Arg Ile Thr Val Thr Asp 25 , 30 35

cct ttc gct act gac tcg tct agc gac gac gac gac aac aac gtc

Pro Phe Ala Thr Asp Ser Ser Ser Asp Asp Asp Asp Asn Asn Asn Val
40
45
50

acg gtg gtt cca aga gtg aaa cga tac gtg aag gag att aga ttc tgc 247

Thr Val Val Pro Arg Val Lys Arg Tyr Val Lys Glu Ile Arg Phe Cys
55 . 60 65

												-			
caa 295	ggt	gaa	tct	tct	tcc	tcc	acc	gcg	gcg	agg	aaa	ggt	aag	cac	aag
	Gly	Glu	Ser	Ser	Ser 75	Ser	Thr	Ala	Ala	Arg 80	Lys	Gly	Lys	His	Lys 85
gag 343	gag	gaa	agc	gta	gtg	gtt	gaa	gat	gac	gtg	tcg	acg	tcg	gtg	aag
	Glu	Glu	Ser	Val 90	Val	Val	Glu	Asp	Asp 95	Val	Ser	Thr	Ser	Val 100	Lys
cct 391	aaa	aag	tac	aga	ggc	gtg	aga	cag	aga	cct	tgg	gga	aaa	ttc	gcg
	Lys	Lys	Tyr 105	Arg	Gly	Val	Arg	Gln 110	Arg	Pro	Trp	Gly	Lys 115	Phe	Ala
gcg 439	gag	att	aga	gat	ccg	tcg	agc	cgt	act	cgg	att	tgg	ctt	ggg	act
		Ile 120	Arg	Asp	Pro	Ser	Ser 125	Arg	Thr	Arg	Ile	Trp 130	Leu	Gly	Thr
ttt 487	gtc	acg	gcg	gag	gaa	gct	gct		gcg	tac	gat	aga	gcc	gcg	att
		Thr	Ala		Glu		Ala	Ile	Ala				Ala		
cat 535	ctc	aaa	gga	cct	aaa	gcg	ctc	acg	aat	ttc	cta	act	ccg	ccg	acg
		Lys	Gly	Pro	Lys 155	Ala	Leu	Thr	Asn	Phe	Leu	Thr	Pro	Pro	Thr 165
		ccg	gtt	atc		ctc	caa	acg	gtt		gcc	tgc	gat	tac	•
583 Pro	Thr	Pro	Val		Asp	Leu	Gln	Thr		Ser	Ala	Cys	Asp		Gly
aga	gat	tet	cgg	170 cag	adc	ctt	cat	tca	175	acc	tet	ätt	cta	180	ttc
631	· .	**		janus.	·. ·	* * *.		: '	-a"	V 1	1:		2.1		214.00
Arg	Asp	Ser	Arg 185	Gln		Leu	His	Ser 190	Pro	Thr	Ser	Val		Arg	
aac 679	gtc	aac	gag	gaa	aca	gag	cat	gag	att	gaa	gcg	atc	gag	cta	tct
Asn	Val	Asn 200	Glu	Glu	Thr		205			٠٠.		210	Glu	Leu	Ser
CCG	aaa.		aag								<b>722</b>		+00	.: toa	~~~
727	٠.			. *											
	215	Arg	Ъуз	Ser	Thr	Val 220	Ile	Lys	Glu	Glu	Glu 225	Glu	Ser	Ser	Ala
		gtg	ttc		gat		tat	ctg	tta	ccg		tta	tct	ctc	_
Gly 230		Val	Phe	Pro	Asp 235	Pro	Tyr	Leu	Leu	Pro 240	Asp	Leu	Ser	Leu	Ala 245
ggc 823		tgt	ttt	tgg	gat	acc	gaa	att	gcc	cct	gac	ctt	ttg	ttt	ctc
СĵА	Glu	Cys	Phe	Trp 250	Asp		Glu	Ile	Ala 255	Pro	Asp	Leu	Leu	Phe 260	Leu

gat gaa gaa acc aaa atc caa tca acg ttg tta cca aac aca gag gtt 871

Asp Glu Glu Thr Lys Ile Gln Ser Thr Leu Leu Pro Asn Thr Glu Val 265 270 275

tcg aaa caa gga gaa aac gaa act gaa gat ttc gag ttt ggt ttg att 919

Ser Lys Gln Gly Glu Asn Glu Thr Glu Asp Phe Glu Phe Gly Leu Ile 280 285 290

gat gat ttc gag tct tct eca tgg gat gtg gat cat ttc ttc gac cat 967

Asp Asp Phe Glu Ser Ser Pro Trp Asp Val Asp His Phe Phe Asp His 295 300 305

cat cat cac tot tto gat taa aaatototto ttttttgggg aaatttttgt g

His His His Ser Phe Asp 310 315

<210> 418 <211> 315 <212> PRT <213> Arabidopsis thaliana <400> 418

Met Glu Arg Arg Thr Arg Arg Val Lys Phe Thr Glu Asn Arg Thr Val
1 5 10 15

Thr Asn Val Ala Ala Thr Pro Ser Asn Gly Ser Pro Arg Leu Val Arg 20 25 30

Ile Thr Val Thr Asp Pro Phe Ala Thr Asp Ser Ser Ser Asp Asp Asp 35 40 45

Asp Asn Asn Val Thr Val Val Pro Arg Val Lys Arg Tyr Val Lys
50 60

Glu Ile Arg Phe Cys Gln Gly Glu Ser Ser Ser Ser Thr Ala Ala Arg
65 70 75 80

Lys Gly Lys His Lys Glu Glu Glu Ser Val Val Glu Asp Asp Val 85 90 95

Ser Thr Ser Val Lys Pro Lys Lys Tyr Arg Gly Val Arg Gln Arg Pro 100 105 110

Trp Gly Lys Phe Ala Ala Glu Ile Arg Asp Pro Ser Ser Arg Thr Arg 115 120 125

Ile Trp Leu Gly Thr Phe Val Thr Ala Glu Glu Ala Ala Ile Ala Tyr 130 135 140

Asp Arg Ala Ala Ile His Leu Lys Gly Pro Lys Ala Leu Thr Asn Phe

145 150 155 160

Leu Thr Pro Pro Thr Pro Thr Pro Val Ile Asp Leu Gln Thr Val Ser 165 170 175

Ala Cys Asp Tyr Gly Arg Asp Ser Arg Gln Ser Leu His Ser Pro Thr 180 185

Ser Val Leu Arg Phe Asn Val Asn Glu Glu Thr Glu His Glu Ile Glu 195 200 205

Ala Ile Glu Leu Ser Pro Glu Arg Lys Ser Thr Val Ile Lys Glu Glu 210 215 220

Glu Glu Ser Ser Ala Gly Leu Val Phe Pro Asp Pro Tyr Leu Leu Pro 225 230 235 240

Asp Leu Ser Leu Ala Gly Glu Cys Phe Trp Asp Thr Glu Ile Ala Pro 245 250 255

Asp Leu Leu Phe Leu Asp Glu Glu Thr Lys Ile Gln Ser Thr Leu Leu 260 270

Pro Asn Thr Glu Val Ser Lys Gln Gly Glu Asn Glu Thr Glu Asp Phe 275 280 285

Glu Phe Gly Leu Ile Asp Asp Phe Glu Ser Ser Pro Trp Asp Val Asp 290 295 300

His Phe Phe Asp His His His His Ser Phe Asp 305 310 315

<210> 419 <211> 1803 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (151)..(1569) <223> G2159

<400> 419

gaagcagaga agaggaaaaa agctgtgact ttcatacatt actctccctc tccatctctc 60

tegttgteac atateagtat ateacaaaac aaattgeage catteacate tttetettee 120

atteteteaac attetette tetetgtaaa atg gag aaa eea gtg tit gea eea 174

Met Glu Lys Pro Val Phe Ala Pro 1 5

tgg cgt tcc gac caa gtt ttc cgg cca ccg gag aca cca tta gag ccg 222

Trp Arg Ser Asp Gln Val Phe Arg Pro Pro Glu Thr Pro Leu Glu Pro

10 15 20

atg gag ttt ete tet ege tee tgg age gta tea get eae gaa gte tee Met Glu Phe Leu Ser Arg Ser Trp Ser Val Ser Ala His Glu Val Ser aaa get etc act eet tet eag caa etc etc tea aaa gee tea ate gaa Lys Ala Leu Thr Pro Ser Gln Gln Leu Leu Ser Lys Ala Ser Ile Glu aac acc acc gtc att ctc gaa gaa ccc atc gcc gcc ggc gag acc gaa 366 Asn Thr Thr Val Ile Leu Glu Glu Pro Ile Ala Ala Gly Glu Thr Glu 60 - 65 acg gag gac aac agc ttc gtc tcc gga aac cct ttc tcc ttc gct tgc 414 Thr Glu Asp Asn Ser Phe Val Ser Gly Asn Pro Phe Ser Phe Ala Cys 75 tca gaa act tct cag atg gtc atg gat cgt atc tta tct cag tct cag Ser Glu Thr Ser Gln Met Val Met Asp Arg Ile Leu Ser Gln Ser Gln 95 ( 25) 100 gaa gtg tcg cca cga aca tct ggt cgg ctt tct cat agc agc ggt cct Glu Val Ser Pro Arg Thr Ser Gly Arg Leu Ser His Ser Ser Gly Pro 110 115 ctc aat ggt tct tta acc gac agt cct ccg att tcg ccg cat caa gtc Leu Asn Gly Ser Leu Thr Asp Ser Pro Pro Ile Ser Pro His Gln Val 130 gac gac att aag caa ttt tgc cga tca aac aac aat ttc aac tct caa 606 Asp Asp Ile Lys Gln Phe Cys Arg Ser Asn Asn Asn Phe Asn Ser Gln 140 145 150 tac cgt tca acg gga aca act ccg gga cct atc act gca aca act aca Tyr Arg Ser Thr Gly Thr Thr Pro Gly Pro Ile Thr Ala Thr Thr Thr 155 160 cag too aag aca gtt gga cgg tgg ttg aaa gac agg agg gag aaa aag 702 Gln Ser Lys Thr Val Gly Arg Trp Leu Lys Asp Arg Arg Glu Lys Lys 175 170 aag gaa gag atg aga gca cac aat gct cag ata cat gct gct gta tca Lys Glu Glu Met Arg Ala His Asn Ala Gln Ile His Ala Ala Val Ser 190 • 195 gta get ggt gtg gca gcc gcg gtg gct gct atc gcg gct gca act gct 798 Val Ala Gly Val Ala Ala Ala Val Ala Ala Ile Ala Ala Ala Thr Ala 205 210 215

gct tcg tcg agt gct gga aaa gat gag aat atg gct aag acg gat atg Ala Ser Ser Ser Ala Gly Lys Asp Glu Asn Met Ala Lys Thr Asp Met 225 get gtg get tet get gea aca ett gtg get get eaa tgt gtg gaa get 894 Ala Val Ala Ser Ala Ala Thr Leu Val Ala Ala Gln Cys Val Glu Ala 235 240 get gaa gtt atg gga get gag agg gat cat tta get tee gtt gtt agt 942 Ala Glu Val Met Gly Ala Glu Arg Asp His Leu Ala Ser Val Val Ser 250 tct gct gtt aat gtt cga tct gcg gga gat atc atg aca tta acc gct Ser Ala Val Asn Val Arg Ser Ala Gly Asp Ile Met Thr Leu Thr Ala 270 275 gga gca gcc aca gcg tta aga gga gtg gct aca ttg aag gct aga gct 1038 Gly Ala Ala Thr Ala Leu Arg Gly Val Ala Thr Leu Lys Ala Arg Ala 285 . 290 295 100 atg aag gag gtg tgg cac att gca tca gtt att coa atg gat aaa gga Met Lys Glu Val Trp His Ile Ala Ser Val Ile Pro Met Asp Lys Gly 305 310 atc aat ctc gga ggt tgc agc aat gtt aat ggt aac ggg agc tat gtc 1134 Ile Asn Leu Gly Gly Cys Ser Asn Val Asn Gly Asn Gly Ser Tyr Val 320 325 315 age tea age age agt cat agt gge gaa ttt eta gtt gag gat aat tte 1182 Ser Ser Ser Ser His Ser Gly Glu Phe Leu Val Glu Asp Asn Phe 335 ttg gga cat tgc aat aga gaa tgg ctt gct cga ggt ggc caa ctt ctt Leu Gly His Cys Asn Arg Glu Trp Leu Ala Arg Gly Gly Gln Leu Leu 345 350 355 360 2000 aaa cgc acc cgc aaa ggt gat ctt cat tgg aaa ata gtt tca gtt tac 1278 Lys Arg Thr Arg Lys Gly Asp Leu His Trp Lys Ile Val Ser Val Tyr 3.65 ata aac agg cta aat caa gtt ata ttg aag atg aag agc agg cat gta Ile Asn Arg Leu Asn Gln Val Ile Leu Lys Met Lys Ser Arg His Val 385 380 gga ggg acc ttc acg aag aag aac aaa aat gtt gtg att gat gtg atc 1374 Gly Gly Thr Phe Thr Lys Lys Asn Lys Asn Val Val Ile Asp Val Ile 405 395 400

aaa aac gtt caa gct tgg cca ggc cgc cat ttg ctg gaa gga gga gag 1422

· Lys Asn Val Gln Ala Trp Pro Gly Arg His Leu Leu Glu Gly Gly Glu 410 415 420

gat ttg aga tac ttt ggg tta aag acg gtt ccg cga ggg att gta gaa 1470

Asp Leu Arg Tyr Phe Gly Leu Lys Thr Val Pro Arg Gly Ile Val Glu 425 430 435 440

ttt cag tgc aag agc cag aga gag tat gaa atg tgg aca caa ggt gtc 1518

Phe Gln Cys Lys Ser Gln Arg Glu Tyr Glu Met Trp Thr Gln Gly Val 445 450 455

tca agg ctt att gct gtt gct gcc gag agg aat aac aga tat agg ata 1566

Ser Arg Leu Ile Ala Val Ala Ala Glu Arg Asn Asn Arg Tyr Arg Ile 460 465 470

tga agggagtagt agttttaaga gttcagagct actttttgag gggtgatatc 1619

taacttatgg ggccaaatta taacttggag aaagttaagg gtgttttctt tagagtaatg 1679

tctttttgta aggtatatag gattaaatgt ggcctctata agggtagcta gtgaaacaaa 1739

tcttggtgtt tgtatatata ttttttttgg ggaaaaagtt taatatcaaa tttttaattt 1799

aaaa 1803

<210> 420 <211> 472 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Lys Pro Val Phe Ala Pro Trp Arg Ser Asp Gln Val Phe Arg 1 10 15

Pro Pro Glu Thr Pro Leu Glu Pro Met Glu Phe Leu Ser Arg Ser Trp 20 25 30

Ser Val Ser Ala His Glu Val Ser Lys Ala Leu Thr Pro Ser Gln Gln 35 40 45

Leu Leu Ser Lys Ala Ser Ile Glu Asn Thr Thr Val Ile Leu Glu Glu 50 60

Pro Ile Ala Ala Gly Glu Thr Glu Thr Glu Asp Asn Ser Phe Val Ser 65 70 75 80

Gly Asn Pro Phe Ser Phe Ala Cys Ser Glu Thr Ser Gln Met Val Met 85 90 95

Asp Arg Ile Leu Ser Gln Ser Gln Glu Val Ser Pro Arg Thr Ser Gly 105 Arg Leu Ser His Ser Ser Gly Pro Leu Asn Gly Ser Leu Thr Asp Ser 115 120 Pro Pro Ile Ser Pro His Gln Val Asp Asp Ile Lys Gln Phe Cys Arg 135 Ser Asn Asn Asn Phe Asn Ser Gln Tyr Arg Ser Thr Gly Thr Thr Pro 145 150 155 160 Gly Pro Ile Thr Ala Thr Thr Gln Ser Lys Thr Val Gly Arg Trp 165 170 175 Leu Lys Asp Arg Arg Glu Lys Lys Glu Glu Met Arg Ala His Asn 180 - 180 185 44 185 44 190 44 190 44 190 Ala Gln Ile His Ala Ala Val Ser Val Ala Gly Val Ala Ala Ala Val 195 July 196 200 205 205 205 205 Ala Ala Ile Ala Ala Ala Thr Ala Ala Ser Ser Ser Ala Gly Lys Asp 215 220 Glu Asn Met Ala Lys Thr Asp Met Ala Val Ala Ser Ala Ala Thr Leu 225 230 235 Val Ala Ala Gln Cys Val Glu Ala Ala Glu Val Met Gly Ala Glu Arg . 245 250 Asp His Leu Ala Ser Val Val Ser Ser Ala Val Asn Val Arg Ser Ala 260 265 270 Gly Asp Ile Met Thr Leu Thr Ala Gly Ala Ala Thr Ala Leu Arg Gly 275 280

Ser Val Ile Pro Met Asp Lys Gly Ile Asn Leu Gly Gly Cys Ser Asn 305 310 315 320

Val Ala Thr Leu Lys Ala Arg Ala Met Lys Glu Val Trp His Ile Ala

295

300

Val Asn Gly Asn Gly Ser Tyr Val Ser Ser Ser Ser Ser His Ser Gly 325 330 335

Glu Phe Leu Val Glu Asp Asn Phe Leu Gly Ris Cys Asn Arg Glu Trp 340 345 350

Leu Ala Arg Gly Gly Gln Leu Leu Lys Arg Thr Arg Lys Gly Asp Leu 355 360 365

His Trp Lys Ile Val Ser Val Tyr Ile Asn Arg Leu Asn Gln Val Ile 370 375 380

Leu Lys Met Lys Ser Arg His Val Gly Gly Thr Phe Thr Lys Lys Asn 385 390 395 400

Lys Asn Val Val Ile Asp Val Ile Lys Asn Val Gln Ala Trp Pro Gly 405 410 415

Arg His Leu Leu Glu Gly Gly Glu Asp Leu Arg Tyr Phe Gly Leu Lys
420 425 430

Thr Val Pro Arg Gly Ile Val Glu Phe Gln Cys Lys Ser Gln Arg Glu 435 440 445

Tyr Glu Met Trp Thr Gln Gly Val Ser Arg Leu Ile Ala Val Ala Ala 450 455 460

Glu Arg Asn Asn Arg Tyr Arg Ile 465 470

<210> 421 <211> 1128 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1128) <223> G2331

<400> 421

atg gat cta tca aac cgt cgc aat cct ctc cgg gat ctg agc ttt cct 48

Met Asp Leu Ser Asn Arg Arg Asn Pro Leu Arg Asp Leu Ser Phe Pro 1 5 10 15

cet eet eeg eeg eea eet att tte eae egt geg age tet aeg ggg aeg 96

Pro Pro Pro Pro Pro Pro Ile Phe His Arg Ala Ser Ser Thr Gly Thr 20 25 30

agt ttt ccg atc tta gcc gtc gcg gtg atc gga atc tta gcc aca gca

Ser Phe Pro Ile Leu Ala Val Ala Val Ile Gly Ile Leu Ala Thr Ala 35 40 45

ttt tta ctt gta agc tat tat gtt ttt gtt atc aaa tgt tgt ctc aac

Phe Leu Leu Val Ser Tyr Tyr Val Phe Val Ile Lys Cys Cys Leu Asn 50 55 60

tgg cac cga atc gac att ctt ggt cga ttc tcg tta tct cga agg cga Trp His Arg Ile Asp Ile Leu Gly Arg Phe Ser Leu Ser Arg Arg Arg cgc aac gac caa gat cct tta atg gtt tac tct cca gag ctt aga agc Arg Asn Asp Gln Asp Pro Leu Met Val Tyr Ser Pro Glu Leu Arg Ser cgc ggt ctt gat gaa tcc gtc att aga gca atc cca atc ttt aag ttc 336 Arg Gly Leu Asp Glu Ser Val Ile Arg Ala Ile Pro Ile Phe Lys Phe 100 aag aag aga tac gac caa aac gac ggc gtt ttt aca gga gaa gga gaa 384 . Lys Lys Arg Tyr Asp Gln Asn Asp Gly Val Phe Thr Gly Glu Gly Glu . 115 120 125 gaa gaa gaa gag aag aga tot caa gaa tgo tot gtt tgt ttg agt gag 432 Glu Glu Glu Glu Lys Arg Ser Gln Glu Cys Ser Val Cys Leu Ser Glu 135 130 140 ttt caa gat gag gag aag ctg agg att atc cca aat tgt tct cat ttg 480 Phe Gln Asp Glu Glu Lys Leu Arg Ile Ile Pro Asn Cys Ser His Leu 145 155 ttt cat atc gac tgt atc gat gtg tgg ctt cag aac aac gcc aat tgt Phe His Ile Asp Cys Ile Asp Val Trp Leu Gln Asn Asn Ala Asn Cys 170 **170** cct ttg tgt aga act agg gtt tct tgt gac aca agt ttt cct ccg gat 576 Pro Leu Cys Arg Thr Arg Val Ser Cys Asp Thr Ser Phe Pro Pro Asp 180 185 190 cgg gtt tct gcg ccg agc act tct ccc gag aat ctg gtc atg tta aga Arg Val Ser Ala Pro Ser Thr Ser Pro Glu Asn Leu Val Met Leu Arg 195 200 ggt gag aac gag tat gtg gtc att gag ctg ggc agt agc atc ggt agt 672 Gly Glu Asn Glu Tyr Val Val Ile Glu Leu Gly Ser Ser Ile Gly Ser 1.2 210 215 220 gac aga gat agt cca aga cac gga agg tta ctt acg gga caa gaa agg Asp Arg Asp Ser Pro Arg His Gly Arg Leu Leu Thr Gly Gln Glu Arg 235 tca aat tca ggt tat cta ctg aac gaa aac acc caa aat tcg atc agt Ser Asn Ser Gly Tyr Leu Leu Asn Glu Asn Thr Gln Asn Ser Ile Ser 245 250

cca tct ccg aag aag ctt gac cgc gga ggg ctt cca aga aaa ttc cga 816

Pro Ser Pro Lys Lys Leu Asp Arg Gly Gly Leu Pro Arg Lys Phe Arg 260 265 270

aag ott cac aag atg acg agt atg gga gac gaa tgc atc gac ata aga 864

Lys Leu His Lys Met Thr Ser Met Gly Asp Glu Cys Ile Asp Ile Arg 275 280 285

aga ggt aaa gac gaa cag ttc ggt agt att cag ccc att aga aga tca 912

Arg Gly Lys Asp Glu Gln Phe Gly Ser Ile Gln Pro Ile Arg Arg Ser 290 295 300

atc tca atg gat tca tcg gcg gat aga cag ctt tac ttg gcg gtt caa 960

Ile Ser Met Asp Ser Ser Ala Asp Arg Gln Leu Tyr Leu Ala Val Gln 305 310 315 320

gag gcg att cgg aaa aac cgc gaa gtt ctg gtg gtt gga gac gga gga 1008

Glu Ala Ile Arg Lys Asn Arg Glu Val Leu Val Val Gly Asp Gly Gly 325 330 330 335

gga tgt agc agt agt ggc aat gtt agt aat tcc aaa gtg aag aga 1056

Gly Cys Ser Ser Ser Ser Gly Asn Val Ser Asn Ser Lys Val Lys Arg 340 345 350

tct ttc tct ttt ggg agc agt aga cgt tct aga agt tcc tct aaa 1104

Ser Phe Phe Ser Phe Gly Ser Ser Arg Arg Ser Arg Ser Ser Ser Lys 355 360 365

ttg cca ctt tat ttt gaa ccc taa 1128 Leu Pro Leu Tyr Phe Glu Pro

370

<210> 422 <211> 375 <212> PRT <213> Arabidopsis thaliana <400> 422

Met Asp Leu Ser Asn Arg Arg Asn Pro Leu Arg Asp Leu Ser Phe Pro 1 5 10 15

Pro Pro Pro Pro Pro Ile Phe His Arg Ala Ser Ser Thr Gly Thr 20 25 30

Ser Phe Pro Ile Leu Ala Val Ala Val Ile Gly Ile Leu Ala Thr Ala 35 40 45

Phe Leu Leu Val Ser Tyr Tyr Val Phe Val Ile Lys Cys Cys Leu Asn 50 55 60

Trp His Arg Ile Asp Ile Leu Gly Arg Phe Ser Leu Ser Arg Arg

65 70 75 80

Arg Asn Asp Gln Asp Pro Leu Met Val Tyr Ser Pro Glu Leu Arg Ser 85 90 95

Arg Gly Leu Asp Glu Ser Val Ile Arg Ala Ile Pro Ile Phe Lys Phe 100 105 110

Lys Lys Arg Tyr Asp Gln Asn Asp Gly Val Phe Thr Gly Glu Gly Glu 115 120 125

Glu Glu Glu Lys Arg Ser Gln Glu Cys Ser Val Cys Leu Ser Glu 130 135 140

Phe Gln Asp Glu Glu Lys Leu Arg Ile Ile Pro Asn Cys Ser His Leu 145 150 155 160

Phe His Ile Asp Cys Ile Asp Val Trp Leu Gln Asn Asn Ala Asn Cys 165 170 175

Pro Leu Cys Arg Thr Arg Val Ser Cys Asp Thr Ser Phe Pro Pro Asp 180 185 190

Arg Val Ser Ala Pro Ser Thr Ser Pro Glu Asn Leu Val Met Leu Arg 195 200 205

Gly Glu Asn Glu Tyr Val Val Ile Glu Leu Gly Ser Ser Ile Gly Ser 210 215 220

Asp Arg Asp Ser Pro Arg His Gly Arg Leu Leu Thr Gly Gln Glu Arg 225 230 235 240

Ser Asn Ser Gly Tyr Leu Leu Asn Glu Asn Thr Gln Asn Ser Ile Ser 245 250 255

Pro Ser Pro Lys Lys Leu Asp Arg Gly Gly Leu Pro Arg Lys Phe Arg 260 265 270

Lys Leu His Lys Met Thr Ser Met Gly Asp Glu Cys Ile Asp Ile Arg 275 280 285

Arg Gly Lys Asp Glu Gln Phe Gly Ser Ile Gln Pro Ile Arg Arg Ser 290 295 300

Ile Ser Met Asp Ser Ser Ala Asp Arg Gln Leu Tyr Leu Ala Val Gln 305 310 315 320

Glu Ala Ile Arg Lys Asn Arg Glu Val Leu Val Val Gly Asp Gly Gly 325 330 335

Gly Cys Ser Ser Ser Ser Gly Asn Val Ser Asn Ser Lys Val Lys Arg 340 345 350

Ser Phe Phe Ser Phe Gly Ser Ser Arg Arg Ser Arg Ser Ser Ser Lys 355 360 365

Leu Pro Leu Tyr Phe Glu Pro 370 375

<210> 423 <211> 1398 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1398) <223> G2242

<400> 423

atg aaa tgg gtt tte cca gaa atc aaa aca act cag aat tte cte tet 48

Met Lys Trp Val Phe Pro Glu Ile Lys Thr Thr Gln Asn Phe Leu Ser

cet tea tea ett cea caa gaa eea eeg tta tet ete ege tee age gea 96

Pro Ser Ser Leu Pro Gln Glu Pro Pro Leu Ser Leu Arg Ser Ser Ala 20 25 30

aac ttc gat cta aac agc aaa atc agt cca agt att ctc ctc ata atc 144

Asn Phe Asp Leu Asn Ser Lys Ile Ser Pro Ser Ile Leu Leu Ile Ile 35 40 45

ata atc ctc tca atc atc ttc ttc atc tcc ggt ctc ctt cat ctc tta 192

Ile Ile Leu Ser Ile Ile Phe Phe Ile Ser Gly Leu Leu His Leu Leu 50 55 60

gtc aga ttc ctc ctc aca cca tcg agc aga gac aga gaa gat tac ttc  $240\,$ 

Val Arg Phe Leu Leu Thr Pro Ser Ser Arg Asp Arg Glu Asp Tyr Phe 65 70 75 80

gac aac gtc act gct ctt caa ggc cag ctt caa cag ctt ttt cat ctc 288

Asp Asn Val Thr Ala Leu Gln Gly Gln Leu Gln Gln Leu Phe His Leu 85 90 95

cat gat tot gga gtt gac caa too tto atc gac acg tta cot gtt tto 336

His Asp Ser Gly Val Asp Gln Ser Phe Ile Asp Thr Leu Pro Val Phe 100 105 110

cat tac aaa too ata ato ggt oto aag aac tat oot ttt gat tgt gca 384

His Tyr Lys Ser Ile Ile Gly Leu Lys Asn Tyr Pro Phe Asp Cys Ala 115 120 125

gtt 432	tgt	ctt	tgt	gag	ttc	gaa	aca	gag	gat	aag	ctc	agg	ctc	tta	cct
Val	Суз 130	Leu	Суз	Glu	Phe	Glu 135	Thr	Glu	Asp	Lys	Leu 140	Arg	Leu	Leu	Pro
aaa 480	tgc	agc	cac	gcc	ttt	cac	atg	gat	tgt	atc	gat	act	tgg	ctt	cta
Lys 145	Суз	Ser	His	Ala	Phe 150	His	Met	Asp	Суз	Ile 155	Asp	Thr	Trp	Leu	<b>Leu</b> 160
tct 528	cac	tct	act	tgt	cct	ttg	tgt	aga	tcc	agt	ctc	ctc	tct	gat	ctc
Ser	His	Ser	Thr	Cys 165	Pro	Leu	Суз	Arg	Ser 170	Ser	Leu	Leu	Ser	Asp 175	Leu
tct 576	tcg	cac	caa	gat	cct	cgt	tct	tct	ttc	ctc	ctt	gtg	ctc	gag	tct
Ser	Ser	His	Gln 180	Asp	Pro	Arg	Ser	Ser 185	Phe	Leu	Leu	Val	Leu 190	Ģlu	Ser
gcg 624	agt	gat	cat	agc	tcg	aga	gag	att	gga	gga	gat	aga	gac	agt	gca
Ala	Ser	Asp 195	His	Ser	Ser	Arg	Glu 200	Ile	Gly	Gly	Asp	Arg 205	Asp	Ser	Ala
gct 672	tgt	gtg	gct	gca	aat	gat	gat	att	gat	gtg	tct	agt	gct	cat	ctt
Ala	Cys 210	Val	Ala	Ala	Asn	Asp 215	Asp	Ile	Asp	Val	Ser 220	Ser	Ala	His	Leu
ggt 720	ttg	gtc	gga	aac	aat	gat	ctt	gga	tca	acc	agg	ata	gat	tcg	ggt
Gly 225		Val	Gly	Asn	Asn 230	Asp	Leu	Gly	Ser	Thr 235	Arg	Ile	Asp	Ser	Gly 240
768.	٠. ٠			tac			٠.			٠.		٠,,			_
His	Gly	Asp		Tyr 245	Leu	Asp	Gly	Glu	Leu 250	Gly	Gly	Ser	Val	Gly 255	Lys
816	1			tca			:	200				4			
	4		260	-		·	\$ 100 100	265	,			m je	270		
864				agt				5, 1					٠.		
Gly	Glu	Gly 275	Thr	Ser	Ser	Asn	Asn 280	Asn	Ile	Gly	Asn	Ser 285	Ser	Ser	Leu
912				tgt								-	•		
Asp	Glu 290	Arg	Arg	Суз		Ser 295	Met		Ser	Tyr	Glu 300		Ile	Met	Asp
960				ctt				•							
Glu		mb	001L	7	<b>T</b>	77-7	** 4	**- 7	_			<b>-</b>	<b>~</b> 1	_	_

aag aac cgt ggc ttg ccc ggt cat agg aca gcg atg tcc gaa tgc ggg

Lys Asn Arg Gly Leu Pro Gly His Arg Thr Ala Met Ser Glu Cys Gly 325 330 335

ttt gat cca aca ggg aga ttg aaa ttc agt ggg agt gga tcg atg agg

Phe Asp Pro Thr Gly Arg Leu Lys Phe Ser Gly Ser Gly Ser Met Arg 340 345 350

ata gtg gaa gaa gcg gcc gag aag aat gta gtg gaa aga gag agc ttt 1104

Ile Val Glu Glu Ala Ala Glu Lys Asn Val Val Glu Arg Glu Ser Phe 355 360 365

tcg gta tcg aaa ata tgg cta agg ggg aag aag gag aag cat agt aaa 1152

Ser Val Ser Lys Ile Trp Leu Arg Gly Lys Lys Glu Lys His Ser Lys 370 375 380

gtt caa gga aaa gag gat agt tca ttg gtt tct tcg tct tcg gga aga

Val Gln Gly Lys Glu Asp Ser Ser Leu Val Ser Ser Ser Ser Gly Arg
385 390 395 400

gca ttc tct ttc agg tta tcg aac cag cgg aac cat ccc gat gcg atg

Ala Phe Ser Phe Arg Leu Ser Asn Gln Arg Asn His Pro Asp Ala Met
405 410 415

atc gaa agt ggt tgc gaa gaa gat aat caa aag tgc gaa aac tcg gag

Ile Glu Ser Gly Cys Glu Glu Asp Asn Gln Lys Cys Glu Asn Ser Glu
420 425 430

fct ttg gag act aaa aca cca tct ttt gct agg agg act atg ctt tgg

Ser Leu Glu Thr Lys Thr Pro Ser Phe Ala Arg Arg Thr Met Leu Trp
435
440
445

ctt gca ggg aga caa aac aag gtt gtt cat tet tet tet tea act aat 1392

Leu Ala Gly Arg Gln Asn Lys Val Val His Ser Ser Ser Ser Thr Asn 450 455 460

gtc tag

1398

Val 465

<210> 424 <211> 465 <212> PRT <213> Arabidopsis thaliana <400>

Met Lys Trp Val Phe Pro Glu Ile Lys Thr Thr Gln Asn Phe Leu Ser 1 10 15

Pro Ser Ser Leu Pro Gln Glu Pro Pro Leu Ser Leu Arg Ser Ser Ala 20 25 30

Asn Phe Asp Leu Asn Ser Lys Ile Ser Pro Ser Ile Leu Leu Ile Ile 40 Ile Ile Leu Ser Ile Ile Phe Phe Ile Ser Gly Leu Leu His Leu Leu 55 Val Arg Phe Leu Leu Thr Pro Ser Ser Arg Asp Arg Glu Asp Tyr Phe Asp Asn Val Thr Ala Leu Gln Gly Gln Leu Gln Gln Leu Phe His Leu 85 His Asp Ser Gly Val Asp Gln Ser Phe Ile Asp Thr Leu Pro Val Phe 105 His Tyr Lys Ser Ile Ile Gly Leu Lys Asn Tyr Pro Phe Asp Cys Ala 115 Val Cys Leu Cys Glu Phe Glu Thr Glu Asp Lys Leu Arg Leu Leu Pro 130 135 140 140 Herbert 135 140 140 Herbert 140 140 Herbert 140 He Lys Cys Ser His Ala Phe His Met Asp Cys Ile Asp Thr Trp Leu Leu 145 150 155 160 Ser His Ser Thr Cys Pro Leu Cys Arg Ser Ser Leu Leu Ser Asp Leu Ser Ser His Gln Asp Pro Arg Ser Ser Phe Leu Leu Val Leu Glu Ser 180 185 190 Ala Ser Asp His Ser Ser Arg Glu Ile Gly Gly Asp Arg Asp Ser Ala 195 200 205 Ala Cys Val Ala Ala Asn Asp Asp Ile Asp Val Ser Ser Ala His Leu 210 215 220 Gly Leu Val Gly Asn Asn Asp Leu Gly Ser Thr Arg Ile Asp Ser Gly His Gly Asp Gln Tyr Leu Asp Gly Glu Leu Gly Gly Ser Val Gly Lys 245 250 255

265

270

Val Val Pro Phe Ser Val Lys Leu Gly Lys Phe Arg Asn Ile Asp Ile

260

Gly'Glu Gly Thr Ser Ser Asn Asn Ile Gly Asn Ser Ser Ser Leu 275 280 285

Asp Glu Arg Arg Cys Phe Ser Met Gly Ser Tyr Glu Tyr Ile Met Asp 290 295 300

Glu Glu Thr Thr Leu Lys Val His Val Ser Thr Lys Lys Gln Ser Ser 305 310 315 320

Lys Asn Arg Gly Leu Pro Gly His Arg Thr Ala Met Ser Glu Cys Gly 325 330 335

Phe Asp Pro Thr Gly Arg Leu Lys Phe Ser Gly Ser Gly Ser Met Arg 340 345

Ile Val Glu Glu Ala Ala Glu Lys Asn Val Val Glu Arg Glu Ser Phe 355 360 365

Ser Val Ser Lys Ile Trp Leu Arg Gly Lys Lys Glu Lys His Ser Lys 370 375 380

Val Gln Gly Lys Glu Asp Ser Ser Leu Val Ser Ser Ser Ser Gly Arg 385 390 395 400

Ala Phe Ser Phe Arg Leu Ser Asn Gln Arg Asn His Pro Asp Ala Met 405 410 415

Ile Glu Ser Gly Cys Glu Glu Asp Asn Gln Lys Cys Glu Asn Ser Glu 420 425 430

Ser Leu Glu Thr Lys Thr Pro Ser Phe Ala Arg Arg Thr Met Leu Trp 435 440 445

Leu Ala Gly Arg Gln Asn Lys Val Val His Ser Ser Ser Ser Thr Asn 450 455 460

Val 465

<210> 425 <211> 850 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (81)..(626) <223> G2347

<400> 425
agcccatcct tcaacattgc ttcctaacca gaaatccacc atcatcttcc cacgaataca
60

acttaaaget ttaccagaaa atg gag ggt cag aga aca caa cgc cgg ggt tac 113

Met Glu Gly Gln Arg Thr Gln Arg Arg Gly Tyr
1 5 10

ttg aaa gac aag gct aca gtc tcc aac ctt gtt gaa gaa gaa atg gag 161

Leu Lys Asp Lys Ala Thr Val Ser Asn Leu Val Glu Glu Glu Met Glu 15 20 25

aat ggc atg gat gga gaa gag gat gga gga gac gaa gac aaa agg 209

Asn Gly Met Asp Gly Glu Glu Glu Asp Gly Gly Asp Glu Asp Lys Arg
30 35 40

aag aag gtg atg gaa aga gtt aga ggt cct agc act gac cgt gtt cca 257

Lys Lys Val Met Glu Arg Val Arg Gly Pro Ser Thr Asp Arg Val Pro 45 50 55

teg ega etg tge eag gte gat agg tge act gtt aat ttg act gag gee 305

Ser Arg Leu Cys Gln Val Asp Arg Cys Thr Val Asn Leu Thr Glu Ala 60 70 75

aag cag tat tac cgc aga cac aga gta tgt gaa gta cat gca aag gca

Lys Gln Tyr Tyr Arg Arg His Arg Val Cys Glu Val His Ala Lys Ala 80 85 • 90

tet get geg act gtt gea ggg gte agg caa ege ttt tgt caa caa tge

Ser Ala Ala Thr Val Ala Gly Val Arg Gln Arg Phe Cys Gln Gln Cys 95 100 105

age agg ttt cat gag eta eea gag ttt gat gaa get aaa aga age tge

Ser Arg Phe His Glu Leu Pro Glu Phe Asp Glu Ala Lys Arg Ser Cys 110 115 120

agg agg cgc tta gct gga cac aat gag agg agg agg aag atc tct ggt 497

Arg Arg Arg Leu Ala Gly His Asn Glu Arg Arg Arg Lys Ile Ser Gly 125 130 135

gac agt ttt gga gaa ggg tca ggc cgg aga ggg ttt agc ggt caa ctg 545

Asp Ser Phe Gly Glu Gly Ser Gly Arg Arg Gly Phe Ser Gly Gln Leu 140 145 150 155

atc cag act caa gaa aga aac agg gta gac agg aaa ctt cct atg acc 593

Ile Gln Thr Gln Glu Arg Asn Arg Val Asp Arg Lys Leu Pro Met Thr 160 165 170

aac tea tea tee aag ega eea cag ate aga taa acceteeege tetetetett 646

Asn Ser Ser Phe Lys Arg Pro Gln Ile Arg 175 180

ctgtcatcta catatgctct atctacactc ttattagaca aataatggca tctaacaatg 706

tcaagaaaag ttggtcatgg tattaaatcc tacacggata tataactata aacctctagt 766

cccctctatg ctgtcctgta atgaatatct atccggaaat gtattcgcat agtcttgcgt 826

ctaataatgt ttattgattt tgta

<210>· 426 <211> 181 <212> PRT <213> Arabidopsis thaliana <400>426

Met Glu Gly Gln Arg Thr Gln Arg Arg Gly Tyr Leu Lys Asp Lys Ala 1 5 10  $^{\circ}$  15

Thr Val Ser Asn Leu Val Glu Glu Met Glu Asn Gly Met Asp Gly 20 25 30

Glu Glu Glu Asp Gly Gly Asp Glu Asp Lys Arg Lys Val Met Glu 35 40

Arg Val Arg Gly Pro Ser Thr Asp Arg Val Pro Ser Arg Leu Cys Gln 50 55 60

Val Asp Arg Cys Thr Val Asn Leu Thr Glu Ala Lys Gln Tyr Tyr Arg 65 70 75 80

Arg His Arg Val Cys Glu Val His Ala Lys Ala Ser Ala Ala Thr Val 85 90 95

Ala Gly Val Arg Gln Arg Phe Cys Gln Gln Cys Ser Arg Phe His Glu 100 105 110

Leu Pro Glu Phe Asp Glu Ala Lys Arg Ser Cys Arg Arg Arg Leu Ala 115 120 125

Gly His Asn Glu Arg Arg Arg Lys Ile Ser Gly Asp Ser Phe Gly Glu 130 135 140

Gly Ser Gly Arg Arg Gly Phe Ser Gly Gln Leu Ile Gln Thr Gln Glu 145 150 155 160

Arg Asn Arg Val Asp Arg Lys Leu Pro Met Thr Asn Ser Ser Phe Lys
165 . 170 175

Arg Pro Gln Ile Arg 180

<210> 427 <211> 762 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(630) <223> G2421 <400> 427 atg gag ggt tcg tcc aaa ggg ttg agg aaa ggt gca tgg act gct gaa Met Glu Gly Ser Ser Lys Gly Leu Arg Lys Gly Ala Trp Thr Ala Glu gaa gat agt ctc ttg agg cag tgt att ggt aag tat gga gaa ggc aaa Glu Asp Ser Leu Leu Arg Gln Cys Ile Gly Lys Tyr Gly Glu Gly Lys tgg cat caa gtt cct tta aga gct ggg cta aat cgg tgc agg aaa agt Trp His Gln Val Pro Leu Arg Ala Gly Leu Asn Arg Cys Arg Lys Ser 35 45 tgt aga cta aga tgg tta aac tat ttg aag cca agt atc aag aga gga Cys Arg Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly 55 aaa ttt agt tet gat gaa gtt gat ett ett ett egt ett eat aag ett Lys Phe Ser Ser Asp Glu Val Asp Leu Leu Leu Arg Leu His Lys Leu 70 75 cta gga aat agg tgg tcc ttg att gct ggt cga tta cct ggt cgg acc Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr get aat gat gtc aag aac tac tgg aac acc cat ctg agt aag aag cat 336 Ala Asn Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His 100 105 110 gaa ccg tgt tgt aaa act aag ata aaa agg ata aat att ata acc cct Glu Pro Cys Cys Lys Thr Lys Ile Lys Arg Ile Asn Ile Ile Thr Pro 115 120 cet aat aca eeg gee caa aaa gtt tgt gaa aat agt ate aca tgt aac Pro Asn Thr Pro Ala Gln Lys Val Cys Glu Asn Ser Ile Thr Cys Asn 'aaa gat gat gag aaa gat gat ttt gtg gat aat ttt atg gtt gga gat Lys Asp Asp Glu Lys Asp Asp Phe Val Asp Asn Phe Met Val Gly Asp 150 155 160 aat ata tgg ttg gag cgt ttg cta gac gag ggc caa gag gta gat gtg Asn Ile Trp Leu Glu Arg Leu Leu Asp Glu Gly Gln Glu Val Asp Val 170 ctg gtt aca gaa gcg gcg gca aca gaa aag gag ggc act ttg gcg ttt 576

Leu Val Thr Glu Ala Ala Ala Thr Glu Lys Glu Gly Thr Leu Ala Phe 180 185 190

gac gtt gag caa ett tgg aat ttg ttc gat gga gag act gtg atc ttt 624

Asp Val Glu Gln Leu Trp Asn Leu Phe Asp Gly Glu Thr Val Ile Phe 195 200 205

gat tag tgtttataaa cgtttgtgtt ctcttgtttg tgaggtttct ctatttaatt 680 Asp

tagtatctat tttctaaatt aactaatatc ttatagtatt ttaggcaaac cttatgtttc 740

cgtttctgtg cggccgctct ag 762

<210> 428 <211> 209 <212> PRT <213> Arabidopsis thaliana <400> 428

Met Glu Gly Ser Ser Lys Gly Leu Arg Lys Gly Ala Trp Thr Ala Glu 1 5 10 15

Glu Asp Ser Leu Leu Arg Gln Cys Ile Gly Lys Tyr Gly Glu Gly Lys
20 . 25 30

Trp His Gln Val Pro Leu Arg Ala Gly Leu Asn Arg Cys Arg Lys Ser 35. 40 45

Cys Arg Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly 50 55 60

Lys Phe Ser Ser Asp Glu Val Asp Leu Leu Leu Arg Leu His Lys Leu 65 70 75 80

Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr 85 90 95

Ala Asn Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His 100 105 110

Glu Pro Cys Cys Lys Thr Lys Ile Lys Arg Ile Asn Ile Ile Thr Pro 115 120 125

Pro Asn Thr Pro Ala Gln Lys Val Cys Glu Asn Ser Ile Thr Cys Asn 130 135 140

Lys Asp Asp Glu Lys Asp Asp Phe Val Asp Asn Phe Met Val Gly Asp 145 150 155 160

Asn Ile Trp Leu Glu Arg Leu Leu Asp Glu Gly Gln Glu Val Asp Val 165 170 175

Leu Val Thr Glu Ala Ala Thr Glu Lys Glu Gly Thr Leu Ala Phe 180 185 190

Asp Val Glu Gln Leu Trp Asn Leu Phe Asp Gly Glu Thr Val Ile Phe 195 200 205

Asp

<210> 429 <211> 741 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(741) <223> G2422

<400> 429

Met Gly Glu Ser Pro Lys Gly Leu Arg Lys Gly Thr Trp Thr Thr Glu

1 10 15

gaa gat att ctc ttg agg caa tgc att gat aag tat gga gaa ggc aaa 96 Glu Asp Ile Len Len Arg Glo Cys Ile Asp Lys Tyr Gly Gly Gly Lys

Glu Asp Ile Leu Leu Arg Gln Cys Ile Asp Lys Tyr Gly Glu Gly Lys 20 25 30

tgg cat cga gtt cct tta aga act ggt ctc aat cgg tgc cga aag agt 144

Trp His Arg Val Pro Leu Arg Thr Gly Leu Asn Arg Cys Arg Lys Ser 35 40 45

tgt aga ctt aga tgg ttg aat tat ttg aag cca agt att aag aga gga 192

Cys Arg Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly 50 60

aaa ctc tgc tcc gat gaa gtt gat ctt gtt ctt cgc ctt cat aaa ctt 240

Lys Leu Cys Ser Asp Glu Val Asp Leu Val Leu Arg Leu His Lys Leu 65 70 75 80

cta gga aat agg tgg tcc ttg atc gct ggt aga ttg cct ggt cgg act 288

Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr

gct aat gat gtc aag aat tac tgg aac act cat ttg agt aag aag cac 336

Ala Asn Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His
100 105 110

gat gaa cga tgc tgt aag acg aag atg ata aac aaa aac att act tct 384

Asp Glu Arg Cys Cys Lys Thr Lys Met Ile Asn Lys Asn Ile Thr Ser 115 120 125

cat cct act tca tcg gcc caa aaa atc gat gtt tta aag cct cgg cct 432

His Pro Thr Ser Ser Ala Gln Lys Ile Asp Val Leu Lys Pro Arg Pro 130 135 140

cga tcc ttc tcc gat aaa aat agt tgc aac gat gtc aat atc ttg cca

Arg Ser Phe Ser Asp Lys Asn Ser Cys Asn Asp Val Asn Ile Leu Pro 145 155 160

aaa gtt gac gtt gtt cet tta cat ctt gga ctc aac aac aat tat gtt 528

Lys Val Asp Val Val Pro Leu His Leu Gly Leu Asn Asn Asn Tyr Val

tgt gaa agt agt att aca tgt aac aaa gat gag caa aaa gat aag ctt 576

Cys Glu Ser Ser Ile Thr Cys Asn Lys Asp Glu Gln Lys Asp Lys Leu 180 185 190

att aat att aat cta ttg gat gga gat aat atg tgg tgg gaa agt tta

Ile Asn Ile Asn Leu Leu Asp Gly Asp Asn Met Trp Trp Glu Ser Leu
195 200 205

ctg gag gca gat gtg ttg ggt cca gaa gct acg gaa aca gca aag ggt 672

Leu Glu Ala Asp Val Leu Gly Pro Glu Ala Thr Glu Thr Ala Lys Gly 210 215 220

gtg acc tta ccg ctt gac ttt gag caa att tgg gct cgg ttt gat gaa 720

Val Thr Leu Pro Leu Asp Phe Glu Gln Ile Trp Ala Arg Phe Asp Glu 225 230 235 240

gag act tta gaa ctg aat tag 741

Glu Thr Leu Glu Leu Asn 245

<210> 430 <211> 246 <212> PRT <213> Arabidopsis thaliana <400>

Met Gly Glu Ser Pro Lys Gly Leu Arg Lys Gly Thr Trp Thr Thr Glu 1 5 10 10

Glu Asp Ile Leu Leu Arg Gln Cys Ile Asp Lys Tyr Gly Glu Gly Lys

Trp His Arg Val Pro Leu Arg Thr Gly Leu Asn Arg Cys Arg Lys Ser 35 40 45

Cys Arg Leu Arg Trp Leu Asn Tyr Leu Lys Pro Ser Ile Lys Arg Gly
50 60

Lys Leu Cys Ser Asp Glu Val Asp Leu Val Leu Arg Leu His Lys Leu 70 . 75

Leu Gly Asn Arg Trp Ser Leu Ile Ala Gly Arg Leu Pro Gly Arg Thr 85 90

Ala Asn Asp Val Lys Asn Tyr Trp Asn Thr His Leu Ser Lys Lys His 105 110

Asp Glu Arg Cys Cys Lys Thr Lys Met Ile Asn Lys Asn Ile Thr Ser 115 120

His Pro Thr Ser Ser Ala Gln Lys Ile Asp Val Leu Lys Pro Arg Pro 130 135 140

Arg Ser Phe Ser Asp Lys Asn Ser Cys Asn Asp Val Asn Ile Leu Pro 145 150 155

Lys Val Asp Val Val Pro Leu His Leu Gly Leu Asn Asn Asn Tyr Val 175 cm

Cys Glu Ser Ser Ile Thr Cys Asn Lys Asp Glu Gln Lys Asp Lys Leu 180 185 190

Ile Asn Ile Asn Leu Leu Asp Gly Asp Asn Met Trp Trp Glu Ser Leu 205 195 200

Leu Glu Ala Asp Val Leu Gly Pro Glu Ala Thr Glu Thr Ala Lys Gly 210 215 220

Val Thr Leu Pro Leu Asp Phe Glu Gln Ile Trp Ala Arg Phe Asp Glu 230 240 235

Glu Thr Leu Glu Leu Asn 245

<210> 431 <211> 972 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(972) <223> G2423

<400> 431

atg gat gaa aaa gga aga agc ttg aag aac aac aac atg gaa gac gag Met Asp Glu Lys Gly Arg Ser Leu Lys Asn Asn Asn Met Glu Asp Glu

10

atg gac cta aag aga ggt ccg tgg act gct gaa gaa gat ttt aag ctc 96

Met Asp Leu Lys Arg Gly Pro Trp Thr Ala Glu Glu Asp Phe Lys Leu 20 25

atq aat tac att gct act aat gga gaa ggt cgc tgg aac tct ctt tct 144 Met Asn Tyr Ile Ala Thr Asn Gly Glu Gly Arg Trp Asn Ser Leu Ser cqt tgc gcc ggc ctc caa cgc acc ggt aaa agc tgt aga cta agg tgg 192 Arg Cys Ala Gly Leu Gln Arg Thr Gly Lys Ser Cys Arg Leu: Arg Trp tta aac tat ctc cgc cct gac gtc cgc cgt gga aac att aca ctt gaa Leu Asn Tyr Leu Arg Pro Asp Val Arg Arg Gly Asn Ile Thr Leu Glu gaa caa ctc ttg atc ctc gaa ctt cat tcc cgt tgg gga aat aga tgg 288 Glu Gln Leu Leu Ile Leu Glu Leu His Ser Arg Trp Gly Asn Arg Trp tca aaa atc gca caa tat tta ccg gga aga acg gac aac gag atc aag Ser Lys Ile Ala Gln Tyr Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys 100 105 aac tac tgg agg acg cgg gtg caa aag cat gcg aaa cag ttg aaa tgt Asn Tyr Trp Arg Thr Arg Val Gln Lys His Ala Lys Gln Leu Lys Cys 120 115 gat gtg aat agc caa caa ttc aaa gac aca atg aag tac ttg tgg atg 432 Asp Val Asn Ser Gln Gln Phe Lys Asp Thr Met Lys Tyr Leu Trp Met 130 cet ega eta gte gag agg att eag tea gee teg gee tea tee gea gea 480 Pro Arg Leu Val Glu Arg Ile Gln Ser Ala Ser Ala Ser Ser Ala Ala 150 145 gea gee ace ace ace ace ace ace ace aca gga tea gee gge acg tea Ala Ala Thr Thr Thr Thr Thr Thr Thr Gly Ser Ala Gly Thr Ser 165 . 175 170 tot toc atc aca acc tot aac aat caa tto atg aat tac gac tac aac Ser Cys Ile Thr Thr Ser Asn Asn Gln Phe Met Asn Tyr Asp Tyr Asn 180 185 aac aac atg gga caa cag ttt ggt gta atg agc aac aat gat tat Asn Asn Met Gly Gln Gln Phe Gly Val Met Ser Asn Asn Asp Tyr 195 200 ate acq cet gaa aat tee age gtg gea gtg tet eeg geg tea gae tta Ile Thr Pro Glu Asn Ser Ser Val Ala Val Ser Pro Ala Ser Asp Leu 210. 220

acg gag tac tac agc gct cca aac cct aac ccg gaa tac tat tcg ggt Thr Glu Tyr Tyr Ser Ala Pro Asn Pro Asn Pro Glu Tyr Tyr Ser Gly caa atg ggg aat agt tat tat cca gat cag aat tta gtg agt tca caa Gln Met Gly Asn Ser Tyr Tyr Pro Asp Gln Asn Leu Val Ser Ser Gln 245 250 2. tta tta ccg gat aat tat ttc gac tat agt gga tta tta gac gaa gat Leu Leu Pro Asp Asn Tyr Phe Asp Tyr Ser Gly Leu Leu Asp Glu Asp 260 265 cta acg gct atg caa gag cag agt aac ctc agc tgg ttt gaa aac att 864 Leu Thr Ala Met Gln Glu Gln Ser Asn Leu Ser Trp Phe Glu Asn Ile 275 280 aat ggt gct gct tct tct tca gac agt tta tgg aac att gga gaa act The Mark May are also Asn Gly Ala Ala Ser Ser Ser Asp Ser Leu Trp Asn Ile Gly Glu Thr gat gaa gaa ttc tgg ttc tta cag cag caa caa cag ttc aac aat aat Asp Glu Glu Phe Trp Phe Leu Gln Gln Gln Gln Phe Asn Asn Asn 305 315 ggt agc ttc tga Details of the second Gly Ser Phe 250

<210> 432 <211> 323 <212> PRT <213> Arabidopsis thaliana <400> 432

Met Asp Glu Lys Gly Arg Ser Leu Lys Asn Asn Asn Met Glu Asp Glu  $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ 

Met Asp Leu Lys Arg Gly Pro Trp Thr Ala Glu Glu Asp Phe Lys Leu 20 25 30

Met Asn Tyr Ile Ala Thr Asn Gly Glu Gly Arg Trp Asn Ser Leu Ser 35 40 45

Arg Cys Ala Gly Leu Gln Arg Thr Gly Lys Ser Cys Arg Leu Arg Trp 50 55 60

Leu Asn Tyr Leu Arg Pro Asp Val Arg Arg Gly Asn Ile Thr Leu Glu 65 · 70 75 80

Glu Gln Leu Leu Ile Leu Glu Leu His Ser Arg Trp Gly Asn Arg Trp
85 90 95

Ser Lys Ile Ala Gln Tyr Leu Pro Gly Arg Thr Asp Asn Glu Ile Lys 100 105 110

- Asn Tyr Trp Arg Thr Arg Val Gln Lys His Ala Lys Gln Leu Lys Cys 115 120 125
- Asp Val Asn Ser Gln Gln Phe Lys Asp Thr Met Lys Tyr Leu Trp Met 130 140
- Pro Arg Leu Val Glu Arg Ile Gln Ser Ala Ser Ala Ser Ser Ala Ala 145 150 155 160
- Ala Ala Thr Thr Thr Thr Thr Thr Thr Gly Ser Ala Gly Thr Ser 165 170 175
- Ser Cys Ile Thr Thr Ser Asn Asn Gln Phe Met Asn Tyr Asp Tyr Asn 180 185 190
- Asn Asn Asn Met Gly Gln Gln Phe Gly Val Met Ser Asn Asn Asp Tyr 195 200 205
- Ile Thr Pro Glu Asn Ser Ser Val Ala Val Ser Pro Ala Ser Asp Leu 210 215 220
- Thr Glu Tyr Tyr Ser Ala Pro Asn Pro Asn Pro Glu Tyr Tyr Ser Gly 225 235 235 240
- Gln Met Gly Asn Ser Tyr Tyr Pro Asp Gln Asn Leu Val Ser Ser Gln 245 250 255
- Leu Leu Pro Asp Asn Tyr Phe Asp Tyr Ser Gly Leu Leu Asp Glu Asp 260 265 270
- Leu Thr Ala Met Gln Glu Gln Ser Asn Leu Ser Trp Phe Glu Asn Ile 275 280 285
- Asn Gly Ala Ala Ser Ser Ser Asp Ser Leu Trp Asn Ile Gly Glu Thr 290 295 300
- Asp Glu Glu Phe Trp Phe Leu Gln Gln Gln Gln Gln Phe Asn Asn 305 310 315 320

Gly Ser Phe

<210> 433 <211> 849 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(849) <223> G2467 <400> 433 atg gac ccg tcg tca agc tcc aga gca cgg tca atg cca ccg ccg gtg Met Asp Pro Ser Ser Ser Ser Arg Ala Arg Ser Met Pro Pro Pro Val cct atg gag gga ttg cag gaa gca ggg cct tct cct ttt cta aca aag Pro Met Glu Gly Leu Gln Glu Ala Gly Pro Ser Pro Phe Leu Thr Lys acg ttc gag atg gtt ggt gat cca aac aca aac cac att gtg tct tgg 144 Thr Phe Glu Met Val Gly Asp Pro Asn Thr Asn His Ile Val Ser Trp 35 aac agg gga ggc atc agt ttt gtc gtg tgg gat cca cat tcc ttc tcg Asn Arg Gly Gly Ile Ser Phe Val Val Trp Asp Pro His Ser Phe Ser 50 **55**.37 = -1.51 qcc act att ctg cct cta tac ttc aag cac aac aac ttc tcc agc ttt 240 Ala Thr Ile Leu Pro Leu Tyr Phe Lys His Asn Asn Phe Ser Ser Phe gtc aga caa ctt aac act tat gga ttc aga aag atc gag gca gag aga Val Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Ile Glu Ala Glu Arg 85 90 tgg gag ttt atg aat gaa ggt ttc ttg atg ggt cag agg gac ctt ctc 336 Trp Glu Phe Met Asn Glu Gly Phe Leu Met Gly Gln Arg Asp Leu Leu 100 105 110 aaa agc atc aag cga cga acc tcc tct tct tcc cct cct tcg ctt aac Lys Ser Ile Lys Arg Arg Thr Ser Ser Ser Pro Pro Ser Leu Asn 115 tac tct cag tct cag ccc gag gct cat gac cca ggc gtc gag ctt ccg Tyr Ser Gln Ser Gln Pro Glu Ala His Asp Pro Gly Val Glu Leu Pro 130 cag ctc cga gaa gag agg cat gtc cta atg atg gag atc tcg acg ctc 480 Gln Leu Arg Glu Glu Arg His Val Leu Met Met Glu Ile Ser Thr Leu 150 aga cag gag gag caa aga gcg aga ggc tac gtc caa gcc atg gag cag Arg Gln Glu Glu Gln Arg Ala Arg Gly Tyr Val Gln Ala Met Glu Gln 165 **170** :

agg att aat gga gca gag aag aaa cag agg cat atg atg tcc ttc ttg 576

Arg Ile Asn Gly Ala Glu Lys Lys Gln Arg His Met Met Ser Phe Leu 180 185 190

agg cgt gcg gtg gag aat cct tcc ctt ctg cag cag att ttc gag cag 624

Arg Arg Ala Val Glu Asn Pro Ser Leu Leu Gln Gln Ile Phe Glu Gln 195 200 205

aag aga gac cga gag gac gcg atg att gat cag gct ggc ttg atc 672

Lys Arg Asp Arg Glu Glu Ala Ala Met Ile Asp Gln Ala Gly Leu Ile 210 215 220

aaa atg gaa gag gtg gag cac ctg tcg gag ctg gag gct ctg gcg ctt 720

Lys Met Glu Glu Val Glu His Leu Ser Glu Leu Glu Ala Leu Ala Leu 225 230 235 240

gag atg caa gga tat gga cgg caa cgg act gat ggt gtg gag agg gag 768

Glu Met Gln Gly Tyr Gly Arg Gln Arg Thr Asp Gly Val Glu Arg Glu 245 250 255

ctt gac gac ggg ttt tgg gaa gag tta ctc atg aac aat gaa aac tcc  $816\,$ 

Leu Asp Asp Gly Phe Trp Glu Glu Leu Leu Met Asn Asn Glu Asn Ser 260 265 270

gac gaa gaa gag gcg aat gtg aag caa gat tag 849

Asp Glu Glu Ala Asn Val Lys Gln Asp 275 280

<210> 434 <211> 282 <212> PRT <213> Arabidopsis thaliana <400> 434

Met Asp Pro Ser Ser Ser Ser Arg Ala Arg Ser Met Pro Pro Pro Val 1 5 10 15

Pro Met Glu Gly Leu Gln Glu Ala Gly Pro Ser Pro Phe Leu Thr Lys
20 25 30

Thr Phe Glu Met Val Gly Asp Pro Asn Thr Asn His Ile Val Ser Trp 35 40 45

Asn Arg Gly Gly Ile Ser Phe Val Val Trp Asp Pro His Ser Phe Ser 50 55 60

Ala Thr Ile Leu Pro Leu Tyr Phe Lys His Asn Asn Phe Ser Ser Phe 65 70 75 80

Val Arg Gln Leu Asn Thr Tyr Gly Phe Arg Lys Ile Glu Ala Glu Arg 85 90 95

Trp Glu Phe Met Asn Glu Gly Phe Leu Met Gly Gln Arg Asp Leu Leu 100 105 110

Lys Ser Ile Lys Arg Arg Thr Ser Ser Ser Pro Pro Ser Leu Asn 115 120 125

Tyr Ser Gln Ser Gln Pro Glu Ala His Asp Pro Gly Val Glu Leu Pro 130 135 140

Gln Leu Arg Glu Glu Arg His Val Leu Met Met Glu Ile Ser Thr Leu 145 150 155 160

Arg Gln Glu Glu Gln Arg Ala Arg Gly Tyr Val Gln Ala Met Glu Gln 165 170 175

Arg Ile Asn Gly Ala Glu Lys Lys Gln Arg His Met Met Ser Phe Leu 180 185 190

Arg Arg Ala Val Glu Asn Pro Ser Leu Leu Gln Gln Ile Phe Glu Gln
195 200 205

Lys Arg Asp Arg Glu Glu Ala Ala Met Ile Asp Gln Ala Gly Leu Ile 210 215 220

Lys Met Glu Glu Val Glu His Leu Ser Glu Leu Glu Ala Leu Ala Leu 225 230 235 240

Glu Met Gln Gly Tyr Gly Arg Gln Arg Thr Asp Gly Val Glu Arg Glu 245 250 255

Leu Asp Asp Gly Phe Trp Glu Glu Leu Leu Met Asn Asn Glu Asn Ser 260 265 270

Asp Glu Glu Glu Ala Asn Val Lys Gln Asp 275 280

<210> 435 <211> 690 <212> DNA <213> Arabidopsis thaliana <220><221> CDS <222> (112)..(690) <223> G2514

<400> 435

aaaacttett catettettt aattagttig eeaectegea egigtgacaa ateettette 60

gecacgtgtg aaaacccttc teeggettge tactaatata egactaatag t atg aat 117

812

Met Asn

agt tca atg gct tct gcc ggc tta ggt agc cgg aga aag gat ccg gtg Ser Ser Met Ala Ser Ala Gly Leu Gly Ser Arg Arg Lys Asp Pro Val tac aga gga atc cgg tgc cga'agt ggg aaa tgg gtc tcc gag att cgt Tyr Arg Gly Ile Arg Cys Arg Ser Gly Lys Trp Val Ser Glu Ile Arg gag ccg agg aaa acc acg aga atc tgg ctt gga act tac ccc atg gca Glu Pro Arg Lys Thr Thr Arg Ile Trp Leu Gly Thr Tyr Pro Met Ala 45 gag atg gca gcc gcc tat gat gtg gct gct atg gct ctt aaa gga Glu Met Ala Ala Ala Tyr Asp Val Ala Ala Met Ala Leu Lys Gly 55 aga gaa get gte ttg aac tte eet gga tee gte ggg tea tae eeg gtt Arg Glu Ala Val Leu Asn Phe Pro Gly Ser Val Gly Ser Tyr Pro Val . 75 cct gaa tca aca tcc gca gca gat ata cga gcc gct gcg gca gcc gca Pro Glu Ser Thr Ser Ala Ala Asp Ile Arg Ala Ala Ala Ala Ala Ala 90 gca gca atg aag gga tgt gag gaa ggg gag gag aaa aag gca aag Ala Ala Met Lys Gly Cys Glu Glu Glu Glu Glu Lys Lys Ala Lys 100 gag aag aag agt agt tcg aag tcg aga gcg cgt gag tgc cac gta Glu Lys Lys Ser Ser Ser Lys Ser Arg Ala Arg Glu Cys His Val 37.7% 125 gat aat gat gtt gga tet teg teg tgg tgt ggg aca gag tte atg gac Asp Asn Asp Val Gly Ser Ser Ser Trp Cys Gly Thr Glu Phe Met Asp 135 140 gaa gaa gac ttg aat atg cct aat ctg ctg gct aat atg gca gaa Glu Glu Glu Val Leu Asn Met Pro Asn Leu Leu Ala Asn Met Ala Glu 150 ggg atg atg gtt gcg ccg ccg tcg tgg atg ggt tct cgg ccg tcg gat Gly Met Met Val Ala Pro Pro Ser Trp Met Gly Ser Arg Pro Ser Asp 170 gac tet eeg gag aat tea aat gat gag gae ttg tgg gge tat tga Asp Ser Pro Glu Asn Ser Asn Asp Glu Asp Leu Trp Gly Tyr 180 185 190

<210> 436 <211> 192 <212> PRT <213> Arabidopsis thaliana <400> 436

Met Asn Ser Ser Met Ala Ser Ala Gly Leu Gly Ser Arg Arg Lys Asp 1 5 10 15

Pro Val Tyr Arg Gly Ile Arg Cys Arg Ser Gly Lys Trp Val Ser Glu 20 25 30

Ile Arg Glu Pro Arg Lys Thr Thr Arg Ile Trp Leu Gly Thr Tyr Pro 35 40 45

Met Ala Glu Met Ala Ala Ala Tyr Asp Val Ala Ala Met Ala Leu
. 50 55 60

Lys Gly Arg Glu Ala Val Leu Asn Phe Pro Gly Ser Val Gly Ser Tyr 65 70 75 80

Pro Val Pro Glu Ser Thr Ser Ala Ala Asp Ile Arg Ala Ala Ala Ala 85 90 95

Ala Ala Ala Ala Met Lys Gly Cys Glu Glu Glu Glu Glu Lys Lys Ether and the 100 of the probability 105 of the 110 state that

Ala Lys Glu Lys Lys Ser Ser Ser Ser Lys Ser Arg Ala Arg Glu Cys 115 120 125

His Val Asp Asn Asp Val Gly Ser Ser Ser Trp Cys Gly Thr Glu Phe 130 135 140

Met Asp Glu Glu Glu Val Leu Asn Met Pro Asn Leu Leu Ala Asn Met 145 150 155 160

Ala Glu Gly Met Met Val Ala Pro Pro Ser Trp Met Gly Ser Arg Pro 165 170 175

Ser Asp Asp Ser Pro Glu Asn Ser Asn Asp Glu Asp Leu Trp Gly Tyr 180 185 190

<210> 437 <211> 994 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(711) <223> G2547

<400> 437

atg gac caa gaa caa aca cca cat age eca acc ege cat agt ege tea 48

Met Asp Gln Glu Gln Thr Pro His Ser Pro Thr Arg His Ser Arg Ser 1 5 10 15

ece eca tee tee gee tee ggt tee ace tea gea gaa eeg gtt egg tee Pro Pro Ser Ser Ala Ser Gly Ser Thr Ser Ala Glu Pro Val Arg Ser 20 cga tgg tca cct aaa ccg gaa caa ata ctc ata ctt gag tcg atc ttc Arg Trp Ser Pro Lys Pro Glu Gln Ile Leu Ile Leu Glu Ser Ile Phe cac agt ggt atg gtt aac cct ccc aaa gaa gag acg gta agg ata aga His Ser Gly Met Val Asn Pro Pro Lys Glu Glu Thr Val Arg Ile Arg aag atg ctc gag aaa ttt ggc gcg gtg gga gat gca aat gtc ttc tat 240 Lys Met Leu Glu Lys Phe Gly Ala Val Gly Asp Ala Asn Val Phe Tyr tgg ttt caa aac cgg cgg tca agg tcc cgt cgg aga cag cga cag cta Trp Phe Gln Asn Arg Arg Ser Arg Ser Arg Arg Arg Gln Arg Gln Leu 85 90 cag get gea get gea geg gac gea ace ace ace tet age tet 336 Gln Ala Ala Ala Ala Ala Asp Ala Thr Thr Asn Thr Ser Ser Ser 100 tct tct tct tat ggt ggt gga tgt gat aat caa agc aat agt ggc atg Ser Ser Ser Tyr Gly Gly Gly Cys Asp Asn Gln Ser Asn Ser Gly Met 120 gag aat ete tta aca atg tet gge caa atg agt tae eat gaa get act 432 Glu Asn Leu Leu Thr Met Ser Gly Gln Met Ser Tyr His Glu Ala Thr 130 135 140 cat cat cat tat caa aat cat agc tca aat gtc aca tcg att ttg tgc His His His Tyr Gln Asn His Ser Ser Asn Val Thr Ser Ile Leu Cys 150 cca tct gat caa aac tcc aat ttt caa tac caa caa ggg gct ata acg Pro Ser Asp Gln Asn Ser Asn Phe Gln Tyr Gln Gln Gly Ala Ile Thr gtg ttt ata aac gga gtt ccg aca gaa gtg acg aga gga gga ata gac Val Phe Ile Asn Gly Val Pro Thr Glu Val Thr Arg Gly Gly Ile Asp atg aaa gca acg ttt gga gaa gat ttg gtt ttg gtg cat tcc tca ggt Met Lys Ala Thr Phe Gly Glu Asp Leu Val Leu Val His Ser Ser Gly 195 200 205

gtt cct ctt cct act gat gag ttt ggt ttt ttg atg cat agc tta caa 672

Val Pro Leu Pro Thr Asp Glu Phe Gly Phe Leu Met His Ser Leu Gln 210 215 220

cat ggt gaa gct tat ttc ctg gtt cca aga cag aca tga actggcttta 721

His Gly Glu Ala Tyr Phe Leu Val Pro Arg Gln Thr 225 230 235

ctcgtatgtg tggtgatgca acagatgtct tgtttttcta ccttggactt tattgcaacg 781

gtccttccat tttttctttt cttttcgagt ctatcgtata atcaaagttt cttctattgg 841

ttttttttta aaaaatttta ttttgcaatt tattttataa agatgaagtc aaaagctctt 901

gtacgacgaa gatatctagg ttgtatcaat ttagttattt agatgtaaaa tacgtatgta 961

taattgattt gcaataaaat ctctgtctag gga 994

But the second of the second o

<210> 438 <211> 236 <212> PRT <213> Arabidopsis thaliana <400> 438

.....

Met Asp Gln Glu Gln Thr Pro His Ser Pro Thr Arg His Ser Arg Ser 1 5 10 15

Pro Pro Ser Ser Ala Ser Gly Ser Thr Ser Ala Glu Pro Val Arg Ser 20 25 30

Arg Trp Ser Pro Lys Pro Glu Gln Ile Leu Ile Leu Glu Ser Ile Phe 35 40

His Ser Gly Met Val Asn Pro Pro Lys Glu Glu Thr Val Arg Ile Arg 50 55 60

Lys Met Leu Glu Lys Phe Gly Ala Val Gly Asp Ala Asn Val Phe Tyr 65 70 75 80

Trp Phe Gln Asn Arg Arg Ser Arg Ser Arg Arg Arg Gln Arg Gln Leu 85 90 95

Gln Ala Ala Ala Ala Ala Asp Ala Thr Thr Asn Thr Ser Ser Ser 100 105 110

Ser Ser Ser Tyr Gly Gly Gly Cys Asp Asn Gln Ser Asn Ser Gly Met 115 120 125

Glu Asn Leu Leu Thr Met Ser Gly Gln Met Ser Tyr His Glu Ala Thr 130 135 140

His His His Tyr Gln Asn His Ser Ser Asn Val Thr Ser Ile Leu Cys 145 150 155 160

Pro Ser Asp Gln Asn Ser Asn Phe Gln Tyr Gln Gln Gly Ala Ile Thr 165 170 175

Val Phe Ile Asn Gly Val Pro Thr Glu Val Thr Arg Gly Gly Ile Asp 180 185 190

Met Lys Ala Thr Phe Gly Glu Asp Leu Val Leu Val His Ser Ser Gly
195 200 205

Val Pro Leu Pro Thr Asp Glu Phe Gly Phe Leu Met His Ser Leu Gln 210 215 220

His Gly Glu Ala Tyr Phe Leu Val Pro Arg Gln Thr 225 230 235

<210> 439 <211> 1020 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1020) <223> G2657

<400> 439

atg gat cca gtt caa tct cat gga tca caa agc tct ctt cct cct cct 48
Met Asp Pro Val Gln Ser His Gly Ser Gln Ser Ser Leu Pro Pro

Phe His Ala Arg Asp Phe Gln Leu His Leu Gln Gln Gln Gln Gln His 20 25 30

caa caa caa caa caa caa caa caa caa cag ttc ttt ctc cac cat 144

Gln Gln Gln His Gln Gln Gln Gln Gln Gln Phe Phe Leu His His
35 40 45

cat cag caa cca caa aga aac ctt gat caa gat cac gag cag caa gga 192

His Gln Gln Pro Gln Arg Asn Leu Asp Gln Asp His Glu Gln Gln Gly 50 55 60

ggg tca ata ttg aat aga tct atc aag atg gat cgc gaa gag aca agc 240

Gly Ser Ile Leu Asn Arg Ser Ile Lys Met Asp Arg Glu Glu Thr Ser

gat aac atg gac aac atc gct aat acc aac agc ggt agc gaa ggt aaa 288

Asp Asn Met Asp Asn Ile Ala Asn Thr Asn Ser Gly Ser Glu Gly Lys 85 90 95

gag atg agt tta cac gga gga gga gga agc ggt ggt gga gga agt 336 Glu Met Ser Leu His Gly Gly Glu Gly Gly Ser Gly Gly Gly Ser 105 gga gaa cag atg aca aga agg cca aga gga aga cca gca gga tcc aag 384 Gly Glu Gln Met Thr Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys 115 120 aac aaa cct aaa gct cca ata atc ata aca aga gac agc gca aac gcg 432 Asn Lys Pro Lys Ala Pro Ile Ile Ile Thr Arg Asp Ser Ala Asn Ala 130 135 140 ctt cga act cac gtc atg gag ata gga gac gga tgt gac ata gtt gac Leu Arg Thr His Val Met Glu Ile Gly Asp Gly Cys Asp Ile Val Asp 155 tgt atg gct acg ttc gct aga cgc cgc caa aga ggc gtt tgc gtt atg 528 Cys Met Ala Thr Phe Ala Arg Arg Gln Arg Gly Val Cys Val Met . . 170 165 age ggt aca gga age gtt act aac gtc act ata egt cag eet gga teg Ser Gly Thr Gly Ser Val Thr Asn Val Thr Ile Arg Gln Pro Gly Ser 180 cca cct ggc tcg gtg gtt agc ctt cac ggc cgg ttt gaa atc ctc tct 624 Pro Pro Gly Ser Val Val Ser Leu His Gly Arg Phe Glu Ile Leu Ser 195 200 205 ctt teg gga tet tte ttg cet eeg eet geg eeg eet gea gee ace gga 672 Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro Pro Ala Ala Thr Gly 215 cta agc gtt tac cta gcc gga gga caa ggg cag gtc gtt gga ggt agt Leu Ser Val Tyr Leu Ala Gly Gly Gln Gly Gln Val Val Gly Gly Ser 230 235 gtg gtg gga cet ttg ttg tgt teg ggt eet gtg gtg gtt atg geg get Val Val Gly Pro Leu Leu Cys Ser Gly Pro Val Val Wat Ala Ala 250 245 tct ttt agc aat gcg gcg tac gaa agg ctg cct ttg gaa gaa gat gag Ser Phe Ser Asn Ala Ala Tyr Glu Arg Leu Pro Leu Glu Glu Asp Glu 260 265 atg cag acg cca gtt caa gga ggc ggt gga gga gga ggt ggt ggt Met Gln Thr Pro Val Gln Gly Gly Gly Gly Gly Gly Gly Gly Gly 275 280 285

gga atg gga tet eec eeg atg atg gga'eag eaa eaa get atg gea get 912

Gly Met Gly Ser Pro Pro Met Met Gly Gln Gln Gln Ala Met Ala Ala 290 295 300

atg gcg gcg gct caa gga cta cca ccg aat ctt ctt ggt tcg gtt cag 960

Met Ala Ala Ala Gln Gly Leu Pro Pro Asn Leu Leu Gly Ser Val Gln 305 310 315 320

ttg cca ccg cca caa cag aat gat cag cag tat tgg tct acg ggt cgg 1008

Leu Pro Pro Gln Gln Asn Asp Gln Gln Tyr Trp Ser Thr Gly Arg 325 330 335

cca ccg tat tga 1020 Pro Pro Tyr

<210> 440 <211> 339 <212> PRT <213> Arabidopsis thaliana <400> 440

Met Asp Pro Val Gln Ser His Gly Ser Gln Ser Ser Leu Pro Pro 1 5 10 15

Phe His Ala Arg Asp Phe Gln Leu His Leu Gln Gln Gln Gln His 20 25 30

Gln Gln Gln His Gln Gln Gln Gln Gln Gln Phe Phe Leu His His
35 40 45

His Gln Gln Pro Gln Arg Asn Leu Asp Gln Asp His Glu Gln Gln Gly
50 55 60

Gly Ser Ile Leu Asn Arg Ser Ile Lys Met Asp Arg Glu Glu Thr Ser 65 70 75 80

Asp Asn Met Asp Asn Ile Ala Asn Thr Asn Ser Gly Ser Glu Gly Lys 85 90 95

Glu Met Ser Leu His Gly Gly Glu Gly Gly Ser Gly Gly Gly Ser 100 105 110

Gly Glu Gln Met Thr Arg Arg Pro Arg Gly Arg Pro Ala Gly Ser Lys 115 120 125

Asn Lys Pro Lys Ala Pro Ile Ile Ile Thr Arg Asp Ser Ala Asn Ala 130 135 140

Leu Arg Thr His Val Met Glu Ile Gly Asp Gly Cys Asp Ile Val Asp

145 150 155 160

Cys Met Ala Thr Phe Ala Arg Arg Gln Arg Gly Val Cys Val Met 165 170 175

Ser Gly Thr Gly Ser Val Thr Asn Val Thr Ile Arg Gln Pro Gly Ser 180 185 190

Pro Pro Gly Ser Val Val Ser Leu His Gly Arg Phe Glu Ile Leu Ser 195 200 205

Leu Ser Gly Ser Phe Leu Pro Pro Pro Ala Pro Pro Ala Ala Thr Gly 210 215 220

Leu Ser Val Tyr Leu Ala Gly Gly Gln Gly Gln Val Val Gly Gly Ser 225 230 235 240

Val Val Gly Pro Leu Leu Cys Ser Gly Pro Val Val Met Ala Ala 245 250 255

Ser Phe Ser Asn Ala Ala Tyr Glu Arg Leu Pro Leu Glu Glu Asp Glu

Gly Met Gly Ser Pro Pro Met Met Gly Gln Gln Gln Ala Met Ala Ala 290 295 300

Met Ala Ala Ala Gln Gly Leu Pro Pro Asn Leu Leu Gly Ser Val Gln 305 310 315 320

Leu Pro Pro Gln Gln Asn Asp Gln Gln Tyr Trp Ser Thr Gly Arg 325 330 335

Pro Pro Tyr

<210> 441 <211> 880 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (188)..(880) <223> G2659

<400> 441

agtatatatc tatgtacata cgacgacaaa aaaaaatatg tatgtacata catctcctct 60

cactotaago ttattttogt ataaattata gtatagtoat attottttag gacagaacco 120

accgaaagaa agctccaaac ccaacaaaaa gggaggcggc ggagaagcaa acaacagcaa 180

caaaaaa atg cag cca gag gtt tca gat caa ata ttt tat gcc ttc ctc 229

Met Gln Pro Glu Val Ser Asp Gln Ile Phe Tyr Ala Phe Leu
1 5 10

acc gga gga tta tgt gcc tcg tct act tcc acc acc gtg acg tcg tcg 277

Thr Gly Gly Leu Cys Ala Ser Ser Thr Ser Thr Thr Val Thr Ser Ser 15 20 25 30

tet gae eet tit gee aeg git tat gaa gae aaa get eit get tet etg 325

Ser Asp Pro Phe Ala Thr Val Tyr Glu Asp Lys Ala Leu Ala Ser Leu 35 40 45

agg aac cat aaa gag get gag ega aag aga aga gea aga ate aat tee 373

Arg Asn His Lys Glu Ala Glu Arg Lys Arg Arg Ala Arg Ile Asn Ser 50 55 60

cat ctc aac aag ctc cgc aag tta ctc tct tgt aac tcc aag aca gac 421

His Leu Asn Lys Leu Arg Lys Leu Leu Ser Cys Asn Ser Lys Thr Asp 65 70 75

aaa too aca cta cta gca aaa gtg gtt caa cga gtc aaa gaa cta aaa 469

Lys Ser Thr Leu Leu Ala Lys Val Val Gln Arg Val Lys Glu Leu Lys 80 85 90

caa caa acc cta gaa atc acc gac gaa aca ata ccg tcg gag act gac 517

Gln Gln Thr Leu Glu Ile Thr Asp Glu Thr Ile Pro Ser Glu Thr Asp 95 100 105 110

gaa atc agt gta ctc aac att gag gac tgt tcc aga ggc gac gat cga 565

Glu Ile Ser Val Leu Asn Ile Glu Asp Cys Ser Arg Gly Asp Asp Arg 115 120 125

cgg ata atc ttt aag gta tcg ttt tgc tgc gag gac cgg cca gag ctc 613

Arg Ile Ile Phe Lys Val Ser Phe Cys Cys Glu Asp Arg Pro Glu Leu 130 135 140

ttg aaa gat ctc atg gag aca ctc aaa tct ctt cag atg gaa act ctc 661

Leu Lys Asp Leu Met Glu Thr Leu Lys Ser Leu Gln Met Glu Thr Leu 145 150 155

ttt gcc gac atg aca aca gtc ggt ggt cga aca aga aac gtt ctc gtt

Phe Ala Asp Met Thr Thr Val Gly Gly Arg Thr Arg Asn Val Leu Val 160 165 170

gtg gcc gct gac aaa gag cat cac ggc gtc cag tcg gtg aat ttt cta 757

Val Ala Ala Asp Lys Glu His His Gly Val Gln Ser Val Asn Phe Leu

175 180 185 190

cag aac gca ctc aag tct tta ctc gaa cgg tca agc aag tcg gtg atg

Gln Asn Ala Leu Lys Ser Leu Leu Glu Arg Ser Ser Lys Ser Val Met 195 200 205

gtg gga cat ggt ggt ggt ggg gaa gaa agg tta aaa cga cgt cgt 853 Val Gly His Gly Gly Gly Gly Glu Glu Arg Leu Lys Arg Arg 210 215 220

gcg ctg gat cac atc ata atg gtc tga 880 Ala Leu Asp His Ile Ile Met Val 225 230

<210> 442 <211> 230 <212> PRT <213> Arabidopsis thaliana <400>

Met Gln Pro Glu Val Ser Asp Gln Ile Phe Tyr Ala Phe Leu Thr Gly
1 5 10 15

Gly Leu Cys Ala Ser Ser Thr Ser Thr Thr Val Thr Ser Ser Ser Asp
20 25 30

Pro Phe Ala Thr Val Tyr Glu Asp Lys Ala Leu Ala Ser Leu Arg Asn 35 40 45

THE STATE OF THE S

His Lys Glu Ala Glu Arg Lys Arg Arg Ala Arg Ile Asn Ser His Leu 50 55 60

Asn Lys Leu Arg Lys Leu Leu Ser Cys Asn Ser Lys Thr Asp Lys Ser 65 70 75 80

Thr Leu Leu Ala Lys Val Val Gln Arg Val Lys Glu Leu Lys Gln Gln
85 90 95

Thr Leu Glu Ile Thr Asp Glu Thr Ile Pro Ser Glu Thr Asp Glu Ile 100 105 110

Ser Val Leu Asn Ile Glu Asp Cys Ser Arg Gly Asp Asp Arg Ile 115 120 125

Ile Phe Lys Val Ser Phe Cys Cys Glu Asp Arg Pro Glu Leu Leu Lys 130 135 140

Asp Leu Met Glu Thr Leu Lys Ser Leu Gln Met Glu Thr Leu Phe Ala 145 150 155 160

Asp Met Thr Thr Val Gly Gly Arg Thr Arg Asn Val Leu Val Val Ala 165 170 175

Ala Asp Lys Glu His His Gly Val Gln Ser Val Asn Phe Leu Gln Asn 180 185 190

Ala Leu Lys Ser Leu Leu Glu Arg Ser Ser Lys Ser Val Met Val Gly
195 200 205

His Gly Gly Gly Gly Glu Glu Arg Leu Lys Arg Arg Arg Ala Leu 210 215 220

Asp His Ile Ile Met Val 225 230

<210> 443 <211> 866 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (46)..(837) <223> G2701

<400> 443

gtgtttgtag ttgaaactta ttcttccctt tttttgtttt taggt atg gag act ctg

Met Glu Thr Leu

cat cca ttc tct cac cta cct atc tct gac cac egg ttc gtt gtt caa 105

His Pro Phe Ser His Leu Pro lle Ser Asp His Arg Phe Val Val Gln
5 10 15 20

gag atg gtg agc tta cac agc tcg agt agc ggt agc tgg act aaa gaa 153

Glu Met Val Ser Leu His Ser Ser Ser Ser Gly Ser Trp Thr Lys Glu 25 30 35

gag aac aag atg ttc gaa cga gct ctt gcg ata tac gct gaa gac tcg 201

Glu Asn Lys Met Phe Glu Arg Ala Leu Ala Ile Tyr Ala Glu Asp Ser 40 45 50

cct gat cgc tgg ttt aaa gtt gct tcc atg atc cct gga aag act gtt 249

Pro Asp Arg Trp Phe Lys Val Ala Ser Met Ile Pro Gly Lys Thr Val 55 60 65

ttt gat gtt atg aag caa tat agt aag ctt gaa gaa gac gtt ttc gat 297

Phe Asp Val Met Lys Gln Tyr Ser Lys Leu Glu Glu Asp Val Phe Asp 70 75 80

att gaa gea gga egt gtt eec att eet ggt tat eet gea get tet tet 345

Ile Glu Ala Gly Arg Val Pro Ile Pro Gly Tyr Pro Ala Ala Ser Ser 85 90 95 100

ccc ttg ggg ttt gac acg gac atg tgt cgt aaa cgg cct agt gga gct .393

WO 02/15675

Pro Leu Gly Phe Asp Thr Asp Met Cys Arg Lys Arg Pro Ser Gly Ala 110 105 aga gga tct gat caa gat cga aag aaa gga gtc cct tgg aca gag gaa Arg Gly Ser Asp Gln Asp Arg Lys Lys Gly Val Pro Trp Thr Glu Glu 441

120 · gaa cac agg aga ttc ttg tta ggc ctt ctc aag tac ggt aaa gga gat

125

Glu His Arg Arg Phe Leu Leu Gly Leu Leu Lys Tyr Gly Lys Gly Asp

tgg aga aac ata tcg aga aac ttc gtg gtg tca aag acg cca acg caa Trp Arg Asn Ile Ser Arg Asn Phe Val Val Ser Lys Thr Pro Thr Gln

155

gtg gcg age cae gcc caa aag tat tae cag aga cag ete tee gga gce Val Ala Ser His Ala Gln Lys Tyr Tyr Gln Arg Gln Leu Ser Gly Ala 

aag gac aaa cgc agg cca agt atc cat gac atc aca acc ggc aat ctt Lys Asp Lys Arg Arg Pro Ser Ile His Asp Ile Thr Thr Gly Asn Leu

185 er (195 a. 190 tel 14 c. p. 25 195 ctc aat gcc aat ctc aac cgt tcc ttt tcc gat cat aga gat att ctc

Leu Asn Ala Asn Leu Asn Arg Ser Phe Ser Asp His Arg Asp Ile Leu 200

cct gat tta ggg ttt atc gat aag gat gat acg gag gag gga gta ata Pro Asp Leu Gly Phe Ile Asp Lys Asp Asp Thr Glu Glu Gly Val Ile 729 220 215

ttt atg ggt cag aat ctc tct tca gaa aat ctg ttt tct cca tca cca Phe Met Gly Gln Asn Leu Ser Ser Glu Asn Leu Phe Ser Pro Ser Pro 777 240 235

act toa tto gaa got goo att aac tto goo gga gaa aat gto tto agt Thr Ser Phe Glu Ala Ala Ile Asn Phe Ala Gly Glu Asn Val Phe Ser 255 250

gcc gga gct taa ggcaacatag aatccccaaa ctcagcggc Ala Gly Ala

<210> 444 <211> 263 <212> PRT <213> Arabidopsis thaliana <400>

Met Glu Thr Leu His Pro Phe Ser His Leu Pro Ile Ser Asp His Arg 10 5

Phe Val Val Gln Glu Met Val Ser Leu Ris Ser Ser Ser Ser Gly Ser 25

- Trp Thr Lys Glu Glu Asn Lys Met Phe Glu Arg Ala Leu Ala Ile Tyr 35 40 45
- Ala Glu Asp Ser Pro Asp Arg Trp Phe Lys Val Ala Ser Met Ile Pro 50 55 60
- Gly Lys Thr Val Phe Asp Val Met Lys Gln Tyr Ser Lys Leu Glu Glu 65 70 75 80
- Asp Val Phe Asp Ile Glu Ala Gly Arg Val Pro Ile Pro Gly Tyr Pro 85 90 95
- Ala Ala Ser Ser Pro Leu Gly Phe Asp Thr Asp Met Cys Arg Lys Arg 100 105 110
- Pro Ser Gly Ala Arg Gly Ser Asp Gln Asp Arg Lys Lys Gly Val Pro 115 120 125
- Gly Lys Gly Asp Trp Arg Asn Ile Ser Arg Asn Phe Val Val Ser Lys 155 150
- Thr Pro Thr Gln Val Ala Ser His Ala Gln Lys Tyr Tyr Gln Arg Gln 165 170 170
- Leu Ser Gly Ala Lys Asp Lys Arg Arg Pro Ser Ile His Asp Ile Thr 180 185 190
- Arg Asp Ile Leu Pro Asp Leu Gly Phe Ile Asp Lys Asp Asp Thr Glu 210 215 220
- Glu Gly Val Ile Phe Met Gly Gln Asn Leu Ser Ser Glu Asn Leu Phe 235 230 240
- Ser Pro Ser Pro Thr Ser Phe Glu Ala Ala Ile Asn Phe Ala Gly Glu 245 250 255

Asn Val Phe Ser Ala Gly Ala

<210> 445 <211> 972 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(972) <223> G2741

<400> 445

atg gga gag gaa gta caa atg agc gat tac gat gtt tcc ggc gac gga 48

Met Gly Glu Glu Val Gln Met Ser Asp Tyr Asp Val Ser Gly Asp Gly
1 5 10 15

gat agg gtt tct gaa tgg gag atg gga tta cca agc gac gaa gat cta 96

Asp Arg Val Ser Glu Trp Glu Met Gly Leu Pro Ser Asp Glu Asp Leu 20 . 30

gca tct ctt tct tac tct ctg att cca ccg aat ttg gcg atg gcg ttt

Ala Ser Leu Ser Tyr Ser Leu Ile Pro Pro Asn Leu Ala Met Ala Phe 35 40 45

agt atc aca ccg gag aga agc cgt acg att cag gat gtg aat cgt gca 192

Ser Ile Thr Pro Glu Arg Ser Arg Thr Ile Gln Asp Val Asn Arg Ala

tog gag acg acg ctc tog tog cta cgt ggt gga tot toa ggt cca aat 240

Ser Glu Thr Thr Leu Ser Ser Leu Arg Gly Gly Ser Ser Gly Pro Asn 65 70 75 80

acc tcg tcg tcg aat aat aac gtg gag gag gaa gat cga gtt gga tct 288

Thr Ser Ser Ser Asn Asn Asn Val Glu Glu Glu Asp Arg Val Gly Ser 85 90 95

agc agt cct gga tcg gat tcg aag aag caa aag aca tca aac ggt gat 336

Ser Ser Pro Gly Ser Asp Ser Lys Lys Gln Lys Thr Ser Asn Gly Asp 100 105 110

gga gat gac ggt ggc ggt gtg gat ccg gat tcg gcg atg gcg gaa 384

Gly Asp Asp Gly Gly Val Asp Pro Asp Ser Ala Met Ala Ala Glu 115 120 125

gaa gga gat toa gga act gaa gat ota tot ggg aaa aca ott aaa cga

Glu Gly Asp Ser Gly Thr Glu Asp Leu Ser Gly Lys Thr Leu Lys Arg 130 135 140

ccg cgt tta gtg tgg aca ccg cag cta cac aag aga ttc gtt gac gtt

480

Pro Arg Leu Val Trp Thr Pro Gln Leu His Lys Arg Phe Val Asp Val 145 150 155 160

gta get cae tta ggg ate aaa aac get gtt eeg aag aeg att atg eag 528

Val Ala His Leu Gly Ile Lys Asn Ala Val Pro Lys Thr Ile Met Gln 165 170 175

ctg atg aac gtt gaa gga tta act cgt gag aac gtt gcg tct cat ctt Leu Met Asn Val Glu Gly Leu Thr Arg Glu Asn Val Ala Ser His Leu 180 caa aag tat agg ctt tac ctc aaa agg atg cag gga ttg act aat gaa 624 Gln Lys Tyr Arg Leu Tyr Leu Lys Arg Met Gln Gly Leu Thr Asn Glu 195 ggt ccc tct gct tcg gat aag ctc ttc tct tca aca cct gtt cct cca Gly Pro Ser Ala Ser Asp Lys Leu Phe Ser Ser Thr Pro Val Pro Pro cag ago tto caa gat ato ggt ggc ggt ggc ggt ago ggt aat gtt Gln Ser Phe Gln Asp Ile Gly Gly Gly Gly Ser Ser Gly Asn Val 230 235 225 gga gtg ccg att ccg ggg gcg tat gga acg caa cag atg atg cag atg Gly Val Pro Ile Pro Gly Ala Tyr Gly Thr Gln Gln Met Met Gln Met 245 250 cca gtt tat gca cat cat atg ggt atg caa gga tat cat cat caa aat 816 Pro Val Tyr Ala His His Met Gly Met Gln Gly Tyr His His Gln Asn 265 260 cat aat cat gat cct tat cat cag aat cat cgt cat cat cat gga gct His Asn His Asp Pro Tyr His Gln Asn His Arg His His Gly Ala ggt gga aat ggt gcg ttt gag tca aat cct tat atg atg cag cag aat 912 Gly Gly Asn Gly Ala Phe Glu Ser Asn Pro Tyr Met Met Gln Gln Asn 300 290 295 aag ttt gga tcc atg gct tct tat cct tct gtt gga ggt gga agc gca Lys Phe Gly Ser Met Ala Ser Tyr Pro Ser Val Gly Gly Gly Ser Ala 315 310 aat gag aat taa 972

<210> 446 <211> 323 <212> PRT <213> Arabidopsis thaliana <400>

Met Gly Glu Glu Val Gln Met Ser Asp Tyr Asp Val Ser Gly Asp Gly 1 5 10

Asn Glu Asn

Asp Arg Val Ser Glu Trp Glu Met Gly Leu Pro Ser Asp Glu Asp Leu 20 25 30

Ala Ser Leu Ser Tyr Ser Leu Ile Pro Pro Asn Leu Ala Met Ala Phe 35 40 45

Ser Ile Thr Pro Glu Arg Ser Arg Thr Ile Gln Asp Val Asn Arg Ala
50 55 60

Ser Glu Thr Thr Leu Ser Ser Leu Arg Gly Gly Ser Ser Gly Pro Asn 65 70 75 80

Thr Ser Ser Ser Asn Asn Asn Val Glu Glu Glu Asp Arg Val Gly Ser 85 90 95

Ser Ser Pro Gly Ser Asp Ser Lys Lys Gln Lys Thr Ser Asn Gly Asp 100 105 110

Gly Asp Asp Gly Gly Val Asp Pro Asp Ser Ala Met Ala Ala Glu 115 120 - 125

Glu Gly Asp Ser Gly Thr Glu Asp Leu Ser Gly Lys Thr Leu Lys Arg
130 135 140

1.

Pro Arg Leu Val Trp Thr Pro Gln Leu His Lys Arg Phe Val Asp Val 145 150 160

Val Ala His Leu Gly Ile Lys Asn Ala Val Pro Lys Thr Ile Met Gln 165 170 175

Leu Met Asn Val Glu Gly Leu Thr Arg Glu Asn Val Ala Ser His Leu 180 185 190

Gln Lys Tyr Arg Leu Tyr Leu Lys Arg Met Gln Gly Leu Thr Asn Glu 195 200 205

Gly Pro Ser Ala Ser Asp Lys Leu Phe Ser Ser Thr Pro Val Pro Pro 210 215 220

Gln Ser Phe Gln Asp Ile Gly Gly Gly Gly Gly Ser Ser Gly Asn Val 225 230 235 240

Gly Val Pro Ile Pro Gly Ala Tyr Gly Thr Gln Gln Met Met Gln Met 245 250 255

Pro Val Tyr Ala His His Met Gly Met Gln Gly Tyr His His Gln Asn 260 265 270

3.34

His Asn His Asp Pro Tyr His Gln Asn His Arg His His Gly Ala 275 280 285

Gly Gly Asn Gly Ala Phe Glu Ser Asn Pro Tyr Met Met Gln Gln Asn 290 295 300

Lys Phe Gly Ser Met Ala Ser Tyr Pro Ser Val Gly Gly Gly Ser Ala 305 310 315 320

Asn Glu Asn

<210> 447 <211> 1362 <212> DNA <213> Arabidopsis thaliana <220>
<221> CDS <222> (1)..(1362) <223> G2781

<400> 447

atg gat caa aaa agt aaa acg att gga gaa caa tgg tgg agg tca aat 48

Met Asp Gln Lys Ser Lys Thr Ile Gly Glu Gln Trp Trp Arg Ser Asn 1  $\phantom{\bigg|}$  5  $\phantom{\bigg|}$  10  $\phantom{\bigg|}$  15

cca acg ttt aaa ccg cct gaa acg cca tta gat tct atg gag ttt ttg 96

Pro Thr Phe Lys Pro Pro Glu Thr Pro Leu Asp Ser Met Glu Phe Leu 20 25 30

tea egt act tgg agt get tee get act gaa get tea aga get gte gte 144

Ser Arg Thr Trp Ser Ala Ser Ala Thr Glu Val Ser Arg Ala Val Val 35 40 45

gcg tct cca ccg act tct caa ccg ccg caa atg cgt ttc tcg gag atc 192

Ala Ser Pro Pro Thr Ser Gln Pro Pro Gln Met Arg Phe Ser Glu Ile 50 55 60

caa aac ggt tet tet gae gte aet ttg gtg eeg gaa gat gaa gaa aac 240

Gln Asn Gly Ser Ser Asp Val Thr Leu Val Pro Glu Asp Glu Glu Asn 65 70 75 80

ggc atc gtt ctt gga aat act ttt tct ttt gct tct tca gaa act tct 288

Gly Ile Val Leu Gly Asn Thr Phe Ser Phe Ala Ser Ser Glu Thr Ser 85 90 95

tta atg gtc atg gaa cgt atc atg gct cag tca ccg gag att tca tcg 336

Leu Met Val Met Glu Arg Ile Met Ala Gln Ser Pro Glu Ile Ser Ser 100 105 110

cca cga aca tca ggg aga ctt tct cat agc tca ttc acc gac agt cct 384

Pro Arg Thr Ser Gly Arg Leu Ser His Ser Ser Phe Thr Asp Ser Pro 115 120 125

ccg atc tct ccc tcc gac atc gac gac ttt aag caa ttc tac cgt gtg Pro Ile Ser Pro Ser Asp Ile Asp Asp Phe Lys Gln Phe Tyr Arg Val age cet tee ttt aac gge cac ata egt ggt tea tea gee att eec gge 480 Ser Pro Ser Phe Asn Gly His Ile Arg Gly Ser Ser Ala Ile Pro Gly 150 acc gcc gga ggg tct aaa act gtt ggt cgt tgg cta aag gac cgg cga 528 Thr Ala Gly Gly Ser Lys Thr Val Gly Arg Trp Leu Lys Asp Arg Arg 165 170 175 gag aag aag aga gaa gag acg cgt gca caa aat gca cag ctt cac gcg 576 Glu Lys Lys Arg Glu Glu Thr Arg Ala Gln Asn Ala Gln Leu His Ala 180 . gct gta tct gta gct gga gtg gct gcc gcg gtg gct gct atc gct gca 624 Ala Val Ser Val Ala Gly Val Ala Ala Ala Val Ala Ala Ile Ala Ala 195 200 205 gcc act gcc tct cag tcg agt tct gga act gac gag caa gtg gcc aaa Ala Thr Ala Ser Gln Ser Ser Gly Thr Asp Glu Gln Val Ala Lys 210 215 220 aat gac tee geg gtg get tet gee geg act ttg gtg geg geg aag tgt 720 Asn Asp Ser Ala Val Ala Ser Ala Ala Thr Leu Val Ala Ala Lys Cys 235 230 gtg gaa gct gca gag att atg gga gct gat cgt gag cac ttg gcc tcc Val Glu Ala Ala Glu Ile Met Gly Ala Asp Arg Glu His Leu Ala Ser 245 250 gtt gtt agt tct gcg gtt aac gtt cgt tct gcc gga gat atc atg act Val Val Ser Ser Ala Val Asn Val Arg Ser Ala Gly Asp Ile Met Thr 260 265 270 ttg acc gcc gct gcc aca gct ttg aga gga gct gca caa tta aag Leu Thr Ala Ala Ala Ala Thr Ala Leu Arg Gly Ala Ala Gln Leu Lys 280 gca aga gca ttg aag gag gta tgg aac att gcg gct gtg att cct gta 912 Ala Arg Ala Leu Lys Glu Val Trp Asn Ile Ala Ala Val Ile Pro Val 290 295 gat aag ggt aca cca aaa ggc ggt ggt ggt tat aga ggt ggc gag 960 Asp Lys Gly Thr Pro Lys Gly Gly Gly Gly Gly Tyr Arg Gly Gly Glu 305 310 315 320

tta gcc cct gta gat aat ttt ctt ggg att tgc agt aaa gaa ttg cta 1008

Leu Ala Pro Val Asp Asn Phe Leu Gly Ile Cys Ser Lys Glu Leu Leu 325 330 335

gct aaa ggt tgc gaa ttg ctt aaa cgc acc cgc aaa ggt gat ctt cat 1056

Ala Lys Gly Cys Glu Leu Leu Lys Arg Thr Arg Lys Gly Asp Leu His 340

tgg aaa gtt gtt tcg atc tac att aat aga aca aag cag gta ata ttg

Trp Lys Val Val Ser Ile Tyr Ile Asn Arg Thr Lys Gln Val Ile Leu 355 360 365

aag act aag agc aaa cat gtt gct ggg acc atc aca aag aag aaa aag 1152

aat gtg gtg gtg gga ttg gtt aag gga tta ccg gcg tgg cct ggc cgg

Asn Val Val Val Gly Leu Val Lys Gly Leu Pro Ala Trp Pro Gly Arg 395 400

gaa atg ctc gag ggt gga gag aat ttg agg tat ttc ggg ctg aag acg

Glu Met Leu Glu Gly Gly Glu Asn Leu Arg Tyr Phe Gly Leu Lys Thr 405 410 415

gtg gag aaa aga gtg att gaa ttc gag tgc aaa agc caa agg gaa tat

Val Glu Lys Arg Val Ile Glu Phe Glu Cys Lys Ser Gln Arg Glu Tyr 420 425 430

gat ctt tgg aca caa ggt gtt tcc atg ctt ctt tcc att gct tct gat 1344

Asp Leu Trp Thr Gln Gly Val Ser Met Leu Leu Ser Ile Ala Ser Asp 435

agg aaa cat aaa tgt tga 1362

Arg Lys His Lys Cys 450

<210> 448 <211> 453 <212> PRT <213> Arabidopsis thaliana <400>

Met Asp Gln Lys Ser Lys Thr Ile Gly Glu Gln Trp Trp Arg Ser Asn 1 5 10 15

Pro Thr Phe Lys Pro Pro Glu Thr Pro Leu Asp Ser Met Glu Phe Leu 20 25 30

Ser Arg Thr Trp Ser Ala Ser Ala Thr Glu Val Ser Arg Ala Val Val 35 40 45

	ALA	50	PIO	PIO	Inr	ser	55	PIO	PIO	GIN	Met	60 Arg	Pne	Ser	GIU	TTE
	G1n 65	Asn	Gly	Ser	Ser	Asp 70	Val	Thr	Leu	Val	Pro 75	Glu	Asp	Glu	Glu	Asn 80
	Gly	Ile	Val	Leu	Gly 85	Asn	Thr	Phe	Ser	Phe 90	Ala	Ser	Ser	Glu	Thr 95	Ser
	Leu	Met	Val	Met 100	Glu	Arg	Ile	Met	Ala 105	Gln	Ser	Pro	Glu	Ile 110	Ser	Ser
•	Pro	Arg	Thr 115	Ser	Gly	Arg	Leu	Ser 120	His	Ser	Ser	Phe	Thr 125	_	Ser	Pro
	Pro		Ser	Pro	Ser	Asp	Ile 135		Asp	Phe	Lys	Gln 140	Phe	Tyr	Arg	Val
		Pro	Ser	Phe	Asn	Gly 150	His	Ile	Arg	Gly	Ser 155	Ser	Ala	Ile	Pro	Gly 160
	Thr	Ala	Gly		Ser 165			Val	Gly	Arg 170	Trp	Leu	Lys	Asp	Arg <sup>,</sup> 175	Arg
	Glu	Lys	Lys	Arg 180	Glu	Glu	Thr	Arg	Ala 185	Gln	Asn	Ala	Gln ·	Leu 190	His	Ala
	Ala	Val	Ser 195	Val	Ala	СŢĀ	Val	Ala 200		Ala	Val	Ala		Ile	Ala	Ala
	Ala	Thr 210	Ala	Ser	Gln	Ser	Ser 215	Ser	Gly	Thr	Asp	Glu 220	Gln	Val	Ala	Lys
•	Asn 225	Asp	Ser								Leu 235		Ala	Ala		Cys 240
	Val	Glu	Ala	Ala	Glu 245	Ile	Met	Gly	Ala	Asp 250	Arg	Glu	His	Leu	Ala 255	Ser
	Val	Val	Ser	Ser 260	Ala	Val	Asn	Val	Arg 265	Ser	Ala	Gly	Asp	Ile 270	Met	Thr
	Leu	Thr	Ala 275	Ala	Ala	Ala	Thr	Ala 280	Leu	Arg	Gly	Ala	Ala 285	Gln	Leu	Lys
	Ala	Arg	Ala	Leu	Lys	Glu	Val	Trp	Asn	Ile	Ala	Ala	Val	Ile	Pro	Val

290 295 300

Asp Lys Gly Thr Pro Lys Gly Gly Gly Gly Gly Tyr Arg Gly Glu 305 310 315 320

Leu Ala Pro Val Asp Asn Phe Leu Gly Ile Cys Ser Lys Glu Leu Leu 325 330 335

Ala Lys Gly Cys Glu Leu Leu Lys Arg Thr Arg Lys Gly Asp Leu His 340 345 350

Trp Lys Val Val Ser Ile Tyr Ile Asn Arg Thr Lys Gln Val Ile Leu 355 360 365

Lys Thr Lys Ser Lys His Val Ala Gly Thr Ile Thr Lys Lys Lys 370 375 380

Asn Val Val Val Gly Leu Val Lys Gly Leu Pro Ala Trp Pro Gly Arg 385 390 395 400

Glu Met Leu Glu Gly Gly Glu Asn Leu Arg Tyr Phe Gly Leu Lys Thr 405 410 415

Val Glu Lys Arg Val Ile Glu Phe Glu Cys Lys Ser Gln Arg Glu Tyr 420 425 430

Asp Leu Trp Thr Gln Gly Val Ser Met Leu Leu Ser Ile Ala Ser Asp 435 440 445

Arg Lys His Lys Cys 450

<210> 449 <211> 495 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(495) <223> G2839

aaa tgt ttg atg ttg tta tca aga gtt gga gaa tgc ggc gga gga gga 96

Lys Cys Leu Met Leu Leu Ser Arg Val Gly Glu Cys Gly Gly Gly Gly 30

gag aaa cga gtt ttc cga tgc aag act tgt ctt aaa gag ttt tcg tcg 144 Glu Lys Arg Val Phe Arg Cys Lys Thr Cys Leu Lys Glu Phe Ser Ser 35 40 ttt caa get ttg gga ggt cat egt gea age cae aag aaa ete att aac 192

Phe Gln Ala Leu Gly Gly His Arg Ala Ser His Lys Lys Leu Ile Asn 50 55 60

agt age gat cca tca ctt ctt gga tcc ttg tct aac aag aaa act aaa 240

Ser Ser Asp Pro Ser Leu Leu Gly Ser Leu Ser Asn Lys Lys Thr Lys 65 75 80

acg gcg acg tct cat cct tgt ccg ata tgt ggc gtg gag ttt ccg atg 288
Thr Ala Thr Ser His Pro Cys Pro Ile Cys Gly Val Glu Phe Pro Met

ggg caa gct ctt ggt ggt cac atg agg aga cat agg agt gag aaa gcc 336 Gly Glo Ala Leu Gly Gly His Met Arg Arg His Arg Ser Glu Lys Ala

Gly Gln Ala Leu Gly Gly His Met Arg Arg His Arg Ser Glu Lys Ala 100 105 110

tca cca ggc acg ttg gtt aca cgt tct ttt tta ccg gag acg acg acg 384 Ser Pro Gly Thr Leu Val Thr Arg Ser Phe Leu Pro Glu Thr Thr Thr 115

gtg acg act ttg aaa aaa tcg agt agt ggg aag aga gtg gct tgt ttg 432 Val Thr Thr Leu Lys Lys Ser Ser Ser Gly Lys Arg Val Ala Cys Leu 130

gac tta gat tcg atg gag agt tta gtc aat tgg aag ttg gag ttg gga 480 Asp Leu Asp Ser Met Glu Ser Leu Val Asn Trp Lys Leu Glu Leu Gly 145

aga acg att tct tga 495 Arg Thr Ile Ser

<210> 450 <211> 164 <212> PRT <213> Arabidopsis thaliana <400> 450

Met Val Ala Arg Ser Glu Glu Val Glu Ile Val Glu Asp Thr Ala Ala 1 5 10 15

Lys Cys Leu Met Leu Leu Ser Arg Val Gly Glu Cys Gly Gly Gly Gly 25

Glu Lys Arg Val Phe Arg Cys Lys Thr Cys Leu Lys Glu Phe Ser Ser 35 40 45

Phe Gln Ala Leu Gly Gly His Arg Ala Ser His Lys Lys Leu Ile Asn 50 55

Ser Ser Asp Pro Ser Leu Leu Gly Ser Leu Ser Asn Lys Lys Thr Lys 70 75 80

Thr Ala Thr Ser His Pro Cys Pro Ile Cys Gly Val Glu Phe Pro Met 85 90 95

Gly Gln Ala Leu Gly Gly His Met Arg Arg His Arg Ser Glu Lys Ala
100 105 110

Ser Pro Gly Thr Leu Val Thr Arg Ser Phe Leu Pro Glu Thr Thr Thr 115 120 125

Val Thr Thr Leu Lys Lys Ser Ser Ser Gly Lys Arg Val Ala Cys Leu 130 140

Asp Leu Asp Ser Met Glu Ser Leu Val Asn Trp Lys Leu Glu Leu Gly 150 155 160

Arg Thr Ile Ser

<210> 451 <211> 2693 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (184)..(2493) <223> G3010

<400> 451

catcttcttt ctagtctctc tctctcttt caccgcgtac acagtaacac agaccctttt

tecetettae teaaggitet tetitgicat etigitgeeg aatecacaaa gaggagaata

aagattcgac ctttattaga tattaacgac tctggatttt tgggtttttg gagttggatc

cac atg ggt tot tat cog gat gga ttc cot gga toc atg gac gag ttg

Met Gly Ser Tyr Pro Asp Gly Phe Pro Gly Ser Met Asp Glu Leu 1 10 15

gat ttc aat aag gac ttt gat ttg cet eec tec tea aac caa aec tta

Asp Phe Asn Lys Asp Phe Asp Leu Pro Pro Ser Ser Asn Gln Thr Leu 20 25 30

ggt tta gct aat ggg ttc tat tta gat gac tta gat ttc tca tcc ttg 324

Gly Leu Ala Asn Gly Phe Tyr Leu Asp Asp Leu Asp Phe Ser Ser Leu 35 40 45

gat cot coa gag goa tat coo too cag aac aac aac aac aac aac atc 372'

Asp Pro Pro Glu Ala Tyr Pro Ser Gln Asn Asn Asn Asn Asn Ile
50 55 60

aac aac aaa gct gta gca gga gat ctg tta tca tct tca tct gat gac Asn Asn Lys Ala Val Ala Gly Asp Leu Leu Ser Ser Ser Asp Asp 70 . . gct gat ttc tct gat tct gtt ttg aag tat ata agc caa gtt ctt atg Ala Asp Phe Ser Asp Ser Val Leu Lys Tyr Ile Ser Gln Val Leu Met gaa gag gat atg gaa gag aag cot tgt atg ttt cat gac got ttg got 516 Glu Glu Asp Met Glu Glu Lys Pro Cys Met Phe His Asp Ala Leu Ala ctt caa gct gct gag aaa tct ctc tat gag gct ctt ggt gag aaa tac 564 Leu Gln Ala Ala Glu Lys Ser Leu Tyr Glu Ala Leu Gly Glu Lys Tyr 115 cct tct tcg tct tct gct tct tct gtg gat cat cct gag aga ttg gct Pro Ser Ser Ser Ser Ala Ser Ser Val Asp His Pro Glu Arg Leu Ala 135 140 agt gat agc cct gac ggt tct tgt tca ggt ggt gct ttt agt gat tac Ser Asp Ser Pro Asp Gly Ser Cys Ser Gly Gly Ala Phe Ser Asp Tyr 150 155 . 145 get age ace act ace act tee tet gat tet cae tgg agt gtt gat . Ala Ser Thr Thr Thr Thr Ser Ser Asp Ser His Trp Ser Val Asp 170 165 . . ggt ttg gag aat aga cct tct tgg tta cat aca cct atg ccg agt aat 756 Gly Leu Glu Asn Arg Pro Ser Trp Leu His Thr Pro Met Pro Ser Asn 185 180 ttt gtt ttc cag tct act tct agg tcc aac agt gtc acc ggt ggt Phe Val Phe Gln Ser Thr Ser Arg Ser Asn Ser Val Thr Gly Gly Gly 200 195 ggt ggt ggt aat agt gcg gtt tac ggt tca ggt ttt ggc gat gat ttg 852 Gly Gly Gly Asn Ser Ala Val Tyr Gly Ser Gly Phe Gly Asp Asp Leu 215 210 gtt tog aat atg ttt aaa gat gat gaa ttg got atg cag ttc aag aaa Val Ser Asn Met Phe Lys Asp Asp Glu Leu Ala Met Gln Phe Lys Lys ggg gtt gag gaa get agt aag tte ett eet aag tet tet eag ete ttt 948 Gly Val Glu Glu Ala Ser Lys Phe Leu Pro Lys Ser Ser Gln Leu Phe 240 245 250 255

att gat gtg gat agt tac atc cct atg aat tct ggt tcc aag gaa aat

Ile Asp Val Asp Ser Tyr Ile Pro Met Asn Ser Gly Ser Lys Glu Asn 260 265 270

ggt tct gag gtt ttt gtt aag acg gag aag aaa gat gag aca gag cat

Gly Ser Glu Val Phe Val Lys Thr Glu Lys Lys Asp Glu Thr Glu His 275 280 285

cat cat cat agc tat get cet cec cac aga tta act ggt aag 1092

His His His Ser Tyr Ala Pro Pro Pro Asn Arg Leu Thr Gly Lys 290 295

aaa agc cat tgg cgc gac gaa gat gaa gat ttc gtt gaa gaa aga agt 1140

Lys Ser His Trp Arg Asp Glu Asp Glu Asp Phe Val Glu Glu Arg Ser 305 310 315

aac aag caa toa got gtt tat gtt gag gaa agc gag ott tot gaa atg

Asn Lys Gln Ser Ala Val Tyr Val Glu Glu Ser Glu Leu Ser Glu Met 325 330 335

ttt gat aag atc ttg gta tgt ggc cct ggg aaa cct gta tgc att ctt

Phe Asp Lys Ile Leu Val Cys Gly Pro Gly Lys Pro Val Cys Ile Leu 340 345 350

aac cag aac ttt cct aca gaa tcc gct aaa gtc gtg acc gca cag tca

Asn Gln Asn Phe Pro Thr Glu Ser Ala Lys Val Val Thr Ala Gln Ser 355 360 365

aat gga gca aag att cgt ggg aag aaa tca act tct act agt cat agt 1332

Asn Gly Ala Lys Ile Arg Gly Lys Lys Ser Thr Ser Thr Ser His Ser 370 375 380

aac gat tot aag aaa gaa act got gat ttg agg act ott ttg gtg tta 1380

Asn Asp Ser Lys Lys Glu Thr Ala Asp Leu Arg Thr Leu Leu Val Leu 385 . 390 . 395

tgt gca caa gct gta tca gtg gat gat cgt aga acc gcc aac gaa atg

Cys Ala Gln Ala Val Ser Val Asp Asp Arg Arg Thr Ala Asn Glu Met 400 405 410 415

cta agg cag ata cga gag cat tct tcg cct cta ggc aat ggt tca gag 1476

Leu Arg Gln Ile Arg Glu His Ser Ser Pro Leu Gly Asn Gly Ser Glu
420 425 430

cgg ttg get cat tat ttt gca aat agt ctt gaa gca cgc tta gct ggg 1524

Arg Leu Ala His Tyr Phe Ala Asn Ser Leu Glu Ala Arg Leu Ala Gly
435 440 445

acc ggt aca cag atc tac acc gct tta tct tcg aag aaa acg tct gca Thr Gly Thr Gln Ile Tyr Thr Ala Leu Ser Ser Lys Lys Thr Ser Ala 450 455 gca gac atg ttg aag gct tac cag aca tac atg tcg gtc tgc cct ttc 1620 Ala Asp Met Leu Lys Ala Tyr Gln Thr Tyr Met Ser Val Cys Pro Phe aag aaa gct gct atc ata ttt gct aac cac agc atg atg cgt ttc act Lys Lys Ala Ala Ile Ile Phe Ala Asn His Ser Met Met Arg Phe Thr gca aac gcc aac acg atc cac ata ata gat ttc gga ata tct tac ggt 1716 Ala Asn Ala Asn Thr Ile His Ile Ile Asp Phe Gly Ile Ser Tyr Gly 510 ttt cag tgg cct gct ctg att cat cgc ctc tcg ctc agc aga cct ggt 1764 Phe Gln Trp Pro Ala Leu Ile His Arg Leu Ser Leu Ser Arg Pro Gly 5 - P.A. Jak 515 N.S. tyle 1997 \$50 [520] Provided Light 1995 525 460 (1995) ggt tog cot aag ott oga att acc ggt ata gag ott oot oag ogo ggt 1812 Gly Ser Pro Lys Leu Arg Ile Thr Gly Ile Glu Leu Pro Gln Arg Gly 535 . 530 540 ttt aga cca gcg gaa gag ttc agg aga cag gtc atc gct tgg ctc gat Phe Arg Pro Ala Glu Glu Phe Arg Arg Gln Val Ile Ala Trp Leu Asp 550 act gtc agc gac aca atg ttc cgt ttg agt aca acg caa ttg ctc aga Thr Val Ser Asp Thr Met Phe Arg Leu Ser Thr Thr Gln Leu Leu Arg 565 570 575 aat ggg gaa acg atc caa gtc gaa gac tta aag ctt cga caa gga gag Asn Gly Glu Thr Ile Gln Val Glu Asp Leu Lys Leu Arg Gln Gly Glu 580 585 Seat of the tat gtg gtt gtg aac tot ttg tto cgt tto agg aac ott ota gat gag of the state of 1. j. # Tyr Val Val Val Asn Ser Leu Phe Arg Phe Arg Asn Leu Leu Asp Glu 595 600 acc gtt ctg gta aac agc ccg aga gat gca gtt ttg aag ctg ata aga Thr Val Leu Val Asn Ser Pro Arg Asp Ala Val Leu Lys Leu Ile Arg aaa ata aac ccg aat gtc ttc att cca gcg atc tta agc ggg aat tac Lys Ile Asn Pro Asn Val Phe Ile Pro Ala Ile Leu Ser Gly Asn Tyr 625 630 635

aac gcg cca ttc ttt gtc acg agg ttc aga gaa gcg ttg ttt cat tac 2148

Asn Ala Pro Phe Phe Val Thr Arg Phe Arg Glu Ala Leu Phe His Tyr 640 645 650 655

tog get gtg ttt gat atg tgt gac tcg aag cta get agg gaa gac gag 2196

Ser Ala Val Phe Asp Met Cys Asp Ser Lys Leu Ala Arg Glu Asp Glu 660 665 670

atg agg ctg atg tat gag aaa gag ttt tat ggg aga gag att gtg aat 2244

Met Arg Leu Met Tyr Glu Lys Glu Phe Tyr Gly Arg Glu Ile Val Asn 675 680 685

gtt gtg gct tgt gaa gga aca gag aga gtg gag aga cca gag aca tat 2292

Val Val Ala Cys Glu Gly Thr Glu Arg Val Glu Arg Pro Glu Thr Tyr 690 695 700

aag cag tgg cag gcg aga ctg atc cga gcc gga ttt aga cag ctt ccg 2340

Lys Gln Trp Gln Ala Arg Leu Ile Arg Ala Gly Phe Arg Gln Leu Pro 705 710 715

ctt gag aag gaa ctg atg cag aat ctg aag ttg aaa atc gaa aac ggg 2388 Leu Glu Lys Glu Leu Met Gln Asn Leu Lys Leu Lys Ile Glu Asn Gly

tac gat aaa aac ttc gat gtt gat caa aac ggt aac tgg tta ctt caa

2436
Tyr Asp Lys Asn Phe Asp Val Asp Gln Asn Gly Asn Trp Leu Leu Gln
740 745 750

ggg tgg aaa ggt aga atc gtg tat gct tca tct cta tgg gtt cct tcg 2484 Gly Trp Lys Gly Arg Ile Val Tyr Ala Ser Ser Leu Trp Val Pro Ser

tct tca tag atgttgtttc ttacgttcta agcgactggg atttatgtag 2533 Ser Ser

ggcttttctg ttgatagtct ctcgccaaca cgagtggatt aagttcagag ttagggttct 2593

tgaacactag aatgttgtta tattatgctt gtgacatagc gtgtgtaaga gtgtagccta 2653

agagatatag tactcattgc atgatctttt gctatatgtt 2693

<210> 452 <211> 769 <212> PRT <213> Arabidopsis thaliana <400> 452

Met Gly Ser Tyr Pro Asp Gly Phe Pro Gly Ser Met Asp Glu Leu Asp 1 5 10 15

Phe Asn Lys Asp Phe Asp Leu Pro Pro Ser Ser Asn Gln Thr Leu Gly 20 25 Leu Ala Asn Gly Phe Tyr Leu Asp Asp Leu Asp Phe Ser Ser Leu Asp 40 45 Pro Pro Glu Ala Tyr Pro Ser Gln Asn Asn Asn Asn Asn Asn Ile Asn Asn Lys Ala Val Ala Gly Asp Leu Leu Ser Ser Ser Asp Asp Ala Asp Phe Ser Asp Ser Val Leu Lys Tyr Ile Ser Gln Val Leu Met Glu Glu Asp Met Glu Glu Lys Pro Cys Met Phe His Asp Ala Leu Ala Leu 100 1 2 2 105 10 2 2 110 110 2 Gln Ala Ala Glu Lys Ser Leu Tyr Glu Ala Leu Gly Glu Lys Tyr Pro 115 120 125 Ser Ser Ser Ser Ala Ser Ser Val Asp His Pro Glu Arg Leu Ala Ser 135 140 Asp Ser Pro Asp Gly Ser Cys Ser Gly Gly Ala Phe Ser Asp Tyr Ala 150 Ser Thr Thr Thr Thr Ser Ser Asp Ser His Trp Ser Val Asp Gly 165 170 175 Leu Glu Asn Arg Pro Ser Trp Leu His Thr Pro Met Pro Ser Asn Phe 180 185 190 Val Phe Gln Ser Thr Ser Arg Ser Asn Ser Val Thr Gly Gly Gly 195 200 205 Gly Gly Asn Ser Ala Val Tyr Gly Ser Gly Phe Gly Asp Asp Leu Val 215 210 Ser Asn Met Phe Lys Asp Asp Glu Leu Ala Met Gln Phe Lys Lys Gly 230 Val Glu Glu Ala Ser Lys Phe Leu Pro Lys Ser Ser Gln Leu Phe Ile 245 250

Asp Val Asp Ser Tyr Ile Pro Met Asn Ser Gly Ser Lys Glu Asn Gly 260 265 270

- Ser Glu Val Phe Val Lys Thr Glu Lys Lys Asp Glu Thr Glu His His 275 280 285
- His His His Ser Tyr Ala Pro Pro Pro Asn Arg Leu Thr Gly Lys Lys 290 295 300
- Ser His Trp Arg Asp Glu Asp Glu Asp Phe Val Glu Glu Arg Ser Asn 315 320
- Lys Gln Ser Ala Val Tyr Val Glu Glu Ser Glu Leu Ser Glu Met Phe 325 330 335
- Asp Lys Ile Leu Val Cys Gly Pro Gly Lys Pro Val Cys Ile Leu Asn 340 345 350
- Gln Asn Phe Pro Thr Glu Ser Ala Lys Val Val Thr Ala Gln Ser Asn 355 360 365
- Gly Ala Lys Ile Arg Gly Lys Lys Ser Thr Ser Thr Ser His Ser Asn 370 375 380
- Asp Ser Lys Lys Glu Thr Ala Asp Leu Arg Thr Leu Leu Val Leu Cys 385 390 395 400
- Ala Gln Ala Val Ser Val Asp Asp Arg Arg Thr Ala Asn Glu Met Leu 405 410 415
- Arg Gln Ile Arg Glu His Ser Ser Pro Leu Gly Asn Gly Ser Glu Arg 420 425 430
- Leu Ala His Tyr Phe Ala Asn Ser Leu Glu Ala Arg Leu Ala Gly Thr 435 440 445
- Gly Thr Gln Ile Tyr Thr Ala Leu Ser Ser Lys Lys Thr Ser Ala Ala 450 455 460
- Asp Met Leu Lys Ala Tyr Gln Thr Tyr Met Ser Val Cys Pro Phe Lys 475 470 475 480
- Asn Ala Asn Thr Ile His Ile Ile Asp Phe Gly Ile Ser Tyr Gly Phe

500 505 510 Gln Trp Pro Ala Leu Ile His Arg Leu Ser Leu Ser Arg Pro Gly Gly 515 520 525 Ser Pro Lys Leu Arg Ile Thr Gly Ile Glu Leu Pro Gln Arg Gly Phe Arg Pro Ala Glu Glu Phe Arg Arg Gln Val Ile Ala Trp Leu Asp Thr Val Ser Asp Thr Met Phe Arg Leu Ser Thr Thr Gln Leu Leu Arg Asn 565 570 Gly Glu Thr Ile Gln Val Glu Asp Leu Lys Leu Arg Gln Gly Glu Tyr 580 585 Val Val Val Asn Ser Leu Phe Arg Phe Arg Asn Leu Leu Asp Glu Thr \$\tilde{\pi} \tau \tilde{\pi} Val Leu Val Asn Ser Pro Arg Asp Ala Val Leu Lys Leu Ile Arg Lys 610 615 620 Ile Asn Pro Asn Val Phe Ile Pro Ala Ile Leu Ser Gly Asn Tyr Asn 630 635 Ala Pro Phe Phe Val Thr Arg Phe Arg Glu Ala Leu Phe His Tyr Ser 645 650 655 Ala Val Phe Asp Met Cys Asp Ser Lys Leu Ala Arg Glu Asp Glu Met 660 665 670 Arg Leu Met Tyr Glu Lys Glu Phe Tyr Gly Arg Glu Ile Val Asn Val 675 J. F. J. J. B. 484 680 J. F. A. J. Mail 685 F. M. J. Mar. 2.5 Val Ala Cys Glu Gly Thr Glu Arg Val Glu Arg Pro Glu Thr Tyr Lys 690 Gln Trp Gln Ala Arg Leu Ile Arg Ala Gly Phe Arg Gln Leu Pro Leu 705 710 715

Glu Lys Glu Leu Met Gln Asn Leu Lys Leu Lys Ile Glu Asn Gly Tyr

Asp Lys Asn Phe Asp Val Asp Gln Asn Gly Asn Trp Leu Leu Gln Gly

725

740

Trp Lys Gly Arg Ile Val Tyr Ala Ser Ser Leu Trp Val Pro Ser Ser 755 760 765

Ser

<210> 453 <211> 1320 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1320) <223> G1880

<400> 453

atg ttg tcc aac aag aac aca aca tgt tgt gtg gtt tct tct tct 48

Met Leu Ser Asn Lys Asn Thr Asn Thr Cys Cys Val Val Ser Ser Ser 1 5 10 15

tet tet gat eet tee tee tee tee tea gaa aat ggg gte ace ace aca 96

Ser Ser Asp Pro Phe Leu Ser Ser Ser Glu Asn Gly Val Thr Thr 20 25 30

aac aca tee act eag aag agg aaa aga aga eet gea ggt ace eea gat 144

Asn Thr Ser Thr Gln Lys Arg Lys Arg Pro Ala Gly Thr Pro Asp 35 40 45

cca gat gca gaa gtt gtg tct tta tca cca aga act ctt ctt gaa tca 192

Pro Asp Ala Glu Val Val Ser Leu Ser Pro Arg Thr Leu Leu Glu Ser 50 55

gac aga tac ata tgt gag atc tgt aac caa ggg ttt caa aga gac cag  $240\,$ 

Asp Arg Tyr Ile Cys Glu Ile Cys Asn Gln Gly Phe Gln Arg Asp Gln 65 70 75 80

aat ctc cag atg cat aga aga cgt cac aaa gtt cca tgg aag ctt ctt 288

Asn Leu Gln Met His Arg Arg Arg His Lys Val Pro Trp Lys Leu Leu 85 90 95

aaa aga gac aac aac ata gag gtg aag aaa cga gtc tat gtt tgc cct 336

Lys Arg Asp Asn Asn Ile Glu Val Lys Lys Arg Val Tyr Val Cys Pro 100 105 110

gaa ccc act tgc ctt cac cat aat cct tgt cat gct ctg gga gat ctt 384

Glu Pro Thr Cys Leu His His Asn Pro Cys His Ala Leu Gly Asp Leu 115 120 125

gtc ggc atc aaa aaa cat ttc aga aga aaa cat agt aac cat aag caa 432

Val Gly Ile Lys Lys His Phe Arg Arg Lys His Ser Asn His Lys Gln 130 135 140

tgg gtt tgt gag aga tgc tct aaa ggt tat gct gtt caa tct gat tac 480

PCT/US01/26189 WO 02/15675

rp Val Cys Glu Arg Cys Ser Lys Gly Tyr Ala Val Gln Ser Asp Tyr 155 160
rp val Cys Gra 129 150 155
aaa gct cat ctc aaa act tgt ggt act aga gga cat tct tgt gac tgt
528 Lys Ala His Leu Lys Thr Cys Gly Thr Arg Gly His Ser Cys Asp Cys 175 165
ggt cgt gtc ttc tcc agg gtg gag agt ttt att gaa cat caa gat aat
576 Gly Arg Val Phe Ser Arg Val Glu Ser Phe Ile Glu His Gln Asp Asn 180 185 190
tgt tee gea egg aga gtt eae egt gaa eeg eet ega eea eea eaa ace
624 Cys Ser Ala Arg Arg Val His Arg Glu Pro Pro Arg Pro Pro Gln Thr 195 200 205
geg gta aca gtc ccg gca tgc tct tct aga acc gcc tca acc gtc agc
672 Ala Val Thr Val Pro Ala Cys Ser Ser Arg Thr Ala Ser Thr Val Ser 210 215
act cog tot agt gaa acc aat tac ggc ggt aca gtt gcg gtt acg act
720 Thr Pro Ser Ser Glu Thr Asn Tyr Gly Gly Thr Val Ala Val Thr Thr 240 225
cet caa cet eta gaa gge egt eea att eat eag aga ate tea tet tea
768 Pro Gln Pro Leu Glu Gly Arg Pro Ile His Gln Arg Ile Ser Ser 255 245
att ctc acc aac tca tca aac aat ctc aac ctc gaa ctc caa ctt ctt
816 Ile Leu Thr Asn Ser Ser Asn Asn Leu Asn Leu Glu Leu Gln Leu Leu 260 265 270
cca tta tcg tcg aat caa aac cct aat caa gaa aac caa caa caa aaa
Pro Leu Ser Ser Asn Gln Asn Pro Asn Gln Glu Asn Gln Gln Gln Lys 280 285
gtt aaa gaa cca tct cat cat cat aat cat aat cat gat acc aca aac
912 Val Lys Glu Pro Ser His His His Asn His Asn His Asp Thr Thr Asn 290 295
tta aac etc tec att gea eea tea tea tea tat eaa eat tae aac aac 960
Leu Asn Leu Ser Ile Ala Pro Ser Ser Ser 192 320 305 310 320
ttt gat cgt ata aaa gag att atg gcg agc gag caa att atg aag ata 1008
1008 Phe Asp Arg Ile Lys Glu Ile Met Ala Ser Glu Gln Ile Met Lys Ile 335 325 326 337
gcg atg aag gag aaa gct tac gct gag gaa gct aaa aga gaa gcc aag 1056 Ala Met Lys Glu Lys Ala Tyr Ala Glu Glu Ala Lys Arg Glu Ala Lys
Ala Met Lys Glu Lys Ala Tyr Ala Giu Giu Ala 270 May
Λ <del>44</del>

340 345 350

agg caa cga gag ata gcg gaa aac gag ttt gca aat gcc aaa aag att 1104 Arg Gln Arg Glu Ile Ala Glu Asn Glu Phe Ala Asn Ala Lys Lys Ile

agg caa aaa gca caa gct gaa ctc gag aga gct aag ttt tta aag gaa

Arg Gln Lys Ala Gln Ala Glu Leu Glu Arg Ala Lys Phe Leu Lys Glu 370 375 380

caa tot atg aag aag ata agt toa acg atc atg cag gtc act tgt caa 1200

Gln Ser Met Lys Lys Ile Ser Ser Thr Ile Met Gln Val Thr Cys Gln 390 395 400

aca tgt aaa gga cag ttt caa gca gtt gcg gtt ccg gcg gct acg gct 1248

Thr Cys Lys Gly Gln Phe Gln Ala Val Ala Val Pro Ala Ala Thr Ala
405
410
415

gat gag acg tot ott gto gtg agt tac atg tog toa gcg aat act gac 1296

Asp Glu Thr Ser Leu Val Val Ser Tyr Met Ser Ser Ala Asn Thr Asp
420
425
430

gga gag ttg gaa aat ggt ttt taa 1320

Gly Glu Leu Glu Asn Gly Phe 435

<210> 454 <211> 439 <212> PRT <213> Arabidopsis thaliana <400>

Met Leu Ser Asn Lys Asn Thr Asn Thr Cys Cys Val Val Ser Ser Ser 1

Ser Ser Asp Pro Phe Leu Ser Ser Ser Glu Asn Gly Val Thr Thr Thr 25 30

Asn Thr Ser Thr Gln Lys Arg Lys Arg Arg Pro Ala Gly Thr Pro Asp 35 40 45

Pro Asp Ala Glu Val Val Ser Leu Ser Pro Arg Thr Leu Leu Glu Ser 55 60

Asp Arg Tyr Ile Cys Glu Ile Cys Asn Gln Gly Phe Gln Arg Asp Gln 65 70 75 80

Asn Leu Gln Met His Arg Arg Arg His Lys Val Pro Trp Lys Leu Leu 85 90 95

Lys Arg Asp Asn Asn Ile Glu Val Lys Lys Arg Val Tyr Val Cys Pro

100 105 110 Glu Pro Thr Cys Leu His His Asn Pro Cys His Ala Leu Gly Asp Leu 115 120 125 Val Gly Ile Lys Lys His Phe Arg Arg Lys His Ser Asn His Lys Gln 140 130 135 Trp Val Cys Glu Arg Cys Ser Lys Gly Tyr Ala Val Gln Ser Asp Tyr 150 Lys Ala His Leu Lys Thr Cys Gly Thr Arg Gly His Ser Cys Asp Cys 165 170 Gly Arg Val Phe Ser Arg Val Glu Ser Phe Ile Glu His Gln Asp Asn 185 Cys Ser Ala Arg Arg Val His Arg Glu Pro Pro Arg Pro Pro Gln Thr Telephone 195 (W. Carles ) etc. 200 Percent (Charles F. 205 (College) Sec. Ala Val Thr Val Pro Ala Cys Ser Ser Arg Thr Ala Ser Thr Val Ser 210 215 220 Thr Pro Ser Ser Glu Thr Asn Tyr Gly Gly Thr Val Ala Val Thr Thr 225 230 235 . 240 Pro Gln Pro Leu Glu Gly Arg Pro Ile His Gln Arg Ile Ser Ser 255 Ile Leu Thr Asn Ser Ser Asn Asn Leu Asn Leu Glu Leu Gln Leu Leu 260 265 270 Pro Leu Ser Ser Asn Gln Asn Pro Asn Gln Glu Asn Gln Gln Gln Lys ' 19. 10. 275 July 19. 19. 19. 19. 280 Hellow the Apr 285 11. 1984 The Val Lys Glu Pro Ser His His His Asn His Asn His Asp Thr Thr Asn 290 295

Leu Asn Leu Ser Ile Ala Pro Ser Ser Ser Tyr Gln His Tyr Asn Asn 305 310 315 320

Phe Asp Arg Ile Lys Glu Ile Met Ala Ser Glu Gln Ile Met Lys Ile 325 330 335

Ala Met Lys Glu Lys Ala Tyr Ala Glu Glu Ala Lys Arg Glu Ala Lys 340 345 350

Arg Gln Arg Glu Ile Ala Glu Asn Glu Phe Ala Asn Ala Lys Lys Ile 355 360 365

Arg Gln Lys Ala Gln Ala Glu Leu Glu Arg Ala Lys Phe Leu Lys Glu 370 375 380

Gln Ser Met Lys Lys Ile Ser Ser Thr Ile Met Gln Val Thr Cys Gln 385 390 395 400

Thr Cys Lys Gly Gln Phe Gln Ala Val Ala Val Pro Ala Ala Thr Ala 405 410 415

Asp Glu Thr Ser Leu Val Val Ser Tyr Met Ser Ser Ala Asn Thr Asp 420 425 . 430

Gly Glu Leu Glu Asn Gly Phe 435

<210> 455 <211> 1009 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (177)..(866) <223> G1841

<400> 455
cattccgaaa agtacttgtt tattggtgtt attcatcgct gctcaaggtg gcaaaccaag

gagaacaaga agagtccagg gccaatgagc ctgagggtat caaatcagtg attgatgaca

tctacatttt tgaagacgac cctgtggttg ataggttcaa taggtttggc acggag atg 179

Met

1

tct gcc atg gtc tcg gcc ttg aca cag gtg gtt tct gct cgc tct cag 227

Ser Ala Met Val Ser Ala Leu Thr Gln Val Val Ser Ala Arg Ser Gln 5 10 15

act gag gct gaa ggt gct cac tct cag act gag gct gaa ggt gct cac 275

Thr Glu Ala Glu Gly Ala His Ser Gln Thr Glu Ala Glu Gly Ala His
20 25 30

tot tot toc tot tog got gga cat aaa aga gga tgg ott gga ato gat

Ser Ser Ser Ser Ser Ala Gly His Lys Arg Gly Trp Leu Gly Ile Asp 35 40 45

tet get eet att eec tea tea tit get egt gta gae tet tea eat aat 371

Ser Ala Pro Ile Pro Ser Ser Phe Ala Arg Val Asp Ser Ser His Asn 50 55 60 65

PCT/US01/26189 WO 02/15675

ccg atc gaa gaa tcc atg agc aag gca ttt cca gag gaa gca agg gag Pro Ile Glu Glu Ser Met Ser Lys Ala Phe Pro Glu Glu Ala Arg Glu

aaa aaa agg agg tac aga gga gta agg cag aga cca tgg ggc aaa tgg Lys Lys Arg Arg Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys Trp 85

gca gct gag ata cgt gat cca cat aga gcc gct agg gtt tgg ctc ggg Ala Ala Glu Ile Arg Asp Pro His Arg Ala Ala Arg Val Trp Leu Gly 100

acg ttt gat aca gcg gag gcc gcg gct aga gcc tac gac gag gct gca Thr Phe Asp Thr Ala Glu Ala Ala Ala Arg Ala Tyr Asp Glu Ala Ala

120 115

ctc cgg ttc cgt gga aat aaa gca aag cta aat ttc cca gag gat gta Leu Arg Phe Arg Gly Asn Lys Ala Lys Leu Asn Phe Pro Glu Asp Val 135

agg att ctt cct cct cct cct ctt ctt cgt tca cca gct gac acg Arg Ile Leu Pro Pro Pro Pro Leu Leu Arg Ser Pro Ala Asp Thr 150

gtg gcg aat aaa gca gaa gag gat ctg ata aat tat tgg agt tat aca Val Ala Asn Lys Ala Glu Glu Asp Leu Ile Asn Tyr Trp Ser Tyr Thr 165

aag ttg ttg caa agt tca ggc caa cgg tca ttt ctc gag cga gga caa Lys Leu Leu Gln Ser Ser Gly Gln Arg Ser Phe Leu Glu Arg Gly Gln 180

gaa gag agt agt aac ata ttt gaa cat tca cca atg gaa caa cct ctg Glu Glu Ser Ser Asn Ile Phe Glu His Ser Pro Met Glu Gln Pro Leu 200 195

cet cet tea agt tet ggt cea agt tee tet aat ttt cet gea eet tet Pro Pro Ser Ser Ser Gly Pro Ser Ser Ser Asn Phe Pro Ala Pro Ser 210

cta cct aat aca tag tttcactttt attaaagctc tacaaataca attaaataca 906 Leu Pro Asn Thr

tagctaaatg aaaatgattt tettgtetgt atacettett aagtgetaaa caatatattg

1009

<210> 456 <211> 229 <212> PRT <213> Arabidopsis thaliana <400>

- Met Ser Ala Met Val Ser Ala Leu Thr Gln Val Val Ser Ala Arg Ser 1 5 10 15
- Gln Thr Glu Ala Glu Gly Ala His Ser Gln Thr Glu Ala Glu Gly Ala 20 25 . 30
- His Ser Ser Ser Ser Ala Gly His Lys Arg Gly Trp Leu Gly Ile 35 40 45
- Asp Ser Ala Pro Ile Pro Ser Ser Phe Ala Arg Val Asp Ser Ser His 50 55 60
- Asn Pro Ile Glu Glu Ser Met Ser Lys Ala Phe Pro Glu Glu Ala Arg
  65 70 75 80
- Glu Lys Lys Arg Arg Tyr Arg Gly Val Arg Gln Arg Pro Trp Gly Lys 85 90 95
- Trp Ala Ala Glu Ile Arg Asp Pro His Arg Ala Ala Arg Val Trp Leu 100 105 110
- Gly Thr Phe Asp Thr Ala Glu Ala Ala Ala Arg Ala Tyr Asp Glu Ala 115 120 125
- Ala Leu Arg Phe Arg Gly Asn Lys Ala Lys Leu Asn Phe Pro Glu Asp 130 135 140
- Val Arg Ile Leu Pro Pro Pro Pro Pro Leu Leu Arg Ser Pro Ala Asp 145 150 150 155 160
- Thr Val Ala Asn Lys Ala Glu Glu Asp Leu Ile Asn Tyr Trp Ser Tyr 165 170 175
- Thr Lys Leu Glu Ser Ser Gly Gln Arg Ser Phe Leu Glu Arg Gly 180 185 190
- Gln Glu Glu Ser Ser Asn Ile Phe Glu His Ser Pro Met Glu Gln Pro 195 200 205
- Leu Pro Pro Ser Ser Ser Gly Pro Ser Ser Ser Asn Phe Pro Ala Pro
  210 215 220

Ser Leu Pro Asn Thr

<210> 457 <211> 861 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(861) <223> G2007 <400> 457 atg gga agg cag cca tgt tgt gac aag ctc atg gtg aag aag ggg ccg Met Gly Arg Gln Pro Cys Cys Asp Lys Leu Met Val Lys Lys Gly Pro tgg acg gcg gag gaa gac aag aaa ctg ata aac ttt atc ttg acc aac Trp Thr Ala Glu Glu Asp Lys Lys Leu Ile Asn Phe Ile Leu Thr Asn 20 25 ggc cac tgt tgc tgg agg gct ttg ccg aag ctg gcc ggt ctc cgt cgc 144 Gly His Cys Cys Trp Arg Ala Leu Pro Lys Leu Ala Gly Leu Arg Arg 35 40 tgt ggg aag age tge egt eta egg tgg ace aat tat ete ega eet gae Cys Gly Lys Ser Cys Arg Leu Arg Trp Thr Asn Tyr Leu Arg Pro Asp 11.50 d to the 11.55 state 55. ttg aag aga ggt ctt ctc tcc gac gcc gag gaa cag ctt gtc atc gac Leu Lys Arg Gly Leu Leu Ser Asp Ala Glu Glu Gln Leu Val Ile Asp ctt cat gct dtt ctc ggc aac aga tgg tcc aag atc gct gca aga tta ' Leu His Ala Leu Leu Gly Asn Arg Trp Ser Lys Ile Ala Ala Arg Leu 85 . 90 cca gga aga aca gac aac gaa ata aaa aat cat tgg aat act cat atc 336 Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn His Trp Asn Thr His Ile 105 100 110 aag aag aag ctc ctt aag atg gaa atc gat cct tcg acc cat caa cct 384 Lys Lys Leu Leu Lys Met Glu Ile Asp Pro Ser Thr His Gln Pro 115 120 125 tta aac aaa gta ttt acc gat aca aac tta gtc gat aaa tct gaa act Leu Asn Lys Val Phe Thr Asp Thr Asn Leu Val Asp Lys Ser Glu Thr 135 130 140 tca tcg aaa gcc gac aat gta aat gat aat aaa atc gta gag atc gat Ser Ser Lys Ala Asp Asn Val Asn Asp Asn Lys Ile Val Glu Ile Asp 150 155 ggg aca acg aca aat aca ata gat gat agc att atc act cat caa aat Gly Thr Thr Thr Asn Thr Ile Asp Asp Ser Ile Ile Thr His Gln Asn 165 170

100 97

agt tca aat gat gat tat gaa tta ctt ggt gat ata att cat aat tat 576

Ser Ser Asn Asp Asp Tyr Glu Leu Leu Gly Asp Ile Ile His Asn Tyr 180 185 190

gga gat tta ttt aat att cta tgg acc aac gat gaa cct cct cta gtc 624

Gly Asp Leu Phe Asn Ile Leu Trp Thr Asn Asp Glu Pro Pro Leu Val 195 200 205

gat gat gca tca tgg agc aat cat aac gtt ggt att gga gga aca gct 672

Asp Asp Ala Ser Trp Ser Asn His Asn Val Gly Ile Gly Gly Thr Ala 210 215 220

gca gtt gca gcc tca gac aag aac aac act gct gcc gag gaa gat ttc 720

Ala Val Ala Ala Ser Asp Lys Asn Asn Thr Ala Ala Glu Glu Asp Phe 225 230 235 240

ccg gaa aga tca ttt gaa aaa cag aac ggc gaa agt tgg atg ttc ttg

Pro Glu Arg Ser Phe Glu Lys Gln Asn Gly Glu Ser Trp Met Phe Leu 245 250 255

gat tat tgc caa gaa ttt ggt gtt gaa gat ttt ggg ttc gag tgt tac 816

Asp Tyr Cys Gln Glu Phe Gly Val Glu Asp Phe Gly Phe Glu Cys Tyr 260 265 270

cat ggt ttt ggt caa agc tcc atg aag acg ggt cac aag gac tag

His Gly Phe Gly Gln Ser Ser Met Lys Thr Gly His Lys Asp 275 280 280

<210> 458 <211> 286 <212> PRT <213> Arabidopsis thaliana <400> 458

Met Gly Arg Gln Pro Cys Cys Asp Lys Leu Met Val Lys Lys Gly Pro 1 5 10 15

Trp Thr Ala Glu Glu Asp Lys Lys Leu Ile Asn Phe Ile Leu Thr Asn 20 25 30

Gly His Cys Cys Trp Arg Ala Leu Pro Lys Leu Ala Gly Leu Arg Arg 35 40 45

Cys Gly Lys Ser Cys Arg Leu Arg Trp Thr Asn Tyr Leu Arg Pro Asp 50 55 60

Leu Lys Arg Gly Leu Leu Ser Asp Ala Glu Glu Gln Leu Val Ile Asp 65 70 75 80

Leu His Ala Leu Leu Gly Asn Arg Trp Ser Lys Ile Ala Ala Arg Leu

85 90 95

Pro Gly Arg Thr Asp Asn Glu Ile Lys Asn His Trp Asn Thr His Ile 100 105 110

Lys Lys Leu Leu Lys Met Glu Ile Asp Pro Ser Thr His Gln Pro 115 120 125

Leu Asn Lys Val Phe Thr Asp Thr Asn Leu Val Asp Lys Ser Glu Thr 130 135 140

Ser Ser Lys Ala Asp Asn Val Asn Asp Asn Lys Ile Val Glu Ile Asp 145 150 155 160

Gly Thr Thr Asn Thr Ile Asp Asp Ser Ile Ile Thr His Gln Asn
165 170 175

Ser Ser Asn Asp Asp Tyr Glu Leu Leu Gly Asp Ile Ile His Asn Tyr

Gly Asp Leu Phe Asn Ile Leu Trp Thr Asn Asp Glu Pro Pro Leu Val

Asp Asp Ala Ser Trp Ser Asn His Asn Val Gly Ile Gly Gly Thr Ala `210 215 220

Ala Val Ala Ala Ser Asp Lys Asn Asn Thr Ala Ala Glu Glu Asp Phe 225 230 235 240

Pro Glu Arg Ser Phe Glu Lys Gln Asn Gly Glu Ser Trp Met Phe Leu 245 250 255

Asp Tyr Cys Gln Glu Phe Gly Val Glu Asp Phe Gly Phe Glu Cys Tyr 260 265 270

His Gly Phe Gly Gln Ser Ser Met Lys Thr Gly His Lys Asp 275 280 285

<210> 459 <211> 1388 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (280)..(1095) <223> G926

<400> 459

ccaaaatcta gggttttctt ctcgcccaat ttcacttttc ttctacgaaa ttctccattc 60

ctgccggctg tcgggttttc tgaatcgatt ctccttcacc aacttcttct ctggttctgt 120

tcgattctga tttttttca aggtcaattt tttcttctct ttaaactctg caaaatcgtg 180

atcgattaaa ttcacctcag ggttttttga tttctgaaag aagttaatct tcttcgaagg 240

cgattgcaaa agagtgctct gctgtgaatt tccactgag atg caa tca aaa ccg 294

Met Gln Ser Lys Pro 1 5

gga aga gaa aac gaa gag gaa gtc aat aat cac cat gct gtt cag cag 342

ccg atg atg tat gca gag ccc tgg tgg aaa aac aac tcc ttt ggt gtt 390

Pro Met Met Tyr Ala Glu Pro Trp Trp Lys Asn Asn Ser Phe Gly Val 25 30 35

gta cot caa gog aga cot tot gga att coa toa aat too tot tot ttg 438

Val Pro Gln Ala Arg Pro Ser Gly Ile Pro Ser Asn Ser Ser Leu
40 45 50

gat tgc ccc aat ggt tcc gag tca aac gat gtt cat tca gca tct gaa 486

Asp Cys Pro Asn Gly Ser Glu Ser Asn Asp Val His Ser Ala Ser Glu 55 60 65

gac ggt gcg ttg aat ggt gaa aac gat ggc act tgg aag gat tca caa 534

Asp Gly Ala Leu Asn Gly Glu Asn Asp Gly Thr Trp Lys Asp Ser Gln 70 75 80 85

gct gca act tcc tct cgt tca gat aat cac gga atg gaa gga aat gac 582

Ala Ala Thr Ser Ser Arg Ser Asp Asn His Gly Met Glu Gly Asn Asp 90 95 100

cca gcg ctc tct atc cgt aac atg cat gat cag cca ctt gta caa cca 630

Pro Ala Leu Ser Ile Arg Asn Met His Asp Gln Pro Leu Val Gln Pro 105 110 115

cca gag ctt gtt gga cac tat atc gct tgt gtc cca aac cca tat cag 678

Pro Glu Leu Val Gly His Tyr Ile Ala Cys Val Pro Asn Pro Tyr Gln 120 125 130

gat cca tat tat ggg gga ttg atg gga gca tat ggt cat cag caa ttg

Asp Pro Tyr Tyr Gly Gly Leu Met Gly Ala Tyr Gly His Gln Gln Leu 135 140 145

ggt ttt cgt cca tat ctt gga atg cct cgt gaa aga aca gct ctg cca

Gly Phe Arg Pro Tyr Leu Gly Met Pro Arg Glu Arg Thr Ala Leu Pro 150 165 166 PCT/US01/26189 WO 02/15675

ctt gac atg gca caa gag ccc gtt tat gtg aat gca aag cag tac gag 822 Leu Asp Met Ala Gln Glu Pro Val Tyr Val Asn Ala Lys Gln Tyr Glu

gga att cta agg cga aga aaa gca cgt gcc aag gca gag cta gag agg 870 Gly Ile Leu Arg Arg Arg Lys Ala Arg Ala Lys Ala Glu Leu Glu Arg 185

aaa gtc atc cgg gac aga aag cca tat ctt cac gag tca aga cac aag 918 Lys Val Ile Arg Asp Arg Lys Pro Tyr Leu His Glu Ser Arg His Lys 200 205

cat gca atg aga agg gca cga gcg agt gga ggc cgg ttt gcg aag aaa 966 His Ala Met Arg Arg Ala Arg Ala Ser Gly Gly Arg Phe Ala Lys Lys 215

agt gag gta gaa gcg gga gag gat gca gga ggg aga gac aga gaa agg 1014 Ser Glu Val Glu Ala Gly Glu Asp Ala Gly Gly Arg Asp Arg Glu Arg 230

ggt tca gca acc aac tca tca ggc tct gaa caa gtt gag aca gac tct 1062
Gly Ser Ala Thr Asn Ser Ser Gly Ser Glu Gln Val Glu Thr Asp Ser 250

aat gag acc ctg aat tct tct ggt gca cca taa taaaaaaagc caaagctctg
1115
Asn Glu Thr Leu Asn Ser Ser Gly Ala Pro
265
270

agaggagaga gagacacaca ctttggctaa tataatccat tgcctcaaac cggcaaatca 1175

ttottggctt tttcgttttt gtgtttgcta gttgttcttg tcagagtctc atattgtgtg 1235

ggtttaacag ttatgatgaa tgtacaaaga gcgagttatg ttaggtgtta gattttggag 1295

acaagagaca aaggaatagc aagtaggtot tgtttttatt ctttgacctt ttttttctct 1355

tttgcaaaat tgaaaaatac gtttgcttaa aaa 1388

<210> 460 <211> 271 <212> PRT <213> Arabidopsis thaliana <400> 460

Met Gln Ser Lys Pro Gly Arg Glu Asn Glu Glu Glu Val Asn Asn His 10

His Ala Val Gln Gln Pro Met Met Tyr Ala Glu Pro Trp Trp Lys Asn 20 25

Asn Ser Phe Gly Val Val Pro Gln Ala Arg Pro Ser Gly Ile Pro Ser 35 40 45

- Asn Ser Ser Ser Leu Asp Cys Pro Asn Gly Ser Glu Ser Asn Asp Val
- His Ser Ala Ser Glu Asp Gly Ala Leu Asn Gly Glu Asn Asp Gly Thr 75 75 80
- Trp Lys Asp Ser Gln Ala Ala Thr Ser Ser Arg Ser Asp Asn His Gly 85 90 95
- Met Glu Gly Asn Asp Pro Ala Leu Ser Ile Arg Asn Met His Asp Gln 100 105 105
- Pro Leu Val Gln Pro Pro Glu Leu Val Gly His Tyr Ile Ala Cys Val 115 120 125
- Pro Asn Pro Tyr Gln Asp Pro Tyr Tyr Gly Gly Leu Met Gly Ala Tyr 130 135 140
- Gly His Gln Gln Leu Gly Phe Arg Pro Tyr Leu Gly Met Pro Arg Glu 145 150 155 160
- Arg Thr Ala Leu Pro Leu Asp Met Ala Gln Glu Pro Val Tyr Val Asn 165 170 175
- Ala Lys Gln Tyr Glu Gly Ile Leu Arg Arg Arg Lys Ala Arg Ala Lys
  180 185 .190
- Ala Glu Leu Glu Arg Lys Val Ile Arg Asp Arg Lys Pro Tyr Leu His
- Glu Ser Arg His Lys His Ala Met Arg Arg Ala Arg Ala Ser Gly Gly 210 215 220
- Arg Phe Ala Lys Lys Ser Glu Val Glu Ala Gly Glu Asp Ala Gly Gly 235 230 240
- Arg Asp Arg Glu Arg Gly Ser Ala Thr Asn Ser Ser Gly Ser Glu Gln 245 250 250
- Val Glu Thr Asp Ser Asn Glu Thr Leu Asn Ser Ser Gly Ala Pro
  260 265 270

<210> 461 <211> 983 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (108)..(722) <223> G280

<400> 461

aagttaatat gagaataatg agaaaaccac tttcccaaat tgctttttaa aatccctcct

cacacagatt cettecttca teaceteaca cactetetae gettgae atg gee tte 116

Met Ala Phe

gat ctc cac cat ggc tca gct tca gat acg cat tca tca gaa ctt ccg 164

Asp Leu His His Gly Ser Ala Ser Asp Thr His Ser Ser Glu Leu Pro 5 10 15

tcg ttt tct ctc cca cct tat cct cag atg ata atg gaa gcg att gag 212

Ser Phe Ser Leu Pro Pro Tyr Pro Gln Met Ile Met Glu Ala Ile Glu 20 25 30 35

tice ttg aac gat aag aac ggc tgc aac aaa acg acg att gct aag cac 260

Ser Leu Asn Asp Lys Asn Gly Cys Asn Lys Thr Thr Ile Ala Lys His

ate gag teg act caa caa act eta eeg eeg tea cae atg aeg etg etc 308

Ile Glu Ser Thr Gln Gln Thr Leu Pro Pro Ser His Met Thr Leu Leu 55 60 65

age tac cat ctc aac cag atg aag aaa acc ggt cag cta atc atg gtg 356

Ser Tyr His Leu Asn Gln Met Lys Lys Thr Gly Gln Leu Ile Met Val 70 75 80

aag aac aat tat atg aaa cca gat cca gat gct cct cct aag cgt ggt 404

Lys Asn Asn Tyr Met Lys Pro Asp Pro Asp Ala Pro Pro Lys Arg Gly 85 90 95

cgt ggc cgt cct ccg aag cag aact cag gcc gaa tct gac gcc gct 452

Arg Gly Arg Pro Pro Lys Gln Lys Thr Gln Ala Glu Ser Asp Ala Ala 100 105 110 115

get get get gtt get gec acc gtc gtc tet aca gat ccg cct aga 500

Ala Ala Ala Val Val Ala Ala Thr Val Val Ser Thr Asp Pro Pro Arg
120 125 130

tet egt gge egt eea eeg aag eeg aaa gat eea teg gag eet eee eag

Ser Arg Gly Arg Pro Pro Lys Pro Lys Asp Pro Ser Glu Pro Pro Gln 135 140 145

gag aag gtc att acc gga tct gga agg cca cga gga cga cca ccg aag 596

Glu Lys Val Ile Thr Gly Ser Gly Arg Pro Arg Gly Arg Pro Pro Lys 150 155 160

aga ccg aga aca gat tcg gag acg gtt gct gcg ccg gaa ccg gca gct

Arg Pro Arg Thr Asp Ser Glu Thr Val Ala Ala Pro Glu Pro Ala Ala 165 170 175

cag gcg aca ggt gag cgt agg gga cgt ggg aga cct ccg aag gtg aag

Gln Ala Thr Gly Glu Arg Arg Gly Arg Gly Arg Pro Pro Lys Val Lys 180 185 190 190

ccg acg gtg gtt gct ccg gtt ggg tgc tga attaatcggt acttatgcaa 742 Pro Thr Val Val Ala Pro Val Gly Cys

tttcggaatc tttagttact gaaaaatgga atctcttaga gagtaagaga gtgctttaat

ttagcttaat tagatttatt tggatttctt tcagtatttg gattgtaaac tttagaattt

gtgtgtgtgt tgttgcttag tcctgagata agatataaca ttagcgactg tgtattatta 922

a 983

<210> 462 <211> 204 <212> PRT <213> Arabidopsis thaliana <400>

Met Ala Phe Asp Leu His His Gly Ser Ala Ser Asp Thr His Ser Ser 1 10 15

Glu Leu Pro Ser Phe Ser Leu Pro Pro Tyr Pro Gln Met Ile Met Glu 20 25 30

Ala Ile Glu Ser Leu Asn Asp Lys Asn Gly Cys Asn Lys Thr Thr Ile 35 40 45

Ala Lys His Ile Glu Ser Thr Gln Gln Thr Leu Pro Pro Ser His Met 50 55 60

Thr Leu Leu Ser Tyr His Leu Asn Gln Met Lys Lys Thr Gly Gln Leu 65 70 75 80

Ile Met Val Lys Asn Asn Tyr Met Lys Pro Asp Pro Asp Ala Pro Pro 85 90 95

Lys Arg Gly Arg Gly Arg Pro Pro Lys Gln Lys Thr Gln Ala Glu Ser 100 105 110

Asp Ala Ala Ala Ala Val Val Ala Ala Thr Val Val Ser Thr Asp 115 120 125

Pro Pro Arg Ser Arg Gly Arg Pro Pro Lys Pro Lys Asp Pro Ser Glu 130 135 140

Pro Pro Gln Glu Lys Val Ile Thr Gly Ser Gly Arg Pro Arg Gly Arg 145 150 155 160

Pro Pro Lys Arg Pro Arg Thr Asp Ser Glu Thr Val Ala Ala Pro Glu 165 170 175

Pro Ala Ala Gin Ala Thr Gly Glu Arg Arg Gly Arg Pro Pro 180 185 190

Lys Val Lys Pro Thr Val Val Ala Pro Val Gly Cys 195 200 -

<210> 463 <211> 1359 <212> DNA <213> Arabidopsis thaliana <220> <221> CDS <222> (1)..(1359) <223> G374

<220> <221> DS <222> (1)..(1359) <223> G374

<400> 463

atg gac aac aaa aat gat cag gat att gat gtt aga tca gtg gtt gaa 48

Met Asp Asn Lys Asn Asp Gln Asp Ile Asp Val Arg Ser Val Val Glu
1 5 10 15

get gtt tee gee gat ett tee tit ggt get eec ete tat gtg gtt gag 96

Ala Val Ser Ala Asp Leu Ser Phe Gly Ala Pro Leu Tyr Val Val Glu 20 25 30

agc atg tgc atg cgc tgc caa gaa aat gga aca acc aga ttt cta ttg

Ser Met Cys Met Arg Cys Gln Glu Asn Gly Thr Thr Arg Phe Leu Leu 35 40 45

acc tta att cct cac ttc aga aag gtc tta ata tct gca ttt gaa tgt

Thr Leu Ile Pro His Phe Arg Lys Val Leu Ile Ser Ala Phe Glu Cys
50 55 60

ccg cat tgc ggg gaa agg aat aat gaa gtt cag ttc gca ggc gag att 240

Pro His Cys Gly Glu Arg Asn Asn Glu Val Gln Phe Ala Gly Glu Ile 65 70 75 80

caa ccc cgt gga tgc tgt tac aat cta gag gtt cta gct ggt gat gtg

Gln Pro Arg Gly Cys Cys Tyr Asn Leu Glu Val Leu Ala Gly Asp Val 85 90 95

aag ata ttt gac cgg caa gtt gtg aaa tct gaa tca gcc act atť aag 336 Lys Ile Phe Asp Arg Gln Val Val Lys Ser Glu Ser Ala Thr Ile Lys 100 105 att cct gaa ctg gat ttt gag att cca cca gag gcc caa cgt gga agt 384 Ile Pro Glu Leu Asp Phe Glu Ile Pro Pro Glu Ala Gln Arg Gly Ser 115 ttg tet act gtg gaa ggg ata tta gca cgg gct gct gat gaa ctg agt Leu Ser Thr Val Glu Gly Ile Leu Ala Arg Ala Asp Glu Leu Ser 130 135 gcc ctt caa gaa gaa cgc aag aaa gtt gat cct aaa act gct gaa gca 480 Ala Leu Gln Glu Glu Arg Lys Lys Val Asp Pro Lys Thr Ala Glu Ala 145 150 ata gac caa ttc ttg tcc aaa ctg aga gct tgt gct aaa gca gag aca Ile Asp Gln Phe Leu Ser Lys Leu Arg Ala Cys Ala Lys Ala Glu Thr 170 tec tte ace tte att ttg gat gat eet get gga aac agt tte att gag Ser Phe Thr Phe Ile Leu Asp Asp Pro Ala Gly Asn Ser Phe Ile Glu 180 aac cca cat get cca tca cca gat ccc tct cta acc atc aaa ttc tat 624 Asn Pro His Ala Pro Ser Pro Asp Pro Ser Leu Thr Ile Lys Phe Tyr 195 , 200 gag cga aca cca gag caa caa gca aca ctt gga tat gtt gct aac cca 672 Glu Arg Thr Pro Glu Gln Gln Ala Thr Leu Gly Tyr Val Ala Asn Pro 215 tet cag get gga caa tea gaa gga age ett gge gea eet gtg atg act Ser Gln Ala Gly Gln Ser Glu Gly Ser Leu Gly Ala Pro Val Met Thr 225 230 235 240 ttc cct tca act tgc gga gca tgt acg gag ccg tgt gag aca cgg atg Phe Pro Ser Thr Cys Gly Ala Cys Thr Glu Pro Cys Glu Thr Arg Met 245 ttc aaa ata gaa atc ccg tac ttt cag gaa gtt att gtc atg gca tct Phe Lys Ile Glu Ile Pro Tyr Phe Gln Glu Val Ile Val Met Ala Ser 260 265 aca tgt gac agt tgt ggc tat cgt aat tct gag ttg aag cct ggt ggt Thr Cys Asp Ser Cys Gly Tyr Arg Asn Ser Glu Leu Lys Pro Gly Gly 275 280

gca att cct gaa aag gga aag aat act ctc tct gtg agg aac att Ala Ile Pro Glu Lys Gly Lys Lys Ile Thr Leu Ser Val Arg Asn Ile 290 295 aca gac ctt agc cga gat gtt atc aag tcg gac act gca gga gtg ata Thr Asp Leu Ser Arg Asp Val Ile Lys Ser Asp Thr Ala Gly Val Ile 310 315 atc cca gaa ctt gat ctg gag cta gct ggt ggt aca ctt ggt gga atg Ile Pro Glu Leu Asp Leu Glu Leu Ala Gly Gly Thr Leu Gly Gly Met 325 gta aca aca gtt gaa ggg ttg gtt aca cag atc aga gaa agc cta gcg 1056 Val Thr Thr Val Glu Gly Leu Val Thr Gln Ile Arg Glu Ser Leu Ala , 340 345 350 aga gtt cac gga ttc act ttt ggt gat agt atg gaa gag agt aag ttg Arg Val His Gly Phe Thr Phe Gly Asp Ser Met Glu Glu Ser Lys Leu 355 360 aac aaa tgg aga gaa ttt gga gcc agg ctc act aag ctc cta agc ttt 1152 Constitution of Section 8. Asn Lys Trp Arg Glu Phe Gly Ala Arg Leu Thr Lys Leu Leu Ser Phe 375 380 gaa cag ccg tgg aca ttg att ctt gat gat gaa tta gca aat tcc ttt Glu Gln Pro Trp Thr Leu Ile Leu Asp Asp Glu Leu Ala Asn Ser Phe 385 390 att gca cca gta aca gat gat atc aaa gat gac cat cag ctc aca ttt 1248 Ile Ala Pro Val Thr Asp Asp Ile Lys Asp Asp His Gln Leu Thr Phe 405 410 gaa gag tac gag agg tca tgg gat caa aac gag gag ttg ggt ctc aac 1296 Glu Glu Tyr Glu Arg Ser Trp Asp Gln Asn Glu Glu Leu Gly Leu Asn 425 420 gac ata gat act tot toa got gat got got tat gaa too aca gag acg Asp Ile Asp Thr Ser Ser Ala Asp Ala Ala Tyr Glu Ser Thr Glu Thr

act aaa tta cct taa 1359 Thr Lys Leu Pro 450

435

<210> 464 <211> 452 <212> PRT <213> Arabidopsis thaliana <400> 464

Met Asp Asn Lys Asn Asp Gln Asp Ile Asp Val Arg Ser Val Val Glu 1 5 10 15

Ala Val Ser Ala Asp Leu Ser Phe Gly Ala Pro Leu Tyr Val Val Glu 20 25 30

- Ser Met Cys Met Arg Cys Gln Glu Asn Gly Thr Thr Arg Phe Leu Leu 35 40 45
- Thr Leu Ile Pro His Phe Arg Lys Val Leu Ile Ser Ala Phe Glu Cys 50 60
- Pro His Cys Gly Glu Arg Asn Asn Glu Val Gln Phe Ala Gly Glu Ile 70 75 80
- Gln Pro Arg Gly Cys Cys Tyr Asn Leu Glu Val Leu Ala Gly Asp Val 85 90 95
- Lys Ile Phe Asp Arg Gln Val Val Lys Ser Glu Ser Ala Thr Ile Lys 100 105 110
- Ile Pro Glu Leu Asp Phe Glu Ile Pro Pro Glu Ala Gln Arg Gly Ser 115 120 125
- Leu Ser Thr Val Glu Gly Ile Leu Ala Arg Ala Ala Asp Glu Leu Ser 130 140
- Ala Leu Gln Glu Glu Arg Lys Lys Val Asp Pro Lys Thr Ala Glu Ala 145 150 155 160
- Ile Asp Gln Phe Leu Ser Lys Leu Arg Ala Cys Ala Lys Ala Glu Thr 165 170 175
- Ser Phe Thr Phe Ile Leu Asp Asp Pro Ala Gly Asn Ser Phe Ile Glu 180 185 190
- Asn Pro His Ala Pro Ser Pro Asp Pro Ser Leu Thr Ile Lys Phe Tyr 195 200 205
- Glu Arg Thr Pro Glu Gln Gln Ala Thr Leu Gly Tyr Val Ala Asn Pro 210 215 220
- Ser Gln Ala Gly Gln Ser Glu Gly Ser Leu Gly Ala Pro Val Met Thr 225 230 235 240
- Phe Pro Ser Thr Cys Gly Ala Cys Thr Glu Pro Cys Glu Thr Arg Met 245 255

Phe Lys Ile Glu Ile Pro Tyr Phe Gln Glu Val Ile Val Met Ala Ser 260 265 270

Thr Cys Asp Ser Cys Gly Tyr Arg Asn Ser Glu Leu Lys Pro Gly Gly 275 280 285

Ala Ile Pro Glu Lys Gly Lys Lys Ile Thr Leu Ser Val Arg Asn Ile 290 295 300

Thr Asp Leu Ser Arg Asp Val Ile Lys Ser Asp Thr Ala Gly Val Ile 305 310  $\sim$  315 320

Ile Pro Glu Leu Asp Leu Glu Leu Ala Gly Gly Thr Leu Gly Gly Met
325 330 335

Val Thr Thr Val Glu Gly Leu Val Thr Gln Ile Arg Glu Ser Leu Ala

Arg Val His Gly Phe Thr Phe Gly Asp Ser Met Glu Glu Ser Lys Leu 355 360 365

Asn Lys Trp Arg Glu Phe Gly Ala Arg Leu Thr Lys Leu Leu Ser Phe 370 380

Glu Gln Pro Trp Thr Leu Ile Leu Asp Asp Glu Leu Ala Asn Ser Phe 385 390 395 400

Ile Ala Pro Val Thr Asp Asp Ile Lys Asp Asp His Gln Leu Thr Phe 405 410 415

Glu Glu Tyr Glu Arg Ser Trp Asp Gln Asn Glu Glu Leu Gly Leu Asn 420 425 430

Asp Ile Asp Thr Ser Ser Ala Asp Ala Ala Tyr Glu Ser Thr Glu Thr 435 440 445

Thr Lys Leu Pro 450

### INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/26189

KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLB, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis caprosased sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from developing seeds. The metabolic pathway from developing the developing seeds and the service and not in conflict with the application but clied to understand the principle or theory maching the developing tags and the service and not in conflict with the application but clied to understand the principle or theory maching the pathway from decument with the application or	IPC(7) US CL According to B. FIEL Minimum do U.S.: 4: Documentation	: A01H 5/00; C12P 21/00; C12N 15/82 : 435/69.1; 800/279, 281, 289, 290, 300, 301  International Patent Classification (IPC) or to both national classification and IPC  DS SEARCHED  cumentation searched (classification system followed by classification symbols) 35/69.1; 800/279, 281, 289, 290, 300, 301  on searched other than minimum documentation to the extent that such documents are included to base consulted during the international search (name of data base and, where practicable, search of SEQ ID NOs: 1, 2, 3 and 4  IMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-aheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, searching for members of the GCC-box binding motif in higher plants is not restricted to the restricted to the restriction of the MALLE, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the restriction of Medicine, Bethesda, MD), submitted 19 March 2001.  **Eurther documents are listed in the continuation of Box C.  **Special casegories of cited document.  **A comment of the international lacar to the strent than the orthologue to the international Library of Medicine, Bethesda, MD), submitted 19 March 2001.  **Special casegories of cited documents:  **Comment of the international character funds to be better than the reforms the continuation of the members of the R2R3-MT8 gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  **A ShALLE, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the restricted to the restriction of the members of the R2R3-MS98, Vol. 95, pages 318-3322, see entire document, in particular Fig. 1A on page 3319.  **X.P.** Database NCBI on WEST, AN BES22812. WHITE, J.A. et al. 'A new set of 318-3322, see entire document, in particular Fig. 1A on page 3319.  **X.P.** Database NCBI on WEST, AN BES22812. WHITE, J.A. et al. 'A new set of 4 and the comment of the comment of the comment of the comment of the document is about the continuation of Box C.  **Special casegories of cited documents:  **Comment of thing the present state of the ast which is not considered to be operated with one or one of the statement of the statement of the statement of the statement of the document is about about and the provise an inventive sup-when the document is brown a inventive sup-when the document is brown a new profess that the professional canno	US CL According to B. FIEL Minimum do U.S.: 4  Documentation  Glectronic da  RAST, and S	: 435/69.1; 800/279, 281, 289, 290, 300, 301  International Patent Classification (IPC) or to both national classification and IPC  DS SEARCHED  cumentation searched (classification system followed by classification symbols)  35/69.1; 800/279, 281, 289, 290, 300, 301  on searched other than minimum documentation to the extent that such documents are included that base consulted during the international search (name of data base and, where practicable, sequences search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Assording to International Patent Classification (IPC) or to both national classification and IPC  B. FIELDS SEARCHED  Minimum documentation searched (classification system followed by classification symbols)  U.S.: 435/69.1; 800279, 281, 289, 290, 300, 301  Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched like the search of SEQ ID NOs: 1, 2, 3 and 4  C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category*	According to B. FIEL  Minimum do U.S.: 4  Documentation  Glectronic da  RAST, and S	International Patent Classification (IPC) or to both national classification and IPC DS SEARCHED  cumentation searched (classification system followed by classification symbols) 35/69.1; 800/279, 281, 289, 290, 300, 301  on searched other than minimum documentation to the extent that such documents are included ta base consulted during the international search (name of data base and, where practicable, s EQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Minimum documentation searched (classification system followed by classification symbols)  U.S.: 435/69.1; 800/279, 281, 289, 290, 300, 301  Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched at the searched other than minimum documentation to the extent that such documents are included in the fields searched at the search of SEQ ID NOs: 1, 2, 3 and 4  C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category * Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. KRANZ, H.D. et al. Towards functional characterisation of the members of the RER3-MTB gene family from Arabidopsis thaliana. The Plant Journal, 1998, Vol 16, No. 2, pages 263-276, see entire document, in Solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal, 1998, Vol 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 31-3,7-22  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Ambidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oil. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Betheada, MD), submitted 19 March 2001.  Purther documents are listed in the continuation of Box C.  Special casegories of clad document.  A decument of familia the general state of the att which is not contidered to be of particular relevance: the claimed investion cannot be considered to prove substitute of the requirements of the application for the or order claims or other recolar continuation of particular frequence of particular relevance: the claimed investion cannot be considered to be ordered to be ordered with the continuation of particular of particular relevance: the claimed inven	Minimum do U.S.: 4  Documentation  Glectronic da  RAST, and S	DS SEARCHED  cumentation searched (classification system followed by classification symbols) 35/69.1; 800/279, 281, 289, 290, 300, 301  on searched other than minimum documentation to the extent that such documents are included ta base consulted during the international search (name of data base and, where practicable, s EQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  Bilectronic data base consulted during the international search (name of data base and, where practicable, search terms used)  BAST, and SEQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  C. DOCUMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.  Y KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3- MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the CCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular pages 5493, left column, section under Materials and Methods.  X SMALLB, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X.P Database NCBI on WEST, AN BES22812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Carbohydrates to seed oil.' Plant Physiol. 124, (4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Y Purther documents are listed in the continuation of Box C.  Special categories of cited documents:  **Comment admining the general state of the art which is not considered to be opticiple or theory underlying the invention cannot be considered in the submitted of the order and the continuation of the international filling date of particular relevance the claimed invention cannot be considered in brown as howards sup- document which may throw donbt	U.S.: 4 Documentation	on searched other than minimum documentation to the extent that such documents are included to base consulted during the international search (name of data base and, where practicable, a BQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched  Bilectronic data base consulted during the international search (name of data base and, where practicable, search terms used)  BAST, and SEQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  C. DOCUMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No.  Y KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3- MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the CCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular pages 5493, left column, section under Materials and Methods.  X SMALLB, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X.P Database NCBI on WEST, AN BES22812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Carbohydrates to seed oil.' Plant Physiol. 124, (4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Y Purther documents are listed in the continuation of Box C.  Special categories of cited documents:  **Comment admining the general state of the art which is not considered to be opticiple or theory underlying the invention cannot be considered in the submitted of the order and the continuation of the international filling date of particular relevance the claimed invention cannot be considered in brown as howards sup- document which may throw donbt	U.S.: 4 Documentation	on searched other than minimum documentation to the extent that such documents are included to base consulted during the international search (name of data base and, where practicable, a BQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  ASST, and SEQUENCB search of SEQ ID NOs: 1, 2, 3 and 4  C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category *  KRANZ, H.D. et al. Towards functional characterisation of the members of the RZR3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO  Y Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, I. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Figs. 1A on page 3319.  X.P. Database NCBI on WEST, AN BES22812. WHITE, I.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed of 'I. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special energetics of clad documents:  A document defining the general state of the art which is not considered to be of particular relevance; the claimed investion cannot be considered to be formed with one or more other such documents in tuben slowe an inventive supwhere the document of particular relevance; the claimed investion cannot be considered to be returned with one or more other such documents, such combination being division or peters of the dist the art combination to continuation of the art of the actual completion of the international search report document and the principle or the claimed investion cannot be considered to brove an inventive supwhere the constinuted of the art	Electronic da	ta base consulted during the international search (name of data base and, where practicable, s EQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  ASST, and SEQUENCB search of SEQ ID NOs: 1, 2, 3 and 4  C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category *  KRANZ, H.D. et al. Towards functional characterisation of the members of the RZR3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO  Y Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, I. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Figs. 1A on page 3319.  X.P. Database NCBI on WEST, AN BES22812. WHITE, I.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed of 'I. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special energetics of clad documents:  A document defining the general state of the art which is not considered to be of particular relevance; the claimed investion cannot be considered to be formed with one or more other such documents in tuben slowe an inventive supwhere the document of particular relevance; the claimed investion cannot be considered to be returned with one or more other such documents, such combination being division or peters of the dist the art combination to continuation of the art of the actual completion of the international search report document and the principle or the claimed investion cannot be considered to brove an inventive supwhere the constinuted of the art	Electronic da	ta base consulted during the international search (name of data base and, where practicable, s EQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  ASST, and SEQUENCB search of SEQ ID NOs: 1, 2, 3 and 4  C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category *  KRANZ, H.D. et al. Towards functional characterisation of the members of the RZR3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO  Y Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, I. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Figs. 1A on page 3319.  X.P. Database NCBI on WEST, AN BES22812. WHITE, I.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed of 'I. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special energetics of clad documents:  A document defining the general state of the art which is not considered to be of particular relevance; the claimed investion cannot be considered to be formed with one or more other such documents in tuben slowe an inventive supwhere the document of particular relevance; the claimed investion cannot be considered to be returned with one or more other such documents, such combination being division or peters of the dist the art combination to continuation of the art of the actual completion of the international search report document and the principle or the claimed investion cannot be considered to brove an inventive supwhere the constinuted of the art	Electronic da	ta base consulted during the international search (name of data base and, where practicable, s EQUENCE search of SEQ ID NOs: 1, 2, 3 and 4  JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category * Citation of document, with indication, where appropriate, of the relevant passages  Relevant to claim No. Y  KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X  ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X  SMALLE, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P  Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi!1. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special enegwies of clad document:  Special enegwies of clade documents:  Ar  Ar  Ar  Ar  Ar  Ar  Ar  Ar  Ar  A	SAST, and S	JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages	earch terms used)				
C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category * Citation of document, with indication, where appropriate, of the relevant passages  Relevant to claim No. Y  KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X  ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X  SMALLE, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P  Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi!1. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special enegwies of clad document:  Special enegwies of clade documents:  Ar  Ar  Ar  Ar  Ar  Ar  Ar  Ar  Ar  A	SAST, and S	JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages	earch terms used)				
C. DOCUMENTS CONSIDERED TO BE RELEVANT  Category * Citation of document, with indication, where appropriate, of the relevant passages  Relevant to claim No. Y  KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X  ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X  SMALLE, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P  Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi!1. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special enegwies of clad document:  Special enegwies of clade documents:  Ar  Ar  Ar  Ar  Ar  Ar  Ar  Ar  Ar  A	SAST, and S	JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages	earch terms used)				
Category * Citation of document, with indication, where appropriate, of the relevant passages  Y		JMENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages					
Category * Citation of document, with indication, where appropriate, of the relevant passages  Relevant to claim No.  Y KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3- MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, J. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages  3318-3322, see entire document, in particular Fig. 1A on page 3319.  X.P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A document defining the general state of the art which is not comidered to be of particular relevance.  To document which may throw doubs on priority claim(s) or which is cited to establish the publication but cited to understand the principle or theory underlying the invention: almost be considered on brinder relevance; the claimed invention cannot be considered on brinder relevance; the claimed invention cannot be considered on word or cannot be considered to brinder an inventive step when the document is taken alone  document published prior to the international filing date  "X" document published prior to the international filing date be later thun the principle or theory underlying the inventors; such combination being droten to a considered to browde an inventiv		Citation of document, with indication, where appropriate, of the relevant passages					
Category * Citation of document, with indication, where appropriate, of the relevant passages  Relevant to claim No.  Y KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3- MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, J. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages  3318-3322, see entire document, in particular Fig. 1A on page 3319.  X.P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A document defining the general state of the art which is not comidered to be of particular relevance.  To document which may throw doubs on priority claim(s) or which is cited to establish the publication but cited to understand the principle or theory underlying the invention: almost be considered on brinder relevance; the claimed invention cannot be considered on brinder relevance; the claimed invention cannot be considered on word or cannot be considered to brinder an inventive step when the document is taken alone  document published prior to the international filing date  "X" document published prior to the international filing date be later thun the principle or theory underlying the inventors; such combination being droten to a considered to browde an inventiv	* **	Citation of document, with indication, where appropriate, of the relevant passages					
KRANZ, H.D. et al. Towards functional characterisation of the members of the R2R3-MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X ALLBN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLB, J. et al. The tribelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from document with the application of the art which is not combined to be of particular relevance.  Special categories of cited documents:		Citation of document, with indication, where appropriate, of the relevant passages					
MYB gene family from Arabidopsis thaliana. The Plant Journal. 1998, Vol 16, No. 2, pages 263-276, see entire document.  X		YER AND THE STATE OF THE STATE	Relevant to claim No.				
ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal, 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, J. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A' document defining the general state of the art which is not comildered to be particular relevance of particular relevance of particular relevance of particular relevance in the claimed invention cannot be considered in one of another clustion or other special reason (as specified)  document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another clustion or other means document special relevance in the claimed invention cannot be considered in the occument in particular relevance; the claimed invention cannot be considered in one of the cart which may throw doubts on priority claim(s) or which is cited to establish the publication date of another clustion or other special reason (as specified)  document referring to an oral disclosure, use, exhibition or other means document special relevance; the claimed invention cannot be considered in throw an inventive step when the document is combined with one or more other such documents, such combination being devious to a person skilled in the art document incentive step when the document is	I	KKANZ, H.D. et al. Towards functional characterisation of the members of the R2R3-	1-5,7-22				
ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the solution structure of the GCC-box binding domain in complex with DNA. The EMBO Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, J. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  document defining the general state of the art which is not considered to be opticitied and the publication are patent published on or after the international filling date of particular relevance:  et earlier application or patent published on or after the international filling date or priority date and not in conflict with the application but clied to understand the principle or theory underlying the invention cannot be considered novel or cannot be considered to involve an inventive step when the document is considered in one of another classino or other means document referring to an oral disclosure, use, exhibition or other means document published prior to the international filling date but later than the priority date claimed  document published prior to the international filling date but later than the priority date claimed  and or the actual completion of the international search  document member of the same patent family  and councers member of the same patent family  document published prior to the international search  document member of the same patent family	ļ	pages 263-276, see entire document					
Y Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, J. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oil.' Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of clied documents:  A* document defining the general state of the art which is not considered to be of particular relevance:  E* earlier application or patent published on or after the international filing date or priority date calcified)  C** document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another cliation or other special reason (as appeciation)  C** document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed  C** document published prior to the international filing date but later than the priority date claimed  C** document published prior to the international search  A document published prior to the international search  C** document published prior to the international search  A document published prior to the international search  C** document pub	I	A U · · · · · · · · · · · · · · · · · ·					
Y Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column, section under Materials and Methods.  X SMALLE, J. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oil.' Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of clied documents:  A* document defining the general state of the art which is not considered to be of particular relevance:  E* earlier application or patent published on or after the international filing date or priority date calcified)  C** document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another cliation or other special reason (as appeciation)  C** document referring to an oral disclosure, use, exhibition or other means document published prior to the international filing date but later than the priority date claimed  C** document published prior to the international filing date but later than the priority date claimed  C** document published prior to the international search  A document published prior to the international search  C** document published prior to the international search  A document published prior to the international search  C** document pub		ALLEN, M.D. et al. A novel mode of DNA recognition by a beta-sheet revealed by the	4.5				
section under Materials and Methods.  X		solution structure of the GCC-box binding domain in complex with DNA. The EMBO	- 1				
SMALLE, J. et al. The trihelix DNA-binding motif in higher plants is not restricted to the transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P  Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A** document defining the general state of the art which is not considered to be of particular relevance  E** earlier application or patent published on or after the international filing date or priority date calablish the problession date of another clustion or other special reason (as specified)  O' document referring to an oral disclosure, use, exhibition or other means  P** document published prior to the international filing date but later than the priority date claimed or the international filing date but later than the priority date claimed or the international search priority date claimed or the international search post of mailing of the international search report 16 JAN 2002	Y	Journal. 1998, Vol. 17, No. 18, pages 5484-5496, in particular page 5493, left column,	1-3,7-22				
Transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998, Vol. 95, pages 3318-3322, see entire document, in particular Fig. 1A on page 3319.  X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A* document defining the general state of the art which is not considered to be of particular relevance  active application or patent published on or after the international filing date or priority date claimed invention cannot be considered nowel or cannot be considered to involve an inventive step when the document is taken alone considered to involve an inventive step when the document is taken alone document published prior to the international filing date but later than the priority date claimed  Comment published prior to the international filing date but later than the priority date claimed  Date of the actual completion of the international search  November 2001 (27.11,2001)	x						
X,P Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  Ar document defining the general state of the art which is not considered to be of particular relevance  artier application or patent published on or after the international filing date or priority date and not in conflict with the application but cited to understand the principal comment which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  Comment published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the document published prior to the international search  To November 2001 (27.11.2001)		transcription factors GT-1 and GT-2. Proc. Natl. Acad. Sci. USA. 1998 Vol. 95 200000	4,5				
X,P  Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  Ar document defining the general state of the art which is not considered to be of particular relevance  er earlier application or patent published on or after the international filling date of another citation or other special reason (as specified)  To document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  To document published prior to the international filling date but later than the priority date claimed  To document published prior to the international filling date but later than the priority date claimed  To November 2001 (27.11,2001)	Y	3318-3322, see entire document, in particular Fig. 1A on page 3319.	1-3.7-22				
Arabidopsis expressed sequence tags from developing seeds. The metabolic pathway from carbohydrates to seed oi'l. Plant Physiol. 124,(4), 1582-1594. NCBI-Genbank (National Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  Ar document defining the general state of the art which is not considered to be of particular relevance  earlier application or patent published on or after the international filing date of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  document which may throw doubts on priority claim(a) or which is cited to establish the publication date of another clustion or other special reason (as specified)  document referring to an oral disclosure, use, exhibition or other means  of document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date but later than the priority date claimed  To document published prior to the international filing date of the actual completion of the international search  To document published prior to the international filing date but later than the priority date claimed invention cannot be considered to involve an inventive step when the document is con			<del></del>				
Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A* document defining the general state of the art which is not considered to be of particular relevance  E* earlier application or patent published on or after the international filing date  Comment which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  O* document published prior to the international filing date but later than the priority date claimed  To November 2001 (27.11,2001)  See patent family annex.  See patent family annex.  See patent family annex.  I atter document published after the international filing date or priority date and not in conflict with the application but cled to understand the principle or theory underlying the invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  "X* document published prior to the international filing date but later than the priority date claimed  To November 2001 (27.11,2001)	X,P	Database NCBI on WEST, AN BE522812. WHITE, J.A. et al. 'A new set of	4				
Library of Medicine, Bethesda, MD), submitted 19 March 2001.  Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A" document defining the general state of the art which is not considered to be of particular relevance  E" earlier application or patent published on or after the international filling date  Comment which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  O" document referring to an oral disclosure, use, exhibition or other means  P" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later than the priority date claimed  A" document published prior to the international filling date but later the international filling d	Y.P	carbohydrates to seed oi'l. Plant Physiol 124 (4) 1522 1504 NCDI Carbohydrates	105700				
Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A" document defining the general state of the art which is not considered to be of particular relevance  E" earlier application or patent published on or after the international filling date  Comment which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  O" document referring to an oral disclosure, use, exhibition or other means  P" document published prior to the international filling date but later than the priority date claimed  On the actual completion of the international search  Pate of the actual completion of the international search  Pate of mailing of the international search report  7 November 2001 (27.11,2001)		Library of Medicine, Bethesda, MD), submitted 19 March 2001.	1-3,5,7-22				
Special categories of cited documents:  A" document defining the general state of the art which is not considered to be of particular relevance of particular relevance artier application or patent published on or after the international filing date  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The comment of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The patent of mailing of the international search report  A" document published prior to the international filing date but later than the priority date claimed  "A" document of particular relevance; the claimed invention cannot be considered novel or		, , , , , , , , , , , , , , , , , , , ,					
Special categories of cited documents:  A" document defining the general state of the art which is not considered to be of particular relevance of particular relevance artier application or patent published on or after the international filing date  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The comment of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The patent of mailing of the international search report  A" document published prior to the international filing date but later than the priority date claimed  "A" document of particular relevance; the claimed invention cannot be considered novel or							
Special categories of cited documents:  A" document defining the general state of the art which is not considered to be of particular relevance of particular relevance artier application or patent published on or after the international filing date  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The comment of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The patent of mailing of the international search report  A" document published prior to the international filing date but later than the priority date claimed  "A" document of particular relevance; the claimed invention cannot be considered novel or							
Special categories of cited documents:  A" document defining the general state of the art which is not considered to be of particular relevance of particular relevance artier application or patent published on or after the international filing date  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The comment of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  The patent of mailing of the international search report  A" document published prior to the international filing date but later than the priority date claimed  "A" document of particular relevance; the claimed invention cannot be considered novel or	<b>7</b>						
date and not in conflict with the application but citted to understand the principle or theory underlying the invention  articular relevance  artier application or patent published on or after the international filling date  document which may throw doubts on priority claim(a) or which is citted to establish the publication date of another citation or other special reason (as specified)  accument referring to an oral disclosure, use, exhibition or other means  accument published prior to the international filling date but later than the priority date claimed  accument published prior to the international filling date but later than the priority date claimed  Bate of the actual completion of the international search  November 2001 (27.11,2001)		The state of the s					
cartier application or patent published on or after the international filling date  document which may throw doubts on priority claim(a) or which is cited to establish the publication date of another citation or other special reason (as specified)  or document referring to an oral disclosure, use, exhibition or other means  or document published prior to the international filling date but later than the priority date claimed  attention to be considered to invention cannot be considered nowel or cannot be considered nowel or cannot be considered movel or cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  attention of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  Attention of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is combined with one or more other such documents is combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family  Attention of particular relevance; the claimed invention cannot be considered novel or cannot be considered movel or cannot be consi	Sp		national filing date or priority				
document of particular relevance; the claimed invention cannot be considered movel or cannot be considered to inventive an inventive step when the document is taken alone  "Y"  document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is taken alone  "Y"  document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art  document published prior to the international filling date but later than the priority date claimed  The actual completion of the international search  Date of mailing of the international search report  16 JAN 2002		CHANGE LIE SCHOOL OF the six which is not considered to be principle or theory underlying the instru	uses our cited to linderstand the ition				
considered novel or cannot be considered to involve an inventive step when the document is taken alone  considered novel or cannot be considered to involve an inventive step when the document is taken alone  document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is considered to involve an inventive step when the document is considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is accombined with one or more other such document is accombined with one or more other such document is accombined with one or more other such document is accombined with one or more other such document is accom	-	"X" document of particular relevance: the c	laimed invention cannot be				
cocument which may throw doubts on priority claim(s) or which is cited to establish the publication date of another cliation or other special reason (as specified)  or document referring to an oral disclosure, use, exhibition or other means  document published prior to the international filing date but later than the priority date claimed  ate of the actual completion of the international search  November 2001 (27.11,2001)  "Y"  document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art  document member of the same patent family		earfier application or patent published on or after the international filling date considered novel or cannot be consider					
specified)  considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such documents, such combination being obvious to a person skilled in the art document published prior to the international filing date but later than the priority date claimed  attemption of the actual completion of the international search  November 2001 (27.11,2001)  Considered to involve an inventive step when the document is combined with one or more other such documents.		which may throw doubts on priority claim(s) or which is cited to					
combined with one or more other such documents, such combination being obvious to a person skilled in the art document published prior to the international filing date but later than the priority date claimed document member of the same patent family  Date of the actual completion of the international search  November 2001 (27.11,2001)  Combined with one or more other such documents, such combination being obvious to a person skilled in the art  document member of the same patent family  Date of mailing of the international search report  16 JAN 2002		considered to involve an inventive step	When the document is				
document published prior to the international filing date but later than the priority date claimed  "&" document member of the same patent family  Date of the actual completion of the international search  November 2001 (27.11,2001)  The priority date claimed  The priority date claimed  The priority date claimed  The priority date claimed  The priority date of mailing of the international search report  The priority date claimed	)" document r	documents, such combination					
priority date claimed  Pate of the actual completion of the international search  November 2001 (27.11,2001)  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search  The priority date claimed actual completion of the international search completion of the internation							
7 November 2001 (27.11,2001) 1 6 JAN 2002		AMPLISHED PROF TO THE INTERNATIONAL PLINE GASE OUR LASET SHAN THE "&" document member of the same patent for C Claimed	will				
7 November 2001 (27.11,2001) 1 6 JAN 2002			ah ana aut				
/ November 2001 (27.11.2001)		Date of maining of the memational search	π report Λ λ[ 2007				
ome and mailing address of the ICA/IIC	November	2001 (27.11.2001)	HIS COOL				
ame and mailing address of the ISA/US  Commissioner of Patents and Trademarks  Authorized officer	comm and mai	ing address of the ISA/US / Authoracy officer / )	dalas In				
Box PCT David H Kirlse ( MM)	Box P	CT David H Krise	WI T				
Washington, D.C. 20231 acsimile No. (703)305-3230 Telephone No. 703-308-0196		I 1 /	<b>"</b> []				
1/1/Page 6130		210 (second sheet) (July 1998)					

International application No.

#### INTERNATIONAL SEARCH REPORT

PCT/US01/26189

Category •	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.		
х	OHME-TAKAGI, M. et al. Ethylene-inducible DNA binding proteins that interact with an ethylene-responsive element. The Plant Cell.	4,5		
Y	February 1995, Vol. 7, pages 173-182, see entire document.	1-3,7-22		
A	BLOMAA, P. et al. Transformation of antisense constructs of the chalcone synthase gene superfamily into Gerbera hybrida: differential effect on the expression of family members. Molecular Breeding 1996, Vol. 2, pages 41-50, see entire document.	1-5,7-22		
<b>A</b>	QUATTROCCHIO, F. et al. Analysis of bHLH and MYB domain proteins: species- specific regulatory differences are caused by divergent evolution of target anthocyanin genes. The Plant Journal. 1998, Vol. 13, No. 4, pages 475-488, see entire document.	1-5,7-22		
•		en de la companya de La companya de la co		
		•		
		•		
		•		
		•		
		We consider		
	A CONTRACTOR OF THE SAME WAS A CONTRACTOR OF THE CONTRACTOR OF THE SAME WAS A CONTRACTOR OF THE CONTRACTOR OF THE CONTRACTOR OF THE			
		•		
		•		
		· ·		
ĺ				
1		•		
l				

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/26189

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)	
This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:	_
1. Claim Nos.: because they relate to subject matter not required to be searched by this Authority, namely:	
Claim Nos.: 52-70  because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:  Please See Continuation Sheet	
Claim Nos.:     because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).	
Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)	_
This International Searching Authority found multiple inventions in this international application, as follows: Please See Continuation Sheet	-
·	
·	
1. As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.	
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.	
3. As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.: Please See Continuation Sheet	
4. No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	
Remark on Protest	
No protest accompanied the payment of additional search fees.	

#### INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/26189

Continuation of Box I Reason 2:

Claims 52-60 constitute unsearchable subject matter under PCT Rule 39.1(iii) as a process of thought or a business method and claims 61-70 constitute unsearchable subject matter under PCT Rule 39.1(v) a mere presentation of information.

## BOX IL OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

Groups 1-232, claim(s) 1-5, 7-22 and 44-47 (Group 1 is claims 1-5, 7-22 and 44-47 and SEQ ID NOS: 1 & 2, Group 2 is claims 1-5, 7-22 and 44-47 and SEQ ID NOS: 3 & 4, etc.), drawn to an isolated or recombinant polymcleotide, transgenic plants comprising said polymcleotide and a method of making said transgenic plant.

Groups 233-465, claim(8) 6 and 34-43 (Group 233 is claims 6 and 34-43 and SEQ ID NOS: 1 & 2, Group 234 is claims 6 and 34-43 and SEQ ID NOS: 3 & 4, etc), drawn to an isolated or recombinant polypeptide.

Groups 466-698, claim(s) 23-33 (Group 466 is claims 23-33 and SEQ ID NOS: 1 & 2, Group 467 is claims 23-33 and SEQ ID NOS: 3 & 4, etc.), drawn to a method comprising expressing an antisense nucleic acid in a transformed plant and the plant produced by said restbad.

Groups 699-931, claim(s) 48-51 (Group 699 is claims 48-51 and SEQ ID NOS: 1 & 2, Group 700 is claims 48-51 and SEQ ID NOS: 3 & 4, etc), drawn to a computer readable medium.

The inventions listed as Groups 1-931 do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons: The isolated polynucleotide is anticipated by the prior art because Applicant's SEQ ID NO: 66 is 99% identical to the MYB12 disclosed by Kranz et al (1998, The Plant Journal, 16(2):263-278). Because Applicant has claimed an isolated polynucleotide encoding a polypeptide having at least anywhere from 31-95% sequence identity outside of a conserved domain of the polypeptide of SEQ ID NO: 66 and an isolated polypeptide having at least 31-95% sequence identity over the entire length of the polypeptide of SEQ ID NO: 66, the claimed invention has been anticipated by the prior art and thus Unity of Invention is lacking as required under PCT Rule 13.1 and it lacks a special technical feature as required under PCT Rule 13.2.

2. Claims 52-60 constitute unsearchable subject matter under PCT Rule 39.1(iii) as a process of thought or a business method and Claims 61-70 constitute unsearchable subject matter under PCT Rule 39.1(v) as mere presentation of information.

#### Continuation of Box II Item 3:

1-5,7-22,44-45 and SEQ ID NOs. 1,2,3,4

Claims 46 and 47 were not searched because no additional fees were paid for the inventions to which the claims are directed.

# THIS PAGE BLANK (USPTO)